Title 23—Highways

	Part
CHAPTER I—Federal Highway Administration, Department of Transportation	1
CHAPTER II—National Highway Traffic Safety Administration and Federal Highway Administration, Department of Transportation	1200
CHAPTER III—National Highway Traffic Safety Administration, Department of Transportation	1313

CHAPTER I—FEDERAL HIGHWAY ADMINISTRATION, DEPARTMENT OF TRANSPORTATION

SUBCHAPTER A-GENERAL MANAGEMENT AND ADMINISTRATION Part Page General SUBCHAPTER B-PAYMENT PROCEDURES 140 Reimbursement 12 172 Administration of engineering and design related service contracts 19 180 Credit assistance for Surface Transportation 22 projects 190 Incentive payments for controlling outdoor adver-22 tising on the interstate system 192 Drug offender's driver's license suspension 23 SUBCHAPTER C-CIVIL RIGHTS 200 Title VI program and related statutes—implementation and review procedures 27 230 External programs 30 SUBCHAPTER D-NATIONAL HIGHWAY INSTITUTE 260 72 Education and training programs SUBCHAPTER E-PLANNING AND RESEARCH 420 Planning and research program administration 78 450 Planning assistance and standards 89 Public road mileage for apportionment of highway 460 safety funds 116 470 Highway systems 117 SUBCHAPTER F—TRANSPORTATION INFRASTRUCTURE MANAGEMENT 500 Management and monitoring systems 124

23 CFR Ch. I (4-1-05 Edition)

Part 511	[Reserved]	Page
	SUBCHAPTER G—ENGINEERING AND TRAFFIC OPERATIONS	
620	Engineering	132
625	Design standards for highways	134
626	Pavement policy	137
627	Value engineering	137
630	Preconstruction procedures	138
633	Required contract provisions	149
635	Construction and maintenance	162
636	Design-build contracting	187
637	Construction inspection and approval	201
645	Utilities	204
646	Railroads	221
650	Bridges, structures, and hydraulics	230
652	Pedestrian and bicycle accommodations and projects	246
655	Traffic operations	249
656	Carpool and vanpool projects	255
657	Certification of size and weight enforcement	257
658	Truck size and weight, route designations—length, width and weight limitations	262
660	Special programs (Direct Federal)	322
661	Indian Reservation Road Bridge Program	328
667	[Reserved]	
668	Emergency relief program	332
669	Enforcement of heavy vehicle use tax	340
	SUBCHAPTER H—RIGHT-OF-WAY AND ENVIRONMENT	
710	Right-of-way and real estate	343
750	Highway beautification	358
751	Junkyard control and acquisition	376
752	Landscape and roadside development	381
771	Environmental impact and related procedures	384
772	Procedures for abatement of highway traffic noise	
	and construction noise	401

Federal Highway Administration, DOT

Part		Page
777	Mitigation of environmental impacts to privately owned wetlands	407
	SUBCHAPTER I—PUBLIC TRANSPORTATION	
810	Mass transit and special use highway projects	412
	SUBCHAPTER J—HIGHWAY SAFETY	
924	Highway safety improvement program	418
	SUBCHAPTER K—INTELLIGENT TRANSPORTATION SYSTEMS	
940	Intelligent transportation system architecture and standards	421
	SUBCHAPTER L—FEDERAL LANDS HIGHWAYS	
970 971 972 973	National Park Service management systems Forest Service management systems Fish and Wildlife Service management systems Management systems pertaining to the Bureau of Indian Affairs and the Indian Reservation Roads	424 429 435
	Program	441

SUBCHAPTER A—GENERAL MANAGEMENT AND ADMINISTRATION

PART 1—GENERAL

Sec.

- 1.1 Purpose.
- 1.2 Definitions.
- 1.3 Federal-State cooperation; authority of State highway departments.
- 1.5 Information furnished by State highway departments.
- 1.7 Urban area boundaries.
- 1.8 [Reserved]
- 1.9 Limitation on Federal participation.
- 1.11 Engineering services.
- 1.23 Rights-of-way.
- 1.27 Maintenance.
- 1.28 Diversion of highway revenues.
- 1.32 Issuance of directives.
- 1.33 Conflicts of interest.
- 1.35 Bonus program.
- 1.36 Compliance with Federal laws and regulations.

AUTHORITY: 23 U.S.C. 315; 49 CFR 1.48(b).

Source: 25 FR 4162, May 11, 1960, unless otherwise noted.

§1.1 Purpose.

The purpose of the regulations in this part is to implement and carry out the provisions of Federal law relating to the administration of Federal aid for highways.

§ 1.2 Definitions.

- (a) Terms defined in 23 U.S.C. 101(a), shall have the same meaning where used in the regulations in this part, except as modified herein.
- (b) The following terms where used in the regulations in this part shall have the following meaning:

Administrator. The Federal Highway Administrator.

Advertising policy. The national policy relating to the regulation of outdoor advertising declared in title 23 U.S.C.

Advertising standards. The "National Standards for Regulation by States of Outdoor Advertising Signs, Displays and Devices Adjacent to the National System of Interstate and Defense Highways" promulgated by the Secretary (part 20 of this chapter).

Federal laws. The provisions of title 23 U.S.C., and all other Federal laws,

heretofore or hereafter enacted, relating to Federal aid for highways.

Latest available Federal census. The latest available Federal decennial census, except for the establishment of urban area.

Project. An undertaking by a State highway department for highway construction, including preliminary engineering, acquisition of rights-of-way and actual construction, or for highway planning and research, or for any other work or activity to carry out the provisions of the Federal laws for the administration of Federal aid for highways.

Secondary road plan. A plan for administration of Federal aid for highways on the Federal-aid secondary highway system pursuant to 23 U.S.C. 117.

Secretary. The Secretary of Transportation.

State. Any State of the United States, the District of Columbia and Puerto Rico.

Urban area. An area including and adjacent to a municipality or other urban place having a population of five thousand or more, as determined by the latest available published official Federal census, decennial or special, within boundaries to be fixed by a State highway department, subject to the approval of the Administrator.

[25 FR 4162, May 11, 1960, as amended at 35 FR 18719, Dec. 10, 1970]

§ 1.3 Federal-State cooperation; authority of State highway departments.

The Administrator shall cooperate with the States, through their respective State highway departments, in the construction of Federal-aid highways. Each State highway department, maintained in conformity with 23 U.S.C. 302, shall be authorized, by the laws of the State, to make final decisions for the State in all matters relating to, and to enter into, on behalf of the State, all contracts and agreements for projects and to take such other actions on behalf of the State as may be necessary

§ 1.5

to comply with the Federal laws and the regulations in this part.

§ 1.5 Information furnished by State highway departments.

At the request of the Administrator the State highway department shall furnish to him such information as the Administrator shall deem desirable in administering the Federal-aid highway program.

§1.7 Urban area boundaries.

Boundaries of an urban area shall be submitted by the State highway department and be approved by the Administrator prior to the inclusion in a program of any project wholly or partly in such area involving funds authorized for and limited to urban areas.

§1.8 [Reserved]

§ 1.9 Limitation on Federal participation.

- (a) Federal-aid funds shall not participate in any cost which is not incurred in conformity with applicable Federal and State law, the regulations in this title, and policies and procedures prescribed by the Administrator. Federal funds shall not be paid on account of any cost incurred prior to authorization by the Administrator to the State highway department to proceed with the project or part thereof involving such cost.
- (b) Notwithstanding the provisions of paragraph (a) of this section the Administrator may, upon the request of a State highway department, approve the participation of Federal-aid funds in a previously incurred cost if he finds:
- (1) That his approval will not adversely affect the public,
- (2) That the State highway department has acted in good faith, and that there has been no willful violation of Federal requirements,
- (3) That there has been substantial compliance with all other requirements prescribed by the Administrator, and full compliance with requirements mandated by Federal statute,
- (4) That the cost to the United States will not be in excess of the cost which it would have incurred had there been full compliance, and

- (5) That the quality of work undertaken has not been impaired.
- (c) Any request submitted under paragraph (b) of this section shall be accompanied by a detailed description of the relevant circumstances and facts, and shall explain the necessity for incurring the costs in question.

[38 FR 18368, July 10, 1973]

§1.11 Engineering services.

- (a) Federal participation. Costs of engineering services performed by the State highway department or any instrumentality or entity referred to in paragraph (b) of this section may be eligible for Federal participation only to the extent that such costs are directly attributable and properly allocable to specific projects.
- (b) Governmental engineering organizations. The State highway department may utilize, under its supervision, the services of well-qualified and suitably equipped engineering organizations of other governmental instrumentalities for making surveys, preparing plans, specifications and estimates, and for supervising the construction of any project.
- (c) Railroad and utility engineering organizations. The State highway department may utilize, under its supervision, the services of well-qualified and suitably equipped engineering organizations of the affected railroad companies for railway-highway crossing projects and of the affected utility companies for projects involving utility installations.
 - (d) [Reserved]
- (e) Responsibility of the State highway department. The State highway department is not relieved of its responsibilities under Federal law and the regulations in this part in the event it utilizes the services of any engineering organization under paragraphs (b), (c) or (d) of this section.

[25 FR 4162, May 11, 1960, as amended at 53 FR 18276, May 23, 1988; 57 FR 60728, Dec. 22,1992; 66 FR 58666, Nov. 23, 2001]

§ 1.23 Rights-of-way.

(a) Interest to be acquired. The State shall acquire rights-of-way of such nature and extent as are adequate for the

construction, operation and maintenance of a project.

(b) Use for highway purposes. Except as provided under paragraph (c) of this section, all real property, including air space, within the right-of-way boundaries of a project shall be devoted exclusively to public highway purposes. No project shall be accepted as complete until this requirement has been satisfied. The State highway department shall be responsible for pre-serving such right-of-way free of all public and private installations, facilities or encroachments, except (1) those approved under paragraph (c) of this section; (2) those which the Administrator approves as constituting a part of a highway or as necessary for its operation, use or maintenance for public highway purposes and (3) informational sites established and maintained in accordance with §1.35 of the regulations in this part.

(c) Other use or occupancy. Subject to 23 U.S.C. 111, the temporary or permanent occupancy or use of right-of-way, including air space, for nonhighway purposes and the reservation of subsurface mineral rights within the boundaries of the rights-of-way of Federal-aid highways, may be approved by the Administrator, if he determines that such occupancy, use or reservation is in the public interest and will not impair the highway or interfere with the free and safe flow of traffic thereon.

§1.27 Maintenance.

The responsibility imposed upon the State highway department, pursuant to 23 U.S.C. 116, for the maintenance of projects shall be carried out in accordance with policies and procedures issued by the Administrator. The State highway department may provide for such maintenance by formal agreement with any adequately equipped county, municipality or other governmental instrumentality, but such an agreement shall not relieve the State highway department of its responsibility for such maintenance.

§ 1.28 Diversion of highway revenues.

(a) Reduction in apportionment. If the Secretary shall find that any State has diverted funds contrary to 23 U.S.C.

126, he shall take such action as he may deem necessary to comply with said provision of law by reducing the first Federal-aid apportionment of primary, secondary and urban funds made to the State after the date of such finding. In any such reduction, each of these funds shall be reduced in the same proportion.

(b) Furnishing of information. The Administrator may require any State to submit to him such information as he may deem necessary to assist the Secretary in carrying out the provisions of 23 U.S.C. 126 and paragraph (a) of this section.

§ 1.32 Issuance of directives.

- (a) The Administrator shall promulgate and require the observance of policies and procedures, and may take other action as he deems appropriate or necessary for carrying out the provisions and purposes of Federal laws, the policies of the Federal Highway Administration, and the regulations of this part.
- (b) The Administrator or his delegated representative, as appropriate, is authorized to issue the following type of directives:
- (1) Federal Highway Administration Regulations are issued by the Administrator or his delegate, as necessary, to implement and carry out the provisions of title 23 U.S.C., relating to the administration of Federal aid for highways, direct Federal programs and State and community safety programs; and title 49 U.S.C., relating to motor carrier safety; and other applicable laws and programs under his jurisdiction.
- (2) Notices are temporary issuances transmitting one-time or short-term instructions or information which is expected to remain in effect for less than 90 days or for a predetermined period of time normally not to exceed one year.
- (3) Orders are directives limited in volume and contain permanent or longlasting policy, instructions, and procedures. FHWA Orders are to be used primarily as internal FHWA directives.

§ 1.33

- (4) Joint Interagency Orders and Notices are used by FHWA and the National Highway Traffic Safety Administration (NHTSA) to issue joint policies, procedures, and information pertaining to the joint administration of the State and Community Highway Safety Program. Where necessary, other joint directives may be issued with other modal administrations within the Department of Transportation.
- (5) Manuals are generally designed for use in issuing permanent or longlasting detailed policy and procedure. Some of the major manuals recognized by the FHWA Directives System follow:
- (i) The Federal-Aid Highway Program Manual has been established to assemble and organize program material of the type previously contained in the Policy and Procedure and Instructional Memoranda which will continue in effect until specifically revoked or published in the new manual. Regulatory material is printed in italics in the manual and also appears in this code. Nonregulatory material is printed in delegate type.
- (ii) The Administrative Manual covers all internal FHWA administrative support functions.
- (iii) The Highway Planning Program Manual covers the methods and procedures necessary to conduct the highway planning functions.
- (iv) The Research and Development Manual series entitled, "The Federally Coordinated Program of Research and Development in Highway Transportation" describes the FHWA research and development program.
- (v) The External Audit Manual provides guidance to FHWA auditors in their review of State programs and processes.
- (vi) The Civil Rights and Equal Opportunity Manual provides guidance to FHWA and State Civil Rights and Equal Employment Opportunity Officers.
- (vii) The BMCS Operations Manual provides program guidance for all field employees assigned to the motor carrier safety program.
- (viii) The Highway Safety Program Manual, issued jointly by FHWA and NHTSA, contains volumes relating to

the joint administration of the program.

- (6) Handbooks are internal operating instructions published in book form where, because of the program area covered, it is desirable to provide greater detail of administrative and technical instructions.
- (7) Transmittals identify and explain the original issuance or page change, provide background information, and provide filing instructions for insertion of new pages and removal of changed pages, or both.

(49 U.S.C. 1655)

[39 FR 1512, Jan. 10, 1974]

§ 1.33 Conflicts of interest.

No official or employee of a State or any other governmental instrumentality who is authorized in his official capacity to negotiate, make, accept or approve, or to take part in negotiating, making, accepting or approving any contract or subcontract in connection with a project shall have, directly or indirectly, any financial or other personal interest in any such contract or subcontract. No engineer, attorney, appraiser, inspector or other person performing services for a State or a governmental instrumentality in connection with a project shall have, directly or indirectly, a financial or other personal interest, other than his employment or retention by a State or other governmental instrumentality, in any contract or subcontract in connection with such project. No officer or employee of such person retained by a State or other governmental instrumentality shall have, directly or indirectly, any financial or other personal interest in any real property acquired for a project unless such interest is openly disclosed upon the public records of the State highway department and of such other governmental instrumentality, and such officer, employee or person has not participated in such acquisition for and in behalf of the State. It shall be the responsibility of the State to enforce the requirements of this section.

§1.35 Bonus program.

(a) Any agreement entered into by a State pursuant to the provisions of section 12 of the Federal-Aid Highway Act of 1958, Pub. L. 85–381, 72 Stat. 95, as amended, shall provide for the control or regulation of outdoor advertising, consistent with the advertising policy and standards promulgated by the Administrator, in areas adjacent to the entire mileage of the Interstate System within that State, except such segments as may be excluded from the application of such policy and standards by section 12.

(b) Any such agreement for the control of advertising may provide for establishing publicly owned informational sites, whether publicly or privately operated, within the limits of or adjacent to the right-of-way of the Interstate System on condition that no such site shall be established or maintained except at locations and in accordance with plans, in furtherance of

the advertising policy and standards, submitted to and approved by the Administrator.

(c) No advertising right in the acquisition of which Federal funds participated shall be disposed of without the prior approval of the Administrator.

[39 FR 28628, Aug. 9, 1974]

§1.36 Compliance with Federal laws and regulations.

If the Administrator determines that a State has violated or failed to comply with the Federal laws or the regulations in this part with respect to a project, he may withhold payment to the State of Federal funds on account of such project, withhold approval of further projects in the State, and take such other action that he deems appropriate under the circumstances, until compliance or remedial action has been accomplished by the State to the satisfaction of the Administrator.

SUBCHAPTER B—PAYMENT PROCEDURES

PART 140—REIMBURSEMENT

Subparts A-D [Reserved]

Subpart E—Administrative Settlement Costs—Contract Claims

Sec. 140.501 Purpose.

140.503 Definition.

140.505 Reimbursable costs.

Subpart F—Reimbursement for Bond Issue **Projects**

140.601 Purpose.

140.602 Requirements and conditions.

140.603 Programs.

140.604 Reimbursable schedule.

140.605 Approval actions.

140.606 Project agreements.

140.607 Construction.

140.608 Reimbursable bond interest costs of Interstate projects.

140.609 Progress and final vouchers.

140.610 Conversion from bond issue to funded project status.

140.611 Determination of bond retirement.

140.612 Cash management.

APPENDIX TO SUBPART F-REIMBURSABLE SCHEDULE FOR CONVERTED "E" ISSUE) PROJECTS (OTHER THAN INTER-STATE PROJECTS)

Subpart G [Reserved]

Subpart H—State Highway Agency Audit **Expense**

140.801 Purpose.

140.803 Policy.

140.805 Definitions.

Reimbursable costs. 140.807

Subpart I—Reimbursement for Railroad Work

140.900 Purpose.

140.902 Applicability.

140.904 Reimbursement basis.

140.906 Labor costs.

140.907 Overhead and indirect construction costs.

140.908 Materials and supplies.

Equipment. 140.910

140.912 Transportation.

140 914 Credits for improvements.

140.916 Protection.

140.918 Maintenance and extended construction.

140.920 Lump sum payments.

140.922 Billings.

AUTHORITY: 23 U.S.C. 101(e), 106, 109(e), 114(a), 120(g), 121, 122, 130, and 315; and 49 CFR

Subparts A-D [Reserved]

Subpart E—Administrative Settlement Costs—Contract Claims

SOURCE: 44 FR 59233, Oct. 15, 1979, unless otherwise noted.

§140.501 Purpose.

This regulation establishes the criteria for eligibility for reimbursement of administrative settlement costs in defense of contract claims on projects performed by a State under Federal-aid procedures.

§140.503 Definition.

Administrative settlement costs are costs related to the defense and settlement of contract claims including, but not limited to, salaries of a contracting officer or his/her authorized representative, attorneys, and/or members of State boards of arbitration, appeals boards, or similar tribunals, which are allocable to the findings and determinations of contract claims, but not including administrative or overhead costs.

§ 140.505 Reimbursable costs.

- (a) Federal funds may participate in administrative settlement costs which are:
 - (1) Incurred after notice of claim,

(2) Properly supported,

- (3) Directly allocable to a specific Federal-aid or Federal project,
- (4) For employment of special counsel for review and defense of contract claims, when
- (i) Recommended by the State Attorney General or State Highway Agency (SHA) legal counsel and
- (ii) Approved in advance by the FHWA Division Administrator, with advice of FHWA Regional Counsel, and
- (5) For travel and transportation expenses, if in accord with established policy and practices.

(b) No reimbursement shall be made if it is determined by FHWA that there was negligence or wrongdoing of any kind by SHA officials with respect to the claim.

Subpart F—Reimbursement for Bond Issue Projects

SOURCE: $48\ FR\ 54971$, Dec. 8, 1983, unless otherwise noted.

§140.601 Purpose.

To prescribe policies and procedures for the use of Federal funds by State highway agencies (SHAs) to aid in the retirement of the principal and interest of bonds, pursuant to 23 U.S.C. 122 and the payment of interest on bonds of eligible Interstate projects.

§ 140.602 Requirements and conditions.

(a) An SHA that uses the proceeds of bonds issued by the State, a county, city or other political subdivision of the State, for the construction of projects on the Federal-aid primary or Interstate system, or extensions of any of the Federal-aid highway systems in urban areas, or for substitute highway projects approved under 23 U.S.C. 103(e)(4), may claim payment of any portion of such sums apportioned to it for expenditures on such system to aid in the retirement of the principal of bonds at their maturities, to the extent that the proceeds of bonds have actually been expended in the construction of projects.

(b) Any interest earned and payable on bonds, the proceeds of which were expended on Interstate projects after November 6, 1978, is an eligible cost of construction. The amount of interest eligible for participation will be based on (1) the date the proceeds were expended on the project, (2) amount expended, and (3) the date of conversion to a regularly funded project. As provided for in section 115(c), Pub. L. 95-599, November 6, 1978, interest on bonds issued in any fiscal year by a State after November 6, 1978, may be paid under the authority of 23 U.S.C. 122 only if such SHA was eligible to obligate Interstate Discretionary funds under the provisions of 23 U.S.C. 118(b) during such fiscal year, and the Administrator certifies that such eligible SHA has utilized, or will utilize to the fullest extent possible during such fiscal year, its authority to obligate funds under 23 U.S.C. 118(b).

(c) The Federal share payable at the time of conversion, as provided for in §140.610 shall be the legal pro rata in effect at the time of execution of the project agreement for the bond issue project.

(d) The authorization of a bond issue project does not constitute a commitment of Federal funds until the project is converted to a regular Federal-aid project as provided for in §140.610.

(e) Reimbursements for the redemption of bonds may not precede, by more than 60 days, the scheduled date of the retirement of the bonds.

(f) Federal funds are not eligible for payment into sinking funds created and maintained for the subsequent retirement of bonds.

§140.603 Programs.

Programs covering projects to be financed from the proceeds of bonds shall be prepared and submitted to FHWA. Project designations shall be the same as for regular Federal-aid projects except that the prefix letter "B" for bond issue shall be used as the first letter of each project designation, e.g., "BI" for Bond Issue Projects—Interstate.

§ 140.604 Reimbursable schedule.

Projects to be financed from other than Interstate funds shall be subject to a 36-month reimbursable schedule upon conversion to regular Federal-aid financing (See appendix). FHWA will consider requests for waiver of this provision at the time of conversion action. Waivers are subject to the availability of liquidating cash.

§ 140.605 Approval actions.

- (a) Authorization to proceed with preliminary engineering and acquisition of rights-of-way shall be issued in the same manner as for regularly financed Federal-aid projects.
- (b) Authorization of physical construction shall be given in the same manner as for regularly financed Federal-aid projects. The total cost and

§ 140.606

Federal funds required, including interest, shall be indicated in the plans, specifications, and estimates.

- (c) Projects subject to the reimbursable schedule shall be identified as an "E" project when the SHA is authorized to proceed with all or any phase of the work.
- (d) Concurrence in the award of contracts shall be given.

§140.606 Project agreements.

Project Agreements, Form PR-2, shall be prepared and executed. Agreement provision 8 on the reverse side of Form PR-2¹ shall apply for bond issue projects.

§140.607 Construction.

Construction shall be supervised by the SHA in the same manner as for regularly financed Federal-aid projects. The FHWA will make construction inspections and reports.

§ 140.608 Reimbursable bond interest costs of Interstate projects.

- (a) Bond interest earned on bonds actually retired may be reimbursed on the Federal pro rata basis applicable to such projects in accordance with §140.602(b) and (c).
- (b) No interest will be reimbursed for bonds issued after November 6, 1978, used to retire or otherwise refinance bonds issued prior to that date.

§140.609 Progress and final vouchers.

- (a) Progress vouchers may be submitted for the Federal share of bonds retired or about to be retired, including eligible interest on Interstate Bond Issue Projects, the proceeds of which have actually been expended for the construction of the project.
- (b) Upon completion of a bond issue project, a final voucher shall be submitted by the SHA. After final review, the SHA will be advised as to the total cost and Federal fund participation for the project.

§ 140.610 Conversion from bond issue to funded project status.

(a) At such time as the SHA elects to apply available apportioned Federal-

aid funds to the retirement of bonds, including eligible interest earned and payable on Interstate Bond Projects, subject to available obligational authority, its claim shall be supported by appropriate certifications as follows:

I hereby certify that the following bonds, (list), the proceeds of which have been actually expended in the construction of bond issue projects authorized by title 23 U.S.C., section 122, (1) have been retired on _____, or (2) mature and are scheduled for retirement on _____, which is ____ days in advance of the maturity date of ____.

Eligible interest claimed on Interstate Bond Projects shall be shown for each bond and the certification shall include the statement:

I also certify that interest earned and paid or payable for each bond listed has been determined from the date on and after which the respective bond proceeds were actually expended on the project.

- (b) The SHA's request for full conversion of a completed projects), or partial conversion of an active or completed project(s), may be made by letter, inclusive of the appropriate certification as described in §140.610(a) making reference to any progress payments received or the final voucher(s) previously submitted and approved in accordance with §140.609.
- (c) Approval of the conversion action shall be by the Division Administrator.
- (d) The SHA's request for partial conversion of an active or completed bond issue project shall provide for: (1) Conversion to funded project status of the portion to be financed out of the balance of currently available apportioned funds, and (2) retention of the unfunded portion of the project in the bond program.
- (e) Where the SHA's request involves the partial conversion of a completed bond issue project, payment of the Federal funds made available under the conversion action shall be accomplished through use of Form PR-20, Voucher for Work Performed under Provisions of the Federal-aid and Federal Highway Acts, prepared in the division office and appropriately cross-referenced to the Bond Issue Project final voucher previously submitted and approved. The final voucher will be reduced by the amount of the approved reimbursement.

 $^{^{1}\}text{The text}$ of FHWA Form PR-2 is found in 23 CFR part 630, subpart C, appendix A.

§ 140.611 Determination of bond retirement.

Division Administrators shall be responsible for the prompt review of the SHA's records to determine that bonds issued to finance the projects and for which reimbursement has been made, including eligible bond interest expense, have been retired pursuant to the State's certification required by §140.610(a), and that such action is documented in the project file.

§140.612 Cash management.

By July 1 of each year the SHA will provide FHWA with a schedule, including the anticipated claims for reimbursement, of bond projects to be converted during the next two fiscal years. The data will be used by FHWA in determining liquidating cash required to finance such conversions.

APPENDIX TO SUBPART F TO PART 140— REIMBURSABLE SCHEDULE FOR CON-VERTED "E" (BOND ISSUE) PROJECTS (OTHER THAN INTERSTATE PROJECTS)

Time in months following conversion from "E" (bond issue) project to regular project	Cumulative amount re- imbursable (percent of Federal funds obli- gated)
1	1
2	2
3	5
4	
5	13
6	18
	23
7	29
8	
9	34
10	39
11	44
12	49
13	54
14	58
15	61
16	64
17	67
18	70
19	73
20	75
21	77
22	79
23	81
24	83
25	85
26	87
27	89
28	91
29	93
30	94
31	95
20	00

Time in months following conversion from "E" (bond issue) project to regular project	Cumulative amount re- imbursable (percent of Federal funds obli- gated)
34	97
35	99
36	100

Subpart G [Reserved]

Subpart H—State Highway Agency Audit Expense

Source: 49 FR 45578, Nov. 19, 1984, unless otherwise noted.

§ 140.801 Purpose.

To establish the reimbursement criteria for Federal participation in project related audit expenses.

§140.803 Policy.

Project related audits performed in accordance with generally accepted auditing standards (as modified by the Comptroller General of the United States) and applicable Federal laws and regulations are eligible for Federal participation. The State highway agency (SHA) may use other State, local public agency, and Federal audit organizations as well as licensed or certified public accounting firms to augment its audit force.

§ 140.805 Definitions.

(a) Project related audits. Audits which directly benefit Federal-aid highway projects. Audits performed in accordance with the requirements of 23 CFR part 12, audits of third party contract costs, and other audits providing assurance that a recipient has complied with FHWA regulations are all considered project related audits. Audits benefiting only nonfederal projects, those performed for SHA management use only, or those serving similar nonfederal purposes are not considered project related.

(b) Third party contract costs. Project related costs incurred by railroads, utilities, consultants, governmental instrumentalities, universities, nonprofit

§ 140.807

organizations, construction contractors (force account work), and organizations engaged in right-of-way studies, planning, research, or related activities where the terms of a proposal or contract (including lump sum) necessitate an audit. Construction contracts (except force account work) are not included in this group.

§ 140.807 Reimbursable costs.

- (a) Federal funds may be used to reimburse an SHA for the following types of project related audit costs:
- (1) Salaries, wages, and related costs paid to public employees in accordance with subpart G of this part,
- (2) Payments by the SHA to any Federal, State, or local public agency audit organization, and
- (3) Payments by the SHA to licensed or certified public accounting firms.
- (b) Audit costs incurred by an SHA shall be equitably distributed to all benefiting parties. The portion of these costs allocated to the Federal-Aid Highway Program which are not directly related to a specific project or projects shall be equitably distributed, as a minimum, to the major FHWA funding categories in that State.

Subpart I—Reimbursement for Railroad Work

Source: $40 \, \mathrm{FR} \, 16057$, Apr. 9, 1975, unless otherwise noted.

§140.900 Purpose.

The purpose of this subpart is to prescribe policies and procedures on reimbursement to the States for railroad work done on projects undertaken pursuant to the provisions of 23 CFR part 646, subpart B.

§140.902 Applicability.

This subpart, and all references hereinafter made to "projects," applies to Federal-aid projects involving railroad facilities, including projects for the elimination of hazards of railroad-highway crossings, and other projects which use railroad properties or which involve adjustments required by highway construction to either railroad facilities or facilities that are jointly

owned or used by railroad and utility companies.

§140.904 Reimbursement basis.

- (a) General. On projects involving the elimination of hazards of railroad-highway crossings, and on other projects where a railroad company is not obligated to move or to change its facilities at its own expense, reimbursement will be made for the costs incurred by the State in making changes to railroad facilities as required in connection with a Federal-aid highway project, in accordance with the provisions of this subpart.
- (b) *Eligibility*. To be eligible, the costs must be:
- (1) For work which is included in an approved statewide transportation improvement program.
- (2) Incurred subsequent to the date of authorization by the Federal Highway Administration (FHWA),
- (3) Incurred in accordance with the provisions of 23 CFR, part 646, subpart B, and
- (4) Properly attributable to the project.

[40 FR 16057, Apr. 9, 1975, as amended at 53 FR 18276, May 23, 1988; 62 FR 45328, Aug. 27, 1997]

§ 140.906 Labor costs.

- (a) General. (1) Salaries and wages, at actual or average rates, and related expenses paid by a company to individuals, for the time they are working on the project, are reimbursable when supported by adequate records. This shall include labor costs associated with preliminary engineering, construction engineering, right-of-way, and force account construction.
- (2) Salaries and expenses paid to individuals who are normally part of the overhead organization of the company may be reimbursed for the time they are working directly on the project, such as for accounting and bill preparation, when supported by adequate records and when the work performed by such individuals is essential to the project and could not have been accomplished as economically by employees outside the overhead organization.
- (3) Amounts paid to engineers, architects and others for services directly related to projects may be reimbursed.

- (b) Labor surcharges. (1) Labor surcharges include worker compensation insurance, public liability and property damage insurance, and such fringe benefits as the company has established for the benefit of its employees. The cost of labor surcharges will be reimbursed at actual cost to the company or a company may, at its option, use an additive rate or other similar technique in lieu of actual costs provided that (i) the rate is based on historical cost data of the company, (ii) such rate is representative of actual costs incurred, (iii) the rate is adjusted at least annually taking into consideration known anticipated changes and correcting for any over or under applied costs for the preceding period, and (iv) the rate is approved by the SHA and FHWA.
- (2) Where the company is a self-insurer there may be reimbursement:
- (i) At experience rates properly developed from actual costs, not to exceed the rates of a regular insurance company for the class of employment covered, or
- (ii) At the option of the company, a fixed rate of 8 percent of direct labor costs for worker compensation and public liability and property damage insurance together.

[40 FR 16057, Apr. 9, 1975, as amended at 47 FR 33955, Aug. 5, 1982; 56 FR 56578, Nov. 6, 1991]

§140.907 Overhead and indirect construction costs.

- (a) A State may elect to reimburse the railroad company for its overhead and indirect construction costs.
- (b) The FHWA will participate in these costs provided that:
- (1) The costs are distributed to all applicable work orders and other functions on an equitable and uniform basis in accordance with generally accepted accounting principles;
- (2) The costs included in the distribution are limited to costs actually incurred by the railroad;
- (3) The costs are eligible in accordance with the Federal Acquisition Regulation (48 CFR), part 31, Contract Cost Principles and Procedures, relating to contracts with commercial organizations;

- (4) The costs are considered reasonable;
- (5) Records are readily available at a single location which adequately support the costs included in the distribution, the method used for distributing the costs, and the basis for determining additive rates:
- (6) The rates are adjusted at least annually taking into consideration any overrecovery or underrecovery of costs; and
- (7) The railroad maintains written procedures which assure proper control and distribution of the overhead and indirect construction costs.

[53 FR 18276, May 23, 1988]

§ 140.908 Materials and supplies.

- (a) Procurement. Materials and supplies, if available, are to be furnished from company stock, except they may be obtained from other sources near the project site when available at less cost. Where not available from company stock, they may be purchased either under competitive bids or existing continuing contracts, under which the lowest available prices are developed. Minor quantities and proprietary products are excluded from these requirements. The company shall not be required to change its existing standards for materials used in permanent changes to its facilities.
- (b) Costs. (1) Materials and supplies furnished from company stock shall be billed at current stock price of such new or used material at time of issue.
- (2) Materials and supplies not furnished from company stock shall be billed at actual costs to the company delivered to the point of entry on the railroad company's line nearest the source of procurement.
- (3) A reasonable cost of plant inspection and testing may be included in the costs of materials and supplies where such expense has been incurred. The computation of actual costs of materials and supplies shall include the deduction of all offered discounts, rebates and allowances.
- (c) Materials recovered. (1) Materials recovered from temporary use and accepted for reuse by the company shall be credited to the project at prices charged to the job, less a consideration for loss in service life at 10 percent for

§ 140.910

rails, angle bars, tie plates and metal turnout materials and 15 percent for all other materials. Materials recovered from the permanent facility of the company that are accepted by the company for return to stock shall be credited to the project at current stock prices of such used material.

(2) Materials recovered and not accepted for reuse by the company, if determined to have a net sale value, shall be sold by the State or railroad following an opportunity for State inspection and appropriate solicitation for bids, to the highest bidder; or if the company practices a system of periodic disposal by sale, credit to the project shall be at the going prices supported by the records of the company. Where applicable, credit for materials recovered from the permanent facility in length or quantities in excess of that being placed should be reduced to reflect any increased cost of railroad operation resulting from the adjustment.

(d) Removal costs. Federal participation in the costs of removing, salvaging, transporting, and handling recovered materials will be limited to the value of materials recovered, except where FHWA approves additional measures for restoration of affected areas as required by the physical construction or by reason of safety or aesthetics.

(e) Handling costs. The actual and direct costs of handling and loading out of materials and supplies at and from company stores or material yards and of unloading and handling of recovered materials accepted by the company at its stores or material yards, are reimbursable. At the option of the company, 5 percent of the amounts billed for the materials and supplies which are issued from company stores and material yards will be reimbursable in lieu of actual costs.

(f) *Credit losses.* On projects where a company actually suffers loss by application of credits, the company shall have the opportunity of submitting a detailed statement of such loss as a basis for further adjustment.

§140.910 Equipment.

(a) Company owned equipment. Cost of company-owned equipment may be reimbursed for the average or actual cost

of operation, light and running repairs, and depreciation, or at industry rates representative of actual costs as agreed to by the railroad, SHA, and FHWA. Reimbursement for company-owned vehicles may be made at average or actual costs or at rates of recorded use per mile which are representative of actual costs and agreed to by the company, SHA, and FHWA.

(b) Other equipment. Where company owned equipment is not available, reimbursement will be limited to the amount of rental paid (1) to the lowest qualified bidder, (2) under existing continuing contracts at reasonable cost, or (3) as an exception, by negotiation where (b) (1) and (2) are impractical due to project location or schedule.

 $[40\ FR\ 16057,\ Apr.\ 9,\ 1975,\ as\ amended\ at\ 47\ FR\ 33955,\ Aug.\ 5,\ 1982]$

§140.912 Transportation.

(a) *Employees*. The company's cost of necessary employee transportation and subsistence directly attributable to the project, which is consistent with overall policy of the company, is reimbursable

(b) Materials, supplies, and equipment. The most economical movement of materials, supplies and equipment to the project and necessary return to storage, including the associated costs of loading and unloading equipment, is reimbursable. Transportation by a railroad company over its own lines in a revenue train is reimbursable at average or actual costs, at rates which are representative of actual costs, or at rates which the company charges its customers for similar shipments provided the rate structure is documented and available to the public. These rates are to be agreed to by the company, SHA, and FHWA. No charge will be made for transportation by work train other than the operating expenses of the work train. When it is more practicable or more economical to move equipment on its own wheels, reimbursement may be made at average or actual costs or at rates which are representative of actual costs and are agreed to by the railroad, SHA, and FHWA.

[40 FR 16057, Apr. 9, 1975, as amended at 47 FR 33955, Aug. 5, 1982]

§ 140.914 Credits for improvements.

- (a) Credit shall be made to the project for additions or improvements which provide for higher quality or increased service capability of the operating facility and which are provided solely for the benefit of the company.
- (b) Where buildings and other depreciable structures of a company which are integral to operation of rail traffic must be replaced, credit shall be made to the project as set forth in 23 CFR 646.216(c)(2).
- (c) No credit is required for additions or improvements which are:
- (1) Necessitated by the requirements of the highway project.
- (2) Replacements which, although not identical, are of equivalent standard.
- (3) Replacements of devices or materials no longer regularly manufactured and the next highest grade or size is used.
- (4) Required by governmental and appropriate regulatory commission requirements.

§140.916 Protection.

The cost of essential protective services which, in the opinion of a railroad company, are required to ensure safety to railroad operations during certain periods of the construction of a project, is reimbursable provided an item for such services is incorporated in the State-railroad agreement or in a work order issued by the State and approved by FHWA.

§140.918 Maintenance and extended construction.

The cost of maintenance and extended construction is reimbursable to the extent provided for in 23 CFR 646.216(f)(4), and where included in the State-Railroad Agreement or otherwise approved by the State and FHWA.

§ 140.920 Lump sum payments.

Where approved by FHWA, pursuant to 23 CFR 646.216(d)(3), reimbursement may be made as a lump sum payment, in lieu of actual costs.

§ 140.922 Billings.

(a) After the executed State-Railroad Agreement has been approved by FHWA, the company may be reim-

bursed on progress billings of incurred costs. Costs for materials stockpiled at the project site or specifically purchased and delivered to the company for use on the project may be reimbursed on progress billings following approval of the executed State-Railroad Agreement or the written agreement under 23 CFR 646.218(c).

- (b) The company shall provide one final and complete billing of all incurred costs, or of the agreed-to lump sum, within one year following completion of the reimbursable railroad work. Otherwise, previous payments to the company may be considered final, except as agreed to between the SHA and the railroad.
- (c) All company cost records and accounts relating to the project are subject to audit by representatives of the State and/or the Federal Government for a period of three years from the date final payment has been received by the company.

(d) A railroad company must advise the State promptly of any outstanding obligation of the State's contractor for services furnished by the company such as protective services.

[40 FR 16057, Apr. 9, 1975, as amended at 40 FR 29712, July 15, 1975; 62 FR 45328, Aug. 27, 1997]

PART 172—ADMINISTRATION OF ENGINEERING AND DESIGN RE-LATED SERVICE CONTRACTS

Sec.

- 172.1 Purpose and applicability.
- 172.3 Definitions.
- 172.5 Methods of procurement.
- 172.7 Audits.
- 172.9 Approvals.

AUTHORITY: 23 U.S.C. 112, 114(a), 302, 315, and 402; 40 U.S.C. 541 *et seq.*; sec.1205(a), Pub. L. 105–178, 112 Stat. 107 (1998); sec. 307, Pub. L. 104–59, 109 Stat. 568 (1995); sec. 1060, Pub. L. 102–240, 105 Stat. 1914, 2003 (1991); 48 CFR 12 and 31; 49 CFR 1.48(b) and 18.

Source: 67 FR 40155, June 12, 2002, unless otherwise noted.

§172.1 Purpose and applicability.

This part prescribes policies and procedures for the administration of engineering and design related service contracts under 23 U.S.C. 112 as supplemented by the common grant rule, 49

§ 172.3

CFR part 18. It is not the intent of this part to release the grantee from the requirements of the common grant rule. The policies and procedures involve federally funded contracts for engineering and design related services for projects subject to the provisions of 23 U.S.C. 112(a) and are issued to ensure that a qualified consultant is obtained through an equitable selection process, that prescribed work is properly accomplished in a timely manner, and at fair and reasonable cost. Recipients of Federal funds shall ensure that their subrecipients comply with this part.

§172.3 Definitions.

As used in this part:

Audit means a review to test the contractor's compliance with the requirements of the cost principles contained in 48 CFR part 31.

Cognizant agency means any Federal or State agency that has conducted and issued an audit report of the consultant's indirect cost rate that has been developed in accordance with the requirements of the cost principles contained in 48 CFR part 31.

Competitive negotiation means any form of negotiation that utilizes the following:

- (1) Qualifications-based procedures complying with title IX of the Federal Property and Administrative Services Act of 1949 (Public Law 92–582, 86 Stat. 1278 (1972));
- (2) Equivalent State qualificationsbased procedures; or
- (3) A formal procedure permitted by State statute that was enacted into State law prior to the enactment of Public Law 105-178 (TEA-21) on June 9, 1998.

Consultant means the individual or firm providing engineering and design related services as a party to the contract.

Contracting agencies means State Departments of Transportation (State DOTs) or local governmental agencies that are responsible for the procurement of engineering and design related services.

Engineering and design related services means program management, construction management, feasibility studies, preliminary engineering, design, engineering, surveying, mapping, or architectural related services with respect to a construction project subject to 23 U.S.C. 112(a).

One-year applicable accounting period means the annual accounting period for which financial statements are regularly prepared for the consultant.

§172.5 Methods of procurement.

- (a) *Procurement.* The procurement of Federal-aid highway contracts for engineering and design related services shall be evaluated and ranked by the contracting agency using one of the following procedures:
- Competitive negotiation. tracting agencies shall use competitive negotiation for the procurement of engineering and design related services when Federal-aid highway funds are involved in the contract. These contracts shall use qualifications-based selection procedures in the same manner as a contract for architectural and engineering services is negotiated under title IX of the Federal Property and Administrative Services Act of 1949 (40 U.S.C. 541-544) or equivalent State qualifications-based requirements. The proposal solicitation (project, task, or service) process shall be by public announcement, advertisement, or any other method that assures qualified in-State and out-of-State consultants are given a fair opportunity to be considered for award of the contract. Price shall not be used as a factor in the analysis and selection phase. Alternatively, a formal procedure adopted by State Statute enacted into law prior to June 9, 1998 is also permitted under paragraph (a)(4) of this section.
- (2) Small purchases. Small purchase procedures are those relatively simple and informal procurement methods where an adequate number of qualified sources are reviewed and the total contract costs do not exceed the simplified acquisition threshold fixed in 41 U.S.C. 403(11). Contract requirements should not be broken down into smaller components merely to permit the use of small purchase requirements. States and subrecipients of States may use the State's small purchase procedures for the procurement of engineering and design related services provided the total contract costs do not exceed the

simplified acquisition threshold fixed in 41 U.S.C. 403(11).

- (3) Noncompetitive negotiation. Noncompetitive negotiation may be used to procure engineering and design related services on Federal-aid participating contracts when it is not feasible to award the contract using competitive negotiation, equivalent State qualifications-based procedures, or small purchase procedures. Contracting agencies shall submit justification and receive approval from the FHWA before using this form of contracting. Circumstances under which a contract may be awarded by noncompetitive negotiation are limited to the following:
- (i) The service is available only from a single source;
- (ii) There is an emergency which will not permit the time necessary to conduct competitive negotiations; or
- (iii) After solicitation of a number of sources, competition is determined to be inadequate.
- (4) State statutory procedures. Contracting agencies may procure engineering and design related services using an alternate selection procedure established in State statute enacted into law before June 9, 1998.
- (b) Disadvantaged Business Enterprise (DBE) program. The contracting agency shall give consideration to DBE consultants in the procurement of engineering and design related service contracts subject to 23 U.S.C. 112(b)(2) in accordance with 49 CFR part 26.
- (c) *Compensation*. The cost plus a percentage of cost and percentage of construction cost methods of compensation shall not be used.

§172.7 Audits.

- (a) Performance of audits. When State procedures call for audits of contracts or subcontracts for engineering design services, the audit shall be performed to test compliance with the requirements of the cost principles contained in 48 CFR part 31. Other procedures may be used if permitted by State statutes that were enacted into law prior to June 9, 1998.
- (b) Audits for indirect cost rate. Contracting agencies shall use the indirect cost rate established by a cognizant agency audit for the cost principles contained in 48 CFR part 31 for the con-

sultant, if such rates are not under dispute. A lower indirect cost rate may be used if submitted by the consultant firm, however the consultant's offer of a lower indirect cost rate shall not be a condition of contract award. The contracting agencies shall apply these indirect cost rates for the purposes of contract estimation, negotiation, administration, reporting, and contract payment and the indirect cost rates shall not be limited by any administrative or de facto ceilings. The consultant's indirect cost rates for its oneyear applicable accounting period shall be applied to the contract, however once an indirect cost rate is established for a contract it may be extended beyond the one year applicable accounting period provided all concerned parties agree. Agreement to the extension of the one-year applicable period shall not be a condition of contract award. Other procedures may be used if permitted by State statutes that were enacted into law prior to June 9, 1998.

- (c) Disputed audits. If the indirect cost rate(s) as established by the cognizant audit in paragraph (b) of this section are in dispute, the parties of any proposed new contract must negotiate a provisional indirect cost rate or perform an independent audit to establish a rate for the specific contract. Only the consultant and the parties involved in performing the indirect cost audit may dispute the established indirect cost rate. If an error is discovered in the established indirect cost rate, the rate may be disputed by any prospective user.
- (d) Prenotification; confidentiality of data. The FHWA and recipients and subrecipients of Federal-aid highway funds may share the audit information in complying with the State or subrecpient's acceptance of a consultant's overhead rates pursuant to 23 U.S.C. 112 and this part provided that the consultant is given notice of each use and transfer. Audit information shall not be provided to other consultants or any other government agency not sharing the cost data, or to any firm or government agency for purposes other than complying with the State or subrecpient's acceptance of a consultant's overhead rates pursuant

§ 172.9

to 23 U.S.C. 112 and this part without the written permission of the affected consultants. If prohibited by law, such cost and rate data shall not be disclosed under any circumstance, however should a release be required by law or court order, such release shall make note of the confidential nature of the data.

§172.9 Approvals.

- (a) Written procedures. The contracting agency shall prepare written procedures for each method of procurement it proposes to utilize. These written procedures and all revisions shall be approved by the FHWA for recipients of federal funds. Recipients shall approve the written procedures and all revisions for their subrecipients. These procedures shall, as appropriate to the particular method of procurement, cover the following steps:
- (1) In preparing a scope of work, evaluation factors and cost estimate for selecting a consultant;
- (2) In soliciting proposals from prospective consultants;
- (3) In the evaluation of proposals and the ranking/selection of a consultant;
- (4) In negotiation of the reimbursement to be paid to the selected consultant:
- (5) In monitoring the consultant's work and in preparing a consultant's performance evaluation when completed; and
- (6) In determining the extent to which the consultant, who is responsible for the professional quality, technical accuracy, and coordination of services, may be reasonably liable for costs resulting from errors or deficiencies in design furnished under its contract
- (b) Contracts. Contracts and contract settlements involving design services for projects that have not been delegated to the State under 23 U.S.C. 106(c), that do not fall under the small purchase procedures in §172.5(a)(2), shall be subject to the prior approval by FHWA, unless an alternate approval procedure has been approved by FHWA.
- (c) Major projects. Any contract, revision of a contract or settlement of a contract for design services for a project that is expected to fall under 23

U.S.C. 106(h) shall be submitted to the FHWA for approval.

(d) Consultant services in management roles. When Federal-aid highway funds participate in the contract, the contracting agency shall receive approval from the FHWA before hiring a consultant to act in a management role for the contracting agency.

PART 180—CREDIT ASSISTANCE FOR SURFACE TRANSPORTATION PROJECTS

AUTHORITY: Secs. 1501 *et seq.*, Pub. L. 105–178, 112 Stat. 107, 241, as amended; 23 U.S.C. 181–189 and 315; 49 CFR 1.48.

SOURCE: 64 FR 29750, June 2, 1999, unless otherwise noted.

§ 180.1 Cross-reference to credit assistance.

The regulations in 49 CFR part 80 shall be followed in complying with the requirements of this part. Title 49 CFR part 80 implements the Transportation Infrastructure Finance and Innovation Act of 1998, secs. 1501 *et seq.*, Pub. L. 105–178, 112 Stat. 107, 241.

PART 190—INCENTIVE PAYMENTS FOR CONTROLLING OUTDOOR ADVERTISING ON THE INTERSTATE SYSTEM

Sec.

190.1 Purpose.

190.3 Agreement to control advertising.

190.5 Bonus project claims.

190.7 Processing of claims.

AUTHORITY: 23 U.S.C. 131(j) and 315; 49 CFR 1.48(b).

Source: 43 FR 42742, Sept. 21, 1978, unless otherwise noted.

§190.1 Purpose.

The purpose of this regulation is to prescribe project procedures for making the incentive payments authorized by 23 U.S.C. 131(j).

§ 190.3 Agreement to control advertising.

To qualify for the bonus payment, a State must have entered into an agreement with the Secretary to control outdoor advertising. It must fulfill, and must continue to fulfill its obligations

under such agreement consistent with 23 CFR 750.101.

§ 190.5 Bonus project claims.

- (a) The State may claim payment by submitting a form PR-20 voucher, supported by strip maps which identify advertising control limits and areas excluded from the claim and form FHWA-1175, for the one-half percent bonus claim
- (b) The bonus payment computation is based on projects or portions thereof for which (1) the section of highway on which the project is located has been opened to traffic, and (2) final payment has been made. A bonus project may cover an individual project, a part thereof, or a combination of projects, on a section of an Interstate route.
- (c) The eligible system mileage to be shown for a bonus project is that on which advertising controls are in effect. The eligible system mileage reported in subsequent projects on the same Interstate route section should cover only the additional system mileage not previously reported. Eligible project cost is the total participating cost (State and Federal share of approved preliminary engineering (PE), right-of-way (R-O-W), and construction) exclusive of any ineligible costs. The amount of the bonus payment is to be based on the eligible total costs of the supporting projects included in each claim.
- (d) Progress vouchers for route sections on which additional one-half percent bonus payments are to be claimed are to be so identified, and the final claim for each route section is to be identified as the final voucher.

§190.7 Processing of claims.

Audited and approved PR-20 vouchers with form FHWA-1175 shall be forwarded to the regional office for submission to the Finance Division, Washington Headquarters, for payment. The associated strip maps shall be retained with the division office copies of the PR-20 vouchers.

PART 192—DRUG OFFENDER'S DRIVER'S LICENSE SUSPENSION

Sec.

192.1 Scope.

- 192.2 Purpose.
- 192.3 Definitions.
- 192.4 Adoption of drug offender's driver's license suspension.
- 192.5 Certification requirements.
- 192.6 Period of availability of withheld funds.
- 192.7 Apportionment of withheld funds after compliance.
- 192.8 Period of availability of subsequently apportioned funds.
- 192.9 Effect of noncompliance.
- 192.10 Procedures affecting States in non-compliance.

AUTHORITY: 23 U.S.C. 159 and 315.

Source: 57 FR 35999, Aug. 12, 1992, unless otherwise noted. Redesignated at 60 FR 50100, Sept. 28, 1995.

§192.1 Scope.

This part prescribes the requirements necessary to implement 23 U.S.C. §159, which encourages States to enact and enforce drug offender's driver's license suspensions.

§192.2 Purpose.

The purpose of this part is to specify the steps that States must take in order to avoid the withholding of Federal-aid highway funds for noncompliance with 23 U.S.C. 159.

§ 192.3 Definitions.

As used in this part:

- (a) *Convicted* includes adjudicated under juvenile proceedings.
- (b) *Driver's license* means a license issued by a State to any individual that authorizes the individual to operate a motor vehicle on highways.
 - (c) Drug offense means:
- (1) The possession, distribution, manufacture, cultivation, sale, transfer, or the attempt or conspiracy to possess, distribute, manufacture, cultivate, sell, or transfer any substance the possession of which is prohibited under the Controlled Substances Act, or
- (2) The operation of a motor vehicle under the influence of such a substance.
- (d) Substance the possession of which is prohibited under the Controlled Substances Act or substance means a controlled or counterfeit chemical, as those terms are defined in subsections 102 (6) and (7) of the Comprehensive Drug Abuse Prevention and Control

§ 192.4

Act of 1970 (21 U.S.C. 802 (6) and (7) and listed in 21 CFR 1308.11-.15.

[57 FR 35999, Aug. 12, 1992; 58 FR 62415, Nov. 26, 1993; 59 FR 39256, Aug. 2, 1994]

§ 192.4 Adoption of drug offender's driver's license suspension.

- (a) The Secretary shall withhold five percent of the amount required to be apportioned to any State under each of sections 104(b)(1), 104(b)(3), and 104(b)(5) of title 23 of the United States Code on the first day of fiscal years 1994 and 1995 if the States does not meet the requirements of this section on that date.
- (b) The Secretary shall withhold ten percent of the amount required to be apportioned to any State under each of sections 104(b)(1), 104(b)(3), and 104(b)(5) of title 23 of the United States Code on the first day of fiscal year 1996 and any subsequent fiscal year if the State does not meet the requirements of this section on that date.
- (c) A State meets the requirements of this section if:
- (1) The State has enacted and is enforcing a law that requires in all circumstances, or requires in the absence of compelling circumstances warranting an exception:
- (i) The revocation, or suspension for at least 6 months, of the driver's license of any individual who is convicted, after the enactment of such law, of
- (A) Any violation of the Controlled Substances Act, or
 - (B) Any drug offense, and
- (ii) A delay in the issuance or reinstatement of a driver's license to such an individual for at least 6 months after the individual otherwise would have been eligible to have a driver's license issued or reinstated if the individual does not have a driver's license, or the driver's license of the individual is suspended, at the time the individual is so convicted, or
 - (2) The Governor of the State:
- (i) Submits to the Secretary no earlier than the adjournment sine die of the first regularly scheduled session of the State's legislature which begins after November 5, 1990, a written certification stating that he or she is opposed to the enactment or enforcement in the State of a law described in para-

graph (c)(1) of this section relating to the revocation, suspension, issuance, or reinstatement of driver's licenses to convicted drug offenders; and

- (ii) Submits to the Secretary a written certification that the legislature (including both Houses where applicable) has adopted a resolution expressing its opposition to a law described in paragraph (c)(1) of this section.
- (d) A State that makes exceptions for compelling circumstances must do so in accordance with a State law, regulation, binding policy directive or Statewide published guidelines establishing the conditions for making such exceptions and in exceptional circumstances specific to the offender.

§ 192.5 Certification requirements.

- (a) Each State shall certify to the Secretary of Transportation by April 1, 1993 and by January 1 of each subsequent year that it meets the requirements of 23 U.S.C. 159 and this regulation.
- (b) If the State believes it meets the requirements of 23 U.S.C. 159 and this regulation on the basis that it has enacted and is enforcing a law that suspends or revokes the driver's license of drug offenders, the certification shall contain:
- (1) A statement by the Governor of the State that the State has enacted and is enforcing a Drug Offender's Driver's License Suspension law that conforms to 23 U.S.C. 159(a)(3)(A). The certifying statement may be worded as follows: I, (Name of Governor), Governor of the (State or Commonwealth) of ______, do hereby certify that the (State or Commonwealth) of ______, has enacted is enforcing a Drug Offender's Driver's License Suspension law that conforms to section 23 U.S. C. 159(a)(3)(A).
- (2) Until a State has been determined to be in compliance with the requirements of 23 U.S.C. 159 and this regulation, the certification shall include also:
- (i) A copy of the State law, regulation, or binding policy directive implementing or interpreting such law or regulation relating to the suspension, revocation, issuance or reinstatement or driver's licenses of drug offenders, and

- (ii) A statement describing the steps the State is taking to enforce its law with regard to within State convictions, out-of-State convictions, Federal convictions and juvenile adjudications. The statement shall demonstrate that, upon receiving notification that a State driver has been convicted of a within State, out-of-State or Federal conviction or juvenile adjudication, the State is revoking, suspending or delaying the issuance of that drug offender's driver's license; and that, when the State convicts an individual of a drug offense, it is notifying the appropriate State office or, if the offender is a non-resident driver, the appropriate office in the driver's home State. If the State is not yet making these notifications, the State may satisfy this element by submitting a plan describing the steps it is taking to establish notification procedures.
- (c) If the State believes it meets the requirements of 23 U.S.C. 159(a)(3)(B) on the basis that it opposes a law that requires the suspension, revocation or delay in issuance or reinstatement of the driver's license of drug offenders that conforms to 23 U.S.C. 159(a)(3)(A), the certification shall contain:
- (1) A statement by the Governor of the State that he or she is opposed to the enactment or enforcement of a law that conforms to 23 U.S.C. 159(a)(3)(A) and that the State legislature has adopted a resolution expressing its opposition to such a law. The certifying statement may be worded as follows: I, (Name of Governor), Governor of the (State or Commonwealth of

______, do hereby certify that I am opposed to the enactment or enforcement of a law that conforms to 23 U.S.C. 159(a)(3)(A) and that the legislature of the (State or Commonwealth) of ______, has adopted a resolution expressing its opposition to such a law.

(2) Until a State has been determined to be in compliance with the requirements of 23 U.S.C. 159(a)(3)(B) and this regulation, the certification shall include a copy of the resolution.

(d) The Governor each year shall submit the original and three copies of the certification to the local FHWA Division Administrator. The FHWA Division Administrator shall retain the original and forward one copy each to

the FHWA Regional Administrator, FHWA Chief Counsel, and the Director of the Office of Highway Safety.

(e) Any changes to the original certification or supplemental information necessitated by the review of the certifications as they are forwarded, State legislative changes or changes in State enforcement activity (including failure to make progress in a plan previously submitted) shall be submitted in the same manner as the original.

[57 FR 35999, Aug. 12, 1992. Redesignated and amended at 60 FR 50100, Sept. 28, 1995]

§ 192.6 Period of availability of withheld funds.

- (a) Funds withheld under §1212.4 from apportionment to any State on or before September 30, 1995, will remain available for apportionment as follows:
- (1) If the funds would have been apportioned under 23 U.S.C. 104(b)(5)(A) but for this section, the funds will remain available until the end of the fiscal year for which the funds are authorized to be appropriated.
- (2) If the funds would have been apportioned under 23 U.S.C. 104(b)(5)(B) but for this section, the funds will remain available until the end of the second fiscal year following the fiscal year for which the funds are authorized to be appropriated.
- (3) If the funds would have been apportioned under 23 U.S.C. 104(b)(1) or 104(b)(3) but for this section, the funds will remain available until the end of the third fiscal year following the fiscal year for which the funds are authorized to be appropriated.
- (b) Funds withheld under §1212.4 from apportionment to any State after September 30, 1995 will not be available for apportionment to the State.

§ 192.7 Apportionment of withheld funds after compliance.

Funds withheld under §1212.4 from apportionment, which remain available for apportionment under §1212.6(a), will be made available to any State that conforms to the requirements of §1212.4 before the last day of the period of availability as defined in §1212.6(a).

[57 FR 35999, Aug. 12, 1992, as amended at 59 FR 39256, Aug. 2, 1994]

§ 192.8

§ 192.8 Period of availability of subsequently apportioned funds.

(a) Funds apportioned pursuant to §1212.7 will remain available for expenditure as follows:

(1) Funds originally apportioned under 23 U.S.C. 104(b)(5)(A) will remain available until the end of the fiscal year succeeding the fiscal year in which the funds are apportioned.

(2) Funds originally apportioned under 23 U.S.C. 104(b)(1), 104(b)(2), 104(b)(5)(B), or 104(b)(6) will remain available until the end of the third fiscal year succeeding the fiscal year in which the funds are apportioned.

(b) Sums apportioned to a State pursuant to \$1212.7 and not obligated at the end of the periods defined in \$1212.8(a), shall lapse or, in the case of funds apportioned under 23 U.S.C. 104(b)(5), shall lapse and be made available by the Secretary for projects in accordance with 23 U.S.C. 118(b).

§ 192.9 Effect of noncompliance.

If a State has not met the requirements of 23 U.S.C. 159(a)(3) at the end of the period for which funds withheld under §1212.4 are available for apportionment to a State under §1212.6, then such funds shall lapse or, in the case of funds withheld from apportionment under 23 U.S.C. 104(b)(5), shall lapse and be made available by the Secretary for projects in accordance with 23 U.S.C. 118(b).

§192.10 Procedures affecting States in noncompliance.

(a) Each fiscal year, each State determined to be in noncompliance with 23 U.S.C. 159, based on FHWA's preliminary review of its statutes, will be advised of the funds expected to be withheld under §1212.4 from apportionment, as part of the advance notice of apportionments required under 23 U.S.C. 104(e), normally not later than ninety days prior to final apportionment.

(b) If FHWA determines that the State is not in compliance with 23 U.S.C. 159 based on the agencies' preliminary review, the State may, within 30 days of its receipt of the advance notice of apportionments, submit documentation showing why it is in compliance. Documentation shall be submitted to the Federal Highway Administration, 400 Seventh Street, SW., Washington, DC 20590.

(c) Each fiscal year, each State determined not to be in compliance with 23 U.S.C. 159(a)(3), based on FHWA's final determination, will receive notice of the funds being withheld under §1212.4 from apportionment, as part of the certification of apportionments required under 23 U.S.C. 104(e), which normally occurs on October 1 of each fiscal year.

[57 FR 35999, Aug. 12, 1992. Redesignated and amended at 60 FR 50100, Sept. 28, 1995]

SUBCHAPTER C—CIVIL RIGHTS

PART 200—TITLE VI PROGRAM AND RELATED STATUTES—IMPLEMENTATION AND REVIEW PROCEDURES

Sac

200.1 Purpose.

200.3 Application of this part.

200.5 Definitions.

200.7 FHWA Title VI policy.

200.9 State highway agency responsibilities.200.11 Procedures for processing Title VI reviews.

AUTHORITY: Title VI of the Civil Rights Act of 1964, 42 U.S.C. 2000d to 2000d-4; Title VIII of the Civil Rights Act of 1968, 42 U.S.C. 3601-3619; 42 U.S.C. 4601 to 4655; 23 U.S.C. 109(h); 23 U.S.C. 324.

SOURCE: 41 FR 53982, Dec. 10, 1976, unless otherwise noted.

§ 200.1 Purpose.

To provide guidelines for: (a) Implementing the Federal Highway Administration (FHWA) Title VI compliance program under Title VI of the Civil Rights Act of 1964 and related civil rights laws and regulations, and (b) Conducting Title VI program compliance reviews relative to the Federal-aid highway program.

§ 200.3 Application of this part.

The provisions of this part are applicable to all elements of FHWA and provide requirements and guidelines for State highway agencies to implement the Title VI Program requirements. The related civil rights laws and regulations are listed under §200.5(p) of this part. Title VI requirements for 23 U.S.C. 402 will be covered under a joint FHWA/NHTSA agreement.

§ 200.5 Definitions.

The following definitions shall apply for the purpose of this part:

(a) Affirmative action. A good faith effort to eliminate past and present discrimination in all federally assisted programs, and to ensure future non-discriminatory practices.

(b) *Beneficiary*. Any person or group of persons (other than States) entitled to receive benefits, directly or indirectly, from any federally assisted pro-

gram, *i.e.*, relocatees, impacted citizens, communities, etc.

- (c) Citizen participation. An open process in which the rights of the community to be informed, to provide comments to the Government and to receive a response from the Government are met through a full opportunity to be involved and to express needs and goals.
- (d) *Compliance.* That satisfactory condition existing when a recipient has effectively implemented all of the Title VI requirements or can demonstrate that every good faith effort toward achieving this end has been made.
- (e) *Deficiency status*. The interim period during which the recipient State has been notified of deficiencies, has not voluntarily complied with Title VI Program guidelines, but has not been declared in noncompliance by the Secretary of Transportation.
- (f) Discrimination. That act (or action) whether intentional or unintentional, through which a person in the United States, solely because of race, color, religion, sex, or national origin, has been otherwise subjected to unequal treatment under any program or activity receiving financial assistance from the Federal Highway Administration under title 23 U.S.C.
- (g) Facility. Includes all, or any part of, structures, equipment or other real or personal property, or interests therein, and the provision of facilities includes the construction, expansion, removation, remodeling, alternation or acquisition of facilities.
 - (h) Federal assistance. Includes:
 - (1) Grants and loans of Federal funds,
- (2) The grant or donation of Federal property and interests in property,
 - (3) The detail of Federal personnel,
- (4) The sale and lease of, and the permission to use (on other than a casual or transient basis), Federal property or any interest in such property without consideration or at a nominal consideration, or at a consideration which is reduced for the purpose of assisting the recipient, or in recognition of the public interest to be served by such sale or lease to the recipient, and

§ 200.7

- (5) Any Federal agreement, arrangement, or other contract which has, as one of its purposes, the provision of assistance.
- (i) *Noncompliance.* A recipient has failed to meet prescribed requirements and has shown an apparent lack of good faith effort in implementing all of the Title VI requirements.
- (j) Persons. Where designation of persons by race, color, or national origin is required, the following designations ordinarily may be used: "White not of Hispanic origin", "Hispanic", "Asian or Pacific Islander", "American Indian or Alaskan Native." Additional subcategories based on national origin or primary language spoken may be used, where appropriate, on either a national or a regional basis.
- (k) *Program.* Includes any highway, project, or activity for the provision of services, financial aid, or other benefits to individuals. This includes education or training, work opportunities, health, welfare, rehabilitation, housing, or other services, whether provided directly by the recipient of Federal financial assistance or provided by others through contracts or other arrangements with the recipient.
- (l) State highway agency. That department, commission, board, or official of any State charged by its laws with the responsibility for highway construction. The term State would be considered equivalent to State highway agency if the context so implies.
- (m) *Program area officials.* The officials in FHWA who are responsible for carrying out technical program responsibilities
- (n) Recipient. Any State, territory, possession, the District of Columbia, Puerto Rico, or any political subdivision, or instrumentality thereof, or any public or private agency, institution, or organization, or other entity, or any individual, in any State, territory, possession, the District of Columbia, or Puerto Rico, to whom Federal assistance is extended, either directly or through another recipient, for any program. Recipient includes any successor, assignee, or transferee thereof. The term recipient does not include any ultimate beneficiary under any such program.

- (o) Secretary. The Secretary of Transportation as set forth in 49 CFR 21.17(g)(3) or the Federal Highway Administrator to whom the Secretary has delegated his authority in specific cases.
- (p) Title VI Program. The system of requirements developed to implement Title VI of the Civil Rights Act of 1964. References in this part to Title VI requirements and regulations shall not be limited to only Title VI of the Civil Rights Act of 1964. Where appropriate, this term also refers to the civil rights provisions of other Federal statutes to the extent that they prohibit discrimination on the grounds of race, color, sex, or national origin in programs receiving Federal financial assistance of the type subject to Title VI itself. These Federal statutes are:
- (1) Title VI of the Civil Rights Act of 1964, 42 U.S.C. 2000d-d4 (49 CFR part 21; the standard DOT Title VI assurances signed by each State pursuant to DOT Order 1050.2; Executive Order 11764; 28 CFR 50.3);
- (2) Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970 (42 U.S.C. 4601-4655) (49 CFR part 25; Pub. L. 91-646);
- (3) Title VIII of the Civil Rights Act of 1968, amended 1974 (42 U.S.C. 3601–3619):
 - (4) 23 U.S.C. 109(h);
 - (5) 23 U.S.C. 324;
- (6) Subsequent Federal-Aid Highway Acts and related statutes.

§ 200.7 FHWA Title VI policy.

It is the policy of the FHWA to ensure compliance with Title VI of the Civil Rights Act of 1964; 49 CFR part 21; and related statutes and regulations.

§ 200.9 State highway agency responsibilities.

- (a) State assurances in accordance with Title VI of the Civil Rights Act of 1964.
- (1) Title 49, CFR part 21 (Department of Transportation Regulations for the implementation of Title VI of the Civil Rights Act of 1964) requires assurances from States that no person in the United States shall, on the grounds of race, color, or national origin, be excluded from participation in, be denied

the benefits of, or be otherwise subjected to discrimination under any program or activity for which the recipient receives Federal assistance from the Department of Transportation, including the Federal Highway Administration.

- (2) Section 162a of the Federal-Aid Highway Act of 1973 (section 324, title 23 U.S.C.) requires that there be no discrimination on the ground of sex. The FHWA considers all assurances heretofore received to have been amended to include a prohibition against discrimination on the ground of sex. These assurances were signed by the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, and American Samoa. The State highway agency shall submit a certification to the FHWA indicating that the requirements of section 162a of the Federal-Aid Highway Act of 1973 have been added to its assurances.
- (3) The State highway agency shall take affirmative action to correct any deficiencies found by the FHWA within a reasonable time period, not to exceed 90 days, in order to implement Title VI compliance in accordance with Statesigned assurances and required guidelines. The head of the State highway agency shall be held responsible for implementing Title VI requirements.
- (4) The State program area officials and Title VI Specialist shall conduct annual reviews of all pertinent program areas to determine the effectiveness of program area activities at all levels.
- (b) State actions. (1) Establish a civil rights unit and designate a coordinator who has a responsible position in the organization and easy access to the head of the State highway agency. This unit shall contain a Title VI Equal Employment Opportunity Coordinator or a Title VI Specialist, who shall be responsible for initiating and monitoring Title VI activities and preparing required reports.
- (2) Adequately staff the civil rights unit to effectively implement the State civil rights requirements.
- (3) Develop procedures for prompt processing and disposition of Title VI and Title VIII complaints received directly by the State and not by FHWA. Complaints shall be investigated by

- State civil rights personnel trained in compliance investigations. Identify each complainant by race, color, sex, or national origin; the recipient; the nature of the complaint; the dates the complaint was filed and the investigation completed; the disposition; the date of the disposition; and other pertiinformation. Each recipient (State) processing Title VI complaints shall be required to maintain a similar log. A copy of the complaint, together with a copy of the State's report of investigation, shall be forwarded to the FHWA division office within 60 days of the date the complaint was received by
- (4) Develop procedures for the collection of statistical data (race, color, religion, sex, and national origin) of participants in, and beneficiaries of State highway programs, *i.e.*, relocatees, impacted citizens and affected communities.
- (5) Develop a program to conduct Title VI reviews of program areas.
- (6) Conduct annual reviews of special emphasis program areas to determine the effectiveness or program area activities at all levels.
- (7) Conduct Title VI reviews of cities, counties, consultant contractors, suppliers, universities, colleges, planning agencies, and other recipients of Federal-aid highway funds.
- (8) Review State program directives in coordination with State program officials and, where applicable, include Title VI and related requirements.
- (9) The State highway agency Title VI designee shall be responsible for conducting training programs on Title VI and related statutes for State program and civil rights officials.
- (10) Prepare a yearly report of Title VI accomplishments for the past year and goals for the next year.
- (11) Beginning October 1, 1976, each State highway agency shall annually submit an updated Title VI implementing plan to the Regional Federal Highway Administrator for approval or disapproval.
- (12) Develop Title VI information for dissemination to the general public and, where appropriate, in languages other than English.

§ 200.11

- (13) Establishing procedures for pregrant and postgrant approval reviews of State programs and applicants for compliance with Title VI requirements; *i.e.*, highway location, design and relocation, and persons seeking contracts with the State.
- (14) Establish procedures to identify and eliminate discrimination when found to exist.
- (15) Establishing procedures for promptly resolving deficiency status and reducing to writing the remedial action agreed to be necessary, all within a period not to exceed 90 days.

§ 200.11 Procedures for processing Title VI reviews.

- (a) If the regional Title VI review report contains deficiencies and recommended actions, the report shall be forwarded by the Regional Federal Highway Administrator to the Division Administrator, who will forward it with a cover letter to the State highway agency for corrective action.
- (b) The division office, in coordination with the Regional Civil Rights Officer, shall schedule a meeting with the recipient, to be held not later than 30 days from receipt of the deficiency report.
- (c) Recipients placed in a deficiency status shall be given a reasonable time, not to exceed 90 days after receipt of the deficiency letter, to voluntarily correct deficiencies.
- (d) The Division Administrator shall seek the cooperation of the recipient in correcting deficiencies found during the review. The FHWA officials shall also provide the technical assistance and guidance needed to aid the recipient to comply voluntarily.
- (e) When a recipient fails or refuses to voluntarily comply with requirements within the time frame allotted, the Division Administrator shall submit to the Regional Administrator two copies of the case file and a recommendation that the State be found in noncompliance.
- (f) The Office of Civil Rights shall review the case file for a determination of concurrence or noncurrence with a recommendation to the Federal Highway Administrator. Should the Federal Highway Administrator concur with the recommendation, the file is re-

ferred to the Department of Transportation, Office of the Secretary, for appropriate action in accordance with 49 CFR.

PART 230—EXTERNAL PROGRAMS

Subpart A—Equal Employment Opportunity on Federal and Federal-Aid Construction Contracts (Including Supportive Services)

Sec

230.101 Purpose.

230.103 Definitions.

230.105 Applicability.

230.107 Policy.

230.109 Implementation of specific Equal Employment Opportunity requirements.

230.111 Implementation of special requirements for the provision of on-the-job training.

230.113 Implementation of supportive services.

230.115 Special contract requirements for "Hometown" or "Imposed" Plan areas.

230.117 Reimbursement procedures (Federalaid highway construction projects only).

230.119 Monitoring of supportive services.

230.121 Reports.

APPENDIX A TO SUBPART A—SPECIAL PROVISIONS

APPENDIX B TO SUBPART A—TRAINING SPE-CIAL PROVISIONS

APPENDIX C TO SUBPART A—FEDERAL-AID HIGHWAY CONTRACTORS ANNUAL EEO RE-PORT (FORM PR-1391)

APPENDIX D TO SUBPART A—FEDERAL-AID HIGHWAY CONSTRUCTION SUMMARY OF EM-PLOYMENT DATA (FORM PR-1392)

APPENDIXES E-F TO SUBPART A [RESERVED]
APPENDIX G TO SUBPART A—SPECIAL REPORTING REQUIREMENTS FOR "HOMETOWN" OR
"IMPOSED" PLAN AREAS

Subpart B—Supportive Services for Minority, Disadvantaged, and Women Business Enterprises

230.201 Purpose.

230.202 Definitions.

230.203 Policy.

230.204 Implementation of supportive services.

230.205 Supportive services funds obligation.

230.206 Monitoring supportive services.

230.207 Sources of assistance.

Subpart C—State Highway Agency Equal Employment Opportunity Programs

230.301 Purpose.

230.303 Applicability.

230.305 Definitions.

230.307 Policy.

230.309 Program format.

230.311 State responsibilities.

230.313 Approval procedure.

APPENDIX A TO SUBPART C—STATE HIGHWAY AGENCY EQUAL EMPLOYMENT OPPOR-TUNITY PROGRAMS

Subpart D—Construction Contract Equal Opportunity Compliance Procedures

230.401 Purpose.

230.403 Applicability.

230.405 Administrative responsibilities.

230.407 Definitions.

230.409 Contract compliance review procedures.

230.411 Guidance for conducting reviews.

230.413 Review reports.

230.415 Consolidated compliance reviews.

APPENDIX A TO SUBPART D—SAMPLE SHOW CAUSE NOTICE

APPENDIX B TO SUBPART D—SAMPLE CORRECTIVE ACTION PLAN

APPENDIX C TO SUBPART D—SAMPLE SHOW CAUSE RESCISSION

APPENDIX D TO SUBPART D—EQUAL OPPORTUNITY COMPLIANCE REVIEW PROCESS FLOW CHART

AUTHORITY: 23 U.S.C. 101, 140, and 315; 42 U.S.C. 2000d *et seq.*; 49 CFR 1.48 and 60–1.

Source: $40\ FR\ 28053$, July 3, 1975, unless otherwise noted.

Subpart A—Equal Employment Opportunity on Federal and Federal-Aid Construction Contracts (Including Supportive Services)

§ 230.101 Purpose.

The purpose of the regulations in this subpart is to prescribe the policies, procedures, and guides relative to the implementation of an equal employment opportunity program on Federal and Federal-aid highway construction contracts, except for those contracts awarded under 23 U.S.C. 117, and to the preparation and submission of reports pursuant thereto.

§ 230.103 Definitions.

For purposes of this subpart— Administrator means the Federal Highway Administrator.

Areawide Plan means an affirmative action plan to increase minority utilization of crafts in a specified geographical area pursuant to Executive Order 11246, and taking the form of ei-

ther a "Hometown" or an "Imposed" plan.

Bid conditions means contract requirements which have been issued by OFCC for purposes of implementing a Hometown Plan.

Division Administrator means the chief Federal Highway Administration (FHWA) official assigned to conduct FHWA business in a particular State, the District of Columbia, or the Commonwealth of Puerto Rico.

Division Equal Opportunity Officer means an individual with staff level responsibilities and necessary authority by which to operate as an Equal Opportunity Officer in a Division office. Normally the Equal Opportunity Officer will be a full-time civil rights specialist serving as staff assistant to the Division Administrator.

Hometown Plan means a voluntary areawide plan which was developed by representatives of affected groups (usually labor unions, minority organizations, and contractors), and subsequently approved by the Office of Federal Contract Compliance (OFCC), for purposes of implementing the equal employment opportunity requirements pursuant to Executive Order 11246, as amended

Imposed Plan means an affirmative action requirement for a specified geographical area made mandatory by OFCC and, in some areas, by the courts.

Journeyman means a person who is capable of performing all the duties within a given job classification or craft.

State highway agency means that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction. The term State should be considered equivalent to State highway agency.

Suggested minimum annual training goals means goals which have been assigned to each State highway agency annually for the purpose of specifying training positions on selected Federalaid highway construction projects.

Supportive services means those services provided in connection with approved on-the-job training programs for highway construction workers and

§ 230.105

highway contractors which are designed to increase the overall effectiveness of training programs through the performance of functions determined to be necessary in connection with such programs, but which are not generally considered as comprising part of actual on-the-job craft training.

Trainee means a person who received on-the-job training, whether through an apprenticeship program or other programs approved or accepted by the

[40 FR 28053, July 3, 1975, as amended at 41 FR 3080, Jan. 21, 1976]

§ 230.105 Applicability.

(a) Federal-aid highway construction projects. This subpart applies to all Federal-aid highway construction projects and to Appalachian highway construction projects and other State supervised cooperative highway construction projects except:

(1) Federal-aided highway construction projects being constructed pursuant to 23 U.S.C. 117; and

(2) Those projects located in areas where the Office of Federal Contract Compliance has implemented an "Imposed" or a "Hometown" Plan, except for those requirements pertaining to specific provisions involving on-the-job training and those provisions pertaining to supportive services and reporting requirements.

(b) Direct Federal highway construction projects. This subpart applies to all direct Federal highway construction

projects except:

(1) For those provisions relating to the special requirements for the provi-

sion of supportive services; and

(2) For those provisions relating to implementation of specific equal employment opportunity requirements in areas where the Office of Federal Contract Compliance has implemented an "Imposed" or "Hometown "plan.

§ 230.107 Policy.

(a) Direct Federal and Federal-aid highway construction projects. It is the policy of the FHWA to require that all direct Federal and Federal-aid highway construction contracts include the same specific equal employment opportunity requirements. It is also the policy to require that all direct Federal

and Federal-aid highway construction subcontracts of \$10,000 or more (not including contracts for supplying materials) include these same requirements.

(b) Federal-aid highway construction projects. It is the policy of the FHWA to require full utilization of all available training and skill-improvement opportunities to assure the increased participation of minority groups and disadvantaged persons and women in all phases of the highway construction industry. Moreover, it is the policy of the Federal Highway Administration to encourage the provision of supportive services which will increase the effectiveness of approved on-the-job training programs conducted in connection with Federal-aid highway construction projects.

§ 230.109 Implementation of specific Equal Employment Opportunity reauirements.

(a) Federal-aid highway construction projects. The special provisions set forth in appendix A shall be included in the advertised bidding proposal and made part of the contract for each contract and each covered Federal-aid highway construction subcontract.

(b) Direct Federal highway construction projects. Advertising, award and contract administration procedures for direct Federal highway construction contracts shall be as set forth in Federal Acquisition Regulations (48 CFR, chapter 1, section 22.803(c)). In order to obtain information required by 48 CFR, chapter 1, §22.804-2(c), the following requirement shall be included at the end of the bid schedule in the proposal and contract assembly:

I expect to employ the following firms as subcontractors on this project: (Naming subcontractors at this time does not constitute a binding commitment on the bidder to retain such subcontractors, nor will failure to enter names affect the contract award):

Name _				
Address				
Name				
Address				

[40 FR 28053, July 3, 1975, as amended at 51 FR 22800, June 23, 1986]

§ 230.111 Implementation of special requirements for the provision of onthe-job training.

- (a) The State highway agency shall determine which Federal-aid highway construction contracts shall include the "Training Special Provisions" (appendix B) and the minimum number of trainees to be specified therein after giving appropriate consideration to the guidelines set forth in §230.111(c). The 'Training Special Provisions'' shall supersede section 7(b) of the Special Provisions (appendix A) entitled "Specific Equal Employment Opportunity Responsibilities." Minor wording revisions will be required to the "Training Special Provisions" in areas having "Hometown" or "Imposed Plan" requirements.
- (b) The Washington Headquarters shall establish and publish annually suggested minimum training goals. These goals will be based on the Federal-aid apportioned amounts and the minority population. A State will have achieved its goal if the total number of training slots on selected federally aided highway construction contracts which have been awarded during each 12-month period equals or exceeds the State's suggested minimum annual goal. In the event a State highway agency does not attain its goal during a calendar year, the State highway agency at the end of the calendar year shall inform the Administrator of the reasons for its inability to meet the suggested minimum number of training slots and the steps to be taken to achieve the goal during the next calendar year. The information is to be submitted not later than 30 days from the end of the calendar year and should be factual, and should not only indicate the situations occurring during the year but show the project conditions at least through the coming year. The final determination will be made on what training goals are considered to be realistic based on the information submitted by a State.
- (c) The following guidelines shall be utilized by the State highway agency in selecting projects and determining the number of trainees to be provided training therein:
- (1) Availability of minorities, women, and disadvantaged for training.

- (2) The potential for effective training.
 - (3) Duration of the contract.
 - (4) Dollar value of the contract.
- (5) Total normal work force that the average bidder could be expected to use.
 - (6) Geographic location.
 - (7) Type of work.
- (8) The need for additional journeymen in the area.
- (9) Recognition of the suggested minimum goal for the State.
- (10) A satisfactory ratio of trainees to journeymen expected to be on the contractor's work force during normal operations (considered to fall between 1:10 and 1:4).
- (d) Training programs which are established shall be approved only if they meet the standards set forth in appendix B with regard to:
- (1) The primary objectives of training and upgrading minority group workers, women and disadvantaged persons.
- (2) The development of full journeymen.
- (3) The minimum length and type of training.
 - (4) The minimum wages of trainees.
 - (5) Trainees certifications.
- (6) Keeping records and furnishing reports.
- (e)(1) Training programs considered by a State highway agency to meet the standards under this directive shall be submitted to the FHWA division Administrator with a recommendation for approval.
- (2) Employment pursuant to training programs approved by the FHWA division Administrator will be exempt from the minimum wage rate provisions of section 113 of title 23 U.S.C. Approval, however, shall not be given to training programs which provide for employment of trainees at wages less than those required by the Special Training Provisions. (Appendix B.)
- (f)(1) Apprenticeship programs approved by the U.S. Department of Labor as of the date of proposed use by a Federal-aid highway contractor or subcontractor need not be formally approved by the State highway agency or the FHWA division Administrator. Such programs, including their minimum wage provisions, are acceptable for use, provided they are administered

§ 230.113

in a manner reasonably calculated to meet the equal employment opportunity obligations of the contractor.

(2) Other training programs approved by the U.S. Department of Labor as of the date of proposed use by a Federal-aid highway contractor or subcontractor are also acceptable for use without the formal approval of the State highway agency or the division Administrator provided:

(i) The U.S. Department of Labor has clearly approved the program aspects relating to equal employment opportunity and the payment of trainee wage rates in lieu of prevailing wage

rates.

- (ii) They are reasonably calculated to qualify the average trainees for journeyman status in the classification concerned by the end of the training period.
- (iii) They are administered in a manner calculated to meet the equal employment obligations of the contractors.
- (g) The State highway agencies have the option of permitting Federal-aid highway construction contractors to bid on training to be given under this directive. The following procedures are to be utilized by those State highway agencies that elect to provide a bid item for training:
- (1) The number of training positions shall continue to be specified in the Special Training Provisions. Furthermore, this number should be converted into an estimated number of hours of training which is to be used in arriving at the total bid price for the training item. Increases and decreases from the estimated amounts would be handled as overruns or underruns:
- (2) A section concerning the method of payment should be included in the Special Training Provisions. Some offsite training is permissible as long as the training is an integral part of an approved training program and does not comprise a substantial part of the overall training. Furthermore, the trainee must be concurrently employed on a federally aided highway construction project subject to the Special Training Provisions attached to this directive. Reimbursement for offsite training may only be made to the contractor where he does one or more of

the following: Contributes to the cost of the training, provides the instruction to the trainee, or pays the trainee's wages during the offsite training period;

- (3) A State highway agency may modify the special provisions to specify the numbers to be trained in specific job classifications;
- (4) A State highway agency can specify training standards provided any prospective bidder can use them, the training standards are made known in the advertised specifications, and such standards are found acceptable by FHWA.

[40 FR 28053, July 3, 1975; 40 FR 57358, Dec. 9, 1975, as amended at 41 FR 3080, Jan. 21, 1976]

§ 230.113 Implementation of sup portive services.

- (a) The State highway agency shall establish procedures, subject to the availability of funds under 23 U.S.C. 140(b), for the provision of supportive services in support of training programs approved under this directive. Funds made available to implement this paragraph shall not be used to finance the training of State highway agency employees or to provide services in support of such training. State highway agencies are not required to match funds allocated to them under this section.
- (b) In determining the types of supportive services to be provided which will increase the effectiveness of approved training programs. State highway agencies shall give preference to the following types of services in the order listed:
- (1) Services related to recruiting, counseling, transportation, physical examinations, remedial training, with special emphasis upon increasing training opportunities for members of minority groups and women;
- (2) Services in connection with the administration of on-the-job training programs being sponsored by individual or groups of contractors and/or minority groups and women's groups;

(3) Services designed to develop the capabilities of prospective trainees for undertaking on-the-job training;

(4) Services in connection with providing a continuation of training during periods of seasonal shutdown;

- (5) Followup services to ascertain outcome of training being provided.
- (c) State highway agencies which desire to provide or obtain supportive services other than those listed above shall submit their proposals to the Federal Highway Administration for approval. The proposal, together with recommendations of the division and regional offices shall be submitted to the Administrator for appropriate action.
- (d) When the State highway agency provides supportive services by contract, formal advertising is not required by the FHWA, however, the State highway agency shall solicit proposals from such qualified sources as will assure the competitive nature of the procurement. The evaluation of proposals by the State highway agency must include consideration of the proposer's ability to effect a productive relationship with contractors, unions (if appropriate), minority and women groups, minority and women trainees, and other persons or organizations whose cooperation and assistance will contribute to the successful performance of the contract work.
- (e) In the selection of contractors to provide supportive services, State highway agencies shall make conscientious efforts to search out and utilize the services of qualified minority or women organizations, or minority or women business enterprises.
- (f) As a minimum, State highway agency contracts to obtain supportive services shall include the following provisions:
- (1) A statement that a primary purpose of the supportive services is to increase the effectiveness of approved on the-job training programs, particularly their effectiveness in providing meaningful training opportunities for minorities, women, and the disadvantaged on Federal-aid highway projects;
- (2) A clear and complete statement of the services to be provided under the contract, such as services to construction contractors, subcontractors, and trainees, for recruiting, counseling, remedial educational training, assistance in the acquisition of tools, special equipment and transportation, followup procedures, etc.;

- (3) The nondiscrimination provisions required by Title VI of the Civil Rights Act of 1964 as set forth in FHWA Form PR-1273, and a statement of non-discrimination in employment because of race, color, religion, national origin or sex;
- (4) The establishment of a definite perriod of contract performance together with, if appropriate, a schedule stating when specific supportive services are to be provided;
- (5) Reporting requirements pursuant to which the State highway agency will receive monthly or quarterly reports containing sufficient statistical data and narrative content to enable evaluation of both progress and problems:
- (6) A requirement that the contractor keep track of trainees receiving training on Federal-aid highway construction projects for up to 6 months during periods when their training is interrupted. Such contracts shall also require the contractor to conduct a 6 month followup review of the employment status of each graduate who completes an on-the-job training program on a Federal-aid highway construction project subsequent to the effective date of the contract for supportive services.
 - (7) The basis of payment;
- (8) An estimated schedule for expenditures:
- (9) The right of access to contractor and subcontractor records and the right to audit shall be granted to authorize State highway agency and FHWA officials;
 - (10) Noncollusion certification;
- (11) A requirement that the contractor provide all information necessary to support progress payments if such are provided for in the contract;
 - (12) A termination clause.
- (g) The State highway agency is to furnish copies of the reports received under paragraph (b)(5) of this section, to the division office.

[40 FR 28053, July 3, 1975, as amended at 41 FR 3080, Jan. 21, 1976]

§ 230.115 Special contract requirements for "Hometown" or "Imposed" Plan areas.

Direct Federal and Federal-aid contracts to be performed in "Hometown"

§ 230.117

or ''Imposed'' Plan areas will incorporate the special provision set forth in appendix G.

§ 230.117 Reimbursement procedures (Federal-aid highway construction projects only).

- (a) On-the-job special training provisions. State highway agencies will be reimbursed on the same pro-rata basis as the construction costs of the Federal-aid project.
- (b) Supportive services. (1) The State highway agency must keep a separate account of supportive services funds since they cannot be interchanged with regular Federal-aid funds. In addition, these funds may not be expended in a manner that would provide for duplicate payment of Federal or Federal-aid funds for the same service.
- (2) Where a State highway agency does not obligate all its funds within the time specified in the particular year's allocation directive, the funds shall revert to the FHWA Headquarters Office to be made available for use by other State highway agencies, taking into consideration each State's need for and ability to use such funds.

§ 230.119 Monitoring of supportive services.

Supportive services procured by a State highway agency shall be monitored by both the State highway agency and the division office.

§ 230.121 Reports.

- (a) Employment reports on Federalaid highway construction contracts not subject to "Hometown" or "Imposed" plan requirements.
- (1) Paragraph 10c of the special provisions (appendix A) sets forth specific reporting requirements. FHWA Form PR-1391, Federal-Aid Highway Construction Contractors Annual EEO Report, (appendix C) and FHWA Form PR 1392, Federal-Aid Highway Construction Summary of Employment Data (including minority breakdown) for all Federal-Aid Highway Projects for month ending July 31st, 19—, (appendix D) are to be used to fulfill these reporting requirements.
- (2) Form PR 1391 is to be completed by each contractor and each subcontractor subject to this part for every

month of July during which work is performed, and submitted to the State highway agency. A separate report is to be completed for each covered contract or subcontract. The employment data entered should reflect the work force on board during all or any part of the last payroll period preceding the end of the month. The State highway agency is to forward a single copy of each report to the FHWA division office.

- (3) Form PR 1392 is to be completed by the State highway agencies, summarizing the reports on PR 1391 for the month of July received from all active contractors and subcontractors. Three (3) copies of completed Forms PR 1392 are to be forwarded to the division office.
- (b) Employment reports on direct Federal highway construction contracts not subject to "Hometown" or "Imposed" plan requirements. Forms PR 1391 (appendix C) and PR 1392 (appendix D) shall be used for reporting purposes as prescribed in §230.121(a).
- (c) Employment reports on direct Federal and Federal-aid highway construction contracts subject to "Hometown" or "Imposed" plan requirements.
- (1) Reporting requirements for direct Federal and Federal-aid highway construction projects located in areas where "Hometown" or "Imposed" plans are in effect shall be in accordance with those issued by the U.S. Department of Labor, Office of Federal Contract Compliance.
- (2) In order that we may comply with the U.S. Senate Committee on Public Works' request that the Federal Highway Administration submit a report annually on the status of the equal employment opportunity program, Form PR 1391 is to be completed annually by each contractor and each subcontractor holding contracts or subcontracts exceeding \$10,000 except as otherwise provided for under 23 U.S.C. 117. The employment data entered should reflect the work force on board during all or any part of the last payroll period preceding the end of the month of July.
 - (d) [Reserved]
- (e) Reports on supportive services contracts. The State highway agency is

Federal Highway Administration, DOT

to furnish copies of the reports received from supportive services contractors to the FHWA division office which will furnish a copy to the regional office.

[40 FR 28053, July 3, 1975, as amended at 43 FR 19386, May 5, 1978; 61 FR 14616, Apr. 3, 1996]

APPENDIX A TO SUBPART A OF PART 230—SPECIAL PROVISIONS

SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES

- 1. General. a. Equal employment opportunity requirements not to discriminate and to take affirmative action to assure equal employment opportunity as required by Executive Order 11246 and Executive Order 11375 are set forth in Required Contract, Provisions (Form PR-1273 or 1316, as appropriate) and these Special Provisions which are imposed pursuant to section 140 of title 23 U.S.C., as established by section 22 of the Federal-Aid Highway Act of 1968. The requirements set forth in these Special Provisions shall constitute the specific affirmative action requirements for project activities under this contract and supplement the equal employment opportunity requirements set forth in the Required Contract Provi-
- b. The contractor will work with the State highway agencies and the Federal Government in carrying out equal employment opportunity obligations and in their review of his/her activities under the contract.
- c. The contractor and all his/her subcontractors holding subcontracts not including material suppliers, of \$10,000 or more, will comply with the following minimum specific requirement activities of equal employment opportunity: (The equal employment opportunity requirements of Executive Order 11246, as set forth in volume 6, chapter 4, section 1, subsection 1 of the Federal-Aid Highway Program Manual, are applicable to material suppliers as well as contractors and subcontractors.) The contractor will include these requirements in every subcontract of \$10,000 or more with such modification of language as is necessary to make them binding on the subcontractor.
- 2. Equal Employment Opportunity Policy. The contractor will accept as his operating policy the following statement which is designed to further the provision of equal employment opportunity to all persons without regard to their race, color, religion, sex, or national origin, and to promote the full realization of equal employment opportunity through a positive continuing program:
- It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment,

without regard to their race, religion, sex, color, or national origin. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, preapprenticeship, and/or on-the-job training.

- 3. Equal Employment Opportunity Officer. The contractor will designate and make known to the State highway agency contracting officers and equal employment opportunity officer (hereinafter referred to as the EEO Officer) who will have the responsibility for and must be capable of effectively administering and promoting an active contractor program of equal employment opportunity and who must be assigned adequate authority and responsibility to do so.
- 4. Dissemination of Policy. a. All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's equal employment opportunity policy and contractual responsibilities to provide equal employment opportunity in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
- (1) Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's equal employment opportunity policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer or other knowledgeable company official.
- (2) All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer or other knowledgeable company official, covering all major aspects of the contractor's equal employment opportunity obligations within thirty days following their reporting for duty with the contractor.
- (3) All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer or appropriate company official in the contractor's procedures for locating and hiring minority group employees.
- b. In order to make the contractor's equal employment opportunity policy known to all employees, prospective employees and potential sources of employees, *i.e.*, schools, employment agencies, labor unions (where appropriate), college placement officers, etc., the contractor will take the following actions:
- (1) Notices and posters setting forth the contractor's equal employment opportunity

Pt. 230, Subpt. A, App. A

policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

- (2) The contractor's equal employment opportunity policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.
- 5. Recruitment. a. When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be published in newspapers or other publications having a large circulation among minority groups in the area from which the project work force would normally be derived.
- b. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minority group applicants, including, but not limited to, State employment agencies, schools, colleges and minority group organizations. To meet this requirement, the contractor will, through his EEO Officer, identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority group applicants may be referred to the contractor for employment consideration.

In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, he is expected to observe the provisions of that agreement to the extent that the system permits the contractor's compliance with equal employment opportunity contract provisions. (The U.S. Department of Labor has held that where implementation of such agreements have the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Executive Order 11246, as amended.)

- c. The contractor will encourage his present employees to refer minority group applicants for employment by posting appropriate notices or bulletins in areas accessible to all such employees. In addition, information and procedures with regard to referring minority group applicants will be discussed with employees.
- 6. Personnel Actions. Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, or national origin. The following procedures shall be followed:
- a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities

do not indicate discriminatory treatment of project site personnel.

- b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with his obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of his avenues of appeal.
- 7. Training and Promotion. a. The contractor will assist in locating, qualifying, and increasing the skills of minority group and women employees, and applicants for employment.
- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, *i.e.*, apprenticeship, and on-the-job training programs for the geographical area of contract performance. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. In the event the Training Special Provision is provided under this contract, this subparagraph will be superseded as indicated in Attachment 2.
- c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of minority group and women employees and will encourage eligible employees to apply for such training and promotion.
- 8. Unions. If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use his/her best efforts to obtain the cooperation of such unions to increase opportunities for minority groups and women within the unions, and to effect referrals by such unions of minority and female employees. Actions by the contractor either directly or through a contractor's association acting as agent will include the procedures set forth below:

Federal Highway Administration, DOT

- a. The contractor will use best efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minority group members and women for membership in the unions and increasing the skills of minority group employees and women so that they may qualify for higher paying employment.
- b. The contractor will use best efforts to incorporate an equal employment opportunity clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, or national origin.
- c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the State highway department and shall set forth what efforts have been made to obtain such information.
- d. In the event the union is unable to provide the contractor with a reasonable flow of minority and women referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, or national origin; making full efforts to obtain qualified and/or qualifiable minority group persons and women. (The U.S. Department of Labor has held that it shall be no excuse that the union with which the contractor has a collective bargaining agreement providing for exclusive referral failed to refer minority employees.) In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the State highway agency.
- 9. Subcontracting. a. The contractor will use his best efforts to solicit bids from and to utilize minority group subcontractors or subcontractors with meaningful minority group and female representation among their employees. Contractors shall obtain lists of minority-owned construction firms from State highway agency personnel.
- b. The contractor will use his best efforts to ensure subcontractor compliance with their equal employment opportunity obligations
- 10. Records and Reports. a. The contractor will keep such records as are necessary to determine compliance with the contractor's equal employment opportunity obligations. The records kept by the contractor will be designed to indicate:
- (1) The number of minority and nonminority group members and women em-

ployed in each work classification on the project.

- (2) The progress and efforts being made in cooperation with unions to increase employment opportunities for minorities and women (applicable only to contractors who rely in whole or in part on unions as a source of their work force),
- (3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minority and female employees, and
- (4) The progress and efforts being made in securing the services of minority group subcontractors or subcontractors with meaningful minority and female representation among their employees.
- b. All such records must be retained for a period of three years following completion of the contract work and shall be available at reasonable times and places for inspection by authorized representatives of the State highway agency and the Federal Highway Administration.
- c. The contractors will submit an annual report to the State highway agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form PR 1391. If on-the-job training is being required by "Training Special Provision", the contractor will be required to furnish Form FHWA 1409.

[40 FR 28053, July 3, 1975, as amended at 43 FR 19386, May 5, 1978. Correctly redesignated at 46 FR 21156, Apr. 9, 1981]

APPENDIX B TO SUBPART A OF PART 230—TRAINING SPECIAL PROVISIONS

This Training Special Provision supersedes subparagraph 7b of the Special Provision entitled "Specific Equal Employment Opportunity Responsibilities," (Attachment 1), and is in implementation of 23 U.S.C. 140(a).

As part of the contractor's equal employment opportunity affirmative action program training shall be provided as follows:

The contractor shall provide on-the-job training aimed at developing full journeymen in the type of trade or job classification involved.

The number of trainees to be trained under the special provisions will be _____(amount to be filled in by State highway department).

In the event that a contractor subcontracts a portion of the contract work, he shall determine how many, if any, of the trainees are to be trained by the subcontractor, provided, however, that the contractor shall retain the primary responsibility for meeting the training requirements imposed by this special provision. The contractor shall also insure that this training

Pt. 230, Subpt. A, App. B

special provision is made applicable to such subcontract. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training.

The number of trainees shall be distributed among the work classifications on the basis of the contractor's needs and the availability of journeymen in the various classifications within a reasonable area of recruitment. Prior to commencing construction, the contractor shall submit to the State highway agency for approval the number of trainees to be trained in each selected classification and training program to be used. Furthermore, the contractor shall specify the starting time for training in each of the classifications. The contractor will be credited for each trainee employed by him on the contract work who is currently enrolled or becomes enrolled in an approved program and will be reimbursed for such trainees as provided hereinafter.

Training and upgrading of minorities and women toward journeymen status is a primary objective of this Training Special Provision. Accordingly, the contractor shall make every effort to enroll minority trainees and women (e.g., by conducting systematic and direct recruitment through public and private sources likely to yield minority and women trainees) to the extent that such persons are available within a reasonable area of recruitment. The contractor will be responsible for demonstrating the steps that he has taken in pursuance thereof, prior to a determination as to whether the contractor is in compliance with this Training Special Provision. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or

No employee shall be employed as a trainee in any classification in which he has successfully completed a training course leading to journeyman status or in which he has been employed as a journeyman. The contractor should satisfy this requirement by including appropriate questions in the employee application or by other suitable means. Regardless of the method used the contractor's records should document the findings in each case.

The minimum length and type of training for each classification will be as established in the training program selected by the contractor and approved by the State highway agency and the Federal Highway Administration. The State highway agency and the Federal Highway Administration shall approve a program if it is reasonably calculated to meet the equal employment opportunity obligations of the contractor and to qualify the average trainee for journeyman status in the classification concerned by the end of the training period. Further-

more, apprenticeship programs registered with the U.S. Department of Labor, Bureau of Apprenticeship and Training, or with a State apprenticeship agency recognized by the Bureau and training programs approved but not necessarily sponsored by the U.S. Department of Labor, Manpower Administration. Bureau of Apprenticeship and Training shall also be considered acceptable provided it is being administered in a manner consistent with the equal employment obligations of Federal-aid highway construction contracts. Approval or acceptance of a training program shall be obtained from the State prior to commencing work on the classification covered by the program. It is the intention of these provisions that training is to be provided in the construction crafts rather than clerk-typists or secretarial-type posi-tions. Training is permissible in lower level management positions such as office engineers, estimators, timekeepers, etc., where the training is oriented toward construction applications. Training in the laborer classification may be permitted provided that significant and meaningful training is provided and approved by the division office. Some offsite training is permissible as long as the training is an integral part of an approved training program and does not comprise a significant part of the overall training.

Except as otherwise noted below, the contractor will be reimbursed 80 cents per hour of training given an employee on this contract in accordance with an approved training program. As approved by the engineer, reimbursement will be made for training persons in excess of the number specified herein. This reimbursement will be made even though the contractor receives additional training program funds from other sources, provided such other does not specifically prohibit the contractor from receiving other reimbursement. Reimbursement for offsite training indicated above may only be made to the contractor where he does one or more of the following and the trainees are concurrently employed on a Federal-aid project; contributes to the cost of the training, provides the instruction to the trainee or pays the trainee's wages during the offsite training period.

No payment shall be made to the contractor if either the failure to provide the required training, or the failure to hire the trainee as a journeyman, is caused by the contractor and evidences a lack of good faith on the part of the contractor in meeting the requirements of this Training Special Provision. It is normally expected that a trainee will begin his training on the project as soon as feasible after start of work utilizing the skill involved and remain on the project as long as training opportunities exist in his work classification or until he has completed his training program. It is not required that all trainees be on board for the entire length

Federal Highway Administration, DOT

Pt. 230, Subpt. A, App. B

of the contract. A contractor will have fulfilled his responsibilities under this Training Special Provision if he has provided acceptable training to the number of trainees specified. The number trained shall be determined on the basis of the total number enrolled on the contract for a significant period.

Trainees will be paid at least 60 percent of the appropriate minimum journeyman's rate specified in the contract for the first half of the training period, 75 percent for the third quarter of the training period, and 90 percent for the last quarter of the training period, unless apprentices or trainees in an approved existing program are enrolled as trainees on this project. In that case, the appropriate rates approved by the Departments of Labor

or Transportation in connection with the existing program shall apply to all trainees being trained for the same classification who are covered by this Training Special Provision.

The contractor shall furnish the trainee a copy of the program he will follow in providing the training. The contractor shall provide each trainee with a certification showing the type and length of training satisfactorily completed.

The contractor will provide for the maintenance of records and furnish periodic reports documenting his performance under this Training Special Provision.

[40 FR 28053, July 3, 1975. Correctly redesignated at 46 FR 21156, Apr. 9, 1981]

Appendix C to Subpart A of Part 230 $\,$

		3	S. DEP/	U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION	OF TRA	NSPOR'	TATION						97.8	OMB /	OMB NO 04 R2427	12427	
FEDI	FEDERAL-AID HIGHWAY CONSTRUCTION CONTRACTORS ANNUAL EEO REPORT	GHWA	Y CON	STRUCT	ION CO	NTRAC	TORS A	NNNOAL	EEO RE	PORT			JULY			19	
1. CHECK APPROPRIATE BLOCK CONTRACTOR SUBCONTRACTOR	эск	2. NAME	AND A	2. NAME AND ADDRESS OF FIRM	OF FIRM			3 FEDE	RAL AID	3 FEDERAL AID PROJECT NUMBER	LNUMBE	a.	4 TYPE	4. TYPE OF CONSTRUCTION	STRUCT	NOIL	
6. COUNTY AND STATE		6. PER	CENTC	6. PERCENT COMPLETE		BEGINN	7. BEGINNING CONSTR. DATE		8 DOLLA	8. DOLLAR AMOUNT OF CONTRACT	NT OF	9. EST	IMATED AND YE	9 ESTIMATED PEAK EMPLOYMENT MONTH AND YEAR NUMBER OF EMPLOYEES (b)	MPLOYN	MENT EMPLO	OYEES
					0	EMPLC	EMPLOYMENT DATA	DATA						1			
					Table A										Table B	8	
JOB CATEGORIES	TOTAL		TOTAL	BLACK Not of Hispanic Origin	CK of Origin	HISP	HISPANIC	AMERICAN INDIAN OR ALASKAN NATIVE	ICAN N OR KAN	ASIAN OR PACIFIC ISLANDER	N OR FIC	WHITE Not of Hispanic Origin	re of Origin	APPRENTICES	TICES	ON THE JOB TRAINEES	HE B IEES
	ш Э	2	ш	2	u	2	u	2	ш	Σ	L	Σ		2	4	2	u.
OFFICIALS (Managers)																	
SUPERVISORS															1	Ì	
FOREMEN/WOMEN															1	1	
CLERICAL					Ī					1				1	+	+	
EQUIPMENT OPERATORS							Ì							1	1		
MECHANICS	1															t	
TRUCK DRIVERS					I									T	1	†	
INONWORKERS]		Ī											\dagger	
CARPENTERS		1	1									1		İ	İ	t	
CEMENT MASONS		1													†	+	
ELECTRICIANS															T		
PIPEFITTERS, PLUMBERS														1	+	1	
PAINTERS														1	1	1	
LABORERS, SEMI-SKILLED														1	\dagger	+	
LABORERS, UNSKILLED															1	+	T
TOTAL		_												1	1	4	
							Table C								-		T
APPRENTICES		-	1												†		T
ON THE JOB TRAINEES 11 PREPARED BY (Standing and Title of Contractors Representative)	re and Title of	ontmeto	Repre	sentative)											DATE		
T. Therand DT: Calificati	lo and made a		a veneral and a														
12. REVIEWED BY: (Signature and Title of State Highway Official)	re and Title of	State High	way Of	ficial)											DATE		
This report	This report it required by law and regulation (23 U.S.C. 14(b)and 23 CFR Part 230). Failure to report will result in noncompliance with this regulation	law and re	gulation	1(23 U.S.C	. 1406jan	d 23 CF	R Part 230	0). Failure	to report	will result	іп попсоп	pliance wit	th this reg	rulation			
1961 BB 1391					7,300	1 2 2 2	SMOIL	AT 4 LOSBO LODA SMOLETICA SHIKAVADOO	11 6 76								7
					> 24.4	000 556	, and I	AR Oby	ЛЕЛЕ								

42

APPENDIX D TO SUBPART A OF PART 230

								<u> </u>	DERAL	MENTO	DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION	PORTAT	 o o	OMB	OMB NO. 04-R2427	2427	
SUMMA FE	RY OF E	FEDERALAID HIGHWAY CONSTRUCTION SUMMARY OF EMPLOYMENT DATA (INCLEDING MINORITY BREAKDOWN) FOR ALL FEDERALAID HIGHWAY PROJECTS FOR MONTH FALING JULY 31st, 19	FEDERAL-AID HIGHWAY CONSTRUCTION PLOYMENT DATA (INCLUDING MINORITY BREA D HIGHWAY PROJECTS FOR MONTH ENEING JUI	HIGHWA (INCLUB ECTS FOI	Y CONS INC MIN	STRUC ORITY .	TION BREAKI GJULY	31st, 19	FOR AL	-1							
NOTE: See Instructions on REVERSE	Ä																
STATE REGION (5-8)			Ž	NUMBER OF PROJECTS (9.12)	F PROJE	CTS (9.1	5)				TOTAL	DOLLAF	TOTAL BOLLAR VALUE (13:23)	13.23)			
					E	EMPLOYMENT DATA	ENT DA	*									
						4.7	T;ble A										
JOB CATEGORIES	TO EMPL	TOTAL EMPLOYEES	TOTAL MINORITIES	AL N HISPAN 24.23	BLACK Not of Hispanic Origin 29-33 34-39	of HISP Origin 34.38 39.43	HISPANIC	7 21C	AMERICAN INDIAN OR ALASKAN NATIVE NATIVE	AUN 4	HAN OR OR OR ASKAN ASKAN PACIFIC ATIVE ISLANDER 54-58 59-63 64-68	N N N FIC N DER Hispar 64-68 69-73	WHITE Not of Hispanic Origin 69-73 74-78	79-83	89.4	ON THE JOB TRAINEES 89-93 94-9	THE 18 NEES 94:98
	Σ		2	u	2	u	2	u	2	ш	2	Σ	4	Σ	L	Σ	4
02 OFFICIALS (MANAGERS)																	
03 SUPERVISORS													-				
04 FOREMEN/WOMEN								-				4					
06 CLERICAL								1	1	1	-	+					
06 EQUIPMENT OPERATORS										+	+	+	+				
07 MECHANICS								-	1	1	-	-	-				
OR TRUCK DRIVERS								1		+	-	-	+				
09 IRONWORKERS								-		1	-	+	-				
10 CARPENTERS							1	1	-	-	-	-					
11 CEMENT MASONS									-			-					
12 ELECTRICIANS																	
13 PIPEFITTERS, PLUMBERS												-	-				
14 PAINTERS											-	-					
16 LABORERS, SEMI-SKILLED								_					_				
16 LABORERS, UNSKILLED												-					
17 TOTAL												4	4				
						'	:										
						-	Teble B										
18 APPRENTICES																	
19 ON THE JOB TRAINEES	_																
PREPARED BY (Symature & Title)					DATE		REVIE	WED BY	Stenan	IL & JI	REVIEWED BY (Signature & Title of State Hwy. Official	Hwy. O.)Actal)		DATE		
This report is required by iaw and regulation (23 U.S.C. 14(pland 23 CFR Part 230). Failure to report will result in noncompliance with this regulation	is required	l by law and	regulation	(23 U.S.C	. 140kgan	id 23 CF	R Part 2	30). Fail	ure to re	ort will	result in r	опсотрі	iance with	this regulati	o. T		
Form PR-1392					PREVIOUS EDITIONS ARE CHSOLETE	JS EDIT	ONS AF	R OBSC	LETE								

GENERAL INFORMATION AND INSTRUCTIONS

This form is to be developed from the "Contractor's Annual EEO Report." This data is to be compiled by the State and submitted annually. It should reflect the total

employment on all Federal-Aid Highway Projects in the State as of July 31st. The staffing figures to be reported should represent the project work force on board in all

23 CFR Ch. I (4-1-05 Edition)

Pt. 230, Subpt. A, App. G

or any part of the last payroll period preceding the end of July. The staffing figures to be reported in Table A should include journey-level men and women, apprentices, and on-the-job trainees. Staffing figures to be reported in Table B should include only apprentices and on-the-job trainees as indicated.

Entries made for "Job Categories" are to be confined to the listing shown. Miscellaneous job classifications are to be incorporated in the most appropriate category listed on the form. All employees on projects should thus be accounted for.

This information will be useful in complying with the U.S. Senate Committee on

Public Works request that the Federal Highway Administration submit a report annually on the status of the Equal Employment Opportunity Program, its effectiveness, and progress made by the States and the Administration in carrying out section 22(A) of the Federal-Aid Highway Act of 1968. In addition, the form should be used as a valuable tool for States to evaluate their own programs for ensuring equal opportunity.

It is requested that States submit this information annually to the FHWA Divisions no later than September 25.

Line 01—State & Region Code. Enter the 4-digit code from the list below.

01-04	Montana	30-08
02-10	Nebraska	31-07
04-09	Nevada	32-09
05-06	New Hampshire	33-01
06-09	New Jersey	34-01
08-08	New Mexico	35-06
10-03	North Carolina	37-04
11-03	North Dakota	38-08
12-04	Ohio	39-05
13-04	Oklahoma	40-06
15-09	Oregon	41-10
16-10	Pennsylvania	42-03
17-05	Puerto Rico	43-01
19-07	South Carolina	45-04
20-07	South Dakota	46-08
21-04	Tennessee	47-04
22-06	Texas	48-06
23-01	Utah	49-08
24-03	Vermont	50-01
25-01	Virginia	51-03
26-05	Washington	53-10
27-05	West Virginia	54-03
28-04	Wisconsin	55-05
29-07	Wyoming	56-08
	02-10 04-09 05-06 06-09 08-08 10-03 11-03 11-03 12-04 13-04 15-09 19-07 20-07 21-04 22-06 23-01 24-03 25-01 26-05 27-05 28-04	02–10 Nebraska 04–09 Nevada 05–06 New Hampshire 06–09 New Jersey 08–08 New Mexico 07–07 North Carolina 11–03 North Dakota 12–04 Ohio 13–04 Oklahoma 15–09 Oregon 16–10 Pennsylvania 17–05 Pourto Rico 19–07 South Carolina 20–07 South Carolina 21–04 Tennessee 22–06 Texas 23–01 Utah 24–03 Vermont 25–01 Virginia 26–05 Washington 28–04 Wisconsin

(23~U.S.C.~sec.~140(a),~315,~49~CFR~1.48(b))

 $[44\ FR\ 46832,\ Aug.\ 8,\ 1979.\ Correctly\ redesignated\ at\ 46\ FR\ 21156,\ Apr.\ 9,\ 1981,\ and\ amended\ at\ 56\ FR\ 4721,\ Feb.\ 6,\ 1991]$

APPENDIXES E-F TO SUBPART A OF PART 230 [RESERVED]

APPENDIX G TO SUBPART A OF PART 230—SPECIAL REPORTING REQUIRE-MENTS FOR "HOMETOWN" OR "IM-POSED" PLAN AREAS

In addition to the reporting requirements set forth elsewhere in this contract the contractor and the subcontractors holding subcontracts, not including material suppliers, of \$10,000 or more, shall submit for every month of July during which work is performed, employment data as contained under Form PR-1391 (appendix C to 23 CFR part 230) and in accordance with the instructions included thereon.

[40 FR 28053, July 3, 1975. Correctly redesignated at 46 FR 21156, Apr. 9, 1981]

Subpart B—Supportive Services for Minority, Disadvantaged, and Women Business Enterprises

SOURCE: 50 FR 51243, Dec. 16, 1985, unless otherwise noted.

§ 230.201 Purpose.

To prescribe the policies, procedures, and guidance to develop, conduct, and administer supportive services assistance programs for minority, disadvantaged, and women business enterprises.

§230.202 Definitions.

(a) Minority Business Enterprise, as used in this subpart, refers to all small businesses which participate in the

Federal-aid highway program as a minority business enterprise (MBE), women business enterprise (WBE), or disadvantaged business enterprise (DBE), all defined under 49 CFR part 23. This expanded definition is used only in this subpart as a simplified way of defining the firms eligible to benefit from this supportive services program.

- (b) Supportive Services means those services and activities provided in connection with minority business enterprise programs which are designed to increase the total number of minority businesses active in the highway program and contribute to the growth and eventual self-sufficiency of individual minority businesses so that such businesses may achieve proficiency to compete, on an equal basis, for contracts and subcontracts.
- (c) State highway agency means that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction. The term State is considered equivalent to State highway agency if the context so implies.

§230.203 Policy.

Based on the provisions of Pub. L. 97-424, dated January 6, 1983, it is the policy of the Federal Highway Administration (FHWA) to promote increased participation of minority business enterprises in Federal-aid highway contracts in part through the development and implementation of cost effective supportive services programs through the State highway agencies.

§ 230.204 Implementation of supportive services.

(a) Subject to the availability of funds under 23 U.S.C. 140(c), the State highway agency shall establish procedures to develop, conduct, and administer minority business enterprise training and assistance programs specifically for the benefit of women and minority businesses. Supportive services funds allocated to the States shall not be used to finance the training of State highway agency employees or to provide services in support of such training. State highway agencies are not required to match funds allocated to them under this section. Individual States are encouraged to be actively

involved in the provision of supportive services. Such involvement can take the form of staff, funding, and/or direct assistance to augment the supportive services efforts financed by Federal-aid funds

- (b) State highway agencies shall give preference to the following types of services:
- (1) Services relating to identification, prequalification, and certification assistance, with emphasis on increasing the total number of legitimate minority business enterprises participating in the Federal-aid highway program;
- (2) Services in connection with estimating, bidding, and technical assistance designed to develop and improve the capabilities of minority businesses and assist them in achieving proficiency in the technical skills involved in highway construction;
- (3) Services designed to develop and improve the immediate and long-term business management, recordkeeping, and financial accounting capabilities;
- (4) Services to assist minority business enterprises to become eligible for and to obtain bonding and financial assistance;
- (5) Services relating to verification procedures to ensure that only *bona fide* minority business enterprises are certified as eligible for participation in the Federal-aid highway program;
- (6) Follow-up services to ascertain the outcome of training and assistance being provided; and
- (7) Other services which contribute to long-term development, increased opportunities, and eventual self-sufficiency of minority business enterprises.
- (c) A detailed work statement of the supportive services which the State highway agency considers to meet the guidance under this regulation and a program plan for meeting the requirements of paragraph (b) of this section and accomplishing other objectives shall be submitted to the FHWA for approval.
- (d) State highway agencies which desire to provide or obtain services other than those listed in paragraph (b) of this section shall submit their proposals to the FHWA for approval.

- (e) When the State highway agency provides supportive services by contract, formal advertising is not required by FHWA; however, the State highway agency shall solicit proposals from such qualified sources as will assure the competitive nature of the procurement. The evaluation of proposals by the State highway agency must include consideration of the proposer's ability to effect a productive relationship with majority and minority contractors, contractors' associations, minority groups, and other persons or organizations whose cooperation and assistance will increase the opportunities for minority business enterprises to compete for and perform contracts and subcontracts.
- (f) In the selection of contractors to perform supportive services, State highway agencies shall make conscientious efforts to search out, and utilize the services of qualified minority or women organizations, or minority or women enterprises.
- (g) As a minimum, State highway agency contracts to obtain supportive services shall include the following provisions:
- (1) A statement that a primary purpose of the supportive services is to increase the total number of minority firms participating in the Federal-aid highway program and to contribute to the growth and eventual self-sufficiency of minority firms;
- (2) A statement that supportive services shall be provided only to those minority business enterprises determined to be eligible for participation in the Federal-aid highway program in accordance with 49 CFR part 23 and have a work specialty related to the highway construction industry;
- (3) A clear and complete statement of the services to be provided under the contract, such as technical assistance, managerial assistance, counseling, certification assistance, and follow-up procedures as set forth in §230.204(b) of this part;
- (4) The nondiscrimination provisions required by Title VI of the Civil Rights Act of 1964 as set forth in Form FHWA-1273, Required Contract Provisions,

- Federal-Aid Construction Contracts, ¹ and a statement of nondiscrimination in employment because of race, color, religion, sex, or national origin;
- (5) The establishment of a definite period of contract performance together with, if appropriate, a schedule stating when specific supportive services are to be provided;
- (6) Monthly or quarterly reports to the State highway agency containing sufficient data and narrative content to enable evaluation of both progress and problems;
 - (7) The basis of payment;
- (8) An estimated schedule for expenditures:
- (9) The right of access to records and the right to audit shall be granted to authorize State highway agency and FHWA officials;
 - (10) Noncollusion certification;
- (11) A requirement that the contractor provide all information necessary to support progress payments if such are provided for in the contract; and
 - (12) A termination clause.
- (h) The State highway agency is to furnish copies of the reports received under paragraph(g)(6) of this section to the FHWA division office.

[50 FR 51243, Dec. 16, 1985, as amended at 52 FR 36922, Oct. 2, 1987]

§ 230.205 Supportive services funds obligation.

Supportive services funds shall be obligated in accordance with the procedures set forth in §230.117(b) of this part. The point of obligation is defined as that time when the FHWA has approved a detailed work statement for the supportive services.

§ 230.206 Monitoring supportive services.

Supportive services programs shall be continually monitored and evaluated by the State highway agency so that needed improvements can be identified and instituted. This requires the documentation of valid effectiveness

¹Form FHWA-1273 is available for inspection and copying at the locations given in 49 CFR part 7, appendix D, under Document Inspection Facilities, and at all State highway agencies.

measures by which the results of program efforts may be accurately assessed.

§ 230.207 Sources of assistance.

It is the policy of the FHWA that all potential sources of assistance to minority business enterprises be utilized. The State highway agency shall take actions to ensure that supportive services contracts reflect the availability of all sources of assistance in order to maximize resource utilization and avoid unnecessary duplication.

Subpart C—State Highway Agency Equal Employment Opportunity Programs

SOURCE: 41 FR 28270, July 9, 1976, unless otherwise noted.

§230.301 Purpose.

The purpose of the regulations in this subpart is to set forth Federal Highway Administration (FHWA) Federal-aid policy and FHWA and State responsibilities relative to a State highway agency's internal equal employment opportunity program and for assuring compliance with the equal employment opportunity requirements of federally-assisted highway construction contracts.

§ 230.303 Applicability.

The provisions of this subpart are applicable to all States that receive Federal financial assistance in connection with the Federal-aid highway program.

§ 230.305 Definitions.

As used in this subpart, the following definitions apply:

(a) Affirmative Action Plan means:

- (1) With regard to State highway agency work forces, a written document detailing the positive action steps the State highway agency will take to assure internal equal employment opportunity (internal plan).
- (2) With regard to Federal-aid construction contract work forces, the Federal equal employment opportunity bid conditions, to be enforced by a State highway agency in the plan areas established by the Secretary of Labor

and FHWA special provisions in nonplan areas (external plan).

- (b) Equal employment opportunity program means the total State highway agency program, including the affirmative action plans, for ensuring compliance with Federal requirements both in State highway agency internal employment and in employment on Federal-aid construction projects.
- (c) Minority groups. An employee may be included in the minority group to which he or she appears to belong, or is regarded in the community as belonging. As defined by U.S. Federal agencies for employment purposes, minority group persons in the U.S. are identified as Blacks (not of Hispanic origin), Hispanics, Asian or Pacific Islanders, and American Indians or Alaskan Natives.
- (d) Racial/ethnic identification. For the purpose of this regulation and any accompanying report requirements, an employee may be included in the group to which he or she appears to belong, identifies with, or is regarded in the community as belonging. However, no person should be counted in more than one racial/ethnic category. The following group categories will be used:
- (1) The category *White* (not of Hispanic origin): All persons having origins in any of the original peoples of Europe, North Africa, the Middle East, or the Indian Subcontinent.
- (2) The category *Black* (not of *Hispanic origin*): All persons having origins in any of the Black racial groups.
- (3) The category *Hispanic*: All persons of Mexican, Puerto Rican, Cuban, Central or South American, or other Spanish culture or origin, regardless of race.
- (4) The category Asian or Pacific Islanders: All persons having origins in any of the original peoples of the Far East, Southeast Asia, or the Pacific Islands. This area includes, for example, China, Japan, Korea, the Philippine Islands, and Samoa.
- (5) The category *American Indian or Alaskan Native:* All persons having origins in any of the original peoples of North America.
- (e) *State* means any of the 50 States of the United States, the District of Columbia, the Commonwealth of Puerto Rico, Guam, American Samoa, and the Virgin Islands.

(f) State highway agency means that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction. The term State should be considered equivalent to State highway agency if the context so implies.

[41 FR 28270, July 9, 1976, as amended at 41 FR 46293, Oct. 20, 1976]

§230.307 Policy.

Every employee and representative of State highway agencies shall perform all official equal employment opportunity actions in an affirmative manner, and in full accord with applicable statutes, executive orders, regulations, and policies enunciated thereunder, to assure the equality of employment opportunity, without regard to race, color, religion, sex, or national origin both in its own work force and in the work forces of contractors, subcontractors, and material suppliers engaged in the performance of Federal-aid highway construction contracts.

§230.309 Program format.

It is essential that a standardized Federal approach be taken in assisting the States in development and implementation of EEO programs. The format set forth in appendix A provides that standardized approach. State equal employment opportunity programs that meet or exceed the prescribed standards will comply with basic FHWA requirements.

$\S 230.311$ State responsibilities.

- (a) Each State highway agency shall prepare and submit an updated equal employment opportunity program, one year from the date of approval of the preceding program by the Federal Highway Administrator, over the signature of the head of the State highway agency, to the Federal Highway Administrator through the FHWA Division Administrator. The program shall consist of the following elements:
- (1) The collection and analysis of internal employment data for its entire work force in the manner prescribed in part II, paragraph III of appendix A; and
- (2) The equal employment opportunity program, including the internal

affirmative action plan, in the format and manner set forth in appendix A.

(b) In preparation of the program required by \$230.311(a), the State highway agency shall consider and respond to written comments from FHWA regarding the preceding program.

§230.313 Approval procedure.

After reviewing the State highway agency equal employment opportunity program and the summary analysis and recommendations from the FHWA regional office, the Washington Headquarters Office of Civil Rights staff will recommend approval or disapproval of the program to the Federal Highway Administrator. The State highway agency will be advised of the Administrator's decision. Each program approval is effective for a period of one year from date of approval.

APPENDIX A TO SUBPART C OF PART 230—STATE HIGHWAY AGENCY EQUAL EMPLOYMENT OPPORTUNITY PROGRAMS

Each State highway agency's (SHA) equal employment opportunity (EEO) program shall be in the format set forth herein and shall address Contractor Compliance (part I) and SHA Internal Employment (part II), including the organizational structure of the SHA total EEO Program (internal and external)

PART I—CONTRACTOR COMPLIANCE

- I. Organization and structure. A. Statehighway agency EEO Coordinator (External) and staff support. 1. Describe the organizational location and responsibilities of the State highway agency EEO Coordinator. (Provided organization charts of the State highway agency and of the EEO staff.)
- 2. Indicate whether full or part-time; if part-time, indicate percentage of time devoted to EEO.
- Indicate length of time in position, civil rights experience and training, and supervision.
- 4. Indicate whether compliance program is centralized or decentralized.
- 5. Identify EEO Coordinator's staff support (full- and part-time) by job title and indicate areas of their responsibilities.
- 6. Identify any other individuals in the central office having a responsibility for the implementation of this program and describe their respective roles and training received in program area.
- B. District or division personnel. 1. Describe the responsibilities and duties of any district

 $\ensuremath{\mathsf{EEO}}$ personnel. Identify to whom they report.

- 2. Explain whether district EEO personnel are full-time or have other responsibilities such as labor compliance or engineering.
- 3. Describe training provided for personnel having EEO compliance responsibility.
- C. *Project personnel*. Describe the EEO role of project personnel.
- II. Compliance procedures. A. Applicable directives. I. FHWA Contract Compliance Procedures.
- 2. EEO Special Provisions (FHWA Federal-Aid Highway Program Manual, vol. 6, chap. 4, sec. 1, subsec. 2, Attachment $1)^1$
- 3. Training Special Provisions (FHWA Federal-Aid Highway Program Manual, vol. 6, chap. 4, sec. 1, subsec. 2, Attachment 2) ¹
- 4. FHWA Federal-Aid Highway Program Manual, vol. 6, chap. 4, sec. 1, subsec. 6 (Contract Procedures), and subsec. 8 (Minority Business Enterprise). 1
- B. *Implementation*. 1. Describe process (methods) of incorporating the above FHWA directives into the SHA compliance program.
- 2. Describe the methods used by the State to familiarize State compliance personnel with all FHWA contract compliance directives. Indicate frequency of work shops, training sessions, etc.
- 3. Describe the procedure for advising the contractor of the EEO contract requirements at any preconstruction conference held in connection with a Federal-aid contract.
- III. Accomplishments. Describe accomplishments in the construction EEO compliance program during the past fiscal year.
- A. Regular project compliance review program. This number should include at least all of the following items:
- 1. Number of compliance reviews conducted.
- 2. Number of contractors reviewed.
- Number of contractors found in compliance.
- 4. Number of contractors found in non-compliance.
- 5. Number of show cause notices issued
- 6. Number of show cause notices rescinded.7. Number of show cause actions still under
- conciliation and unresolved. 8. Number of followup reviews conducted.
- (NOTE: In addition to information requested in items 4-8 above, include a brief summary of total show cause and followup activities—findings and achievements.)
- B. *Consolidated compliance reviews.* 1. Identify the target areas that have been reviewed since the inception of the consolidated com-

pliance program. Briefly summarize total findings.

- 2. Identify any significant impact or effect of this program on contractor compliance.
- C. *Home office reviews*. If the State conducts home office reviews, describe briefly the procedures followed by State.
- D. *Major problems encountered*. Describe major problems encountered in connection with any review activities during the past fiscal year.
- E. *Major breakthroughs*. Comment briefly on any major breakthrough or other accomplishment significant to the compliance review program.
- IV. Areawide plans/Hometown and Imposed (if applicable). A. Provide overall analysis of the effectiveness of each areawide plan in the State.
- B. Indicate by job titles the number of State personnel involved in the collection, consolidation, preparation, copying, reviewing, analysis, and transmittal of area plan reports (Contracting Activity and Post Contract Implementation). Estimate the amount of time (number of hours) spent collectively on this activity each month. How does the State use the plan report data?
- C. Identify Office of Federal Contract Compliance Programs (OFCCP) area plan audits or compliance checks in which State personnel participated during the last fiscal year. On the average, how many hours have been spent on these audits and/or checks during the past fiscal year?
- ing the past fiscal year?

 D. Describe the working relationship of State EEO compliance personnel with representatives of plan administrative committee(s).
- E. Provide recommendations for improving the areawide plan program and the reporting system.
- V. *Contract sanctions.* A. Describe the procedures used by the State to impose contract sanctions or institute legal proceedings.
- B. Indicate the State or Federal laws which are applicable.
- C. Does the State withhold a contractor's progress payments for failure to comply with EEO requirements? If so, identify contractors involved in such actions during the past fiscal year. If not, identify other actions taken.
- VI. *Complaints*. A. Describe the State's procedures for handling discrimination complaints against contractors.
- B. If complaints are referred to a State fair employment agency or similar agency, describe the referral procedure.
 C. Identify the Federal-aid highway con-
- C. Identify the Federal-aid highway contractors that have had discrimination complaints filed against them during the past fiscal year and provide current status.
- VII. External training programs, including supportive services. A. Describe the State's process for reviewing the work classifications of trainees to determine that there is a

¹The Federal-Aid Highway Program Manual is available for inspection and copying at the Federal Highway Administration (FHWA), 400 7th St., SW., Washington, DC 20590, or at FHWA offices listed in 49 CFR part 7, appendix D.

Pt. 230, Subpt. C, App. A

proper and reasonable distribution among appropriate craft.

- B. Describe the State's procedures for identifying the number of minorities and women who have completed training programs.
- C. Describe the extent of participation by women in construction training programs.
- D. Describe the efforts made by the State to locate and use the services of qualified minority and female supportive service consultants. Indicate if the State's supportive service contractor is a minority or female owned enterprise.
- E. Describe the extent to which reports from the supportive service contractors provide sufficient data to evaluate the status of training programs, with particular reference to minorities and women.
- VIII. Minority business enterprise program. FHPM 6-4-1-8 sets forth the FHWA policy regarding the minority business enterprise program. The implementation of this program should be explained by responding to the following:
- A. Describe the method used for listing of minority contractors capable of, or interested in, highway construction contracting or subcontracting. Describe the process used to circulate names of appropriate minority firms and associations to contractors obtaining contract proposals.
- B. Describe the State's procedure for insuring that contractors take action to affirmatively solicit the interest, capability, and prices of potential minority subcontractors.
- C. Describe the State's procedure for insuring that contractors have designated liaison officers to administer the minority business enterprise program in an effective manner. Specify resource material, including contracts, which the State provides to liaison officers.
- D. Describe the action the State has taken to meet its goals for prequalification or licensing of minority business. Include dollar goals established for the year, and describe what criteria or formula the State has adopted for setting such goals. If it is different from the previous year, describe in detail
- E. Outline the State's procedure for evaluating its prequalification/licensing requirements.
- F. Identify instances where the State has waived prequalification for subcontractors on Federal-aid construction work or for prime contractors on Federal-aid contracts with an estimated dollar value lower than \$100,000
- G. Describe the State's methods of monitoring the progress and results of its minority business enterprise efforts.
- IX. Liaison. Describe the liaison established by the State between public (State, county, and municpal) agencies and private organizations involved in EEO programs.

How is the liaison maintained on a continuing basis?

X. Innovative programs. Identify any innovative EEO programs or management procedures initiated by the State and not previously covered.

PART II—STATE HIGHWAY AGENCY EMPLOYMENT

I. General. The State highway agency's (SHA) internal program is an integral part of the agency's total activities. It should include the involvement, commitment and support of executives, managers, supervisors and all other employees. For effective administration and implementation of the EEO Program, an affirmative action plan (AAP) is required. The scope of an EEO program and an AAP must be comprehensive, covering all elements of the agency's personnel management policies and practices. The major part of an AAP must be recognition and removal of any barriers to equal employment opportunity, identification of problem areas and of persons unfairly excluded or held back and action enabling them to compete for jobs on an equal basis. An effective AAP not only benefits those who have been denied equal employment opportunity but will also greatly benefit the organization which often has overlooked, screened out or underutilized the great reservoir of untapped human resources and skills, especially among women and minority groups.

Set forth are general guidelines designed to assist the State highway agencies in implementing internal programs, including the development and implementation of AAP's to ensure fair and equal treatment for all persons, regardless of race, color, religion, sex or national origin in all employment practices.

II. Administration and implementation. The head of each State highway agency is responsible for the overall administration of the internal EEO program, including the total integration of equal opportunity into all facets of personnel management. However, specific program responsibilities should be assigned for carrying out the program at all management levels.

To ensure effectiveness in the implementation of the internal EEO program, a specific and realistic AAP should be developed. It should include both short and long-range objectives, with priorities and target dates for achieving goals and measuring progress, according to the agency's individual need to overcome existing problems.

A. State Highway Agency Affirmative Action Officer (internal). 1. Appointment of Affirmative Action Officer. The head of the SHA should appoint a qualified Affirmative Action (AA) Officer (Internal EEO Officer) with responsibility and authority to implement the internal EEO program. In making the selection, the following factors should be considered:

Federal Highway Administration, DOT

- a. The person appointed should have proven ability to accomplish major program goals.
- b. Managing the internal EEO program requires a major time commitment; it cannot be added on to an existing full-time job.
- c. Appointing qualified minority and/or female employees to head or staff the program may offer good role models for present and potential employees and add credibility to the programs involved. However, the most essential requirements for such position(s) are sensitivity to varied ways in which discrimination limits job opportunities, commitment to program goals and sufficient status and ability to work with others in the agency to achieve them.
- 2. Responsibilities of the Affirmative Action Officer. The responsibilities of the AA Officer should include, but not necessarily be limited to:
- a. Developing the written AAP.
- b. Publicizing its content internally and externally.
- c. Assisting managers and supervisors in collecting and analyzing employment data, identifying problem areas, setting goals and timetables and developing programs to achieve goals. Programs should include specific remedies to eliminate any discriminatory practices discovered in the employment system.
- d. Handling and processing formal discrimination complaints.
- e. Designing, implementing and monitoring internal audit and reporting systems to measure program effectiveness and to determine where progress has been made and where further action is needed.
- f. Reporting, at least quarterly, to the head of the SHA on progress and deficiencies of each unit in relation to agency goals.
- g. In addition, consider the creation of: (1) An EEO Advisory Committee, whose
- (1) An EEO Advisory Committee, whose membership would include top management officials,
- (2) An EEO Employee Committee, whose membership would include rank and file employees, with minority and female representatives from various job levels and departments to meet regularly with the AA officer, and
- $\mbox{(3)}$ An EEO Counseling Program to attempt informal resolution of discrimination complaints.
- B. Contents of an affirmative action plan. The Affirmative Action Plan (AAP) is an integral part of the SHA's EEO program. Although the style and format of AAP's may vary from one SHA to another, the basic substance will generally be the same. The essence of the AAP should include, but not necessarily be limited to:
- 1. Inclusion of a strong agency policy statement of commitment to EEO.
- 2. Assignment of responsibility and authority for program to a qualified individual.

- 3. A survey of the labor market area in terms of population makeup, skills, and availability for employment.
- 4. Analyzing the present work force to identify jobs, departments and units where minorities and females are underutilized.
- 5. Setting specific, measurable, attainable hiring and promotion goals, with target dates, in each area of underutilization.
- 6. Making every manager and supervisor responsible and accountable for meeting these goals
- 7. Reevaluating job descriptions and hiring criteria to assure that they reflect actual job needs.
- 8. Finding minorities and females who are qualified or qualifiable to fill jobs.
- 9. Getting minorities and females into upward mobility and relevant training programs where they have not had previous access.
- 10. Developing systems to monitor and measure progress regularly. If results are not satisfactory to meet goals, determine the reasons and make necessary changes.
- 11. Developing a procedure whereby employees and applicants may process allegations of discrimination to an impartial body without fear of reprisal.
- C. Implementation of an affirmative action plan. The written AAP is the framework and management tool to be used at all organizational levels to actively implement, measure and evaluate program progress on the specific action items which represent EEO program problems or deficiencies. The presence of a written plan alone does not constitute an EEO program, nor is it, in itself, evidence of an ongoing program. As a minimum, the following specific actions should be taken.
- 1. Issue written equal employment opportunity policy statement and affirmative action commitment. To be effective, EEO policy provisions must be enforced by top management, and all employees must be made aware that EEO is basic agency policy. The head of the SHA (1) should issue a firm statement of personal commitment, legal obligation and the importance of EEO as an agency goal, and (2) assign specific responsibility and accountability to each executive, manager and supervisor.

The statement should include, but not necessarily be limited to, the following elements:

- a. EEO for all persons, regardless of race, color, religion, sex or national origin as a fundamental agency policy.
- b. Personal commitment to and support of EEO by the head of the SHA.
- c. The requirement that special affirmative action be taken throughout the agency to overcome the effects of past discrimination
- d. The requirement that the EEO program be a goal setting program with measurement

Pt. 230, Subpt. C, App. A

and evaluation factors similar to other major agency programs.

- e. Equal opportunity in all employment practices, including (but not limited to) recruiting, hiring, transfers, promotions, training, compensation, benefits, recognition (awards), layoffs, and other terminations.
- f. Responsibility for positive affirmative action in the discharge of EEO programs, including performance evaluations of managers and supervisors in such functions, will be expected of and shared by all management personnel.
- g. Accountability for action or inaction in the area of EEO by management personnel.
- 2. Publicize the affirmative action plan. a. Internally: (1) Distribute written communications from the head of the SHA.
- (2) Include the AAP and the EEO policy statement in agency operations manual.
- (3) Hold individual meetings with managers and supervisors to discuss the program, their individual responsibilities and to review progress.
- (4) Place Federal and State EEO posters on bulletin boards, near time clocks and in personnel offices.
- (5) Publicize the AAP in the agency newsletters and other publications.
- (6) Present and discuss the AAP as a part of employee orientation and all training programs
- (7) Invite employee organization representatives to cooperate and assist in developing and implementing the AAP.
- b. *Externally:* Distribute the AAP to minority groups and women's organizations, community action groups, appropriate State agencies, professional organizations, etc.
- 3. Develop and implement specific programs to eliminate discriminatory barriers and achieve goals. a. Job structuring and upward mobility: The AAP should include specific provisions for:
- (1) Periodic classification plan reviews to correct inaccurate position descriptions and to ensure that positions are allocated to the appropriate classification.
- (2) Plans to ensure that all qualification requirements are closely job related.
- (3) Efforts to restructure jobs and establish entry level and trainee positions to facilitate progression within occupational areas.
- (4) Career counseling and guidance to employees.
- (5) Creating career development plans for lower grade employees who are underutilized or who demonstrate potential for advancement.
- (6) Widely publicizing upward mobility programs and opportunities within each work unit and within the total organizational structure.
- b. *Recruitment and placement.* The AAP should include specific provisions for, but not necessarily limited to:

- (1) Active recruitment efforts to support and supplement those of the central personnel agency or department, reaching all appropriate sources to obtain qualified employees on a nondiscriminatory basis.
- (2) Maintaining contracts with organizations representing minority groups, women, professional societies, and other sources of candidates for technical, professional and management level positions.
- (3) Ensuring that recruitment literature is relevant to all employees, including minority groups and women.
- (4) Reviewing and monitoring recruitment and placement procedures so as to assure that no discriminatory practices exist.
- (5) Cooperating with management and the central personnel agency on the review and validation of written tests and other selection devices.
- (6) Analyzing the flow of applicants through the selection and appointment process, including an analytical review of reasons for rejections.
- (7) Monitoring the placement of employees to ensure the assignment of work and work-place on a nondiscriminatory basis.
- c. *Promotions.* The AAP should include specific provisions for, but not necessarily limited to:
- 1. Establishing an agency-wide merit promotion program, including a merit promotion plan, to provide equal opportunity for all persons based on merit and without regard to race, color, religion, sex or national origin.
- 2. Monitoring the operation of the merit promotion program, including a review of promotion actions, to assure that requirements procedures and practices support EEO program objectives and do not have a discriminatory impact in actual operation.
- 3. Establishing skills banks to match employee skills with available job advancement opportunities.
- 4. Evaluating promotion criteria (supervisory evaluations, oral interviews, written tests, qualification standards, etc.) and their use by selecting officials to identify and eliminate factors which may lead to improper "selection out" of employees or applicants, particularly minorities and women, who traditionally have not had access to better jobs. It may be appropriate to require selecting officials to submit a written justification when well qualified persons are passed over for upgrading or promotion.
- 5. Assuring that all job vacancies are posted conspicuously and that all employees are encouraged to bid on all jobs for which they feel they are qualified.
- 6. Publicizing the agency merit promotion program by highlighting breakthrough promotions, *i.e.*, advancement of minorities and women to key jobs, new career heights, etc.

Federal Highway Administration, DOT

- d. *Training.* The AAP should include specific provisions for, but not necessarily limited to:
- (1) Requiring managers and supervisors to participate in EEO seminars covering the AAP, the overall EEO program and the administration of the policies and procedures incorporated therein, and on Federal, State and local laws relating to EEO.
- (2) Training in proper interviewing techniques of employees who conduct employment selection interviews.
- (3) Training and education programs designed to provide opportunities for employees to advance in relation to the present and projected manpower needs of the agency and the employees' career goals.
- (4) The review of profiles of training course participants to ensure that training opportunities are being offered to all eligible employees on an equal basis and to correct any inequities discovered.
- e. Layoffs, recalls, discharges, demotions, and disciplinary actions. The standards for deciding when a person shall be terminated, demoted, disciplined, laid off or recalled should be the same for all employees, including minorities and females. Seemingly neutral practices should be reexamined to see if they have a disparate effect on such groups. For example, if more minorities and females are being laid off because they were the last hired, then, adjustments should be made to assure that the minority and female ratios do not decrease because of these actions.
- (1) When employees, particularly minorities and females, are disciplined, laid off, discharged or downgraded, it is advisable that the actions be reviewed by the AA Officer before they become final.
- (2) Any punitive action (*i.e.*, harassment, terminations, demotions), taken as a result of employees filing discrimination complaints, is illegal.
- (3) The following records should be kept to monitor this area of the internal EEO program:

On all terminations, including layoffs and discharges: indicate total number, name, (home address and phone number), employment date, termination date, recall rights, sex, racial/ethnic identification (by job category), type of termination and reason for termination.

On all demotions: indicate total number, name, (home address and phone number), demotion date, sex, racial/ethnic identification (by job category), and reason for demotion.

- On all recalls: indicate total number, name, (home address and phone number) recall date, sex, and racial/ethnic identification (by job category).
- Exit interviews should be conducted with employees who leave the employment of the SHA.

- f. Other personnel actions. The AAP should include specific provisions for, but not necessarily limited to:
- (1) Assuring that information on EEO counseling and grievance procedures is easily available to all employees.
- (2) A system for processing complaints alleging discrimination because of race, color, religion, sex or national origin to an impartial body.
- (3) A system for processing grievances and appeals (*i.e.*, disciplinary actions, adverse actions, adverse action appeals, etc).
- (4) Including in the performance appraisal system a factor to rate manager's and supervisors' performance in discharging the EEO program responsibilities assigned to them.
- (5) Reviewing and monitoring the performance appraisal program periodically to determine its objectivity and effectiveness.
- (6) Ensuring the equal availability of employee benefits to all employees.
- 4. Program evaluation. An internal reporting system to continually audit, monitor and evaluate programs is essential for a successful AAP. Therefore, a system providing for EEO goals, timetables, and periodic evaluations needs to be established and implemented. Consideration should be given to the following actions:
- a. Defining the major objectives of EEO program evaluation.
- b. The evaluation should be directed toward results accomplished, not only at efforts made.
- c. The evaluation should focus attention on assessing the adequacy of problem identification in the AAP and the extent to which the specific action steps in the plan provide solutions.
- d. The AAP should be reviewed and evaluated at least annually. The review and evaluation procedures should include, but not be limited to, the following:
- (1) Each bureau, division or other major component of the agency should make annual and such other periodic reports as are needed to provide an accurate review of the operations of the AAP in that component.
- (2) The AA Officer should make an annual report to the head of the SHA, containing the overall status of the program, results achieved toward established objectives, identity of any particular problems encountered and recommendations for corrective actions needed.
- e. Specific, numerical goals and objectives should be established for the ensuing year. Goals should be developed for the SHA as a whole, as well as for each unit and each job category.
- III. *Employment statistical data*. A. As a minimum, furnish the most recent data on the following:
- 1. The total population in the State,

Pt. 230, Subpt. C, App. A

23 CFR Ch. I (4-1-05 Edition)

- 2. The total labor market in State, with a breakdown by racial/ethnic identification and sex, and
 3. An analysis of (1) and (2) above, in connection with the availability of personnel and jobs within SHA's.
- B. State highway agencies shall use the ${\sf EEO-4}$ Form in providing current work force data. This data shall reflect only State department of transportation/State highway department employment.

	(Do not	include					Blanks ary empl				ero)	
					ALE	(,empor	ary empi	cyces no	. mciude	FEMALE		
S	ANNUAL		NON		4LE			1101111	1504146	FEMALE		AMEDICA
OB	SALARY	TOTAL	NON-F OF	IISPANIC RIGIN		ASIAN OR PACIFIC ISLANDER	AMERICAN INDIAN	NON-H OR	ISPANIC IGIN		ASIAN OR PACIFIC ISLANDER	AMERICA INDIAN OR ALASKAN NATIVE
JOB CATEGORIES	(In Thousands 000)	(COLUMNS)	WHITE	BLACK	HISPANIC		AMERICAN INDIAN OR ALASKAN NATIVE	WHITE	BLACK	HISPANIC		
	1. \$ 0.1-3.9	_ A	В	С	D	E	F	G	н	1	j	K
	2. 4.0-5.9	1										
SS	3 6.0 7.9			· · · · · · · · · · · · · · · · · · ·						-		
25		-							ļ			
OFFICIALS/ ADMINISTRATORS	4. 8.0.9.9 5 10.0-12.9											ļ
OFFICIALS/ MINISTRATO												
٥₹	6 13.0 15.9	ļ							ļ <u>.</u>			
٨	7. 16 0 24 9											L
	8. 25 0 PLUS											
	9 0.1-3.9											
	10. 4.0.5.9											
S	11. 6.0-7.9										-	
PROFESSIONALS	12. 8 0 9.9						l		l			
S	13. 10.0-12.9	t										-
ES	14. 13.0 15.9	\vdash		 						ł	ļ	
2	15 16.0.24.9	 										
4									ļ			
	16. 25.0 PLUS								ļ			
	17. 0 1-3.9											
TECHNICIANS	18. 4.0-5.9											
	19. 60-7.9											
	20. 8.0 9.9											-
	21. 10.0 12.9											
É	22. 13.0-15.9	t							 	 		
ĭ	23. 16 0 24 9	 							 			
	24. 25.0 PLUS											
		ļ										
	25. 0.1-3.9	1			ļ							
	26 4059								<u> </u>			
ш	27. 6.0-7.9											
PROTECTIVE SERVICE	28 8.0-9.9											
2 5	29 10.0-12.9											
្ចន	30. 13 0-15 9											
a.	31 16 0-24.9											
	32. 25.0 PLUS											
	33. 0.1-3.9											
	34 4.0-5.9											
S	35. 60.7.9											
PARA.	36. 8.0-9.9											
PARA:	37. 10.0-12.9							-				
FES.	38. 13.0-15.9											
PRC	39. 16 0-24 9	1										
_	40. 25.0 PLUS											
	41. 0.1-3.9											
	42. 4.0-5.9	 										
		\vdash										<u> </u>
SE.	43. 6.0-7,9									-		<u> </u>
CLERICAL	44 8.0-9.9											
つむ	45. 10.0-12.9	ļ										L
	46. 13.0-15.9											
	47. 16.0-24.9	L										
	48. \$ 25.0 PLUS	1 1										l

Pt. 230, Subpt. C, App. A

			D. EMP	LOYME	NT DAT	A AS C	F JUNE	30 (Cc	nt.)			
	(Do not	include	electe	d/appo	inted of	fficials.	Blanks	will b	e count	ed as z	ero)	
		1. f	ULL TIM	E.EMPLC	YEES (Te	mporary	employe	es not in	cluded)			
	I			M	ALE					FEMALE		
Ë	ANNUAL		NON-H	ISPANIC		451411	AMERICAN	NON-H	ISPANIC		ACIAN	AMERICA INDIAN
8 8	SALARY	TOTAL		IGIN	1	ASIAN OR PACIFIC	INDIAN OR ALASKAN		IGIN	1	AŞIAN OR PACIFIC IŞLANDER	INDIAN OR ALASKAP NATIVE
CATECORI	(In thousands	(COLUMNS) A	WHITE B	BLACK	HISPANIC D	ISLANDER E	NATIVE F	WHITE	BLACK H	HISPANIC I	ISLANDER J	NATIVE K
	49.\$ 0.1-3.9											
		1										
	50 4.0-5.9				 					†		
CRAF		1										
Ü		+			-					 		
SKILLED	53. 10.0-12.9	1			 				 	 		
ž	54. 13.0-15.9	 					-			 		
•	55. 16.0-24.9 56. 25.0 PLUS				 							
	36. 25.0 Pt03				ļ					ļ		
	57. 0.1-3.9	1		<u> </u>	 	ļ	ļ			 		
	58. 4.0-5.9	1			!				ļ	 	L	
w	59. 6.0-7.9				ļ					ļ		
RVICE/ TENANCE	60. 8.0-9.9				<u> </u>					ļ		<u> </u>
٧ž	61. 10.0-12.9											
MAINTER	62. 13.0-15.9				1							
. W	63. 16.0-24.9										1	İ
	64.\$ 25.0 PLUS											
	OTAL FULL TIME				ļ			L				ļ
(UNE	S 1-64)					ļ				L		
		2. OTH	R THAN	FULL TI	ME EMPLO	OYEES (I	nclude te	mporary	employe	ees)		
44		1			т							
	OFFICIALS / ADMIN.							1	l			T
	OFFICIALS / ADMIN.	1		-								
67. I	PROFESSIONALS											
67. I 68. '	PROFESSIONALS FECHNICIANS											
67. I 68. 69.	PROFESSIONALS FECHNICIANS PROTECTIVE SERV.											
67. I 68. 69.	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL											
67. I 68. 69. 70. I	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL											
67. 1 68. 69. 70. 1 71. 0	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT											
67. 1 68. 69. 70. 1 71. 6 72. 1 73. 1	PROFESSIONALS ECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL OFFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. IOTAL OTHER HAN FULL											
67. 1 68. 69. 70. 1 71. 0 72. 1 73. 1	PROFESSIONALS JECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. FOTAL OTHER											
67. 1 68. 69. 70. 1 71. 0 72. 1 73. 1	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA.PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. IOTAL OTHER HAN FULL IME	3. N	EW HIRI	ES DURIN		L YEAR	Permano 30	ent full t	ime only			
67. I 68 69 70. I 71. (72. : 73. :	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA.PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. IOTAL OTHER HAN FULL IME	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. 1 68. 69. 70. 1 71. 6 72. 1 73. 1 (UNI	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. TOTAL OTHER HAM FULL IMAE 15 66-73)	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. I 68. 69. 70. I 71. 6 72. 73. 74. (UNI	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. TOTAL OTHER HAM FULL IMME 15 66-73) DEFICIALS / ADMIN.	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. I 68. 69. 70. 1 71. 6 72. 1 74. 1 (LINI	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL OFFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. OTTAL OTHER HAN FULL ISE 66-73) OFFICIALS / ADMIN. PROFESSIONALS	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. I 68. 69. 70. I 72. 73. I 74. (LINI 75. 76. I 77.	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL OFFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. OTAL OTHER HAM FULL STATE SERV. OFFICIALS / ADMIN. PROFESSIONALS FECHNICIANS	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. 1 68. 1 70. 1 71. 0 72. 1 73. 1 74. (LINI	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. FOTAL OTHER HAN FULL IMME S 66-73) DEFICIALS / ADMIN. PROFESSIONALS FECHNICIANS PROTECTIVE SERV.	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. 1 68. 69. 70. 1 71. 6 72. 5 73. 5 74. 6 (LINI	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL OFFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. TOTAL OTHER HAN FULL SS 66-73) DEFICIALS / ADMIN. PROFESSIONALS FECHNICIANS PROFESSIONALS FECHNICIANS PROFESSIONAL DEFICE / CLERICAL DEFICE / CLERICAL	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. 1 68. 1 69. 70. 1 71. 1 72. 3 73. 3 74. (LINI 75. 1 76. 1 77. 78. 79. 1 80. 1 81.	PROFESSIONALS PROTECTIVE SERV. PROTECTIVE SERV. PROFESSIONAL OFFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. OTTAL OTHER HAN FULL IME OFFICIALS / ADMIN. PROFESSIONAL SECULICIANS PROTECTIVE SERV. PROFESSIONAL OFFICE / CLERICAL SKILLED CRAFT	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. 1 68. 1 69. 70. 1 71. 1 72. 1 73. 1 74. (LINI 75. 1 76. 1 77. 78. 1 80. 1 81. 82. 1	PROFESSIONALS FECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL OFFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. TOTAL OTHER HAN FULL SS 66-73) DEFICIALS / ADMIN. PROFESSIONALS FECHNICIANS PROFESSIONALS FECHNICIANS PROFESSIONAL DEFICE / CLERICAL DEFICE / CLERICAL	3. N	EW HIRI	ES DURIN				ent full t	ime only			
67. 1 68. 1 69. 70. 1 71. 1 72. 1 73. 1 74. (LINI 75. 1 76. 1 77. 78. 1 80. 1 81. 82. 1	PROFESSIONALS PECHNICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL SKILLED CRAFT SERV. / MAINT. DEFICIALS / ADMIN. PROFESSIONALS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICIALS SERV. / MAINT. DEFICIALS / ADMIN. PROFESSIONAL DEFICE CHINICIANS PROTECTIVE SERV. PARA-PROFESSIONAL DEFICE / CLERICAL SERV. / MAINT.	3. N	EW HIRI	ES DURIN				ent full t	ime only			

[41 FR 28270, July 9, 1976, as amended at 41 FR 46294, Oct. 20, 1976]

Subpart D—Construction Contract Equal Opportunity Compliance Procedures

SOURCE: 41 FR 34239, Aug. 13, 1976, unless otherwise noted.

§ 230.401 Purpose.

The purpose of the regulations in this subpart is to prescribe policies and procedures to standardize the implementation of the equal opportunity contract compliance program, including compliance reviews, consolidated compliance reviews, and the administration of areawide plans.

§230.403 Applicability.

The procedures set forth hereinafter apply to all nonexempt direct Federal and Federal-aid highway construction contracts and subcontracts, unless otherwise specified.

§ 230.405 Administrative responsibilities.

- (a) Federal Highway Administration (FHWA) responsibilities. (1) The FHWA has the responsibility to ensure that contractors meet contractural equal opportunity requirements under E.O. 11246, as amended, and title 23 U.S.C., and to provide guidance and direction to States in the development and implementation of a program to assure compliance with equal opportunity requirements.
- (2) The Federal Highway Administrator or a designee may inquire into the status of any matter affecting the FHWA equal opportunity program and, when considered necessary, assume jurisdiction over the matter, proceeding in coordination with the State concerned. This is without derogation of the authority of the Secretary of Transportation, Department of Transportation (DOT), the Director, DOT Departmental Office of Civil Rights (OCR) or the Director, Office of Federal Contract Compliance Programs (OFCCP), Department of Labor.
- (3) Failure of the State highway agency (SHA) to discharge the responsibilities stated in §230.405(b)(1) may result in DOT's taking any or all of the following actions (see appendix A to 23

CFR part 630, subpart C "Federal-aid project agreement"):

- (i) Cancel, terminate, or suspend the Federal-aid project agreement in whole or in part;
- (ii) Refrain from extending any further assistance to the SHA under the program with respect to which the failure or refusal occurred until satisfactory assurance of future compliance has been received from the SHA; and

(iii) Refer the case to an appropriate Federal agency for legal proceedings.

- (4) Action by the DOT, with respect to noncompliant contractors, shall not relieve a SHA of its responsibilities in connection with these same matters; nor is such action by DOT a substitute for corrective action utilized by a State under applicable State laws or regulations.
- (b) State responsibilities. (1) The SHA's, as contracting agencies, have a responsibility to assure compliance by contractors with the requirements of Federal-aid construction contracts, including the equal opportunity requirements, and to assist in and cooperate with FHWA programs to assure equal opportunity.
- (2) The corrective action procedures outlined herein do not preclude normal contract administration procedures by the States to ensure the contractor's completion of specific contract equal opportunity requirements, as long as such procedures support, and sustain the objectives of E.O. 11246, as amended. The State shall inform FHWA of any actions taken against a contractor under normal State contract administration procedures, if that action is precipitated in whole or in part by noncompliance with equal opportunity contract requirements.

§ 230.407 Definitions.

For the purpose of this subpart, the following definitions shall apply, unless the context requires otherwise:

- (a) *Actions*, identified by letter and number, shall refer to those items identified in the process flow chart. (Appendix D):
- (b) Affirmative Action Plan means a written positive management tool of a total equal opportunity program indicating the action steps for all organizational levels of a contractor to initiate

and measure equal opportunity program progress and effectiveness. (The Special Provisions [23 CFR part 230 A, appendix A] and areawide plans are Affirmative Action Plans.);

- (c) Affirmative Actions means the efforts exerted towards achieving equal opportunity through positive, aggressive, and continuous result-oriented measures to correct past and present discriminatory practices and their effects on the conditions and privileges of employment. These measures include, but are not limited to, recruitment, hiring, promotion, upgrading, demotion, transfer, termination, compensation, and training;
- (d) Areawide Plan means an Affirmative Action Plan approved by the Department of Labor to increase minority and female utilization in crafts of the construction industry in a specified geographical area pursuant to E.O. 11246, as amended, and taking the form of either a "Hometown" or an "Imposed" Plan.
- (1) Hometown Plan means a voluntary areawide agreement usually developed by representatives of labor unions, minority organizations, and contractors, and approved by the OFCCP for the purpose of implementing the equal employment opportunity requirements pursuant to E.O. 11246, as amended;
- (2) *Imposed Plan* means mandatory affirmative action requirements for a specified geographical area issued by OFCCP and, in some areas, by the courts:
- (e) Compliance Specialist means a Federal or State employee regularly employed and experienced in civil rights policies, practices, procedures, and equal opportunity compliance review and evaluation functions;
- (f) Consolidated Compliance Review means a review and evaluation of all significant construction employment in a specific geographical (target) area;
- (g) Construction shall have the meanings set forth in 41 CFR 60-1.3(e) and 23 U.S.C. 101(a). References in both definitions to expenses or functions incidental to construction shall include preliminary engineering work in project development or engineering services performed by or for a SHA;
- (h) Corrective Action Plan means a contractor's unequivocal written and

signed commitment outlining actions taken or proposed, with time limits and goals, where appropriate to correct, compensate for, and remedy each violation of the equal opportunity requirements as specified in a list of deficiencies. (Sometimes called a conciliation agreement or a letter of commitment.);

- (i) *Contractor* means, any person, corporation, partnership, or unincorporated association that holds a FHWA direct or federally assisted construction contract or subcontract regardless of tier;
 - (j) Days shall mean calendar days;
- (k) *Discrimination* means a distinction in treatment based on race, color, religion, sex, or national origin;
- (l) Equal Employment Opportunity means the absence of partiality or distinction in employment treatment, so that the right of all persons to work and advance on the basis of merit, ability, and potential is maintained;
- (m) Equal Opportunity Compliance Review means an evaluation and determination of a nonexempt direct Federal or Federal-aid contractor's or subcontractor's compliance with equal opportunity requirements based on:
- (1) Project work force—employees at the physical location of the construction activity:
- (2) Area work force—employees at all Federal-aid, Federal, and non-Federal projects in a specific geographical area as determined under §230.409 (b)(9); or
- (3) Home office work force—employees at the physical location of the corporate, company, or other ownership headquarters or regional managerial, offices, including "white collar" personnel (managers, professionals, technicians, and clericals) and any maintenance or service personnel connected thereto;
- (n) Equal Opportunity Requirements is a general term used throughout this document to mean all contract provisions relative to equal employment opportunity (EEO), subcontracting, and training;
- (o) *Good Faith Effort* means affirmative action measures designed to implement the established objectives of an Affirmative Action Plan;
- (p) Show Cause Notice means a written notification to a contractor based

on the determination of the reviewer (or in appropriate cases by higher level authority) to be in noncompliance with the equal opportunity requirements. The notice informs the contractor of the specific basis for the determination and provides the opportunity, within 30 days from receipt, to present an explanation why sanctions should not be imposed:

(q) State highway agency (SHA) means that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction. The term State should be considered equivalent to State highway agency. With regard to direct Federal contracts, references herein to SHA's shall be considered to refer to FHWA regional offices, as appropriate.

§ 230.409 Contract compliance review procedures.

- (a) *General.* A compliance review consists of the following elements:
- (1) Review Scheduling (Actions R-1 and R-2).
- (2) Contractor Notification (Action R-3).
- (3) Preliminary Analysis (Phase I) (Action R-4).
- (4) Onsite Verification and Interviews (Phase II) (Action R-5).
 - (5) Exit Conference (Action R-6).
- (6) Compliance Determination and Formal Notification (Actions R-8, R-9, R-10, R-11, R-12).

The compliance review procedure, as described herein and in appendix D provides for continual monitoring of the employment process. Monitoring officials at all levels shall analyze submissions from field offices to ensure proper completion of procedural requirements and to ascertain the effectiveness of program implementation.

- (b) Review scheduling. (Actions R-1 and R-2). Because construction work forces are not constant, particular attention should be paid to the proper scheduling of equal opportunity compliance reviews. Priority in scheduling equal opportunity compliance reviews shall be given to reviewing those contractor's work forces:
- (1) Which hold the greatest potential for employment and promotion of mi-

norities and women (particularly in higher skilled crafts or occupations);

- (2) Working in areas which have significant minority and female labor forces within a reasonable recruitment area:
- (3) Working on projects that include special training provisions; and
- (4) Where compliance with equal opportunity requirements is questionable. (Based on previous PR-1391's (23 CFR part 230, subpart A, appendix C) Review Reports and Hometown Plan Reports).

In addition, the following considerations shall apply:

- (5) Reviews specifically requested by the Washington Headquarters shall receive priority scheduling;
- (6) Compliance Reviews in geographical areas covered by areawide plans would normally be reviewed under the Consolidated Compliance Review Procedures set forth in § 230.415.
- (7) Reviews shall be conducted prior to or during peak employment periods.
- (8) No compliance review shall be conducted that is based on a home office work force of less than 15 employees unless requested or approved by Washington Headquarters; and
- (9) For compliance reviews based on an area work force (outside of areawide plan coverage), the Compliance Specialist shall define the applicable geographical area by considering:
 - (i) Union geographical boundaries;
- (ii) The geographical area from which the contractor recruits employees, *i.e.*, reasonable recruitment area;
- (iii) Standard Metropolitan Statistical Area (SMSA) or census tracts; and
- (iv) The county in which the Federal or Federal-aid project(s) is located and adjacent counties.
- (c) Contractor notification (Action R-3). (1) The Compliance Specialist should usually provide written notification to the contractor of the pending compliance review at least 2 weeks prior to the onsite verification and interviews. This notification shall include the scheduled date(s), an outline of the mechanics and basis of the review, requisite interviews, and documents required.
- (2) The contractor shall be requested to provide a meeting place on the day

of the visit either at the local office of the contractor or at the jobsite.

- (3) The contractor shall be requested to supply all of the following information to the Compliance Specialist prior to the onsite verification and interviews.
- (i) Current Form PR-1391 developed from the most recent payroll;
- (ii) Copies of all current bargaining agreements;
- (iii) Copies of purchase orders and subcontracts containing the EEO clause;
- (iv) A list of recruitment sources available and utilized;
- (v) A statement of the status of any action pertaining to employment practices taken by the Equal Employment Opportunity Commission (EEOC) or other Federal, State, or local agency regarding the contractor or any source of employees;
- (vi) A list of promotions made during the past 6 months, to include race, national origin, and sex of employee, previous job held, job promoted into; and corresponding wage rates;
- (vii) An annotated payroll to show job classification, race, national origin and sex;
- (viii) A list of minority- or femaleowned companies contacted as possible subcontractors, vendors, material suppliers, etc.; and
- (ix) Any other necessary documents or statements requested by the Compliance Specialist for review prior to the actual onsite visit.
- (4) For a project review, the prime contractor shall be held responsible for ensuring that all active subcontractors are present at the meeting and have supplied the documentation listed in $\S 230.409(c)(3)$.
- (d) Preliminary analysis (Phase I) (Action R-4). Before the onsite verification and interviews, the Compliance Specialist shall analyze the employment patterns, policies, practices, and programs of the contractor to determine whether or not problems exist by reviewing information relative to:
- (1) The contractor's current work force:
- (2) The contractor's relationship with referral sources, e.g., unions, employment agencies, community action

agencies, minority and female organizations, etc.:

- (3) The minority and female representation of sources;
- (4) The availability of minorities and females with requisite skills in a reasonable recruitment area;
- (5) Any pending EEOC or Department of Justice cases or local or State Fair Employment Agency cases which are relevant to the contractor and/or the referral sources; and
- (6) The related projects (and/or contractor) files of FHWA regional or division and State Coordinator's offices to obtain current information relating to the status of the contractor's project(s), value, scheduled duration, written corrective action plans, PR-1391 or Manpower Utilization Reports, training requirements, previous compliance reviews, and other pertinent correspondence and/or reports.
- (e) Onsite verification and interviews (Phase II) (Action R-5). (1) Phase II of the review consists of the construction or home office site visit(s). During the initial meeting with the contractor, the following topics shall be discussed:
 - (i) Objectives of the visit;
- (ii) The material submitted by the contractor, including the actual implementation of the employee referral source system and any discrepancies found in the material; and
- (iii) Arrangements for the site tour(s) and employee interviews.
- (2) The Compliance Specialist shall make a physical tour of the employment site(s) to determine that:
- (i) EEO posters are displayed in conspicuous places in a legible fashion;
- (ii) Facilities are provided on a nonsegregated basis (e.g. work areas, washroom, timeclocks, locker rooms, storage areas, parking lots, and drinking fountains);
- (iii) Supervisory personnel have been oriented to the contractor's EEO commitments;
- (iv) The employee referral source system is being implemented;
- (v) Reported employment data is accurate;
- (vi) Meetings have been held with employees to discuss EEO policy, particularly new employees; and

- (vii) Employees are aware of their right to file complaints of discrimination.
- (3) The Compliance Specialist should interview at least one minority, one nonminority, and one woman in each trade, classification, or occupation. The contractor's superintendent or home office manager should also be interviewed.
- (4) The Compliance Specialist shall, on a sample basis, determine the union membership status of union employees on the site (e.g. whether they have permits, membership cards, or books, and in what category they are classified [e.g., A, B, or C]).
- (5) The Compliance Specialist shall also determine the method utilized to place employees on the job and whether equal opportunity requirements have been followed.
- (6) The Compliance Specialist shall determine, and the report shall indicate the following:
- (i) Is there reasonable representation and utilization of minorities and women in each craft, classification or occupation? If not, what has the contractor done to increase recruitment, hiring, upgrading, and training of minorities and women?
- (ii) What action is the contractor taking to meet the contractual requirement to provide equal employment opportunity?
- (iii) Are the actions taken by the contractor acceptable? Could they reasonably be expected to result in increased utilization of minorities and women?
- (iv) Is there impartiality in treatment of minorities and women?
- (v) Are affirmative action measures of an isolated nature or are they continuing?
- (vi) Have the contractor's efforts produced results?
- (f) Exit conference (Action R-6). (1) During the exit conference with the contractor, the following topics shall be discussed:
- (i) Any preliminary findings that, if not corrected immediately or not corrected by the adoption of an acceptable voluntary corrective action plan, would necessitate a determination of noncompliance;

- (ii) The process and time in which the contractor shall be informed of the final determination (15 days following the onsite verification and interviews); and
- (iii) Any other matters that would best be resolved before concluding the onsite portion of the review.
- (2) Voluntary corrective action plans may be negotiated at the exit conference, so that within 15 days following the exit portion of the review, the Compliance Specialist shall prepare the review report and make a determination of either:
- (i) Compliance, and so notify the contractor; or
- (ii) Noncompliance, and issue a 30-day show cause notice.

The acceptance of a voluntary corrective action plan at the exit conference does not preclude a determination of noncompliance, particularly if deficiencies not addressed by the plan are uncovered during the final analysis and report writing. (Action R-7) A voluntary corrective action plan should be accepted with the understanding that it only address those problems uncovered prior to the exit conference.

- (g) Compliance determinations (Action R-8). (1) The evidence obtained at the compliance review shall constitute a sufficient basis for an objective determination by the Compliance Specialist conducting the review of the contractor's compliance or noncompliance with contractual provisions pursuant to E.O. 11246, as amended, and FHWA EEO Special Provisions implementing the Federal-Aid Highway Act of 1968, where applicable.
- (2) Compliance determinations on contractors working in a Hometown Plan Area shall reflect the status of those crafts covered by part II of the plan bid conditions. Findings regarding part I crafts shall be transmitted through channels to the Washington Headquarters, Office of Civil Rights.
- (3) The compliance status of the contractor will usually be reflected by positive efforts in the following areas:
- (i) The contractor's equal employment opportunity (EEO) policy;
- (ii) Dissemination of the policy and education of supervisory employees concerning their responsibilities in implementing the EEO policy;

- (iii) The authority and responsibilities of the EEO officer;
- (iv) The contractor's recruitment activities, especially establishing minority and female recruitment and referral procedures;
- (v) The extent of participation and minority and female utilization in FHWA training programs;
- (vi) The contractor's review of personnel actions to ensure equal opportunities:
- (vii) The contractor's participation in apprenticeship or other training;
- (viii) The contractor's relationship (if any) with unions and minority and female union membership;
- (ix) Effective measures to assure nonsegregated facilities, as required by contract provisions;
- (x) The contractor's procedures for monitoring subcontractors and utilization of minority and female subcontractors and/or subcontractors with substantial minority and female employment; and
- (xi) The adequacy of the contractor's records and reports.
- (4) A contractor shall be considered to be in compliance (Action R-9) when the equal opportunity requirements have been effectively implemented, or there is evidence that every good faith effort has been made toward achieving this end. Efforts to acheive this goal shall be result-oriented, initiated and maintained in good faith, and emphasized as any other vital management function.
- (5) A contractor shall be considered to be in noncompliance (Action R-10) when:
- (i) The contractor has discriminated against applicants or employees with respect to the conditions or privileges of employment; or
- (ii) The contractor fails to provide evidence of every good faith effort to provide equal opportunity.
- (h) Show cause procedures—(1) General. Once the onsite verification and exit conference (Action R-5) have been completed and a compliance determination made, (Action R-8), the contractor shall be notified in writing of the compliance determination. (Action R-11 or R-12) This written notification shall be sent to the contractor within 15 days following the completion of the onsite

- verification and exit conference. If a contractor is found in noncompliance (Action R-10), action efforts to bring the contractor into compliance shall be initiated through the issuance of a show cause notice (Action R-12). The notice shall advise the contractor to show cause within 30 days why sanctions should not be imposed.
- (2) When a show cause notice is required. A show cause notice shall be issued when a determination of noncompliance is made based upon:
- (i) The findings of a compliance review:
- (ii) The results of an investigation which verifies the existence of discrimination; or
- (iii) Areawide plan reports that show an underutilization of minorities (based on criteria of U.S. Department of Labor's Optional Form 66 "Manpower Utilization Report") throughout the contractor's work force covered by part II of the plan bid conditions.
- (3) Responsibility for issuance. (i) Show cause notices will normally be issued by SHA's to federally assisted contractors when the State has made a determination of noncompliance, or when FHWA has made such a determination and has requested the State to issue the notice.
- (ii) When circumstances warrant, the Regional Federal Highway Administrator or a designee may exercise primary compliance responsibility by issuing the notice directly to the contractor.
- (iii) The Regional Federal Highway Administrators in Regions 8, 10, and the Regional Engineer in Region 15, shall issue show cause notices to direct Federal contractors found in noncompliance.
- (4) Content of show cause notice. The show cause notice must: (See sample—appendix A of this subpart)
- (i) Notify the contractor of the determination of noncompliance;
- (ii) Provide the basis for the determination of noncompliance;
- (iii) Notify the contractor of the obligation to show cause within 30 days why formal proceedings should not be instituted:

- (iv) Schedule (date, time, and place) a compliance conference to be held approximately 15 days from the contractor's receipt of the notice;
- (v) Advise the contractor that the conference will be held to receive and discuss the acceptability of any proposed corrective action plan and/or correction of deficiencies; and
- (vi) Advise the contractor of the availability and willingness of the Compliance Specialist to conciliate within the time limits of the show cause notice.
- (5) Preparing and processing the show cause notice. (i) The State or FHWA official who conducted the investigation or review shall develop complete background data for the issuance of the show cause notice and submit the recommendation to the head of the SHA or the Regional Federal Highway Administrator, as appropriate.
- (ii) The recommendation, background data, and final draft notice shall be reviewed by appropriate State or FHWA legal counsel.
- (iii) Show cause notices issued by the SHA shall be issued by the head of that agency or a designee.
- (iv) The notice shall be personally served to the contractor or delivered by certified mail, return receipt requested, with a certificate of service or the return receipt filed with the case record.
- (v) The date of the contractor's receipt of the show cause notice shall begin the 30-day show cause period. (Action R-13).
- (vi) The 30-day show cause notice shall be issued directly to the non-compliant contractor or subcontractor with an informational copy sent to any concerned prime contractors.
- (6) Conciliation efforts during show cause period. (i) The Compliance Specialist is required to attempt conciliation with the contractor throughout the show cause time period. Conciliation and negotiation efforts shall be directed toward correcting contractor program deficiencies and initiating corrective action which will maintain and assure equal opportunity. Records shall be maintained in the State, FHWA division, or FHWA regional office's case files, as appropriate, indicating actions and reactions of the con-

tractor, a brief synopsis of any meetings with the contractor, notes on verbal communication and written correspondence, requests for assistance or interpretations, and other relevant matters.

- (ii) In instances where a contractor is determined to be in compliance after a show cause notice has been issued, the show cause notice will be recinded and the contractor formally notified (Action R-17). The FHWA Washington Headquarters, Office of Civil Rights, shall immediately be notified of any change in status.
- (7) Corrective action plans. (i) When a contractor is required to show cause and the deficiencies cannot be corrected within the 30-day show cause period, a written corrective action plan may be accepted. The written corrective action plan shall specify clear unequivocal action by the contractor with time limits for completion. Token actions to correct cited deficiencies will not be accepted. (See Sample Corrective Action Plan—appendix B of this subpart)
- (ii) When a contractor submits an acceptable written corrective action plan, the contractor shall be considered in compliance during the plan's effective implementation and submission of required progress reports. (Action R-15 and R-17).
- (iii) When an acceptable corrective action plan is not agreed upon and the contractor does not otherwise show cause as required, the formal hearing process shall be recommended through appropriate channels by the compliance specialist immediately upon expiration of the 30-day show cause period. (Action R-16, R-18, R-19)
- (iv) When a contractor, after having submitted an acceptable corrective action plan and being determined in compliance is subsequently determined to be in noncompliance based upon the contractor's failure to implement the corrective action plan, the formal hearing process must be recommended immediately. There are no provisions for reinstituting a show cause notice.
- (v) When, however, a contractor operating under an acceptable corrective action plan carries out the provisions of the corrective action plan but the actions do not result in the necessary

changes, the corrective action plan shall be immediately amended through negotiations. If, at this point, the contractor refuses to appropriately amend the corrective action plan, the formal hearing process shall be recommended immediately.

- (vi) A contractor operating under an approved voluntary corrective action plan (*i.e.*, plan entered into prior to the issuance of a show cause) must be issued a 30-day show cause notice in the situations referred to in paragraphs (h) (7) (iv) and (v) of this section, *i.e.*, failure to implement an approved corrective action plan or failure of corrective actions to result in necessary changes.
- (i) Followup reviews. (1) A followup review is an extension of the initial review process to verify the contractors performance of corrective action and to validate progress report information. Therefore, followup reviews shall only be conducted of those contractors where the initial review resulted in a finding of noncompliance and a show cause notice was issued.
- (2) Followup reviews shall be reported as a narrative summary referencing the initial review report.
- (j) Hearing process. (1) When such procedures as show cause issuance and conciliation conferences have been unsuccessful in bringing contractors into compliance within the prescribed 30 days, the reviewer (or other appropriate level) shall immediately recommend, through channels, that the Department of Transportation obtain approval from the Office of Federal Contract Compliance Programs for a formal hearing (Action R-19). The Contractor should be notified of this action.
- (2) Recommendations to the Federal Highway Administrator for hearing approval shall be accompanied by full reports of findings and case files containing any related correspondence. The following items shall be included with the recommendation:
- (i) Copies of all Federal and Federalaid contracts and/or subcontracts to which the contractor is party;
- (ii) Copies of any contractor or subcontractor certifications;
 - (iii) Copy of show cause notice;

- (iv) Copies of any corrective action plans; and
- (v) Copies of all pertinent Manpower Utilization Reports, if applicable.
- (3) SHA's through FHWA regional and division offices, will be advised of decisions and directions affecting contractors by the FHWA Washington Headquarters, Office of Civil Rights, for the Department of Transportation.
- (k) Responsibility determinations. (1) In instances where requests for formal hearings are pending OFCCP approval, the contractor may be declared a non-responsible contractor for inability to comply with the equal opportunity requirements.
- (2) SHA's shall refrain from entering into any contract or contract modification subject to E.O. 11246, as amended, with a contractor who has not demonstrated eligibility for Government contracts and federally assisted construction contracts pursuant to E.O. 11246, as amended.

§ 230.411 Guidance for conducting reviews.

- (a) Extensions of time. Reasonable extensions of time limits set forth in these instructions may be authorized by the SHA's or the FHWA regional office, as appropriate. However, all extensions are subject to Washington Headquarters approval and should only be granted with this understanding. The Federal Highway Administrator shall be notified of all time extensions granted and the justification therefor. In sensitive or special interest cases, simultaneous transmittal of reports and other pertinent documents is authorized.
- (b) Contract completion. Completion of a contract or seasonal shutdown shall not preclude completion of the administrative procedures outlined herein or the possible imposition of sanctions or debarment.
- (c) Home office reviews outside regions. When contractor's home offices are located outside the FHWA region in which the particular contract is being performed, and it is determined that the contractors' home offices should be reviewed, requests for such reviews with accompanying justification shall be forwarded through appropriate

channels to the Washington Headquarters, Office of Civil Rights. After approval, the Washington Headquarters, Office of Civil Rights, (OCR) shall request the appropriate region to conduct the home office review.

- (d) Employment of women. Executive Order 11246, as amended, implementing rules and regulations regarding sex discrimination are outlined in 41 CFR part 60–20. It is the responsibility of the Compliance Specialist to ensure that contractors provide women full participation in their work forces.
- (e) Effect of exclusive referral agreements. (1) The OFCCP has established the following criteria for determining compliance when an exclusive referral agreement is involved;
- (i) It shall be no excuse that the union, with which the contractor has a collective bargaining agreement providing for exclusive referral, failed to refer minority or female employees.
- (ii) Discrimination in referral for employment, even if pursuant to provisions of a collective bargaining agreement, is prohibited by the National Labor Relations Act and Title VII of the Civil Rights Act of 1964, as amended
- (iii) Contractors and subcontractors have a responsibility to provide equal opportunity if they want to participate in federally involved contracts. To the extent they have delegated the responsibility for some of their employment practices to some other organization or agency which prevents them from meeting their obligations, these contractors must be found in noncompliance.
- (2) If the contractor indicates that union action or inaction is a proximate cause of the contractor's failure to provide equal opportunity, a finding of noncompliance will be made and a show cause notice issued, and:
- (i) The contractor will be formally directed to comply with the equal opportunity requirements.
- (ii) Reviews of other contractors with projects within the jurisdiction of the applicable union locals shall be scheduled.
- (iii) If the reviews indicate a pattern and/or practice of discrimination on the part of specific union locals, each contractor in the area shall be in-

formed of the criteria outlined in §230.411(e)(1) of this section. Furthermore, the FHWA Washington Head-quarters, OCR, shall be provided with full documentary evidence to support the discriminatory pattern indicated.

(iv) In the event the union referral practices prevent the contractor from meeting the equal opportunity requirements pursuant to the E.O. 11246, as amended, such contractor shall immediately notify the SHA.

§230.413 Review reports.

- (a) *General.* (1) The Compliance Specialist shall maintain detailed notes from the beginning of the review from which a comprehensive compliance review report can be developed.
- (2) The completed compliance review report shall contain documentary evidence to support the determination of a contractor's or subcontractor's compliance status.
- (3) Findings, conclusions, and recommendations shall be explicitly stated and, when necessary, supported by documentary evidence.
- (4) The compliance review report shall contain at least the following information. ¹ (Action R-20)
- (i) Complete name and address of contractor.
 - (ii) Project(s) identification.
- (iii) Basis for the review, *i.e.*, area work force, project work force, home office work force, and target area work force.
- (iv) Identification of Federal or Federal-aid contract(s).
 - (v) Date of review.
- (vi) Employment data by job craft, classification, or occupation by race and sex in accordance with (iii) above. This shall be the data verified during the onsite.
- (vii) Identification of local unions involved with contractor, when applicable.
- (viii) Determination of compliance status: compliance or noncompliance.
- (ix) Copy of show cause notice or compliance notification sent to contractor.

 $^{^1{}m The}$ Federal Highway Administration will accept completed Form FHWA-86 for the purpose. The form is available at the offices listed in 49 CFR part 7, appendix D.

- (x) Name of the Compliance Specialist who conducted the review and whether that person is a State, division or regional Compliance Specialist.
- (xi) Concurrences at appropriate levels.
- (5) Each contractor (joint venture is one contractor) will be reported separately. When a project review is conducted, the reports should be attached, with the initial report being that of the prime contractor followed by the reports of each subcontractor.
- (6) Each review level is responsible for ensuring that required information is contained in the report.
- (7) When a project review is conducted, the project work force shall be reported. When an areawide review is conducted (all Federal-aid, Federal, and non-Federal projects in an area), then areawide work force shall be reported. When a home office review is conducted, only home office work force shall be reported. Other information required by regional offices shall be detached before forwarding the reports to the Washington Headquarters, OCR.
- (8) The Washington Headquarters, OCR, shall be provided all of the following:
- (i) The compliance review report required by §230.413(a)(4).
- (ii) Corrective action plans.
- (iii) Show cause notices or compliance notifications.
 - (iv) Show cause recissions.
- While other data and information should be kept by regional offices (including progress reports, correspondence, and similar review backup material), it should not be routinely forwarded to the Washington Headquarters, OCR.
- (b) Administrative requirements—(1) State conducted reviews. (i) Within 15 days from the completion of the onsite verification and exit conference, the State Compliance Specialist will:
- (A) Prepare the compliance review report, based on information obtained;
- (B) Determine the contractor's compliance status;
- (C) Notify the contractor of the compliance determination, *i.e.*, send the contractor either notification of compliance or show cause notice; and
- (D) Forward three copies of the compliance review report, and the compli-

- ance notification or show cause notice to the FHWA division EEO Specialist.
- (ii) Within 10 days of receipt, the FHWA division EEO Specialist shall:
- (A) Analyze the State's report, ensure that it is complete and accurate;
 - (B) Resolve nonconcurrence, if any;
- (C) Indicate concurrence, and, where appropriate, prepare comments; and
- (D) Forward two copies of the compliance review report, and the compliance notification or show cause notice to the Regional Civil Rights Director.
- (iii) Within 15 days of receipt, the FHWA Regional Civil Rights Director shall:
- (A) Analyze the report, ensure that it is complete and accurate;
- (B) Resolve nonconcurrence, if any;
- (C) Indicate concurrence, and, where appropriate, prepare comments; and
- (D) Forward one copy of the compliance review report, and the compliance notification or show cause notice to the Washington Headquarters, OCR.
- (2) FHWA division conducted reviews. (i) Within 15 days from the completion of the onsite verification and exit conference, the division EEO Specialist shall:
- (A) Prepare compliance review report, based on information obtained;
- (B) Determine the contractor's compliance status;
- (C) Notify the State to send the contractor the compliance determination, *i.e.*, either notification of compliance or show cause notice; and
- (D) Forward two copies of the compliance review report and the compliance notification or show cause notice to the Regional Civil Rights Director.
- (ii) Within 15 days of receipt, the FHWA Regional Civil Rights Director will take the steps outlined in §230.413(b)(1)(iii).
- (3) FHWA region conducted reviews. (i) Within 15 days from the completion of the onsite verification and exit conference the regional EEO Specialist shall:
- (A) Prepare the compliance review report, based on information obtained;
- (B) Determine the contractor's compliance status;
- (C) Inform the appropriate division to notify the State to send the contractor

the compliance determination *i.e.*, either notification of compliance or show cause notice; and

- (D) Forward one copy of the compliance review report, and the compliance notification or show cause notice to the Washington Headquarters, OCR.
- (4) Upon receipt of compliance review reports, the Washington Headquarters, OCR, shall review, resolve any non-concurrences, and record them for the purpose of:
- (i) Providing ongoing technical assistance to FHWA regional and division offices and SHA's:
- (ii) Gathering a sufficient data base for program evaluation;
- (iii) Ensuring uniform standards are being applied in the compliance review process;
- (iv) Initiating appropriate changes in FHWA policy and implementing regulations; and
- (v) Responding to requests from the General Accounting Office, Office of Management and Budget, Senate Subcommittee on Public Roads, and other agencies and organizations.

§ 230.415 Consolidated compliance reviews.

- (a) General. Consolidated compliance reviews shall be implemented to determine employment opportunities on an areawide rather than an individual project basis. The consolidated compliance review approach shall be adopted and directed by either Headquarters, region, division, or SHA, however, consolidated reviews shall at all times remain a cooperative effort.
- (b) OFCCP policy requires contracting agencies to ensure compliance, in hometown an imposed plan areas, on an areawide rather than a project basis. The consolidated compliance review approach facilitates implementation of this policy.
- (c) Methodology—(1) Selection of a target area. In identifying the target area of a consolidated compliance review (e.g. SMSA, hometown or imposed plan area, a multicounty area, or an entire State), consideration shall at least be given to the following facts:
- (i) Minority and female work force concentrations;
- (ii) Suspected or alleged discrimination in union membership or referral

practices by local unions involved in highway construction;

- (iii) Present or potential problem areas:
- (iv) The number of highway projects in the target area; and
- (v) Hometown or imposed plan reports that indicate underutilization of minorities or females.
- (2) Determine the review period. After the target area has been selected, the dates for the actual onsite reviews shall be established.
- (3) Obtain background information. EEO-3's Local Union Reports, should be obtained from regional offices of the EEOC. Target area civilian labor force statistics providing percent minorities and percent females in the target area shall be obtained from State employment security agencies or similar State agencies.
- (4) Identify contractors. Every nonexempt federally assisted or direct Federal contractor and subcontractor in the target area shall be identified. In order to establish areawide employment patterns in the target area, employment data is needed for all contractors and subcontractors in the area. However, only those contractors with significant work forces (working prior to peak and not recently reviewed) may need to be actually reviwed onsite. Accordingly, once all contractors are identified, those contractors which will actually be reviewed onsite shall be determined. Compliance determinations shall only reflect the status of crafts covered by part II of plan bid conditions. Employment data of crafts covered by part I of plan bid conditions shall be gathered and identified as such in the composite report, however, OFCCP has reserved the responsibility for compliance determinations on crafts covered by part I of the plan bid conditions.
- (5) Contractor notification. Those contractors selected for onsite review shall be sent a notification letter as outlined in §230.409(c) along with a request for current workforce data² for completion

²The Consolidated Workforce Questionnaire is convenient for the purpose and appears as attachment 4 to volume 2, chapter 2,

and submission at the onsite review. Those contractors in the target area not selected for onsite review shall also be requested to supply current workforce data as of the onsite review period, and shall return the data within 15 days following the onsite review period.

- (6) Onsite reviews. Compliance reviews shall then be conducted in accordance with the requirements set forth in §230.409. Reviewers may use Form FHWA-86, Compliance Data Report, if appropriate. It is of particular importance during the onsite reviews that the review team provide for adequate coordination of activities at every stage of the review process.
- (7) Compliance determinations. Upon completion of the consolidated reviews, compliance determinations shall be made on each review by the reviewer. Individual show cause notices or compliance notifications shall be sent (as appropriate) to each reviewed contractor.

The compliance determination shall be based on the contractor's target area work force (Federal, Federal-aid and non-Federal), except when the target area is coincidental with hometown plan area, compliance determinations must not be based on that part of a contractor's work force covered by part I of the plan bid conditions, as previously set forth in this regulation. For example: ABC Contracting, Inc. employs carpenters, operating engineers, and cement masons. Carpenters and operating engineers are covered by part II of the plan bid conditions, however, cement masons are covered by part I of the plan bid conditions. The compliance determination must be based only on the contractor's utilization of carpenters and operating engineers.

- (d) Reporting—(1) Composite report. A final composite report shall be submitted as a complete package to the Washington Headquarters, OCR, within 45 days after the review period and shall consist of the following:
- (i) Compliance review report, for each contractor and subcontractor

with accompanying show cause notice or compliance notification.

- (ii) Work force data to show the aggregate employment of all contractors in the target area.
- (iii) A narrative summary of findings and recommendations to include the following:
- (A) A summary of highway construction employment in the target area by craft, race, and sex. This summary should explore possible patterns of discrimination or underutilization and possible causes, and should compare the utilization of minorities and females on contractor's work forces to the civilian labor force percent for minorities and females in the target area.
- (B) If the target area is a plan area, a narrative summary of the plan's effectiveness with an identification of part I and part II crafts. This summary shall discuss possible differences in minority and female utilization between part I and part II crafts, documenting any inferences drawn from such comparisons.
- (C) If applicable, discuss local labor unions' membership and/or referral practices that impact on the utilization of minorities and females in the target area. Complete and current copies of all collective bargaining agreements and copies of EEO-3, Local Union Reports, for all appropriate unions shall accompany the composite report.
- (D) Any other appropriate data, analyses, or information deemed necessary for a complete picture of the areawide employment.
- (E) Considering the information compiled from the summaries listed above, make concrete recommendations on possible avenues for correcting problems uncovered by the analyses.
- (2) Annual planning report. The proper execution of consolidated compliance reviews necessitates scheduling, along with other fiscal program planning. The Washington Headquarters, OCR, shall be notified of all planned consolidated reviews by August 10 of each year and of any changes in the target area or review periods, as they become known. The annual consolidated planning report shall indicate:
- (i) Selected target areas:

section 3 of the Federal-Aid Highway Program Manual, which is available at the offices listed in 49 CFR part 7, appendix D.

- (ii) The basis for selection of each area; and
- (iii) The anticipated review period (dates) for each target area.

APPENDIX A TO SUBPART D OF PART 230—SAMPLE SHOW CAUSE NOTICE

Certified Mail, Return Receipt Requested Date Contractor's Name

Address

City, State, and Zip Code.

DEAR CONTRACTOR: As a result of the review of your (Project Number) project located at (Project Location) conducted on (Date) by (Reviewing Agency), it is our determination that you are not in compliance with your equal opportunity requirements and that good faith efforts have not been made to meet your equal opportunity requirements in the following areas:

List of Deficiencies

Your failure to take the contractually required affirmative action has contributed to the unacceptable level of minority and female employment in your operations, particularly in the semiskilled and skilled categories of employees.

The Department of Labor regulations (41 CFR 60) implementing Executive Order 11246, as amended, are applicable to your Federalaid highway construction contract and are controlling in this matter (see Required Contract Provisions, Form PR-1273, Clause II). Section 60-1.20(b) of these regulations provides that when equal opportunity deficiencies exist, it is necessary that you make a commitment in writing to correct such deficiencies before you may be found in compliance. The commitment must include the specific action which you propose to take to correct each deficiency and the date of completion of such action. The time period allotted shall be no longer than the minimum period necessary to effect the necessary correction. In accordance with instructions issued by the Office of Federal Contract Compliance Programs (OFCCP), U.S. Department of Labor, your written commitment must also provide for the submission of monthly progress reports which shall include a head count of minority and female representation at each level of each trade and a list of minority employees.

You are specifically advised that making the commitment discussed above will not preclude a further determination of noncompliance upon a finding that the commitment is not sufficient to achieve compliance.

We will hold a compliance conference at

_(Address) at

(Time) on (Date) for you to submit and discuss your written commitment. If your written commitment is acceptable and if the commitment is sufficient to achieve compliance, you will be found in compliance during the effective implementation of that commitment. You are cautioned, however, that our determination is subject to review by the Federal Highway Administration, the Department of Transportation, and OFCCP and may be disapproved if your written commitment is not considered sufficient to achieve compliance.

If you indicate either directly or by inaction that you do not wish to participate in the scheduled conference and do not otherwise show cause within 30 days from receipt of this notice why enforcement proceedings should not be instituted, this agency will commence enforcement proceedings under Executive Order 11246, as amended.

If your written commitment is accepted and it is subsequently found that you have failed to comply with its provisions, you will be advised of this determination and formal sanction proceedings will be instituted immediately.

In the event formal sanction proceedings are instituted and the final determination is that a violation of your equal opportunity contract requirements has taken place, any Federal-aid highway construction contracts or subcontracts which you hold may be canceled, terminated, or suspended, and you may be debarred from further such contracts or subcontracts. Such other sanctions as are authorized by Executive Order 11246, as amended, may also be imposed.

We encourage you to to take whatever action is necessary to resolve this matter and are anxious to assist you in achieving compliance. Any questions concerning this notice should be addressed to (Name, Address, and Phone).

Sincerely yours,

[41 FR 34245, Aug. 13, 1976]

APPENDIX B TO SUBPART D OF PART 230—Sample Corrective Action Plan

Deficiency 1: Sources likely to yield minority employees have not been contacted for recruitment purposes.

Commitment: We have developed a system of written job applications at our home office which readily identifies minority applicants. In addition to this, as a minimum, we will contact the National Association for the Advancement of Colored People (NAACP), League of Latin American Citizens (LULAC), Urban League, and the Employment Security Office within 20 days to establish a referral system for minority group applicants and expand our recruitment base. We are in the process of identifying other community organizations and associations that may be able to provide minority applicants and will

Pt. 230, Subpt. D, App. C

submit an updated listing of recruitment sources and evidence of contact by (Date).

Deficiency 2: There have been inadequate efforts to locate, qualify, and increase skills of minority and female employees and applicants for employment.

Commitment: We will set up an individual file for each apprentice or trainee by (Date) in order to carefully screen the progress, ensure that they are receiving the necessary training, and being promoted promptly upon completion of training requirements. We have established a goal of at least 50 percent of our apprentices and trainees will be minorities and 15 percent will be female. In addition to the commitment made to deficiency number 1, we will conduct a similar identification of organizations able to supply female applicants. Based on our projected personnel needs, we expect to have reached our 50 percent goal apprentices and trainees (Date).

Deficiency 3: Very little effort to assure subcontractors have meaningful minority group representation among their employ-

Commitment: In cooperation with the Regional Office of Minority Business Enterprise, Department of Commerce, and the local NAACP, we have identified seven minority-owned contractors that may be able to work on future contracts we may receive. These contractors (identified in the attached list) will be contacted prior to our bidding on all future contracts. In addition, we have scheduled a meeting with all subcontractors currently working on our contracts. This meeting will be held to inform the subcontractors of our intention to monitor their reports and require meaningful minority representation. This meeting will be held on (Date) and we will summarize the discussions and current posture of each subcontractor for your review by (Date) Additionally, as requested, we will submit a PR-1391 on

23 CFR Ch. I (4-1-05 Edition)

______(Date),
_______(Date),
_______(Date). Finally, we have committed ourselves to maintaining at least 20 percent minority and female representation in each trade during the time we are carrying out the above commitments. We plan to have completely implemented all the provisions of these commitments by _______(Date).

[41 FR 34245, Aug. 13, 1976]

APPENDIX C TO SUBPART D OF PART 230—SAMPLE SHOW CAUSE RESCISSION


Certified Mail, Return Receipt Requested Date Contractor Address City, State, and Zip Code

DEAR CONTRACTOR: On ______, (Date) you received a 30-day show cause notice from this office for failing to implement the required contract requirements pertaining to equal employment opportunity.

In view of the above, this letter is to inform you that the 30-day show cause notice of (Date) is hereby rescinded. You are further advised that if it is found that you have failed to comply with the provisions of your corrective action plan, formal sanction proceedings will be instituted immediately.

Sincerely,

APPENDIX D TO SUBPART D OF PART 230—EQUAL OPPORTUNITY COMPLIANCE REVIEW PROCESS FLOW CHART



[41 FR 34245, Aug. 13, 1976]

SUBCHAPTER D—NATIONAL HIGHWAY INSTITUTE

PART 260—EDUCATION AND TRAINING PROGRAMS

Subpart A—Fellowship and Scholarship Grants

Sec		
260	1	

260.101 Purpose.

260.103 Definitions.

260.105 Policy.

260.107 Eligibility.

260.109 Selection.

 $260.111\,\,$ Responsibilities of educational institutions.

260.113 Responsibilities of employing agencies.

260.115 Equal opportunity.

260.117 Application procedures.

Subparts B-C [Reserved]

Subpart D—State Education and Training Programs

260.401 Purpose.

260.403 Policy.

260.405 Application and approval procedures.

260.407 Implementation and reimbursement.

APPENDIX A TO PART 260—REQUEST FOR USE
OF FEDERAL-AID HIGHWAY FUNDS FOR
EDUCATION OR TRAINING (FORM FHWA1422)

Subpart A—Fellowship and Scholarship Grants

AUTHORITY: 23 U.S.C. 307(a), 315, 321 and 403; and 49 CFR 1.48(b).

Source: 43 FR 3558, Jan. 26, 1978, unless otherwise noted.

§ 260.101 Purpose.

To establish policy for the Federal Highway Administration (FHWA) Fellowship and Scholarship Programs as administered by the National Highway Institute (NHI).

§ 260.103 Definitions.

As used in this regulation, the following definitions apply:

(a) Candidate. One who meets the eligibility criteria set forth in §260.107, and who has completed and submitted the necessary forms and documents in order to be considered for selection for a fellowship or scholarship.

- (b) *Direct educational expenses*. Those expenses directly related to attending school including tuition, student fees, books, and expendable supplies but excluding travel expenses to and from the school.
- (c) *Employing agency*. The agency for which the candidate works. This may be either a State or local highway/transportation agency or the FHWA.
- (d) *Fellowship*. The grant presented to the recipient's school and administered by the school to assist the candidate financially during the period of graduate study.
- (e) *Living stipend*. The portion of the fellowship or scholarship grant remaining after the direct educational expenses have been deducted.
- (f) Local highway/transportation agency. The agency or metropolitan planning organization with the responsibility for initiating and carrying forward a highway program or public transportation program utilizing highways at the local level, usually the city or county level.
- (g) National Highway Institute (NHI). The organization located within the FHWA responsible for the administration of the FHWA fellowship and scholarship grant programs.
- (h) *Recipient*. The successful candidate receiving a fellowship or scholarship.
- (i) Scholarship. The grant presented to the recipient's school and administered by the school to assist the candidate financially during the period of post-secondary study.
- (j) State highway/transportation agency. The agency with the responsibility for initiating and carrying forward a highway program or public transportation program utilizing highways at the State level.

§ 260.105 Policy.

It is the policy of the FHWA to administer, through the NHI, fellowship and scholarship grant programs to assist State and local agencies and the FHWA in developing the expertise needed for the implementation of their highway programs and to assist in the

development of more effective transportation programs at all levels of government. These programs shall provide financial support for up to 24 months of either full-time or part-time study in the field of highway transportation. The programs for each year shall be announced by FHWA notices. ¹ These notices shall contain an application form and shall announce the number of grants to be awarded and their value.

[43 FR 3558, Jan. 26, 1978, as amended at 45 FR 67091, Oct. 9, 1980]

§ 260.107 Eligibility.

(a) Prior recipients of FHWA scholarships or fellowships are eligible if they will have completed all specific work commitments before beginning study under the programs for which applications are made.

(b) Candidates for the fellowship program shall have earned bachelor's or comparable college-level degrees prior to beginning advanced studies under the program.

(c) Candidates shall submit evidence of acceptance, or probable acceptance, for study in programs that will enhance their contributions to their employers. Evidence of probable acceptance may be a letter from the department chairman or other school official.

(d) Candidates shall agree to pursue certain minimum study loads as determined by the FHWA and designated in the FHWA notices announcing the programs each year.

(e) FHWA employees who receive awards will be required to execute continued service agreements, consistent with the Government Employees Training Act requirements, which obligate the employees to continue to work for the agency for three times the duration of the training received.

(f) Candidates who are students or employees of State or local highway/transportation agencies shall agree in writing to work on a full-time basis in public service with State or local highway/transportation agencies for a specified period of time after completing study under the program. The FHWA

notices announcing the programs each year shall specify the time period of the work commitment.

- (g) Candidates shall agree to respond to brief questionnaires designed to assist the NHI in program evaluation both during and following the study period
- (h) Recipients of awards for full-time shall agree to limit their part-time employment as stipulated in the FHWA notice announcing the programs.
- (i) Candidates shall not profit financially from FHWA grants. Where acceptance of the living stipend portion of the grant would result in a profit to the candidate, as determined by comparing the candidate's regular full-time salary with the candidate's part-time salary and employer salary support plus living stipend, the grant amount will be reduced accordingly. In cases where a candidate must relocate and maintain two households, exceptions to this condition will be considered.
- (j) Candidates shall be citizens, or shall declare their intent to become citizens of the United States.

§ 260.109 Selection.

- (a) Candidates shall be rated by a selection panel appointed by the Director of the NHI. Members of the panel shall represent the highway transportation interests of government, industry, and the academic community. The factors considered by the selection panel are weighed in accordance with specific program objectives.
- (b) The major factors to be considered by the panel are:
- (1) Candidate's potential to contribute to a public agency's highway transportation program,
- (2) Relevance of a candidate's study program to the objectives of the fellowship or scholarship program,
 - (3) Relevant experience, and
- (4) Academic and professional achievements.
- (c) Using ratings given by the selection panel, the Director of the NHI shall select candidates for awards and designate alternates.
- (d) The FHWA may designate in the FHWA notices announcing the programs the maximum number of awards

¹The Federal Highway Administration notices are available for inspection and copying as prescribed in 49 CFR part 7, appendix

§ 260.111

that will be made to employees of any one agency.

§ 260.111 Responsibilities of educational institutions.

- (a) The college or university chosen by the grant recipient shall enter into an appropriate agreement with the FHWA providing for the administration of the grant by the college or university.
- (b) The college or university chosen by the recipient shall designate a faculty advisor prior to the commitment of funds by the FHWA. The faculty advisor will be requested to submit reports of the recipient's study progress following completion of each study period. These reports are oriented toward total program evaluation. To assure the recipient's rights to privacy, the FHWA will obtain appropriate advance concurrences from the recipient.

§ 260.113 Responsibilities of employing agencies.

- (a) A candidate's employing agency is responsible for furnishing a statement of endorsement and information concerning the relevancy of the candidate's study to agency requirements. The agency is encouraged to identify educational and training priorities and to provide backup to support its priority candidates for these programs.
- (b) Employing agencies are encouraged to give favorable consideration to the requests of candidates for educational leave and salary support for the study period to facilitate the candidates' applications. Agency decisions involving salary support and educational leave that will affect the acceptance of awards by recipients should be made at the earliest possible date to provide adequate time for the FHWA to select alternates to replace candidates that decline their awards.
- (c) Agencies are responsible for negotiations with their candidates concerning conditions of reinstatement and the candidates' commitments to return to work.
- (d) Employing agencies are encouraged to publicize the availability of these grants throughout the agencies, to implement procedures for internal evaluation of applications, and to for-

ward the applications to the FHWA division office in their State.

(e) Employing agencies that choose to process their employees' applications are responsible for observing the cutoff date for the FHWA to receive applications. This date will be stipulated in the Notices announcing the program for each academic year.

§ 260.115 Equal opportunity.

- (a) Consistent with the provisions of the Civil Rights Act of 1964 and Title VI, assurances executed by each State, 23 U.S.C. 324, and 29 U.S.C. 794, no applicant, including otherwise qualified handicapped individuals, shall on the grounds of race, color, religion, sex, national origin, or handicap, be excluded from participation in, be denied benefits of, or be otherwise subjected to discrimination under this program.
- (b) In accordance with Executive Order 11141, no individual shall be denied benefits of this program because of age.
- (c) Agencies should make information on this program available to all eligible employees, including otherwise qualified handicapped individuals, so as to assure nondiscrimination on the grounds of race, color, religion, sex, national origin, age, or handicap.

§ 260.117 Application procedures.

- (a) The FHWA notices announcing each year's programs and containing the application form may be obtained from FHWA regional and division offices, State highway agencies, metropolitan planning organizations, Governors' highway safety representatives, Urban Mass Transportation Administration regional directors, major transit authorities and from colleges and universities. Forms may also be obtained from the NHI, HHI-3, FHWA, Washington, DC 20590.
- (b) In order to become a candidate, the applicant shall complete and forward the application form according to the instructions in the FHWA notice announcing the programs. The cutoff date for submitting the application stipulated in the notices should be observed.

Subparts B-C [Reserved]

Subpart D—State Education and Training Programs

AUTHORITY: 23 U.S.C. 315, 321 (b) and (c); 49 CFR 1.48(b).

SOURCE: 43 FR 35477, Aug. 10, 1978, unless otherwise noted.

§ 260.401 Purpose.

To prescribe policy and implement procedures for the administration of Federal-aid funds for education and training of State and local highway department employees.

§ 260.403 Policy.

It is the policy of the Federal Highway Administration (FHWA) to provide continuing education of State and local highway agency employees engaged or to be engaged in Federal-aid highway work. To carry out this policy, States are encouraged to fully utilize the authority contained in 23 U.S.C. 321(b) and 321(c).

§ 260.405 Application and approval procedures.

The State may apply for education and training funds by submitting a signed agreement designating the desired Federal-aid funds, not to exceed the limits in 23 U.S.C. 321(b). The

FHWA's approval of the agreement will constitute obligation of funds and authorization for work to proceed.

§ 260.407 Implementation and reimbursement.

- (a) After execution of the fiscal agreement, the State may make grants and contracts with public and private agencies, institutions, individuals, and the National Highway Institute to provide highway-related training and education. The principal recipients of this training shall be employees who are engaged or likely to be engaged, in Federal-aid highway work.
- (b) Claims for Federal-aid reimbursement of costs incurred may be submitted following established procedures to cover 75 percent of the cost of tuition and direct educational expenses (including incidental training, equipment, and program materials) exclusive of travel, subsistence, or salary of trainees.
- (c) As provided in 23 U.S.C. 321(c), education and training for subject areas that are identified by the FHWA as Federal program responsibilities, shall be provided at no cost to State and local governments.

[43 FR 35477, Aug. 10, 1978, as amended at 45 FR 6378, Jan. 28, 1980; 53 FR 3745, Feb. 9, 1988]

APPENDIX A TO PART 260

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION		
REQUEST FOR USE OF FEDERAL-AID HIGHWAY		2. DATE OF REQUEST
FUNDS FOR EDUCATION OR TRAINING (NATIONAL HIGHWAY INSTITUTE)		3. PROJECT NO.
4. NAME OF AGENCY SPONSORING COURSE	5. CO-SPONSOR (If any)	
6. COURSE TITLE	COURSE TITLE 7. DATE OF PROGRAM 8. ESTIMATED	
6. COUNSE TITLE	7A. BEGINNING 7B. ENDIN	177511511165
9. PURPOSE AND EDUCATIONAL OBJECTIVES OF THE PROGRAM (Be as Specific as Possible)		
10. PROPOSED COURSE OUTLINE (Attach a copy of the course outline including a list of the subjects to be presented, the sequence of their		
presentation, the proposed speakers and the amount of time allotted to each subject. Also include the source material upon which the course is based, and the text books and collateral references to be used.)		
contain blood, and the text books and considered to be about		
11. PROPOSED COURSE SCHEDULE. (Provide information on the length of the course, including number of days, days of the week, and hours per day.)		
Toury per day, y		
12, TOTAL HOURS OF INSTRUCTION		
13. CRITERIA FOR ELIGIBILITY OF PARTICIPANTS (Including organizational affiliation)		
14. WHERE WILL COURSE BE HELD?		
14. Where wee coolise be need:		
15. IS THIS PROGRAM A REPEAT OF A COURSE PREVIOUSLY G	IVEN? (If yes fill-in 15A. WH	EN WAS IT LAST HELD?
YES NO		
16. IS THIS PROGRAM RECURRING? (If yes fill-in 16A.)	16A. GI\	'E FREQUENCY
☐ YES ☐ NO		EMESTER QUARTER HER (Specify)
17. NAME AND TITLE OF TECHNICAL DIRECTOR (Responsible for		nen (Specify)
18. NAME AND TITLE OF COORDINATOR (Responsible for arrange	ments)	

Form FHWA-1422
(Rev. 6-76) PREVIOUS EDITIONS WILL NOT BE USED

Pt. 260, App. A

EXPENDITURES		
19 ITEMS	AMOUNT	
A. TEXT BOOKS	\$	
B. NOTEBOOKS AND SUPPLIES	\$	
C. PRINTING	\$	
D. COMMUNICATIONS	\$	
E. SECRETARIAL	\$	
F. AUDIO-VISUAL	\$	
G. PHOTOGRAPHS	\$	
H. BUSES	\$	
I. MEETING ROOM RENTAL	\$	
J. COSTS OF SPONSORING AGENCY'S STAFF TIME SPENT IN PREPARATION AND CONDUCT OF COURSE	\$	
K. COSTS OF CO-SPONSOR'S STAFF TIME SPENT IN PREPARATION AND	1.	
CONDUCT OF COURSE	\$	
L. HONORARIA PAID TO OUTSIDE INSTRUCTOR	\$	
M. INCIDENTALS	\$	
N. OTHER ITEMS (Specify)	\$	
TOTAL ESTIMATED COSTS		
(Excluding travel, subsistence and salaries of attendees)	\$	
20. COST PER ATTENDEE	\$	
21. AMOUNT TO BE PAID OUT OF ½% FEDERAL-AID FUNDS	\$	
23. APPROVAL REQUEST INITIATED BY (State Representative, Name and Title)	DATE	
APPROVED (Division Administrator, Federal Highway Administration)	DATE	

SUBCHAPTER E—PLANNING AND RESEARCH

PART 420—PLANNING AND RE-SEARCH PROGRAM ADMINIS-TRATION

Subpart A—Administration of FHWA Planning and Research Funds

Sec.

420.101 What is the purpose of this part? 420.103 How does the FHWA define the

420.103 How does the FHWA define the terms used in this part?

420.105 What is the FHWA's policy on use of FHWA planning and research funds?

420.107 What is the minimum required expenditure of State planning and research funds for research development and technology transfer?

420.109 What are the requirements for distribution of metropolitan planning funds?

420.111 What are the documentation requirements for use of FHWA planning and research funds?

420.113 What costs are eligible?

420.115 What are the FHWA approval and authorization requirements?

420.117 What are the program monitoring and reporting requirements?

420.119 What are the fiscal requirements?

420.121 What other requirements apply to the administration of FHWA planning and research funds?

Subpart B—Research, Development, and Technology Transfer Program Management

420.201 What is the purpose of this subpart? 420.203 How does the FHWA define the terms used in this subpart?

420.205 What is the FHWA's policy for research, development, and technology transfer funding?

420.207 What are the requirements for research, development, and technology transfer work programs?

420.209 What are the conditions for approval?

AUTHORITY: 23 U.S.C. 103(b)(6), 104(f), 115, 120, 133(b), 134(n), 303(g), 505, and 315; and 49 CFR 1 48(b)

SOURCE: 67 FR 47271, July 18, 2002, unless otherwise noted

Subpart A—Administration of FHWA Planning and Research Funds

§ 420.101 What is the purpose of this part?

This part prescribes the Federal Highway Administration (FHWA) policies and procedures for the administration of activities undertaken by State departments of transportation (State DOTs) and their subrecipients, including metropolitan planning organizations (MPOs), with FHWA planning and research funds. Subpart A identifies the administrative requirements that apply to use of FHWA planning and research funds both for planning and for research, development, and technology transfer (RD&T) activities. Subpart B describes the policies and procedures that relate to the approval and authorization of RD&T work programs. The requirements in this part supplement those in 49 CFR part 18, Uniform Administrative Requirements for Grants and Cooperative Agreements to State and Local Governments and 49 CFR part 19, Uniform Administrative Requirements for Grants and Cooperative Agreements with Institutions of Higher Education, Hospitals and Other Non-Profit Organizations.

§ 420.103 How does the FHWA define the terms used in this part?

Unless otherwise specified in this part, the definitions in 23 U.S.C. 101(a) are applicable to this part. As used in this part:

FHWA planning and research funds include:

(1) State planning and research (SPR) funds (the two percent set aside of funds apportioned or allocated to a State DOT for activities authorized under 23 U.S.C. 505);

(2) Metropolitan planning (PL) funds (the one percent of funds authorized under 23 U.S.C. 104(f) to carry out the provisions of 23 U.S.C. 134);

(3) National highway system (NHS) funds authorized under 23 U.S.C. 104(b)(1) used for transportation planning in accordance with 23 U.S.C. 134

and 135, highway research and planning in accordance with 23 U.S.C. 505, highway-related technology transfer activities, or development and establishment of management systems under 23 U.S.C. 303:

- (4) Surface transportation program (STP) funds authorized under 23 U.S.C. 104(b)(3) used for highway and transit research and development and technology transfer programs, surface transportation planning programs, or development and establishment of management systems under 23 U.S.C. 303; and
- (5) Minimum guarantee (MG) funds authorized under 23 U.S.C. 505 used for transportation planning and research, development and technology transfer activities that are eligible under title 23, U.S.C.

Grant agreement means a legal instrument reflecting a relationship between an awarding agency and a recipient or subrecipient when the principal purpose of the relationship is to transfer a thing of value to the recipient or subrecipient to carry out a public purpose of support or stimulation authorized by a law instead of acquiring (by purchase, lease, or barter) property or services for the direct benefit or use of the awarding agency.

Metropolitan planning area means the geographic area in which the metropolitan transportation planning process required by 23 U.S.C. 134 and 49 U.S.C. 5303-5305 must be carried out.

Metropolitan planning organization (MPO) means the forum for cooperative transportation decisionmaking for a metropolitan planning area.

National Cooperative Highway Research Program (NCHRP) means the cooperative RD&T program directed toward solving problems of national or regional significance identified by State DOTs and the FHWA, and administered by the Transportation Research Board, National Academy of Sciences.

Procurement contract means a legal instrument reflecting a relationship between an awarding agency and a recipient or subrecipient when the principal purpose of the instrument is to acquire (by purchase, lease, or barter) property or services for the direct benefit or use of the awarding agency.

State Department of Transportation (State DOT) means that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction.

Transportation management area (TMA) means an urbanized area with a population over 200,000 (as determined by the latest decennial census) and designated by the Secretary of Transportation or other area when TMA designation is requested by the Governor and the MPO (or affected local officials), and officially designated by the Secretary of Transportation.

Transportation pooled fund study means a planning, research, development, or technology transfer activity administered by the FHWA, a lead State DOT, or other organization that is supported by two or more participants and that addresses an issue of significant or widespread interest related to highway, public, or intermodal transportation. Α transportation pooled fund study is intended to address a new area or provide information that will complement or advance previous investigations of the subject matter.

Work program means a periodic statement of proposed work, covering no less than one year, and estimated costs that documents eligible activities to be undertaken by State DOTs and/or their subrecipients with FHWA planning and research funds.

§ 420.105 What is the FHWA's policy on use of FHWA planning and research funds?

- (a) If the FHWA determines that planning activities of national significance, identified in paragraph (b) of this section, and the requirements of 23 U.S.C. 134, 135, 303, and 505 are being adequately addressed, the FHWA will allow State DOTs and MPOs:
- (1) Maximum possible flexibility in the use of FHWA planning and research funds to meet highway and local public transportation planning and RD&T needs at the national, State, and local levels while ensuring legal use of such funds and avoiding unnecessary duplication of efforts; and
- (2) To determine which eligible planning and RD&T activities they desire

§420.107

to support with FHWA planning and research funds and at what funding level.

(b) The State DOTs must provide data that support the FHWA's responsibilities to the Congress and to the public. These data include, but are not limited to, information required for: preparing proposed legislation and reports to the Congress; evaluating the extent, performance, condition, and use of the Nation's transportation systems; analyzing existing and proposed Federal-aid funding methods and levels and the assignment of user cost responsibility; maintaining a critical information base on fuel availability, use, and revenues generated; and calculating apportionment factors.

(c) The policy in paragraph (a) of this section does not remove the FHWA's responsibility and authority to determine which activities are eligible for funding. Activities proposed to be funded with FHWA planning and research funds by the State DOTs and their subrecipients shall be documented and submitted for FHWA approval and authorization as prescribed in §§ 420.111 and 420.113. (The information collection requirements in paragraph (b) §420.105 have been approved by the Office of Management and Budget (OMB) under control numbers 2125-0028 and 2125-0032.)

§ 420.107 What is the minimum required expenditure of State planning and research funds for research development and technology transfer?

(a) A State DOT must expend no less than 25 percent of its annual SPR funds on RD&T activities relating to highway, public transportation, and intermodal transportation systems in accordance with the provisions of 23 U.S.C. 505(b), unless a State DOT certifies, and the FHWA accepts the State DOT's certification, that total expenditures by the State DOT during the fiscal year for transportation planning under 23 U.S.C. 134 and 135 will exceed 75 percent of the amount apportioned for the fiscal year.

(b) Prior to submitting a request for an exception to the 25 percent requirement, the State DOT must ensure that:

(1) The additional planning activities are essential, and there are no other reasonable options available for funding these planning activities (including the use of NHS, STP, MG, or FTA State planning and research funds (49 U.S.C. 5313(b)) or by deferment of lower priority planning activities);

(2) The planning activities have a higher priority than RD&T activities in the overall needs of the State DOT for a given fiscal year; and

(3) The total level of effort by the State DOT in RD&T (using both Federal and State funds) is adequate.

- (c) If the State DOT chooses to pursue an exception, it must send the request, along with supporting justification, to the FHWA Division Administrator for action by the FHWA Associate Administrator for Research, Development, and Technology. The Associate Administrator's decision will be based upon the following considerations:
- (1) Whether the State DOT has a process for identifying RD&T needs and for implementing a viable RD&T program
- (2) Whether the State DOT is contributing to cooperative RD&T programs or activities, such as the National Cooperative Highway Research Program, the Transportation Research Board, and transportation pooled fund studies.
- (3) Whether the State DOT is using SPR funds for technology transfer and for transit or intermodal research and development to help meet the 25 percent minimum requirement.
- (4) Whether the State DOT can demonstrate that it will meet the requirement or substantially increase its RD&T expenditures over a multi-year period, if an exception is granted for the fiscal year.
- (5) Whether Federal funds needed for planning exceed the 75 percent limit for the fiscal year and whether any unused planning funds are available from previous fiscal years.
- (d) If the FHWA Associate Administrator for Research, Development, and Technology approves the State DOT's request for an exception, the exception is valid only for that fiscal year's funds. A new request must be submitted and approved for subsequent fiscal year funds.

§ 420.109 What are the requirements for distribution of metropolitan planning funds?

(a) The State DOTs shall make all PL funds authorized by 23 U.S.C. 104(f) available to the MPOs in accordance with a formula developed by the State DOT, in consultation with the MPOs, and approved by the FHWA Division Administrator. The formula may allow for a portion of the PL funds to be used by the State DOT, or other agency agreed to by the State DOT and the MPOs, for activities that benefit all MPOs in the State, but State DOTs shall not use any PL funds for grant or subgrant administration. The formula may also provide for a portion of the funds to be made available for discretionary grants to MPOs to supplement their annual amount received under the distribution formula.

(b) In developing the formula for distributing PL funds, the State DOT shall consider population, status of planning, attainment of air quality standards, metropolitan area transportation needs, and other factors necessary to provide for an appropriate distribution of funds to carry out the requirements of 23 U.S.C. 134 and other applicable requirements of Federal law.

(c) The State DOTs shall inform the MPOs and the FHWA Division Office of the amounts allocated to each MPO as soon as possible after PL funds have been apportioned by the FHWA to the State DOTs.

(d) If the State DOT, in a State receiving the minimum apportionment of PL funds under the provisions of 23 U.S.C. 104(f)(2), determines that the share of funds to be allocated to any MPO results in the MPO receiving more funds than necessary to carry out the provisions of 23 U.S.C. 134, the State DOT may, after considering the views of the affected MPO(s) and with the approval of the FHWA Division Administrator, use those funds for transportation planning outside of metropolitan planning areas.

(e) In accordance with the provisions of 23 U.S.C. 134(n), any PL funds not needed for carrying out the metropolitan planning provisions of 23 U.S.C. 134 in any State may be made available by the MPO(s) to the State DOT for funding statewide planning activities under

23 U.S.C. 135, subject to approval by the FHWA Division Administrator.

(f) Any State PL fund distribution formula that does not meet the requirements of paragraphs (a) and (b) of this section shall be brought into conformance with those requirements before distribution on any new apportionment of PL funds.

§ 420.111 What are the documentation requirements for use of FHWA planning and research funds?

(a) Proposed use of FHWA planning and research funds must be documented by the State DOTs and subrecipients in a work program, or other document that describes the work to be accomplished, that is acceptable to the FHWA Division Administrator. Statewide, metropolitan, other transportation planning activities, and transportation RD&T activities may be documented in separate programs, paired in various combinations, or brought together as a single work program. The expenditure of PL funds for transportation planning outside of metropolitan planning areas under §420.109(d) may be included in the work program for statewide transportation planning activities or in a separate work program submitted by the State DOT.

(b)(1) A work program(s) for transportation planning activities must include a description of work to be accomplished and cost estimates by activity or task. In addition, each work program must include a summary that shows:

(i) Federal share by type of fund;

- (ii) Matching rate by type of fund;
- (iii) State and/or local matching share; and
 - (iv) Other State or local funds.
- (2) Additional information on metropolitan planning area work programs is contained in 23 CFR part 450. Additional information on RD&T work program content and format is contained in subpart B of this part.
- (c) In areas not designated as TMAs, a simplified statement of work that describes who will perform the work and the work that will be accomplished using Federal funds may be used in lieu of a work program. If a simplified statement of work is used, it may be

§420.113

submitted separately or as part of the Statewide planning work program.

(d) The State DOTs that use separate Federal-aid projects in accordance with paragraph (a) of this section must submit an overall summary that identifies the amounts and sources of FHWA planning and research funds available, matching funds, and the amounts budgeted for each activity (e.g., statewide planning, RD&T, each metropolitan area, contributions to NCHRP and transportation pooled fund studies, etc.).

(e) The State DOTs and MPOs also are encouraged to include cost estimates for transportation planning, research, development, and technology transfer related activities funded with other Federal or State and/or local funds; particularly for producing the FHWA-required data specified in paragraph (b) of §420.105, for planning for other transportation modes, and for air quality planning activities in areas designated as non-attainment transportation-related pollutants in their work programs. The MPOs in TMAs must include such information in their work programs. (The informacollection requirements §§ 420.111 have been approved by the OMB and assigned control numbers 2125-0039 for States and 2132-0529 for MPOs.)

§ 420.113 What costs are eligible?

- (a) Costs will be eligible for FHWA participation provided that the costs:
- (1) Are for work performed for activities eligible under the section of title 23, U.S.C., applicable to the class of funds used for the activities;
- (2) Are verifiable from the State DOT's or the subrecipient's records;
- (3) Are necessary and reasonable for proper and efficient accomplishment of project objectives and meet the other criteria for allowable costs in the applicable cost principles cited in 49 CFR 18.22;
- (4) Are included in the approved budget, or amendment thereto; and
- (5) Were not incurred prior to FHWA authorization.
- (b) Indirect costs of State DOTs and their subrecipients are allowable if supported by a cost allocation plan and indirect cost proposal prepared, sub-

mitted (if required), and approved by the cognizant or oversight agency in accordance with the OMB requirements applicable to the State DOT or subrecipient specified in 49 CFR 18.22(b).

§ 420.115 What are the FHWA approval and authorization requirements?

(a) The State DOT and its subrecipients must obtain approval and authorization to proceed prior to beginning work on activities to be undertaken with FHWA planning and research funds. Such approvals and authorizations should be based on final work programs or other documents that describe the work to be performed. The State DOT and its subrecipients also must obtain prior approval for budget and programmatic changes as specified in 49 CFR 18.30 or 49 CFR 19.25 and for those items of allowable costs which require approval in accordance with the cost principles specified in 49 CFR 18.22(b) applicable to the entity expending the funds.

(b) Authorization to proceed with the FHWA funded work in whole or in part is a contractual obligation of the Federal government pursuant to 23 U.S.C. 106 and requires that appropriate funds be available for the full Federal share of the cost of work authorized. Those State DOTs that do not have sufficient FHWA planning and research funds or obligation authority available to obligate the full Federal share of a work program or project may utilize the advance construction provisions of 23 U.S.C. 115(a) in accordance with the requirements of 23 CFR part 630, subpart G. The State DOTs that do not meet the advance construction provisions, or do not wish to utilize them, may request authorization to proceed with that portion of the work for which FHWA planning and research funds are available. In the latter case, authorization to proceed may be given for either selected work activities or for a portion of the program period, but such authorization does not constitute a commitment by the FHWA to fund the remaining portion of the work if additional funds do become available.

(c) A project agreement must be executed by the State DOT and the FHWA Division Office for each statewide transportation planning, metropolitan

planning area, or RD&T work program, individual activity or study, or any combination administered as a single Federal-aid project. The project agreement may be executed concurrent with or after authorization has been given by the FHWA Division Administrator to proceed with the work in whole or in part. In the event that the project agreement is executed for only part of the work, the project agreement must be amended when authorization is given to proceed with additional work.

(The information collection requirements in $\S420.115(c)$ have been approved by the OMB and assigned control numbers 2125–0529.)

§ 420.117 What are the program monitoring and reporting requirements?

- (a) In accordance with 49 CFR 18.40, the State DOT shall monitor all activities performed by its staff or by subrecipients with FHWA planning and research funds to assure that the work is being managed and performed satisfactorily and that time schedules are being met.
- (b)(1) The State DOT must submit performance and expenditure reports, including a report from each subrecipient, that contain as a minimum:
- (i) Comparison of actual performance with established goals;
 - (ii) Progress in meeting schedules;
- (iii) Status of expenditures in a format compatible with the work program, including a comparison of budgeted (approved) amounts and actual costs incurred:
 - (iv) Cost overruns or underruns;
- $\ensuremath{\left(v\right)}$ Approved work program revisions; and
 - (vi) Other pertinent supporting data.
- (2) Additional information on reporting requirements for individual RD&T studies is contained in subpart B of this part.
- (c) Reports required by paragraph (b) of this section shall be annual unless more frequent reporting is determined to be necessary by the FHWA Division Administrator. The FHWA may not require more frequent than quarterly reporting unless the criteria in 49 CFR 18.12 or 49 CFR 19.14 are met. Reports are due 90 days after the end of the reporting period for annual and final reports and no later than 30 days after

the end of the reporting period for other reports.

- (d) Events that have significant impact on the work must be reported as soon as they become known. The types of events or conditions that require reporting include: problems, delays, or adverse conditions that will materially affect the ability to attain program objectives. This disclosure must be accompanied by a statement of the action taken, or contemplated, and any Federal assistance needed to resolve the situation.
- (e) Suitable reports that document the results of activities performed with FHWA planning and research funds must be prepared by the State DOT or subrecipient and submitted for approval by the FHWA Division Administrator prior to publication. The FHWA Division Administrator may waive this requirement for prior approval. The FHWA's approval of reports constitutes acceptance of such reports as evidence of work performed but does not imply endorsement of a report's findings or recommendations. Reports prepared for FHWA-funded work must include appropriate credit references and disclaimer statements. (The information collection requirements in §420.117 have been approved by the OMB and assigned control numbers 2125-0039 for States and 2132-0529 for MPOs.)

§ 420.119 What are the fiscal requirements?

- (a) The maximum rate of Federal participation for FHWA planning and research funds shall be as prescribed in title 23, U.S.C., for the specific class of funds used (*i.e.*, SPR, PL, NHS, STP, or MG) except as specified in paragraph (d) of this section. The provisions of 49 CFR 18.24 or 49 CFR 19.23 are applicable to any necessary matching of FHWA planning and research funds.
- (b) The value of third party in-kind contributions may be accepted as the match for FHWA planning and research funds, in accordance with the provisions of 49 CFR 18.24(a)(2) or 49 CFR 19.23(a) and may be on either a total planning work program basis or for specific line items or projects. The use of third party in-kind contributions must be identified in the original work program/scope of work and the grant/

§ 420.121

subgrant agreement, or amendments thereto. The use of third-party in-kind contributions must be approved in advance by the FHWA Division Administrator and may not be made retroactive prior to approval of the work program/scope of work or an amendment thereto. The State DOT or subrecipient is responsible for ensuring that the following additional criteria are met:

- (1) The third party performing the work agrees to allow the value of the work to be used as the match;
- (2) The cost of the third party work is not paid for by other Federal funds or used as a match for other federally funded grants/subgrants;
- (3) The work performed by the third party is an eligible transportation planning or RD&T related activity that benefits the federally funded work;
- (4) The third party costs (*i.e.*, salaries, fringe benefits, *etc.*) are allowable under the applicable Office of Management and Budget (OMB) cost principles (*i.e.*, OMB Circular A-21, A-87, or A-122):1
- (5) The third party work is performed during the period to which the matching requirement applies;
- (6) The third party in-kind contributions are verifiable from the records of the State DOT or subrecipient and these records show how the value placed on third party in-kind contributions was derived; and
- (7) If the total amount of third party expenditures at the end of the program period is not sufficient to match the total expenditure of Federal funds by the recipient/subrecipient, the recipient/subrecipient will need to make up any shortfall with its own funds.
- (c) In accordance with the provisions of 23 U.S.C. 120(j), toll revenues that are generated and used by public, quasi-public, and private agencies to build, improve, or maintain highways, bridges, or tunnels that serve the public purpose of interstate commerce may be used as a credit for the non-Federal share of an FHWA planning and research funded project.

- (d) In accordance with 23 U.S.C. 505(c) or 23 U.S.C. 104(f)(3), the requirement for matching SPR or PL funds may be waived if the FHWA determines the interests of the Federal-aid highway program would be best served. Waiver of the matching requirement is intended to encourage State DOTs and/or MPOs to pool SPR and/or PL funds to address national or regional high priority planning or RD&T problems that would benefit multiple States and/or MPOs. Requests for waiver of matching requirements must be submitted to the FHWA headquarters office for approval by the Associate Administrator for Planning and Environment (for planning activities) or the Associate Administrator for Research, Development, and Technology (for RD&T activities). The matching requirement may not be waived for NHS, STP, or MG funds.
- (e) NHS, STP, or MG funds used for eligible planning and RD&T purposes must be identified separately from SPR or PL funds in the work program(s) and must be administered and accounted for separately for fiscal purposes. In accordance with the statewide and metropolitan planning process requirements for fiscally constrained transportation improvement program (TIPs) planning or RD&T activities funded with NHS, STP, or MG funds must be included in the Statewide and/or metropolitan TIP(s) unless the State DOT and MPO (for a metropolitan area) agree that they may be excluded from the TIP.
- (f) Payment shall be made in accordance with the provisions of 49 CFR 18.21 or 49 CFR 19.22.

§ 420.121 What other requirements apply to the administration of FHWA planning and research funds?

(a) Audits. Audits of the State DOTs and their subrecipients shall be performed in accordance with OMB Circular A-133, Audits of States, Local Governments, and Non-Profit Organizations.² Audits of for-profit contractors are to be performed in accordance with State DOT or subrecipient contract administration procedures.

¹OMB Circulars are available on the Internet at http://www.whitehouse.gov/omb/circulars/index.html.

²See footnote 1.

- (b) Copyrights. The State DOTs and their subrecipients may copyright any books, publications, or other copyrightable materials developed in the course of the FHWA planning and research funded project. The FHWA reserves a royalty-free, nonexclusive and irrevocable right to reproduce, publish, or otherwise use, and to authorize others to use, the work for Government purposes.
- (c) Disadvantaged business enterprises. The State DOTs must administer the transportation planning and RD&T program(s) consistent with their overall efforts to implement section 1001(b) of the Transportation Equity Act for the 21st Century (Pub. L. 105–178) and 49 CFR part 26 regarding disadvantaged business enterprises.
- (d) *Drug free workplace*. In accordance with the provisions of 49 CFR part 29, subpart F, State DOTs must certify to the FHWA that they will provide a drug free workplace. This requirement may be satisfied through the annual certification for the Federal-aid highway program.
- (e) Equipment. Acquisition, use, and disposition of equipment purchased with FHWA planning and research funds by the State DOTs must be in accordance with 49 CFR 18.32(b). Local government subrecipients of State DOTs must follow the procedures specified by the State DOT. Universities, hospitals, and other non-profit organizations must follow the procedures in 49 CFR 19.34.
- (f) Financial management systems. The financial management systems of the State DOTs and their local government subrecipients must be in accordance with the provisions of 49 CFR 18.20(a). The financial management systems of universities, hospitals, and other non-profit organizations must be in accordance with 49 CFR 19.21.
- (g) Lobbying. The provisions of 49 CFR part 20 regarding restrictions on influencing certain Federal activities are applicable to all tiers of recipients of FHWA planning and research funds.
- (h) Nondiscrimination. The nondiscrimination provisions of 23 CFR parts 200 and 230 and 49 CFR part 21, with respect to Title VI of the Civil Rights Act of 1964 and the Civil Rights Restoration Act of 1987, apply to all

- programs and activities of recipients, subrecipients, and contractors receiving FHWA planning and research funds whether or not those programs or activities are federally funded.
- (i) Patents. The State DOTs and their subrecipients are subject to the provisions of 37 CFR part 401 governing patents and inventions and must include or cite the standard patent rights clause at 37 CFR 401.14, except for §401.14(g), in all subgrants or contracts. In addition, State DOTs and their subrecipients must include the following clause, suitably modified to identify the parties, in all subgrants or contracts, regardless of tier, for experimental, developmental or research work: "The subgrantee or contractor will retain all rights provided for the State in this clause, and the State will not, as part of the consideration for awarding the subgrant or contract, obtain rights in the subgrantee's or contractor's subject inventions.
- (j) Procurement. Procedures for the procurement of property and services with FHWA planning and research funds by the State DOTs must be in accordance with 49 CFR 18.36(a) and (i) and, if applicable, 18.36(t). Local government subrecipients of State DOTs must follow the procedures specified by the State DOT. Universities, hospitals, and other non-profit organizations must follow the procedures in 49 CFR 19.40 through 19.48. The State DOTs and their subrecipients must not use FHWA funds for procurements from persons (as defined in 49 CFR 29.105) who have been debarred or suspended in accordance with the provisions of 49 CFR part 29, subparts A through E.
- (k) Program income. Program income, as defined in 49 CFR 18.25(b) or 49 CFR 19.24, must be shown and deducted from total expenditures to determine the Federal share to be reimbursed, unless the FHWA Division Administrator has given prior approval to use the program income to perform additional eligible work or as the non-Federal match.
- (l) Record retention. Recordkeeping and retention requirements must be in accordance with 49 CFR 18.42 or 49 CFR 19.53.
- (m) Subgrants to local governments. The State DOTs and subrecipients are

§ 420.201

responsible for administering FHWA planning and research funds passed through to MPOs and local governments, for ensuring that such funds are expended for eligible activities, and for ensuring that the funds are administered in accordance with this part, 49 CFR part 18, Uniform Administrative Requirements for Grants and Agreements to State and Local Governments, and applicable OMB cost principles. The State DOTs shall follow State laws and procedures when awarding and administering subgrants to MPOs and local governments and must ensure that the requirements of 49 CFR 18.37(a) have been satisfied.

- (n) Subgrants to universities, hospitals, and other non-profit organizations. The State DOTs and subrecipients are responsible for ensuring that FHWA planning and research funds passed through to universities, hospitals, and other non-profit organizations are expended for eligible activities and for ensuring that the funds are administered in accordance with this part, 49 CFR part 19, Uniform Administrative Requirements for Grants and Agreements with Institutions of Higher Education, Hospitals, and Other Non-Profit Organizations, and applicable OMB cost principles.
- (o) Suspension and debarment. (1) The State DOTs and their subrecipients shall not award grants or cooperative agreements to entities who are debarred or suspended, or otherwise excluded from or ineligible for participation in Federal assistance programs under Executive Order 12549 of February 18, 1986 (3 CFR, 1986 Comp., p. 189); and
- (2) The State DOTs and their subrecipients shall comply with the provisions of 49 CFR part 29, subparts A through E, for procurements from persons (as defined in 49 CFR 29.105) who have been debarred or suspended.
- (p) Supplies. Acquisition and disposition of supplies acquired by the State DOTs and their subrecipients with FHWA planning and research funds must be in accordance with 49 CFR 18.33 or 49 CFR 19.35.

Subpart B—Research, Development and Technology Transfer Program Management

§ 420.201 What is the purpose of this subpart?

The purpose of this subpart is to prescribe requirements for research, development, and technology transfer (RD&T) activities, programs, and studies undertaken by State DOTs and their subrecipients with FHWA planning and research funds.

§ 420.203 How does the FHWA define the terms used in this subpart?

Unless otherwise specified in this part, the definitions in 23 U.S.C. 101(a) and subpart A of this part, are applicable to this subpart. As used in this subpart:

Applied research means the study of phenomena to gain knowledge or understanding necessary for determining the means by which a recognized need may be met; the primary purpose of this kind of research is to answer a question or solve a problem.

Basic research means the study of phenomena, and of observable facts, without specific applications towards processes or products in mind; the primary purpose of this kind of research is to increase knowledge.

Development means the systematic use of the knowledge or understanding gained from research, directed toward the production of useful materials, devices, systems or methods, including design and development of prototypes and processes.

Final report means a report documenting a completed RD&T study or activity

Intermodal RD&T means research, development, and technology transfer activities involving more than one mode of transportation, including transfer facilities between modes.

Peer exchange means a periodic review of a State DOT's RD&T program, or portion thereof, by representatives of other State DOT's, for the purpose of exchange of information or best practices. The State DOT may also invite the participation of the FHWA, and other Federal, State, regional or local

transportation agencies, the Transportation Research Board, academic institutions, foundations or private firms that support transportation research, development or technology transfer activities.

RD&T activity means a basic or applied research project or study, development or technology transfer activity.

Research means a systematic study directed toward fuller scientific knowledge or understanding of the subject studied. Research can be basic or applied.

Technology transfer means those activities that lead to the adoption of a new technique or product by users and involves dissemination, demonstration, training, and other activities that lead to eventual innovation.

Transportation Research Information Services (TRIS) means the database produced and maintained by the Transportation Research Board and available online through the National Transportation Library. TRIS includes bibliographic records and abstracts of ongoing and completed RD&T activities. TRIS Online also includes links to the full text of public-domain documents.

§ 420.205 What is the FHWA's policy for research, development, and technology transfer funding?

(a) It is the FHWA's policy to administer the RD&T program activities utilizing FHWA planning and research funds consistent with the policy specified in §420.105 and the following general principles in paragraphs (b) through (g) of this section.

(b) The State DOTs must provide information necessary for peer exchanges.

(c) The State DOTs are encouraged to develop, establish, and implement an RD&T program, funded with Federal and State DOT resources that anticipates and addresses transportation concerns before they become critical problems. Further, the State DOTs are encouraged to include in this program development and technology transfer programs to share the results of their own research efforts and promote the use of new technology.

(d) To promote effective use of available resources, the State DOTs are en-

couraged to cooperate with other State DOTs, the FHWA, and other appropriate agencies to achieve RD&T objectives established at the national level and to develop a technology transfer program to promote and use those results. This includes contributing to coperative RD&T programs such as the NCHRP, the TRB, and transportation pooled fund studies as a means of addressing national and regional issues and as a means of leveraging funds.

(e) The State DOTs will be allowed the authority and flexibility to manage and direct their RD&T activities as presented in their work programs, and to initiate RD&T activities supported by FHWA planning and research funds, subject to the limitation of Federal funds and to compliance with program conditions set forth in subpart A of this part and § 420.207.

(f) The State DOTs will have primary responsibility for managing RD&T activities supported with FHWA planning and research funds carried out by other State agencies and organizations and for ensuring that such funds are expended for purposes consistent with this subpart.

(g) Each State DOT must develop, establish, and implement a management process that ensures effective use of available FHWA planning and research funds for RD&T activities on a statewide basis. Each State DOT is permitted to tailor its management process to meet State or local needs; however, the process must comply with the minimum requirements and conditions of this subpart.

(h) The State DOTs are encouraged to make effective use of the FHWA Division, Resource Center, and Head-quarters office expertise in developing and carrying out their RD&T activities. Participation of the FHWA on advisory panels and in program exchange meetings is encouraged.

§ 420.207 What are the requirements for research, development, and technology transfer work programs?

(a) The State DOT's RD&T work program must, as a minimum, consist of a description of RD&T activities to be accomplished during the program period, estimated costs for each eligible

§ 420.209

activity, and a description of any cooperative activities including the State DOT's participation in any transportation pooled fund studies and the NCHRP. The State DOT's work program should include a list of the major items with a cost estimate for each item. The work program should also include any study funded under a previous work program until a final report has been completed for the study.

(b) The State DOT's RD&T work program must include financial summaries showing the funding levels and share (Federal, State, and other sources) for RD&T activities for the program year. State DOTs are encouraged to include any activity funded 100 percent with State or other funds for information purposes.

(c) Approval and authorization procedures in § 420.115 are applicable to the State DOT's RD&T work program.

§ 420.209 What are the conditions for approval?

(a) As a condition for approval of FHWA planning and research funds for RD&T activities, a State DOT must develop, establish, and implement a management process that identifies and results in implementation of RD&T activities expected to address high priority transportation issues. The management process must include:

(1) An interactive process for identification and prioritization of RD&T activities for inclusion in an RD&T work

program;

- (2) Use of all FHWA planning and research funds set aside for RD&T activities, either internally or for participation in transportation pooled fund studies or other cooperative RD&T programs, to the maximum extent possible:
- (3) Procedures for tracking program activities, schedules, accomplishments, and fiscal commitments;
- (4) Support and use of the TRIS database for program development, reporting of active RD&T activities, and input of the final report information;
- (5) Procedures to determine the effectiveness of the State DOT's management process in implementing the RD&T program, to determine the utilization of the State DOT's RD&T outputs, and to facilitate peer exchanges

of its RD&T Program on a periodic basis:

(6) Procedures for documenting RD&T activities through the preparation of final reports. As a minimum, the documentation must include the data collected, analyses performed, conclusions, and recommendations. The State DOT must actively implement appropriate research findings and should document benefits; and

(7) Participation in peer exchanges of its RD&T management process and of other State DOTs' programs on a periodic basis. To assist peer exchange teams in conducting an effective exchange, the State DOT must provide to them the information and documentation required to be collected and maintained under this subpart. Travel and other costs associated with the State DOT's peer exchange may be identified as a line item in the State DOT's work program and will be eligible for 100 percent Federal funding. The peer exchange team must prepare a written report of the exchange.

(b) Documentation that describes the State DOT's management process and the procedures for selecting and implementing RD&T activities must be developed by the State DOT and submitted to the FHWA Division office for approval. Significant changes in the management process also must be submitted by the State DOT to the FHWA for approval. The State DOT must make the documentation available, as necessary, to facilitate peer exchanges.

(c) The State DOT must include a certification that it is in full compliance with the requirements of this subpart in each RD&T work program. If the State DOT is unable to certify full compliance, the FHWA Division Administrator may grant conditional approval of the State DOT's work program. A conditional approval must cite those areas of the State DOT's management process that are deficient and require that the deficiencies be corrected within 6 months of conditional approval. The certification must consist of a statement signed by the Administrator, or an official designated by the Administrator, of the State DOT certifying as follows: "I (name of certifying official), (position title), of the State (Commonwealth) of ___ ____, do hereby certify that the State (Commonwealth) is in compliance with all requirements of 23 U.S.C. 505 and its implementing regulations with respect to the research, development, and technology transfer program, and contemplate no changes in statutes, regulations, or administrative procedures which would affect such compliance."

(d) The FHWA Division Administrator shall periodically review the State DOT's management process to determine if the State is in compliance with the requirements of this subpart. If the Division Administrator determines that a State DOT is not complying with the requirements of this subpart, or is not performing in accordance with its RD&T management process, the FHWA Division Administrator shall issue a written notice of proposed determination of noncompliance to the State DOT. The notice will set forth the reasons for the proposed determination and inform the State DOT that it may reply in writing within 30 calendar days from the date of the notice. The State DOT's reply should address the deficiencies cited in the notice and provide documentation as necessary. If the State DOT and the Division Administrator cannot resolve the differences set forth in the determination of nonconformity, the State DOT may appeal to the Federal Highway Administrator whose action shall constitute the final decision of the FHWA. An adverse decision shall result in immediate withdrawal of approval of FHWA planning and research funds for the State DOT's RD&T activities until the State DOT is in full compliance.

(The information collection requirements in $\S420.209$ have been approved by the OMB and assigned control number 2125–0039.)

PART 450—PLANNING ASSISTANCE AND STANDARDS

Subpart A—Planning Definitions

Sec.

450.100 Purpose.

450.102 Applicability.

450.102 Applicability

Subpart B—Statewide Transportation Planning

450.200 Purpose.

- 450.202 Applicability.
- 450.204 Definitions.
- 450.206 Statewide transportation planning process: General requirements.
- 450.208 Statewide transportation planning process: Factors.

450.210 Coordination.

450.212 Public involvement.

450.214 Statewide transportation plan.

450.216 Statewide transportation improvement program (STIP).

450.218 Funding.

450.220 Approvals.

450.222 Project selection for implementation.

450.224 Phase-in of new requirements.

Subpart C—Metropolitan Transportation Planning and Programming

450.300 Purpose.

450.302 Applicability.

450.304 Definitions.

450.306 Metropolitan planning organization: Designations and redesignation.

450.308 Metropolitan planning organization: Metropolitan planning area boundaries.

450.310 Metropolitan planning organization: Agreements.

450.312 Metropolitan transportation planning: Responsibilities, cooperation, and coordination.

450.314 Metropolitan transportation planning process: Unified planning work programs.

450.316 Metropolitan transportation planning process: Elements.

450.318 Metropolitan transportation planning process: Major metropolitan transportation investments.

450.320 Metropolitan transportation planning process: Relation to management systems.

450.322 Metropolitan transportation planning process: Transportation plan.

450.324 Transportation improvement program: General.

450.326 Transportation improvement program: Modification.

450.328 Transportation improvement program: Relationship to statewide TIP.

450.330 Transportation improvement program: Action required by FHWA/FTA.

450.332 Project selection for implementation.

450.334 Metropolitan transportation planning process: Certification.

450.336 Phase-in of new requirements.

AUTHORITY: 23 U.S.C. 134, 135, 217(g), and 315; 42 U.S.C. 7410 *et seq.*; 49 U.S.C. 5303-5306; 49 CFR 1.48(b) and 1.51.

Source: 58 FR 58064, Oct. 28, 1993, unless otherwise noted.

§ 450.100

Subpart A—Planning Definitions

§450.100 Purpose.

The purpose of this subpart is to provide definitions for terms used in this part which go beyond those terms defined in 23 U.S.C. 101(a).

§ 450.102 Applicability.

The definitions in this subpart are applicable to this part, except as otherwise provided.

§ 450.104 Definitions.

Except as defined in this subpart, terms defined in 23 U.S.C 101(a) are used in this part as so defined.

Consultation means that one party confers with another identified party in accordance with an established process and, prior to taking action(s), considers that party's views and periodically informs that party about action(s) taken.

Cooperation means that the parties involved in carrying out the planning, programming and management systems processes work together to achieve a common goal or objective.

Coordination means the comparison of the transportation plans, programs, and schedules of one agency with related plans, programs and schedules of other agencies or entities with legal standing, and adjustment of plans, programs and schedules to achieve general consistency.

Governor means the Governor of any one of the fifty States, or Puerto Rico, and includes the Mayor of the District of Columbia.

Maintenance area means any geographic region of the United States designated nonattainment pursuant to the CAA Amendments of 1990 (Section 102(e)), 42 U.S.C. 7410 et seq., and subsequently redesignated to attainment subject to the requirement to develop a maintenance plan under section 175A of the Clean Air Act as amended (CAA), 42 U.S.C. 7410 et seq.

Major metropolitan transportation investment means a high-type highway or transit improvement of substantial cost that is expected to have a significant effect on capacity, traffic flow, level of service, or mode share at the transportation corridor or subarea scale. Consultation among the MPO,

State department of transportation, transit operator, the FHWA and the FTA may lead to the designation of other proposed improvements as major investments beyond the examples listed below. Examples of such investments could generally include but are not limited to: Construction of a new partially controlled access (access allowed only for public roads) principal arterial, extension of an existing partially controlled access (access allowed only for public roads) principal arterial by one or more miles, capacity expansion of a partially controlled access (access provided only for public roads) principal arterial by at least one lane through widening or an equivalent increase in capacity produced by access control or technological improvement, construction or extension of a high-occupancy vehicle (HOV) facility or a fixed guideway transit facility by one or more miles, the addition of lanes or tracks to an existing fixed guideway transit facility for a distance of one or more miles, or a substantial increase in transit service on a fixed guideway facility. For this purpose, a fixed guideway refers to any public transportation facility which utilizes and occupies a designated right-of-way or rails including (but not limited to) rapid rail, light rail, commuter rail, busways, automated guideway transit, and people movers. Projects that generally are not considered to be major transportation investments include but are not limited to: Highway projects on principal arterials where access is not limited to public roads only, small scale improvements or extensions (normally less than one mile) on principal arterials with the primary goal of relieving localized safety or operational difficulties, resurfacing, replacement, or rehabilitation of existing principal arterials and equipment, highway projects not located on a principal arterial, and changes in transit routing and scheduling.

Management system means a systematic process, designed to assist decisionmakers in selecting cost effective strategies/actions to improve the efficiency and safety of, and protect the investment in the nation's infrastructure. A management system includes:

identification of performance measures; data collection and analysis; determination of needs; evaluation, and selection of appropriate strategies/actions to address the needs; and evaluation of the effectiveness of the implemented strategies/actions.

Metropolitan planning area means the geographic area in which the metropolitan transportation planning process required by 23 U.S.C. 134 and section 8 of the Federal Transit Act must be carried out.

Metropolitan planning organization (MPO) means the forum for cooperative transportation decisionmaking for the metropolitan planning area. MPOs designated prior to the promulgation of this regulation remain in effect until redesignated in accordance with § 450.106 and nothing in this part is intended to require or encourage such redesignation.

Metropolitan transportation plan means the official intermodal transportation plan that is developed and adopted through the metropolitan transportation planning process for the metropolitan planning area.

Nonattainment area means any geographic region of the United States that the Environmental Protection Agency (EPA) has designated as a nonattainment area for a transportation related pollutant(s) for which a National Ambient Air Quality Standard (NAAQS) exists.

Non-metropolitan area means the geographic area outside designated metropolitan planning areas, as designated under 23 U.S.C. 134 and 49 U.S.C. 5303.

Non-metropolitan local official means elected and appointed officials of general purpose local government, in non-metropolitan areas, with jurisdiction/responsibility for transportation.

Regionally significant project means a project (other than projects that may be grouped in the STIP/TIP pursuant to §450.216 and §450.324) that is on a facility which serves regional transportation needs (such as access to and from the area outside of the region, major activity centers in the region, major planned developments such as new retail malls, sports complexes, etc., or transportation terminals as well as most terminals themselves) and would normally be included in the

modeling of a metropolitan area's transportation network, including, as a minimum, all principal arterial highways and all fixed guideway transit facilities that offer a significant alternative to regional highway travel.

State means any one of the fifty States, the District of Columbia, or Puerto Rico.

State Implementation Plan (SIP) means the portion (or portions) of an applicable implementation plan approved or promulgated, or the most recent revision thereof, under sections 110, 301(d) and 175A of the Clean Air Act (42 U.S.C. 7409, 7601, and 7505a).

Statewide transportation improvement program (STIP) means a staged, multiyear, statewide, intermodal program of transportation projects which is consistent with the Statewide transportation plan and planning processes and metropolitan plans, TIPs and processes

Statewide transportation plan means the official statewide, intermodal transportation plan that is developed through the statewide transportation planning process.

Transportation improvement program (TIP) means a staged, multiyear, intermodal program of transportation projects which is consistent with the metropolitan transportation plan.

Transportation Management Area (TMA) means an urbanized area with a population over 200,000 (as determined by the latest decennial census) or other area when TMA designation is requested by the Governor and the MPO (or affected local officials), and officially designated by the Administrators of the FHWA and the FTA. The TMA designation applies to the entire metropolitan planning area(s).

[58 FR 58064, Oct. 28, 1993, as amended at 68 FR 3181, Jan. 23, 2003; 68 FR 7419, Feb. 14, 2003]

Subpart B—Statewide Transportation Planning

§ 450.200 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 135, which requires each State to carry out a continuing, comprehensive, and intermodal statewide transportation planning process,

§ 450.202

including the development of a statewide transportation plan and transportation improvement program, that facilitates the efficient, economic movement of people and goods in all areas of the State, including those areas subject to the requirements of 23 U.S.C 134.

§ 450.202 Applicability.

The requirements of this subpart are applicable to States and any other agencies/organizations which are responsible for satisfying these requirements.

§ 450.204 Definitions.

Except as otherwise provided in subpart A of this part, terms defined in 23 U.S.C. 101(a) are used in this part as so defined.

§ 450.206 Statewide transportation planning process: General requirements.

- (a) The statewide transportation planning process shall include, as a minimum:
 - (1) Data collection and analysis;
- (2) Consideration of factors contained in $\S450.208$;
- (3) Coordination of activities as noted in §450.210;
- (4) Development of a statewide transportation plan that considers a range of transportation options designed to meet the transportation needs (both passenger and freight) of the state including all modes and their connections; and
- (5) Development of a statewide transportation improvement program (STIP).
- (b) The statewide transportation planning process shall be carried out in coordination with the metropolitan planning process required by subpart C of this part and shall consider coordination with planning activities in non-metropolitan areas.
- (c) In carrying out statewide transportation planning, the State shall consider, with respect to non-metropolitan areas, the concerns of local elected officials representing units of general purpose local government.

[58 FR 58064, Oct. 28, 1993, as amended at 68 FR 3181, Jan. 23, 2003]

§ 450.208 Statewide transportation planning process: Factors.

- (a) Each State shall, at a minimum, explicitly consider, analyze as appropriate and reflect in planning process products the following factors in conducting its continuing statewide transportation planning process:
- (1) The transportation needs (strategies and other results) identified through the management systems required by 23 U.S.C. 303;
- (2) Any Federal, State, or local energy use goals, objectives, programs, or requirements;
- (3) Strategies for incorporating bicycle transportation facilities and pedestrian walkways in appropriate projects throughout the State;
- (4) International border crossings and access to ports, airports, intermodal transportation facilities, major freight distribution routes, national parks, recreation and scenic areas, monuments and historic sites, and military installations;
- (5) The transportation needs of nonmetropolitan areas (areas outside of MPO planning boundaries) through a process that includes consultation with local elected officials with jurisdiction over transportation;
- (6) Any metropolitan area plan developed pursuant to 23 U.S.C. 134 and section 8 of the Federal Transit Act, 49 U.S.C. app. 1607;
- (7) Connectivity between metropolitan planning areas within the State and with metropolitan planning areas in other States;
 - (8) Recreational travel and tourism;
- (9) Any State plan developed pursuant to the Federal Water Pollution Control Act, 33 U.S.C. 1251 *et seq.* (and in addition to plans pursuant to the Coastal Zone Management Act);
- (10) Transportation system management and investment strategies designed to make the most efficient use of existing transportation facilities (including consideration of all transportation modes);
- (11) The overall social, economic, energy, and environmental effects of transportation decisions (including housing and community development effects and effects on the human, natural and manmade environments);

- (12) Methods to reduce traffic congestion and to prevent traffic congestion from developing in areas where it does not yet occur, including methods which reduce motor vehicle travel, particularly single-occupant motor vehicle travel;
- (13) Methods to expand and enhance appropriate transit services and to increase the use of such services (including commuter rail);
- (14) The effect of transportation decisions on land use and land development, including the need for consistency between transportation decision-making and the provisions of all applicable short-range and long-range land use and development plans (analyses should include projections of economic, demographic, environmental protection, growth management and land use activities consistent with development goals and transportation demand projections);
- (15) Strategies for identifying and implementing transportation enhancements where appropriate throughout the State;
- (16) The use of innovative mechanisms for financing projects, including value capture pricing, tolls, and congestion pricing;
- (17) Preservation of rights-of-way for construction of future transportation projects, including identification of unused rights-of-way which may be needed for future transportation corridors, identification of those corridors for which action is most needed to prevent destruction or loss (including strategies for preventing loss of rights-of-way);
- (18) Long-range needs of the State transportation system for movement of persons and goods;
- (19) Methods to enhance the efficient movement of commercial motor vehicles:
- (20) The use of life-cycle costs in the design and engineering of bridges, tunnels, or pavements;
- (21) The coordination of transportation plans and programs developed for metropolitan planning areas of the State under 23 U.S.C. 134 and section 8 of the Federal Transit Act with the statewide transportation plans and programs developed under this subpart, and the reconciliation of such plans

- and programs as necessary to ensure connectivity within transportation systems;
- (22) Investment strategies to improve adjoining State and local roads that support rural economic growth and tourism development, Federal agency renewable resources management, and multipurpose land management practices, including recreation development; and
- (23) The concerns of Indian tribal governments having jurisdiction over lands within the boundaries of the State.
- (b) The degree of consideration and analysis of the factors should be based on the scale and complexity of many issues, including transportation problems, land use, employment, economic development, environmental and housing and community development objectives, the extent of overlap between factors and other circumstances statewide or in subareas within the State.

§450.210 Coordination.

- (a) In addition to the coordination required under §450.208(a)(21), in carrying out the requirements of this subpart, each State, in cooperation with participating organizations (such as MPOs, Indian tribal governments, environmental, resource and permit agencies, public transit operators) shall, to the extent appropriate, provide for a fully coordinated process including coordination of the following:
- (1) Data collection, data analysis and evaluation of alternatives for a transit, highway, bikeway, scenic byway, recreational trail, or pedestrian program with any such activities for the other programs;
- (2) Plans, such as the statewide transportation plan required under §450.214, with programs and priorities for transportation projects, such as the STIP;
- (3) Data analysis used in development of plans and programs, (for example, information resulting from traffic data analysis, data and plans regarding employment and housing availability, data and plans regarding land use control and community development) with land use projections, with data analysis on issues that are part of public

§450.212

involvement relating to project implementation, and with data analyses done as part of the establishment and maintenance of management systems developed in response to 23 U.S.C. 303;

- (4) Consideration of intermodal facilities with land use planning, including land use activities carried out by local, regional, and multistate agencies:
- (5) Transportation planning carried out by the State with transportation planning carried out by Indian tribal governments, Federal agencies and local governments, MPOs, large-scale public and private transportation providers, operators of major intermodal terminals and multistate businesses;
- (6) Transportation planning carried out by the State with significant transportation-related actions carried out by other agencies for recreation, tourism, and economic development and for the operation of airports, ports, rail terminals and other intermodal transportation facilities;
- (7) Public involvement carried out for the statewide planning process with public involvement carried out for the metropolitan planning process;
- (8) Public involvement carried out for planning with public involvement carried out for project development;
- (9) Transportation planning carried out by the State with Federal, State, and local environmental resource planning that substantially affects transportation actions;
- (10) Transportation planning with financial planning;
- (11) Transportation planning with analysis of potential corridors for preservation;
- (12) Transportation planning with analysis of social, economic, employment, energy, environmental, and housing and community development effects of transportation actions; and
- (13) Transportation planning carried out by the State to meet the requirements of 23 U.S.C. 135 with transportation planning to meet other Federal requirements including the State rail plan.
- (b) The degree of coordination should be based on the scale and complexity of many issues including transportation problems, land use, employment, economic, environmental, and housing and

community development objectives, and other circumstances statewide or in subareas within the State.

§ 450.212 Public involvement.

- (a) Public involvement processes shall be proactive and provide complete information, timely public notice, full public access to key decisions, and opportunities for early and continuing involvement. The processes shall provide for:
- (1) Early and continuing public involvement opportunities throughout the transportation planning and programming process;
- (2) Timely information about transportation issues and processes to citizens, affected public agencies, representatives of transportation agency employees, private providers of transportation, other interested parties and segments of the community affected by transportation plans, programs, and projects;
- (3) Reasonable public access to technical and policy information used in the development of the plan and STIP;
- (4) Adequate public notice of public involvement activities and time for public review and comment at key decision points, including but not limited to action on the plan and STIP;
- (5) A process for demonstrating explicit consideration and response to public input during the planning and program development process;
- (6) A process for seeking out and considering the needs of those traditionally underserved by existing transportation systems, such as low-income and minority households which may face challenges accessing employment and other amenities;
- (7) Periodic review of the effectiveness of the public involvement process to ensure that the process provides full and open access to all and revision of the process as necessary.
- (b) Public involvement activities carried out in a metropolitan area in response to metropolitan planning requirements in §450.322(c) or §450.324(c) may by agreement of the State and the MPO satisfy the requirements of this section.
- (c) During initial development and major revisions of the statewide transportation plan required under §450.214,

the State shall provide citizens, affected public agencies and jurisdictions, employee representatives of transportation and other affected agencies, private and public providers of transportation, and other interested parties a reasonable opportunity to comment on the proposed plan. The proposed plan shall be published, with reasonable notification of its availability, or otherwise made readily available for public review and comment. Likewise, the official statewide transportation plan (see §450.214(d)) shall be published, with reasonable notification of its availability, or otherwise made readily available for public information.

- (d) During development and major revision of the statewide transportation improvement program required under §450.216, the Governor shall provide citizens, affected public agencies and jurisdictions, employee representatives of transportation or other affected agencies, private providers of transportation, and other interested parties, a reasonable opportunity for review and comment on the proposed program. The proposed program shall be published, with reasonable notification of its availability, or otherwise made readily available for public review and comment. The approved program (see §450.220(c)) if it differs significantly from the proposed program, shall be published, with reasonable notification of its availability, or otherwise made readily available for public informa-
- (e) The time provided for public review and comment for minor revisions to the statewide transportation plan or statewide transportation improvement program will be determined by the State and local officials based on the complexity of the revisions.
- (f) The State shall, as appropriate, provide for public comment on existing and proposed procedures for public involvement throughout the statewide transportation planning and programming process. As a minimum, the State shall publish procedures and allow 45 days for public review and written comment before the procedures and any major revisions to existing procedures are adopted.

(g) The public involvement processes will be considered by the FHWA and the FTA as they make the planning finding required in §450.220(b) to assure that full and open access is provided to the decision making process

(h) The State shall provide for nonmetropolitan local official participation. The State shall have a documented process(es) that is separate and discrete from the public involvement process for consulting with non-metropolitan local officials representing units of general purpose local government and/or local officials with responsibility for transportation that provides an opportunity for their participation in the statewide transportation planning process and development of the statewide transportation improve-

ment program.

(i) The State shall review and solicit comments from non-metropolitan local officials and other interested parties for a period of not less than 60 days regarding the effectiveness of the consultation process and proposed modifications within 2 years of process implementation, and thereafter at least once every 5 years. A specific request for comments shall be directed to the State association of counties, State municipal league, regional planning agencies, or directly to non-metropolitan local officials. The State, at its discretion, shall be responsible for determining whether to adopt any proposed modifications. If a proposed modification is not adopted, the State shall make publicly available its reasons for not accepting the proposed modification, including notification to nonmetropolitan local officials or their associations.

[58 FR 58064, Oct. 28, 1993, as amended at 68 FR 3181, Jan. 23, 2003]

§ 450.214 Statewide transportation plan.

- (a) The State shall develop a statewide transportation plan for all areas of the State.
 - (b) The plan shall:
- (1) Be intermodal (including consideration and provision, as applicable, of elements and connections of and between rail, commercial motor vehicle, waterway, and aviation facilities, particularly with respect to intercity

§450.216

travel) and statewide in scope in order to facilitate the efficient movement of people and goods;

- (2) Be reasonably consistent in time horizon among its elements, but cover a period of at least 20 years;
- (3) Contain, as an element, a plan for bicycle transportation, pedestrian walkways and trails which is appropriately interconnected with other modes:
- (4) Be coordinated with the metropolitan transportation plans required under 23 U.S.C. 134;
- (5) Reference, summarize or contain any applicable short range planning studies, strategic planning and/or policy studies, transportation need studies, management system reports and any statements of policies, goals and objectives regarding issues such as transportation, economic development, housing, social and environmental effects, energy, etc., that were significant to development of the plan; and
- (6) Reference, summarize or contain information on the availability of financial and other resources needed to carry out the plan.
- (c) In developing the plan, the State shall:
- (1) Cooperate with the MPOs on the portions of the plan affecting metropolitan planning areas;
- (2) Cooperate with the Indian tribal government and the Secretary of the Interior on the portions of the plan affecting areas of the State under the jurisdiction of an Indian tribal government:
- (3) Provide for public involvement as required under § 450.212;
- (4) Provide for substantive consideration and analysis as appropriate of specified factors as required under § 450.208; and
- (5) Provide for coordination as required under § 450.210.
- (d) The State shall provide and carryout a mechanism to establish the document, or documents, comprising the plan as the official statewide transportation plan.
- (e) The plan shall be continually evaluated and periodically updated as appropriate using the procedures in this section for development and establishment of the plan.

(f) In developing the statewide transportation plan, affected local officials with responsibility for transportation shall be involved on a consultation basis for the portions of the plan in non-metropolitan areas of the State.

[58 FR 58064, Oct. 28, 1993, as amended at 68 FR 3181, Jan. 23, 2003]

§ 450.216 Statewide transportation improvement program (STIP).

(a) Each State shall develop a statewide transportation improvement program for all areas of the State. In case of difficulties in developing the STIP portion for a particular area, e.g., metropolitan area, Indian tribal lands, etc., a partial STIP covering the rest of the State may be developed. The portion of the STIP in a metropolitan planning area (the metropolitan TIP developed pursuant to subpart C of this part) shall be developed in cooperation with the MPO. To assist this process, the State will need to provide MPOs with estimates of available Federal and State funds which the MPO can utilize in developing the metropolitan TIP. Metropolitan planning area TIPs shall be included without modification in the STIP, directly or by reference, once approved by the MPO and the Governor and after needed conformity findings are made. Metropolitan TIPs in nonattainment and maintenance areas are subject to the FHWA and the FTA conformity findings before their inclusion in the STIP. In nonattainment and maintenance areas outside metropolitan planning areas, Federal findings of conformity must be made prior to placing projects in the STIP. The State shall notify the appropriate MPO, local jurisdictions, Federal land agency, Indian tribal government, etc. when a TIP including projects under the jurisdiction of the agency has been included in the STIP. All title 23 and Federal Transit Act fund recipients will share information as projects in the STIP are implemented. The Governor shall provide for public involvement in development of the STIP as required by §450.212. In addition, the STIP shall:

(1) Include a list of priority transportation projects proposed to be carried out in the first 3 years of the STIP. Since each TIP is approved by the Governor, the TIP priorities will dictate

STIP priorities for each individual metropolitan area. As a minimum, the lists shall group the projects that are to be undertaken in each of the years, e.g., year 1, year 2, year 3;

- (2) Cover a period of not less than 3 years, but may at State discretion cover a longer period. If the STIP covers more than 3 years, the projects in the additional years will be considered by the FHWA and the FTA only as informational:
- (3) Contain only projects consistent with the statewide plan developed under § 450.214;
- (4) In nonattainment and maintenance areas, contain only transportation projects found to conform, or from programs that conform, to the requirements contained in 40 CFR part 51:
- (5) Be financially constrained by year and include sufficient financial information to demonstrate which projects are to be implemented using current revenues and which projects are to be implemented using proposed revenue sources while the system as a whole is being adequately operated and maintained. In nonattainment and maintenance areas, projects included in the first two years of the current STIP/TIP shall be limited to those for which funds are available or committed. In the case of proposed funding sources, strategies for ensuring their availability shall be identified;
- (6) Contain all capital and non-capital transportation projects (including transportation enhancements, Federal lands highways projects, trails projects, pedestrian walkways, and bicycle transportation facilities), or identified phases of transportation projects, proposed for funding under the Federal Transit Act (49 U.S.C. app. 1602, 1607a, 1612 and 1614) and/or title 23, U.S.C. excluding:
- (i) Safety projects funded under section 402 of the Surface Transportation Assistance Act of 1982, as amended (49 U.S.C. app. 2302);
- (ii) IVHS planning grants funded under section 6055(b) of the Intermodal Surface Transportation Efficiency Act of 1991 (Pub. L. 102–240, 105 Stat. 1914);
- (iii) Transit planning grants funded under section 8 or 26 of the Federal

Transit Act (49 U.S.C. app. 1607 and 1622);

- (iv) Metropolitan planning projects funded under 23 U.S.C. 104(f);
- (v) State planning and research projects funded under 23 U.S.C. 307(c)(1) (except those funded with NHS, STP and minimum allocation (MA) funds that the State and MPO for a metropolitan area agree should be in the TIP and consequently must be in the STIP); and

(vi) Emergency relief projects (except those involving substantial functional, locational or capacity changes);

- (7) Contain all regionally significant transportation projects requiring an action by the FHWA or the FTA whether or not the projects are to be funded with title 23, U.S.C. or Federal Transit Act funds, e.g., addition of an interchange to the Interstate System with State, local and/or private funds, demonstration projects not funded under title 23, U.S.C., or the Federal Transit Act. (The STIP should, for information purposes, include all regionally significant transportation projects proposed to be funded with Federal funds other than those administered by the FHWA or the FTA. It should also include, for information purposes, if appropriate and cited in any TIPs, all regionally significant projects, to be funded with non-Federal funds);
- (8) Include for each project the following:
- (i) Sufficient descriptive material (*i.e.*, type of work, termini, length, etc.) to identify the project or phase;
 - (ii) Estimated total cost;
- (iii) The amount of Federal funds proposed to be obligated during each program year;
- (iv) For the first year, the proposed category of Federal funds and source(s) of non-Federal funds;
- (v) For the second and third years, the likely category or possible categories of Federal funds and sources of non-Federal funds;
- (vi) Identification of the agencies responsible for carrying out the project;and
- (9) For non-metropolitan areas, include in the first year only those projects which have been selected in accordance with the project selection requirements in \$450.222(c).

§450.218

- (b) Projects that are not considered to be of appropriate scale for individual identification in a given program year may be grouped by function, work type, and/or geographic area using the applicable classifications under 23 CFR 771.117 (c) and (d) and/or 40 CFR part 51.
- (c) Projects in any of the first three years of the STIP may be moved to any other of the first three years of the STIP subject to the project selection requirements of § 450.222.
- (d) The STIP may be amended at any time under procedures agreed to by the cooperating parties consistent with the procedures established in this section (for STIP development), in §450.212 (for public involvement) and in §450.220 (for the FHWA and the FTA approval).
- (e) In developing the statewide transportation improvement program, affected local officials with responsibility for transportation shall be involved on a consultation basis for the portions of the program in non-metropolitan areas of the State.

 $[58\ FR\ 58064,\ Oct.\ 28,\ 1993,\ as\ amended\ at\ 68\ FR\ 3181,\ Jan.\ 23,\ 2003]$

§450.218 Funding.

Funds provided under sections 8, 9, 18, and 26(a)(2) of the Federal Transit Act and 23 U.S.C. 104(b)(1), 104(b)(3), 104(f)(3) and 307(c)(1) may be used to accomplish activities in this subpart.

§450.220 Approvals.

- (a) At least every two years, each State shall submit the entire proposed STIP, and amendments as necessary, concurrently to the FHWA and the FTA for joint approval. The State shall certify that the transportation planning process is being carried out in accordance with all applicable requirements of:
- (1) 23 U.S.C. 135, section 8(q) of the Federal Transit Act and this part;
- (2) Title VI of the Civil Rights Act of 1964 and the Title VI assurance executed by each State under 23 U.S.C. 324 and 29 U.S.C. 794;
- (3) Section 1003(b) of the Intermodal Surface Transportation Efficiency Act of 1991 (Pub. L. 102-240, 105 Stat. 1914) regarding the involvement of disadvantaged business enterprises in the FHWA and the FTA funded projects

- (sec. 105(f), Pub. L. 97-424, 96 Stat. 2100; 49 CFR part 23);
- (4) The provisions of the Americans with Disabilities Act of 1990 (Pub. L. 101-336, 104 Stat. 327, as amended) and U.S. DOT regulations "Transportation for Individuals with Disabilities" (49 CFR parts 27, 37, and 38);
- (5) The provisions of 49 CFR part 20 regarding restrictions on influencing certain Federal activities; and
- (6) In States containing nonattainment and maintenance areas, sections 174 and 176 (c) and (d) of the Clean Air Act as amended (42 U.S.C. 7504, 7506 (c) and (d)).
- (b) The FHWA and the FTA Administrators, in consultation with, where applicable, Federal lands agencies, will review the STIP or amendment and jointly make a finding as to the extent the projects in the STIP are based on a planning process that meets or substantially meets the requirements of title 23, U.S.C., the Federal Transit Act and subparts A, B and C of this part.
- (c) If, upon review, the FHWA and the FTA Administrators jointly determine that the STIP or amendment meet, to an acceptable degree, the requirements of 23 U.S.C. 135 and these regulations (including subpart C where a metropolitan TIP is involved), they will approve the STIP. Approval action will take one of the following forms, as appropriate:
 - (1) Joint approval of the STIP;
- (2) Joint approval of the STIP subject to certain corrective actions being taken:
- (3) Joint approval of the STIP as the basis for approval of identified categories of projects; and/or
- (4) Under special circumstances, joint approval of a partial STIP covering only a portion of the State.
- (d) The joint approval period for a new STIP or amended STIP will not exceed two years. Where the State demonstrates that extenuating circumstances will delay the submittal of a new STIP or amended STIP for approval, FHWA and FTA will consider and take appropriate action on requests to extend the approval beyond two years for all or part of the STIP for a limited period of time. Where the request involves projects in a metropolitan planning area(s), the affected

MPO(s) must concur in the request and if the delay was due to the development and approval of the TIP, the affected MPO(s) must provide supporting information for the request. If nonattainment and/or maintenance areas are involved, a request for an extension cannot be granted if the conformity determination on the TIP is no longer valid under EPA's conformity regulations (40 CFR part 51).

(e) If, upon review, the FHWA and the FTA Administrators jointly determine that the STIP or amendment does not substantially meet the requirements of 23 U.S.C. 135 and this part for any identified categories of projects, they will not approve the STIP.

(f) The FHWA and the FTA will notify the State of actions taken under this section.

(g) Where necessary in order to maintain or establish operations, the Federal Transit Administrator and/or the Federal Highway Administrator may approve operating assistance for specific projects or programs even though the projects or programs may not be included in an approved STIP.

§ 450.222 Project selection for implementation.

(a) Except as provided in §§ 450.220(f) and 450.216(a)(7), only projects included in the Federally approved STIP shall be eligible for funds administered by the FHWA or the FTA.

(b) In metropolitan planning areas, transportation projects requiring title 23 or Federal Transit Act funds administered by the FHWA or the FTA shall be selected in accordance with procedures established pursuant to the project selection portion of the metropolitan planning regulation in subpart C of this part.

(c) Outside metropolitan planning areas, transportation projects undertaken on the National Highway System with title 23 funds and under the bridge and Interstate maintenance programs shall be selected by the State in consultation with the affected local officials. Federal lands highway projects shall be selected in accordance with 23 U.S.C. 204. Other transportation projects undertaken with funds administered by the FHWA shall be selected by the State in cooperation with the

affected local officials, and projects undertaken with Federal Transit Act funds shall be selected by the State in cooperation with the appropriate affected local officials and transit operators.

(d) The projects in the first year of an approved STIP shall constitute an "agreed to" list of projects for subsequent scheduling and implementation. No further project selection action is required for the implementing agency to proceed with these projects except that if appropriated Federal funds available are significantly less than the authorized amounts, §450.332(c) provides for a revised list of "agreed to" projects to be developed upon the request of the State, MPO, or transit operators. If an implementing agency wishes to proceed with a project in the second and third year of the STIP, the specific project selection procedures stated in paragraphs (b) and (c) of this section must be used. Expedited selection procedures which provide for the advancement of projects from the second or third years of the STIP may be used if agreed to by all the parties involved in the selection.

$\$\,450.224$ Phase-in of new requirements.

(a) The State shall, by January 1, 1995, identify the official statewide transportation plan, described under § 450.214, to be used as a basis for subsequently approved STIPs. Until such a plan is identified, but no later than January 1, 1995, the State may identify existing plans and policies which can serve as the official interim plan. STIP development shall be based upon a transportation plan which serves as the official plan (including an interim plan, if appropriate, prior to January 1, 1995, provided that all factors identified in § 450.208 are considered).

(b) The State has a period of one year after February 24, 2003 to document and implement the consultation process discussed in § 450.212(h).

[58 FR 58064, Oct. 28, 1993, as amended at 68 FR 3181, Jan. 23, 2003]

§ 450.300

Subpart C—Metropolitan Transportation Planning and Programming

§450.300 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 134 and section 8 of the Federal Transit Act, as amended, which require that a Metropolitan Planning Organization (MPO) be designated for each urbanized area and that the metropolitan area has a continuing, cooperative, and comprehensive transportation planning process that results in plans and programs that consider all transportation modes and supports metropolitan community development and social goals. plans and programs shall lead to the development and operation of an integrated, intermodal transportation system that facilitates the efficient, economic movement of people and goods.

§ 450.302 Applicability.

The provisions of this subpart are applicable to agencies involved in the transportation planning, program development, and project selection processes in metropolitan planning areas.

§ 450.304 Definitions.

Except as otherwise provided in subpart A of this part, terms defined in 23 U.S.C 101(a) are used in this part as so defined.

§ 450.306 Metropolitan planning organization: Designations and redesignation.

(a) Designations of metropolitan planning organizations (MPOs) made after December 18, 1991, shall be by agreement among the Governor(s) and units of general purpose local governments representing 75 percent of the affected metropolitan population (including the central city or cities as defined by the Bureau of the Census), or in accordance with procedures established by applicable State or local law. To the extent possible, only one MPO shall be designated for each UZA or group of contiguous UZAs. More than one MPO may be designated within an UZA only if the Governor(s) determines that the size and complexity of the UZA make designation of more than one MPO appropriate.

- (b) The designation shall clearly identify the policy body that is the forum for cooperative decisionmaking that will be taking the required approval actions as the MPO.
- (c) To the extent possible, the MPO designated should be established under specific State legislation, State enabling legislation, or by interstate compact, and shall have authority to carry out metropolitan transportation planning.
- (d) Redesignation (designation of a new MPO(s) to replace an existing MPO) shall occur by agreement of the Governor and affected local units of government representing 75 percent of the population in the entire metropolitan area. The central city(ies) must be among the units of local government agreeing to the redesignation.
- (e) Nothing in this subpart shall be deemed to prohibit the MPO from utilizing the staff resources of other agencies to carry out selected elements of the planning process.
- (f) Existing MPO designations remain valid until a new MPO is redesignated, unless revoked by the Governor and local units of government representing 75 percent of the population in the area served by the existing MPO (the central city(ies) must be among those desiring to revoke the MPO designation), or as otherwise provided under State or local procedures. If the Governor and local officials decide to redesignate an existing MPO, but do not formally revoke the existing MPO designation, the existing MPO remains in effect until a new MPO is formally designated.
- (g) Redesignation of an MPO in a multistate metropolitan area requires the approval of the Governor of each State and local officials representing 75 percent of the population in the entire metropolitan planning area. The local officials in the central city(ies) must be among those agreeing to the redesignation.
- (h) Redesignation of an MPO covering more than one UZA requires the approval of the Governor and local officials representing 75 percent of the population in the metropolitan planning area covered by the current MPO; the local officials in the central city(ies) in each urbanized area must

be among those agreeing to the redesignation.

(i) The voting membership of an MPO policy body designated/redesignated subsequent to December 18, 1991, and serving a TMA, must include representation of local elected officials, officials of agencies that administer or operate major modes or systems of transportation, e.g., transit operators, sponsors of major local airports, maritime ports, rail operators, etc. (including all transportation agencies that were included in the MPO on June 1, 1991), and appropriate State officials. Where agencies that operate other major modes of transportation do not already have a voice on existing MPOs, the MPOs (in cooperation with the States) are encouraged to provide such agencies a voice in the decisionmaking process, including representation/membership on the policy body and/or other appropriate committees. Further. where appropriate, existing MPOs should increase the representation of local elected officials on the policy board and other committees as a means for encouraging their greater involvement in MPO processes. Adding such representation to an MPO will not, in itself, constitute a redesignation ac-

(j) Where the metropolitan planning area boundaries for a previously designated MPO need to be expanded, the membership on the MPO policy body and other committees, should be reviewed to ensure that the added area has appropriate representation.

(k) Adding membership (e.g., local elected officials and operators of major modes or systems of transportation, or representatives of newly urbanized areas) to the policy body or expansion of the metropolitan planning area does not automatically require redesigna-tion of the MPO. To the extent possible, it is encouraged that this be done without a formal redesignation. The Governor and MPO shall review the previous MPO designation, State and local law, MPO bylaws, etc., to determine if this can be accomplished without a formal redesignation. If redesignation is considered necessary, the existing MPO will remain in effect until a new MPO is formally designated or the existing designation is formally revoked in accordance with the procedures of this section.

§ 450.308 Metropolitan planning organization: Metropolitan planning area boundaries.

(a) The metropolitan planning area boundary shall, as a minimum, cover the UZA(s) and the contiguous geographic area(s) likely to become urbanized within the twenty year forecast period covered by the transportation plan described in §450.322 of this part. The boundary may encompass the entire metropolitan statistical area or consolidated metropolitan statistical area, as defined by the Bureau of the Census. For geographic areas designated as nonattainment or maintenance areas (as created by the Clean Air Act Amendments of 1990 (CAAA)) for transportation related pollutants under the CAA, the boundaries of the metropolitan planning area shall include at least the boundaries of the nonattainment or maintenance areas, except as otherwise provided by agreement between the MPO and the Governor under the procedures specified in §450.310(f) of this part. In the absence of a formal agreement between the Governor and the MPO to reduce the metropolitan planning area to an area less than the boundaries of the nonattainment or maintenance area, the entire nonattainment or maintenance area is subject to the applicable provisions of this part. Where a portion of the nonattainment or maintenance area is excluded from the metropolitan planning area boundary, the STP funds suballocated to urbanized areas greater than 200,000 in population shall not be utilized for projects outside the metropolitan planning area boundary.

- (b) The metropolitan planning area for a new UZA served by an existing or new MPO shall be established in accordance with these criteria. The current planning area boundaries for previously designated UZAs shall be reviewed and modified if necessary to comply with these criteria.
- (c) In addition to the criteria in paragraph (a) of this section, the planning areas currently in use for all transportation modes should be reviewed before establishing the metropolitan planning

§450.310

area boundary. Where appropriate, adjustments should be made to reflect the most comprehensive boundary to foster an effective planning process that ensures connectivity between modes, reduces access disadvantages experienced by modal systems, and promotes efficient overall transportation investment strategies.

(d) Approval of metropolitan planning area boundaries by the FHWA or the FTA is not required. However, metropolitan planning area boundary maps must be submitted to the FHWA and the FTA after their approval by the MPO and the Governor.

§ 450.310 Metropolitan planning organization: Agreements.

- (a) The responsibilities for cooperatively carrying out transportation planning (including corridor and subarea studies) and programming shall be clearly identified in an agreement or memorandum of understanding between the State and the MPO.
- (b) There shall be an agreement between the MPO and operators of publicly owned transit services which specifies cooperative procedures for carrying out transportation planning (including corridor and subarea studies) and programming as required by this subpart.
- (c) In nonattainment or maintenances areas, if the MPO is not designated for air quality planning under section 174 of the Clean Air Act (42 U.S.C. 7504), there shall be an agreement between the MPO and the designated agency describing their respective roles and responsibilities for air quality related transportation planning.
- (d) To the extent possible, there shall be one cooperative agreement containing the understandings required by paragraphs (a) through (c) of this section among the State, MPO, publicly owned operators of mass transportation services, and air quality agencies
- (e) Where the parties involved agree, the requirement for agreements specified in paragraphs (a), (b), and (c) of this section may be satisfied by including the responsibilities and procedures for carrying out a cooperative process

in the unified planning work program or a prospectus as defined in §450.314(c).

- (f) If the metropolitan planning area does not include the entire nonattainment or maintenance area, there shall be an agreement among the State department of transportation, State air quality agency, affected local agencies, and the MPO describing the process for cooperative planning and analysis of all projects outside the metropolitan planning area but within the nonattainment or maintenance area. The agreement also must indicate how the total transportation related emissions for the nonattainment or maintenance area, including areas both within and outside the metropolitan planning area, will be treated for the purposes of determining conformity in accordance with the U.S. EPA conformity regulation (40 CFR part 51). The agreement shall address policy mechanisms for resolving conflicts concerning transportation related emissions that may arise between the metropolitan planning area and the portion of the nonattainment or maintenance area outside the metropolitan planning area. Proposals to exclude a portion of the nonattainment or maintenance area from the planning area boundary shall be coordinated with the FHWA, the FTA, the EPA, and the State air quality agency before a final decision is made.
- (g) Where more than one MPO has authority within a metropolitan planning area or a nonattainment or maintenance area, there shall be an agreement between the State department(s) of transportation and the MPOs describing how the processes will be coordinated to assure the development of an overall transportation plan for the metropolitan planning area. In metropolitan planning areas that are nonattainment or maintenance areas, the agreement shall include State and local air quality agencies. The agreement shall address policy mechanisms for resolving potential conflicts that may arise between the MPOs, e.g., issues related to the exclusion of a portion of the nonattainment area from the planning area boundary.

(h) For all requirements specified in paragraphs (a) through (g) of this section, existing agreements shall be reviewed for compliance and reaffirmed or modified as necessary to ensure participation by all appropriate modes.

§ 450.312 Metropolitan transportation planning: Responsibilities, cooperation, and coordination.

(a) The MPO in cooperation with the State and with operators of publicly owned transit services shall be responsible for carrying out the metropolitan transportation planning process. The MPO, the State and transit operator(s) shall cooperatively determine their mutual responsibilities in the conduct of the planning process, including corridor refinement studies, described in §§ 450.316 through 450.318. They shall cooperatively develop the unified planning work program, transportation plan, and transportation improvement program specified in §§ 450.314 through 450.318. In addition, the development of the plan and TIP shall be coordinated with other providers of transportation, e.g., sponsors of regional airports, maritime port operators, rail freight operators, etc.

(b) The MPO shall approve the metropolitan transportation plan and its periodic updates. The MPO and the Governor shall approve the metropolitan transportation improvement program and any amendments.

(c) In nonattainment or maintenance areas, the MPO shall coordinate the development of the transportation plan with the SIP development process including the development of the transportation control measures. The MPO shall develop or assist in developing the transportation control measures.

(d) In nonattainment or maintenance areas for transportation related pollutants, the MPO shall not approve any transportation plan or program which does not conform with the SIP, as determined in accordance with the U.S. EPA conformity regulation (40 CFR Part 51).

(e) If more than one MPO has authority in a metropolitan planning area (including multi-State metropolitan planning areas) or in an area which is designated as nonattainment or maintenance for transportation related pollutants, the MPOs and the Governor(s) shall cooperatively establish the boundaries of the metropolitan planning area (including the twenty year

planning horizon and relationship to the nonattainment or maintenance areas) and the respective jurisdictional responsibilities of each MPO. The MPOs shall consult with each other and the State(s) to assure the preparation of integrated plans and transportation improvement programs for the entire metropolitan planning area. An individual MPO plan and program may be developed separately. However, each plan and program must be consistent with the plans and programs of other MPOs in the metropolitan planning area. For the overall metropolitan planning area, the individual MPO planning process shall reflect coordinated data collection, analysis and development. In those areas where this provision is applicable, coordination efforts shall be initiated and the process and outcomes documented in subsequent transmittals of the UPWP and various planning products (the plan, TIP, etc.) to the State, the FHWA, and the FTA.

(f) The Secretary must designate as transportation management areas all UZAs over 200,000 population as determined by the most recent decennial census. The Secretary designated TMAs by publishing a notice in the FEDERAL REGISTER. Copies of this notice may be obtained from the FHWA Metropolitan Planning Division or Office of Planning FTA. The TMAs so designated and those designated subsequently by the FHWA and the FTA (including those designated upon request of the MPO and the Governor) must comply with the special requirements applicable to such areas regarding congestion management systems, project selection, and certification. The TMA designation applies to the entire metropolitan planning area boundary. If a metropolitan planning area encompasses a TMA and other UZA(s), the designation applies to the entire metropolitan planning area regardless of the population of constituent UZAs.

(g) As required by 23 CFR part 500, the required management systems shall be developed cooperatively by the State, the MPOs and transit operators for each metropolitan planning area. In TMAs, the congestion management system will be developed as part of the

§450.314

metropolitan transportation planning process.

(h) The State shall cooperatively participate in the development of metropolitan transportation plans. The relationship of the statewide transportation plan and the metropolitan plan is specified in subpart B of this part.

(i) Where a metropolitan planning area includes Federal public lands and/ or Indian tribal lands, the affected Federal agencies and Indian tribal governments shall be involved appropriately in the development of transportation plans and programs.

§ 450.314 Metropolitan transportation planning process: Unified planning work programs.

- (a) In TMAs, the MPO(s) in cooperation with the State and operators of publicly owned transit shall develop unified planning work programs (UPWPs) that meet the requirements of 23 CFR part 420, subpart A, and:
- (1) Discuss the planning priorities facing the metropolitan planning area and describe all metropolitan transportation and transportation-related air quality planning activities (including the corridor and subarea studies discussed in §450.318) anticipated within the area during the next one or two year period, regardless of funding sources or agencies conducting activities, in sufficient detail to indicate who will perform the work, the schedule for completing it and the products that will be produced;
- (2) Document planning activities to be performed with funds provided under title 23, U.S.C., and the Federal Transit Act.
- (b) Arrangements may be made with the FHWA and the FTA to combine the UPWP requirements with the work program for other Federal sources of planning funds.
- (c) The metropolitan transportation planning process may include the development of a prospectus that establishes a multiyear framework within which the UPWP is accomplished. The prospectus may be used to satisfy the requirements of §450.310 and paragraph (a)(1) of this section.
- (d) In areas not designated as TMAs, the MPO in cooperation with the State and transit operators, with the ap-

proval of the FHWA and the FTA, may prepare a simplified statement of work, in lieu of a UPWP, that describes who will perform the work and the work that will be accomplished using Federal funds. If a simplified statement of work is used, it may be submitted as part of the Statewide planning work program, in accordance with 23 CFR part 420.

§ 450.316 Metropolitan transportation planning process: Elements.

- (a) Section 134(f) of title 23, U.S.C., and Federal Transit Act section 8(f) (49 U.S.C. app. 1607(f)) list 15 factors that must be considered as part of the planning process for all metropolitan areas. The following factors shall be explicitly considered, analyzed as appropriate, and reflected in the planning process products:
- (1) Preservation of existing transportation facilities and, where practical, ways to meet transportation needs by using existing transportation facilities more efficiently;
- (2) Consistency of transportation planning with applicable Federal, State, and local energy conservation programs, goals, and objectives;
- (3) The need to relieve congestion and prevent congestion from occurring where it does not yet occur including:
- (i) The consideration of congestion management strategies or actions which improve the mobility of people and goods in all phases of the planning process; and
- (ii) In TMAs, a congestion management system that provides for effective management of new and existing transportation facilities through the use of travel demand reduction and operation management strategies (e.g., various elements of IVHS) shall be developed in accordance with § 450.320;
- (4) The likely effect of transportation policy decisions on land use and development and the consistency of transportation plans and programs with the provisions of all applicable short- and long-term land use and development plans (the analysis should include projections of metropolitan planning area economic, demographic, environmental protection, growth management, and land use activities consistent with

metropolitan and local/central city development goals (community, economic, housing, etc.), and projections of potential transportation demands based on the interrelated level of activity in these areas);

- (5) Programming of expenditures for transportation enhancement activities as required under 23 U.S.C. 133;
- (6) The effects of all transportation projects to be undertaken within the metropolitan planning area, without regard to the source of funding (the analysis shall consider the effectiveness, cost effectiveness, and financing of alternative investments in meeting transportation demand and supporting the overall efficiency and effectiveness of transportation system performance and related impacts on community/central city goals regarding social and economic development, housing, and employment);
- (7) International border crossings and access to ports, airports, intermodal transportation facilities, major freight distribution routes, national parks, recreation areas, monuments and historic sites, and military installations (supporting technical efforts should provide an analysis of goods and services movement problem areas, as determined in cooperation with appropriate private sector involvement, including, but not limited to, addressing interconnected transportation access and service needs of intermodal facilities);
- (8) Connectivity of roads within metropolitan planning areas with roads outside of those areas;
- (9) Transportation needs identified through the use of the management systems required under 23 U.S.C. 303 (strategies identified under each management system will be analyzed during the development of the transportation plan, including its financial component, for possible inclusion in the metropolitan plan and TIP);
- (10) Preservation of rights-of-way for construction of future transportation projects, including future transportation corridors;
- (11) Enhancement of the efficient movement of freight;
- (12) The use of life-cycle costs in the design and engineering of bridges, tunnels, or pavement (operating and main-

tenance costs must be considered in analyzing transportation alternatives);

- (13) The overall social, economic, energy, and environmental effects of transportation decisions (including consideration of the effects and impacts of the plan on the human, natural and man-made environment such as housing, employment and community development, consultation with appropriate resource and permit agencies to ensure early and continued coordination with environmental resource protection and management plans, and appropriate emphasis on transportation-related air problems in support of the requirements of 23 U.S.C. 109(h), and section 14 of the Federal Transit Act (49 U.S.C. 1610), section 4(f) of the DOT Act (49 U.S.C. 303) and section 174(b) of the Clean Air Act (42 U.S.C. 7504(b)));
- (14) Expansion, enhancement, and increased use of transit services;
- (15) Capital investments that would result in increased security in transit systems; and
- (16) Recreational travel and tourism.
- (b) In addition, the metropolitan transportation planning process shall:
- (1) Include a proactive public involvement process that provides complete information, timely public notice, full public access to key decisions, and supports early and continuing involvement of the public in developing plans and TIPs and meets the requirements and criteria specified as follows:
- (i) Require a minimum public comment period of 45 days before the public involvement process is initially adopted or revised;
- (ii) Provide timely information about transportation issues and processes to citizens, affected public agencies, representatives of transportation agency employees, private providers of transportation, other interested parties and segments of the community affected by transportation plans, programs and projects (including but not limited to central city and other local jurisdiction concerns):
- (iii) Provide reasonable public access to technical and policy information used in the development of plans and TIPs and open public meetings where matters related to the Federal-aid

§450.316

highway and transit programs are being considered;

- (iv) Require adequate public notice of public involvement activities and time for public review and comment at key decision points, including, but not limited to, approval of plans and TIPs (in nonattainment areas, classified as serious and above, the comment period shall be at least 30 days for the plan, TIP and major amendment(s));
- (v) Demonstrate explicit consideration and response to public input received during the planning and program development processes;
- (vi) Seek out and consider the needs of those traditionally underserved by existing transportation systems, including but not limited to low-income and minority households;
- (vii) When significant written and oral comments are received on the draft transportation plan or TIP (including the financial plan) as a result of the public involvement process or the interagency consultation process required under the U.S. EPA's conformity regulations, a summary, analysis, and report on the disposition of comments shall be made part of the final plan and TIP;
- (viii) If the final transportation plan or TIP differs significantly from the one which was made available for public comment by the MPO and raises new material issues which interested parties could not reasonably have foreseen from the public involvement efforts, an additional opportunity for public comment on the revised plan or TIP shall be made available;
- (ix) Public involvement processes shall be periodically reviewed by the MPO in terms of their effectiveness in assuring that the process provides full and open access to all;
- (x) These procedures will be reviewed by the FHWA and the FTA during certification reviews for TMAs, and as otherwise necessary for all MPOs, to assure that full and open access is provided to MPO decisionmaking processes;
- (xi) Metropolitan public involvement processes shall be coordinated with statewide public involvement processes wherever possible to enhance public consideration of the issues, plans, and

programs and reduce redundancies and costs:

- (2) Be consistent with Title VI of the Civil Rights Act of 1964 and the Title VI assurance executed by each State under 23 U.S.C. 324 and 29 U.S.C. 794, which ensure that no person shall, on the grounds of race, color, sex, national origin, or physical handicap, be excluded from participation in, be denied benefits of, or be otherwise subjected to discrimination under any program receiving Federal assistance from the United States Department of Transportation;
- (3) Identify actions necessary to comply with the Americans With Disabilities Act of 1990 (Pub. L. 101-336, 104 Stat. 327, as amended) and U.S. DOT regulations "Transportation for Individuals With Disabilities" (49 CFR parts 27, 37, and 38);
- (4) Provide for the involvement of traffic, ridesharing, parking, transportation safety and enforcement agencies; commuter rail operators; airport and port authorities; toll authorities; appropriate private transportation providers, and where appropriate city officials; and
- (5) Provide for the involvement of local, State, and Federal environment resource and permit agencies as appropriate.
- (c) In attainment areas not designated as TMAs simplified procedures for the development of plans and programs, if considered appropriate, shall be proposed by the MPO in cooperation with the State and transit operator, and submitted by the State for approval by the FHWA and the FTA. In developing proposed simplified planning procedures, consideration shall be given to the transportation problems in the area and their complexity, the growth rate of the area (e.g., fast, moderate or slow), the appropriateness of the factors specified for consideration in this subpart including air quality, and the desirability of continuing any planning process that has already been established. Areas experiencing fast growth should give consideration to a planning process that addresses all of the general requirements specified in this subpart. As a minimum, all areas

employing a simplified planning process will need to develop a transportation plan to be approved by the MPO and a TIP to be approved by the MPO and the Governor.

(d) The metropolitan transportation planning process shall include preparation of technical and other reports to assure documentation of the development, refinement, and update of the transportation plan. The reports shall be reasonably available to interested parties, consistent with §450.316(b)(1).

[58 FR 58064, Oct. 28, 1993, as amended at 61 FR 67175, Dec. 19, 1996]

§450.318 Metropolitan transportation planning process: Major metropolitan transportation investments.

(a) Where the need for a major metropolitan transportation investment is identified, and Federal funds are potentially involved, major investment (corridor or subarea) studies shall be undertaken to develop or refine the plan and lead to decisions by the MPO, in cooperation with participating agencies, on the design concept and scope of the investment. Where the studies have not been completed prior to plan approval, the provisions of §450.322(b)(8)

(b) When any of the implementing agencies or the MPO wish to initiate a major investment study, a meeting will be convened to determine the extent of the analyses and agency roles in a cooperative process which involves the MPO, the State department of transportation, public transit operators, environmental, resource and permit agencies, local officials, the FHWA and the FTA and where appropriate community development agencies, major governmental housing bodies, and such other related agencies as may be impacted by the proposed scope of analysis. A reasonable opportunity, consistent with §450.316(b)(1), shall be provided for citizens and interested parties including affected public agencies, representatives of transportation agency employees, and private providers of transportation to participate in the cooperative process. This cooperative process shall establish the range of alternatives to be studied, such as alternative modes and technologies (including intelligent vehicle and highway systems), general

alignment, number of lanes, the degree of demand management, and operating characteristics.

(c) To the extent appropriate as determined under paragraph (b) of this section, major investment studies shall evaluate the effectiveness and cost-effectiveness of alternative investments or strategies in attaining local, State and national goals and objectives. The analysis shall consider the direct and indirect costs of reasonable alternatives and such factors as mobility improvements; social, economic, and environmental effects; safety; operating efficiencies; land use and economic development; financing; and energy consumption.

(d) These major investment studies will serve as the "alternatives analyses" required by section 3(i)(1)(A) of the Federal Transit Act (49 U.S.C. app. 1602(i)) for certain projects for which discretionary section 3 "New Start" funding is being sought. The studies will also be used as the primary source of information for the other section 3(i)(1)(A) Secretarial findings on costeffectiveness, local financial commitment and capacity, mobility improvements, environmental benefits, economic development, operating effi-

ciency, etc.

(e) These major investment studies also will, when appropriate, serve as the analysis of demand reduction and operational management strategies pursuant to 23 CFR 500.109(b).

- (f) A major investment study will include environmental studies which will be used for environmental documents as described in paragraphs (f)(1) and (2) of this section:
- (1) As a minimum the participating agencies will use the major investment study as input to an environmental impact statement or environmental assessment prepared subsequent to the completion of the study. In such a case, the major investment study reports shall document the consideration given to alternatives and their impacts; or
- (2) The participating agencies may elect to develop a draft environmental impact statement or environmental assessment as part of the major investment study. At any time after the completion of the study and the inclusion of the major transportation investment

§ 450.320

in the plan and the TIP the participating agencies may request the development of final environmental decision documents required under NEPA for such major transportation investments, culminating in the execution of a Record of Decision or Finding of No Significant Impact by the FHWA and/or the FTA.

- (g) Major investment studies may lead to decisions that modify the project design concept and scope assumed in the plan development process. In this case, the study shall lead to the specification of a project's design concept and scope in sufficient detail to meet the requirements of the U.S. EPA conformity regulations (40 CFR part 51)
- (h) Major investment studies are eligible for funds authorized under sections 8, 9 and 26 of the Federal Transit Act (49 U.S.C. app. 1607, 16072, and 1622) and planning and capital funds apportioned under title 23, U.S.C., and shall be included in the UPWP. If CMAQ, STP, NHS, or other capital funds administered by the FHWA are utilized for this purpose, the study must also be included in the TIP.
- (i) Where the environmental process has been completed and a Record of Decision or Finding of No Significant Impact has been signed, §450.318 does not apply. Where the environmental process has been initiated but not completed, the FHWA and the FTA shall be consulted on appropriate modifications to meet the requirements of this section.

[58 FR 58064, Oct. 28, 1993, as amended at 61 FR 67175, Dec. 19, 1996]

§450.320 Metropolitan transportation planning process: Relation to management systems.

- (a) Within all metropolitan areas, congestion, public transportation, and intermodal management systems, to the extent appropriate, shall be part of the metropolitan transportation planning process required under the provisions of 23 U.S.C. 134 and 49 U.S.C. 5303–5305
- (b) In TMAs designated as nonattainment for ozone or carbon monoxide, Federal funds may not be programmed for any project that will result in a significant increase in carrying capacity

for single occupant vehicles (a new general purpose highway on a new location or adding general purpose lanes, with the exception of safety improvements or the elimination of bottlenecks) unless the project results from a congestion management system (CMS) meeting the requirements of 23 CFR part 500. Such projects shall incorporate all reasonably available strategies to manage the SOV facility effectively (or to facilitate its management in the future). Other travel demand reduction and operational management strategies, as appropriate for the corridor, but not appropriate for incorporation into the SOV facility itself, shall be committed to by the State and the MPO for implementation in a timely manner, but no later than the completion date for the SOV project. Projects that had advanced beyond the NEPA stage prior to April 6, 1992, and which are actively advancing to implementation, e.g., right-of-way acquisition has been approved, shall be deemed programmed and not subject to this provision.

- (c) In TMAs, the planning process must include the development of a CMS that provides for effective management of new and existing transportation facilities through the use of travel demand reduction and operational management strategies and meets the requirements of 23 CFR part 500.
- (d) The effectiveness of the management systems in enhancing transportation investment decisions and improving the overall efficiency of the metropolitan area's transportation systems and facilities shall be evaluated periodically, preferably as part of the metropolitan planning process.

[58 FR 58064, Oct. 28, 1993, as amended at 61 FR 67175, Dec. 19, 1996]

§ 450.322 Metropolitan transportation planning process: Transportation plan.

(a) The metropolitan transportation planning process shall include the development of a transportation plan addressing at least a twenty-year planning horizon. The plan shall include both long-range and short-range strategies/actions that lead to the development of an integrated intermodal

transportation system that facilitates the efficient movement of people and goods. The transportation plan shall be reviewed and updated at least triennially in nonattainment and maintenance areas and at least every five years in attainment areas to conform its validity and consistency with current and forecasted transportation and land use conditions and trends and to extend the forecast period, except that the transportation plan for the New York Metropolitan Transportation Council that was reviewed and updated on September 30, 1999, shall be reviewed and updated no later than September $30,\ 2005.$ The transportation plan must be approved by the MPO.

(b) In addition, the plan shall:

(1) Identify the projected transportation demand of persons and goods in the metropolitan planning area over

the period of the plan;

- (2) Identify adopted congestion management strategies including, as appropriate, traffic operations, ridesharing, pedestrian and bicycle facilities, alternative work schedules, freight movement options, high occupancy vehicle treatments, telecommuting, and public transportation improvements (including regulatory, pricing, management, and operational options), that demonstrate a systematic approach in addressing current and future transportation demand;
- (3) Identify pedestrian walkway and bicycle transportation facilities in accordance with 23 U.S.C. 217(g);
- (4) Reflect the consideration given to the results of the management systems, including in TMAs that are nonattainment areas for carbon monoxide and ozone, identification of SOV projects that result from a congestion management system that meets the requirements of 23 CFR part 500;
- (5) Assess capital investment and other measures necessary to preserve the existing transportation system (including requirements for operational improvements, resurfacing, restoration, and rehabilitation of existing and future major roadways, as well as operations, maintenance, modernization, and rehabilitation of existing and future transit facilities) and make the most efficient use of existing transportation facilities to relieve vehicular

congestion and enhance the mobility of people and goods;

- (6) Include design concept and scope descriptions of all existing and proposed transportation facilities in sufficient detail, regardless of the source of funding, in nonattainment and maintenance areas to permit conformity determinations under the U.S. EPA conformity regulations at 40 CFR part 51. In all areas, all proposed improvements shall be described in sufficient detail to develop cost estimates;
- (7) Reflect a multimodal evaluation of the transportation, socioeconomic, environmental, and financial impact of the overall plan, including all major transportation investments in accordance with §450.318;
- (8) For major transportation investments for which analyses are not complete, indicate that the design concept and scope (mode and alignment) have not been fully determined and will require further analysis. The plan shall identify such study corridors and subareas and may stipulate either a set of assumptions (assumed alternatives) concerning the proposed improvements or a no-build condition pending the completion of a corridor or subarea level analysis under §450.318. In nonattainment and maintenance areas, the set of assumed alternatives shall be in sufficient detail to permit plan conformity determinations under the U.S. EPA conformity regulations (40 CFR part 51);
- (9) Reflect, to the extent that they exist, consideration of: the area's comprehensive long-range land use plan and metropolitan development objectives; national, State, and local housing goals and strategies, community development and employment plans and strategies, and environmental resource plans; local, State, and national goals and objectives such as linking low income households with employment opportunities; and the area's overall social, economic, environmental, and energy conservation goals and objectives:
- (10) Indicate, as appropriate, proposed transportation enhancement activities as defined in 23 U.S.C. 101(a); and

§ 450.324

- (11) Include a financial plan that demonstrates the consistency of proposed transportation investments with already available and projected sources of revenue. The financial plan shall compare the estimated revenue from existing and proposed funding sources that can reasonably be expected to be available for transportation uses, and the estimated costs of constructing, maintaining and operating the total (existing plus planned) transportation system over the period of the plan. The estimated revenue by existing revenue source (local, State, and Federal and private) available for transportation projects shall be determined and any shortfalls identified. Proposed new revenues and/or revenue sources to cover shortfalls shall be identified, including strategies for ensuring their availability for proposed investments. Existing and proposed revenues shall cover all forecasted capital, operating, and maintenance costs. All cost and revenue projections shall be based on the data reflecting the existing situation and historical trends. For nonattainment and maintenance areas, the financial plan shall address the specific financial strategies required to ensure the implementation of projects and programs to reach air quality compliance.
- (c) There must be adequate opportunity for public official (including elected officials) and citizen involvement in the development of the transportation plan before it is approved by the MPO, in accordance with the requirements of §450.316(b)(1). Such procedures shall include opportunities for interested parties (including citizens, affected public agencies, representatives of transportation agency employees, and private providers of transportation) to be involved in the early stages of the plan development/update process. The procedures shall include publication of the proposed plan or other methods to make it readily available for public review and comment and, in nonattainment TMAs, an opportunity for at least one formal public meeting annually to review planning assumptions and the plan development process with interested parties and the general public. The procedures also shall include publication of

the approved plan or other methods to make it readily available for information purposes.

- (d) In nonattainment and maintenance areas for transportation related pollutants, the FHWA and the FTA, as well as the MPO, must make a conformity determination on any new/revised plan in accordance with the Clean Air Act and the EPA conformity regulations (40 CFR part 51).
- (e) Although transportation plans do not need to be approved by the FHWA or the FTA, copies of any new/revised plans must be provided to each agency.

[58 FR 58064, Oct. 28, 1993, as amended at 61 FR 67175, Dec. 19, 1996; 67 FR 62373, Oct. 7, 2002]

§ 450.324 Transportation improvement program: General.

- (a) The metropolitan transportation planning process shall include development of a transportation improvement program (TIP) for the metropolitan planning area by the MPO in cooperation with the State and public transit operators.
- (b) The TIP must be updated at least every two years and approved by the MPO and the Governor. The frequency and cycle for updating the TIP must be compatible with the STIP development and approval process. Since the TIP becomes part of the STIP, the TIP lapses when the FHWA and FTA approval for the STIP lapses. In the case of extenuating circumstances, FHWA and FTA will consider and take appropriate action on requests to extend the STIP approval period for all or part of the STIP in accordance with §450.220(d). Although metropolitan TIPs, unlike statewide TIPs, do not need to be approved by the FHWA or the FTA, copies of any new or amended TIPs must be provided to each agency. Additionally, in nonattainment and maintenance areas for transportation related pollutants, the FHWA and the FTA, as well as the MPO, must make a conformity determination on any new or amended TIPs (unless the amendment consists entirely of exempt projects) in accordance with the Clean Air Act requirements and the EPA conformity regulations (40 CFR part 51).

(c) There must be reasonable opportunity for public comment in accordance with the requirements §450.316(b)(1) and, in nonattainment TMAs, an opportunity for at least one formal public meeting during the TIP development process. This public meeting may be combined with the public meeting required under §450.322(c). The proposed TIP shall be published or otherwise made readily available for review and comment. Similarly, the approved TIP shall be published or otherwise made readily available for information purposes.

(d) The TIP shall cover a period of not less than 3 years, but may cover a longer period if it identifies priorities and financial information for the additional years. The TIP must include a priority list of projects to be carried out in the first three years. As a minimum, the priority list shall group the projects that are to be undertaken in each of the years, i.e., year 1, year 2, year 3. In nonattainment and maintenance areas, the TIP shall give priority to eligible TCMs identified in the approved SIP in accordance with the U.S. EPA conformity regulation (40 CFR part 51) and shall provide for their

timely implementation.

(e) The TIP shall be financially constrained by year and include a financial plan that demonstrates which projects can be implemented using current revenue sources and which projects are to be implemented using proposed revenue sources (while the existing transportation system is being adequately operated and maintained). The financial plan shall be developed by the MPO in cooperation with the State and the transit operator. The State and the transit operator must provide MPOs with estimates of available Federal and State funds which the MPOs shall utilize in developing financial plans. It is expected that the State would develop this information as part of the STIP development process and that the estimates would be refined through this process. Only projects for which construction and operating funds can reasonably be expected to be available may be included. In the case of new funding sources, strategies for ensuring their availability shall be identified. In developing the financial

analysis, the MPO shall take into account all projects and strategies funded under title 23, U.S.C., and the Federal Transit Act, other Federal funds, local sources, State assistance, and private participation. In nonattainment and maintenance areas, projects included for the first two years of the current TIP shall be limited to those for which funds are available or committed.

(f) The TIP shall include:

- (1) All transportation projects, or identified phases of a project, (including pedestrian walkways, bicycle transportation facilities and transportation enhancement projects) within the metropolitan planning area proposed for funding under title 23, U.S.C., (including Federal Lands Highway projects) and the Federal Transit Act, excluding safety projects funded under 23 U.S.C. 402, emergency relief projects (except those involving substantial functional, locational and capacity changes), and planning and research activities (except those funded with NHS, STP, and/ or MA funds). Planning and research activities funded with NHS, STP and/or MA funds, other than those used for major investment studies, may be excluded from the TIP by agreement of the State and the MPO:
- (2) Only projects that are consistent with the transportation plan;
- (3) All regionally significant transportation projects for which an FHWA or the FTA approval is required whether or not the projects are to be funded with title 23, U.S.C., or Federal Transit Act funds, e.g., addition of an interchange to the Interstate System with State, local, and/or private funds, demonstration projects not funded under title 23, U.S.C., or the Federal Transit Act, etc.:
- (4) For informational purposes and air quality analysis in nonattainment and maintenance areas, all regionally significant transportation projects proposed to be funded with Federal funds, including intermodal facilities, not covered in paragraphs (f)(1) or (f)(3) of this section; and
- (5) For informational purposes and air quality analysis in nonattainment and maintenance areas, all regionally significant projects to be funded with non-Federal funds.

§ 450.324

- (g) With respect to each project under paragraph (f) of this section the TIP shall include:
- (1) Sufficient descriptive material (*i.e.*, type of work, termini, length, etc.) to identify the project or phase;
 - (2) Estimated total cost;
- (3) The amount of Federal funds proposed to be obligated during each program year;
- (4) Proposed source of Federal and non-Federal funds;
- (5) Identification of the recipient/subrecipient and State and local agencies responsible for carrying out the project;
- (6) In nonattainment and maintenance areas, identification of those projects which are identified as TCMs in the applicable SIP; and
- (7) In areas with Americans with Disabilities Act required Paratransit and key station plans, identification of those projects which will implement the plans.
- (h) In nonattainment and maintenance areas, projects included shall be specified in sufficient detail (design concept and scope) to permit air quality analysis in accordance with the U.S. EPA conformity requirements (40 CFR part 51).
- (i) Projects proposed for FHWA and/ or FTA funding that are not considered by the State and MPO to be of appropriate scale for individual identification in a given program year may be grouped by function, geographic area, and work type using applicable classifications under 23 CFR 771.117 (c) and (d). In nonattainment and maintenance areas, classifications must be consistent with the exempt project classifications contained in the U.S. EPA conformity requirements (40 CFR part 51)
- (j) Projects utilizing Federal funds that have been allocated to the area pursuant to 23 U.S.C. 133(d)(3)(E) shall be identified.
- (k) The total Federal share of projects included in the TIP proposed for funding under section 9 of the Federal Transit Act (49 U.S.C. app. 1607a) may not exceed section 9 authorized funding levels available to the area for the program year.
- (l) Procedures or agreements that distribute suballocated Surface Trans-

- portation Program or section 9 funds to individual jurisdictions or modes within the metropolitan area by predetermined percentages or formulas are inconsistent with the legislative provisions that require MPOs in cooperation with the State and transit operators to develop a prioritized and financially constrained TIP and shall not be used unless they can be clearly shown to be based on considerations required to be addressed as part of the planning process.
- (m) For the purpose of including Federal Transit Act section 3 funded projects in a TIP the following approach shall be followed:
- (1) The total Federal share of projects included in the first year of the TIP shall not exceed levels of funding committed to the area; and
- (2) The total Federal share of projects included in the second, third and/or subsequent years of the TIP may not exceed levels of funding committed, or reasonably expected to be available, to the area.
- (n) As a management tool for monitoring progress in implementing the transportation plan, the TIP shall:
- (1) Identify the criteria and process for prioritizing implementation of transportation plan elements (including intermodal trade-offs) for inclusion in the TIP and any changes in priorities from previous TIPs;
- (2) List major projects from the previous TIP that were implemented and identify any significant delays in the planned implementation of major projects;
- (3) In nonattainment and maintenance areas, describe the progress in implementing any required TCMs, including the reasons for any significant delays in the planned implementation and strategies for ensuring their advancement at the earliest possible time; and
- (4) In nonattainment and maintenance areas, include a list of all projects found to conform in a previous TIP and are now part of the base case for the purpose of air quality conformity analyses. Projects shall be included in this list until construction or acquisition has been fully authorized, except when a three-year period has

elapsed subsequent to the NEPA approval without any major action taking place to advance the project.

(o) In order to maintain or establish operations, in the absence of an approved metropolitan TIP, the FTA and/or the FHWA Administrators, as appropriate, may approve operating assistance.

§ 450.326 Transportation improvement program: Modification.

The TIP may be modified at any time consistent with the procedures established in this part for its development and approval. In nonattainment or maintenance areas for transportation related pollutants if the TIP is amended by adding or deleting projects which contribute to and/or reduce transportation related emissions or replaced with a new TIP, new conformity determinations by the MPO and the FHWA and the FTA will be necessary. Public procedures consistent involvement with §450.316(b)(1) shall be utilized in amending the TIP, except that these procedures are not required for TIP amendments that only involve projects of the type covered in §450.324(i).

§ 450.328 Transportation improvement program: Relationship to statewide TIP.

(a) After approval by the MPO and the Governor, the TIP shall be included without modification, directly or by reference, in the STIP program required under 23 U.S.C. 135 and consistent with §450.220, except that in nonattainment and maintenance areas, a conformity finding by the FHWA and the FTA must be made before it is included in the STIP. After approval by the MPO and the Governor, a copy shall be provided to the FHWA and the FTA.

(b) The State shall notify the appropriate MPO and Federal Lands Highways Program agencies, e.g., Bureau of Indian Affairs and/or National Park Service, when a TIP including projects under the jurisdiction of these agencies has been included in the STIP.

§ 450.330 Transportation improvement program: Action required by FHWA/FTA.

(a) The FHWA and the FTA must jointly find that each metropolitan TIP is based on a continuing, comprehensive transportation process carried on cooperatively by the States, MPOs and transit operators in accordance with the provisions of 23 U.S.C. 134 and section 8 of the Federal Transit Act (49 U.S.C. app. 1607). This finding shall be based on the self-certification statement submitted by the State and MPO under §450.334 and upon other reviews as deemed necessary by the FHWA and the FTA.

(b) In nonattainment and maintenance areas, the FHWA and the FTA must also jointly find that the metropolitan TIP conforms with the adopted SIP and that priority has been given to the timely implementation of transportation control measures contained in the SIP in accordance with 40 CFR part 51. As part of their review in nonattainment areas requiring TCMs, the FHWA and the FTA will specifically consider any comments relating to the financial plans for the plan and TIP contained in the summary of significant comments required under §450.316(b). If the TIP is found to be in nonconformance with the SIP, the TIP shall be returned to the Governor and the MPO with the joint finding. If the TIP is found to conform with the SIP, the Governor/MPO shall be notified of the joint finding. After the FHWA and the FTA find the TIP to be in conformance, the TIP shall be incorporated. without modification, into the STIP, directly or by reference.

§ 450.332 Project selection for implementation.

(a) In areas not designated as TMAs and when §450.332(c) does not apply, projects to be implemented using title 23 funds other than Federal lands projects or Federal Transit Act funds shall be selected by the State and/or the transit operator, in cooperation with the MPO from the approved metropolitan TIP. Federal Lands Highways program projects shall be selected in accordance with 23 U.S.C. 204.

(b) In areas designated as TMAs where §450.332(c) does not apply, all

§450.334

title 23 and Federal Transit Act funded projects, except projects on the NHS and projects funded under the bridge, interstate maintenance, and Federal Lands Highways programs, shall be selected by the MPO in consultation with the State and transit operator from the approved metropolitan TIP and in accordance with the priorities in the approved metropolitan TIP. Projects on the NHS, and projects funded under the bridge and Interstate maintenance programs shall be selected by the State in cooperation with the MPO, from the approved metropolitan TIP. Federal Lands Highway Program projects shall be selected in accordance with 23 U.S.C. 204.

- (c) Once a TIP that meets the requirements of §450.324 has been developed and approved, the first year of the TIP shall constitute an "agreed to" list of projects for project selection purposes and no further project selection action is required for the implementing agency to proceed with projects, except where the appropriated Federal funds available to the metropolitan planning area are significantly less than the authorized amounts. In this case, a revised "agreed to" list of projects shall be jointly developed by the MPO, State, and the transit operator if requested by the MPO, State, or the transit operator. If the State or transit operator wishes to proceed with a project in the second or third year of the TIP, the specific project selection procedures stated in paragraphs (a) and (b) of this section must be used unless the MPO, State, and transit operator jointly develop expedited project selection procedures to provide for the advancement of projects from the second or third year of the TIP.
- (d) Projects not included in the Federally approved STIP will not be eligible for funding with title 23, U.S.C., or Federal Transit Act funds.
- (e) In nonattainment and maintenance areas, priority will be given to the timely implementation of TCMs contained in the applicable SIP in accordance with the U.S. EPA conformity regulations at 40 CFR part 51.

§ 450.334 Metropolitan transportation planning process: Certification.

- (a) The State and the MPO shall annually certify to the FHWA and the FTA that the planning process is addressing the major issues facing the area and is being conducted in accordance with all applicable requirements of:
- (1) Section 134 of title 23, U.S.C., section 8 of the Federal Transit Act (49 U.S.C. app. 1607) and this part;
- (2) Sections 174 and 176 (c) and (d) of the Clean Air Act (42 U.S.C. 7504, 7506 (c) and (d));
- (3) Title VI of the Civil Rights Act of 1964 and the Title VI assurance executed by each State under 23 U.S.C. 324 and 29 U.S.C. 794;
- (4) Section 1003(b) of the Intermodal Surface Transportation Efficiency Act of 1991 (Pub. L. 102–240) regarding the involvement of disadvantaged business enterprises in the FHWA and the FTA funded planning projects (sec. 105(f), Pub. L. 97–424, 96 Stat. 2100; 49 CFR part 23); and
- (5) The provisions of the Americans with Disabilities Act of 1990 (Pub. L. 101-336, 104 Stat. 327, as amended) and U.S. DOT regulations "Transportation for Individuals with Disabilities" (49 CFR parts 27, 37, and 38).
- (b) The FHWA and the FTA jointly will review and evaluate the transportation planning process for each TMA (as appropriate but no less than once every three years) to determine if the process meets the requirements of this subpart.
- (c) In TMAs that are nonattainment or maintenance areas for transportation related pollutants, the FHWA and the FTA will also review and evaluate the transportation planning process to assure that the MPO has an adequate process to ensure conformity of plans and programs in accordance with procedures contained in 40 CFR part 51.
- (d) Upon the review and evaluation conducted under paragraphs (b) and (c) of this section, if the FHWA and the FTA jointly determine that the transportation planning process in a TMA meets or substantially meets the requirements of this part, they will take one of the following actions, as appropriate:

- (1) Jointly certify the transportation planning process;
- (2) Jointly certify the transportation planning process subject to certain specified corrective actions being taken; or
- (3) Jointly certify the planning process as the basis for approval of only those categories of programs or projects that the Administrators may jointly determine and subject to certain specified corrective actions being taken.
- (e) A certification action under this section will remain in effect for three years unless a new certification determination is made sooner.
- (f) If, upon the review and evaluation conducted under paragraph (b) or (c) of this section, the FHWA and the FTA jointly determine that the transportation planning process in a TMA does not substantially meet the requirements, they may take the following action as appropriate, if after September 30, 1993, the transportation planning process is not certified:
- (1) Withhold in whole or in part the apportionment attributed to the relevant metropolitan planning area under 23 U.S.C. 133(d)(3), capital funds apportioned under section 9 of the Federal Transit Act, and section 3 funds under the Federal Transit Act (49 U.S.C. 1607(a)); or
- (2) Withhold approval of all or certain categories of projects.
- (g) If a transportation planning process remains uncertified for more than two consecutive years after September 30, 1994, 20 percent of the apportionment attributed to the metropolitan planning area under 23 U.S.C. 133(d)(3) and capital funds apportioned under the formula program of section 9 of the Federal Transit Act (49 U.S.C. app. 1607a) will be withheld.
- (h) The State and the MPO shall be notified of the actions taken under paragraphs (f) and (g) of this section. Upon full, joint certification by the FHWA and the FTA, all funds withheld will be restored to the metropolitan area, unless they have lapsed.

§ 450.336 Phase-in of new requirements.

(a) Except for reflecting the consideration given the results of the manage-

ment systems, the planning process and plans in nonattainment areas requiring TCMs shall comply, to the extent possible, with the requirements of this subpart by October 1, 1994. All other metropolitan areas shall comply to the extent possible with the requirements of this subpart by December 18, 1994. Where time does not permit a quantitative analysis of certain factors, a qualitative analysis of those factors will be acceptable. If a forecast period of less than twenty years is acceptable for SIP development and air quality conformity purposes, that same time period will be acceptable for transportation planning. The initial plan update shall be financially feasible, taking into account capital costs and the funds reasonably available for capital improvements, as well as addressing to the extent possible the costs of and revenues available for operating and maintenance of the transportation system. Where TCMs are required, the plan update process shall be coordinated with the process for developing TCMs. The planning process for subsequent updates of the plan and the updated plans shall comply with the requirements of this subpart. Plan updates performed in all areas must consider the results of the management systems (specified in 23 CFR part 500) as they become available. The plan shall reflect this consideration.

(b)(1) During the period prior to the full implementation of the CMS in a TMA, the MPO in cooperation with the State, the public transit operators, and other operators of major modes of transportation shall identify the location of the most serious congestion problems in the metropolitan area and proceed with the development of actions to address these problems.

(2) Prior to the full implementation of a CMS, an adequate interim CMS in a TMA designated as nonattainment for carbon monoxide and/or ozone shall, as a minimum, include a process that results in an appropriate analysis of all reasonably available (including multimodal) travel demand reduction and operational management strategies for the corridor in which a project that will result in a significant increase in SOV capacity is proposed. This analysis must demonstrate how

Pt. 460

far such strategies can go in eliminating the need for additional SOV capacity in the corridor. If the analysis demonstrates that additional SOV capacity is warranted, then all reasonable strategies to manage the facility effectively (or to facilitate its management in the future) shall be incorporated into the proposed facility. Other travel demand reduction and operational management strategies appropriate for the corridor, but not appropriate for incorporation into the SOV facility itself must be committed to by the State and the MPO for implementation in a timely manner but no later than completion of construction of the SOV facility. If the area does not already have a traffic management and carpool/vanpool program, the establishment of such programs must be a part of the commitment.

(3) In TMAs that are nonattainment for carbon monoxide and/or ozone, the MPO, a State and/or transit operator may not advance a project utilizing Federal funds that provides a significant capacity increase for SOVs (adding general purpose lanes, with the exception of safety improvements or the elimination of bottlenecks, or a new highway on a new location) beyond the NEPA process unless an interim CMS is in place that meets the criteria in paragraphs (b)(1) and (b)(2) of this section and the project results from this interim CMS.

(4) Projects that are part of or consistent with a State mandated congestion management system/plan are not subject to the requirements in paragraphs (b)(1) and (b)(2) of this section.

(5) Projects advanced beyond the NEPA process as of April 6, 1992 and which are being implemented, e.g., right-of-way acquisition has been approved, will be deemed to be programmed and not subject to this reauirement.

[58 FR 58064, Oct. 28, 1993, as amended at 61 FR 67175, Dec. 19, 1996]

PART 460—PUBLIC ROAD MILEAGE FOR APPORTIONMENT OF HIGH-WAY SAFETY FUNDS

Sec.

460.1 Purpose. 460.2 Definitions.

460.3 Procedures

AUTHORITY: 23 U.S.C. 315, 402(c); 49 CFR

SOURCE: 40 FR 44322, Sept. 26, 1975, unless otherwise noted.

§ 460.1 Purpose.

The purpose of this part is to prescribe the policies and procedures followed in identifying and reporting public road mileage for utilization in the statutory formula for the apportionment of highway safety funds under 23 U.S.C. 402(c).

§ 460.2 Definitions.

As used in this part:

- (a) Public road means any road under the jurisdiction of and maintained by a public authority and open to public travel.
- (b) Public authority means a Federal, State, county, town, or township, Indian tribe, municipal or other local government or instrumentality thereof, with authority to finance, build, operate or maintain toll or toll-free highway facilities.
- (c) Open to public travel means that the road section is available, except during scheduled periods, extreme weather or emergency conditions, passable by four-wheel standard passenger cars, and open to the general public for use without restrictive gates, prohibitive signs, or regulation other than restrictions based on size, weight, or class of registration. Toll plazas of public toll roads are not considered restrictive gates.
- (d) Maintenance means the preservation of the entire highway, including surfaces, shoulders, roadsides, structures, and such traffic control devices as are necessary for its safe and efficient utilization.
- (e) State means any one of the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, and American Samoa. For the purpose of the application of 23 U.S.C. 402 on Indian reservations, State and Governor of a State include the Secretary of the Interior.

§ 460.3 Procedures.

(a) General requirements. 23 U.S.C. 402(c) provides that funds authorized to carry out section 402 shall be apportioned according to a formula based on population and public road mileage of each State. Public road mileage shall be determined as of the end of the calendar year preceding the year in which the funds are apportioned and shall be certified to by the Governor of the State or his designee and subject to the approval of the Federal Highway Administrator.

- (b) State public road mileage. Each State must annually submit a certification of public road mileage within the State to the Federal Highway Administration Division Administrator by the date specified by the Division Administrator. Public road mileage on Indian reservations within the State shall be identified and included in the State mileage and in computing the State's apportionment.
- (c) Indian reservation public road mileage. The Secretary of the Interior or his designee will submit a certification of public road mileage within Indian reservations to the Federal Highway Administrator by June 1 of each year.
- (d) Action by the Federal Highway Administrator. (1) The certification of Indian reservation public road mileage, and the State certifications of public road mileage together with comments thereon, will be reviewed by the Federal Highway Administrator. He will make a final determination of the public road mileage to be used as the basis for apportionment of funds under 23 U.S.C. 402(c). In any instance in which the Administrator's final determination differs from the public road mileage certified by a State or the Secretary of the Interior, the Administrator will advise the State or the Secretary of the Interior of his final determination and the reasons therefor.
- (2) If a State fails to submit a certification of public road mileage as required by this part, the Federal Highway Administrator may make a determination of the State's public road mileage for the purpose of apportioning funds under 23 U.S.C. 402(c). The State's public road mileage determined by the Administrator under this subparagraph may not exceed 90 percent of the State's public road mileage utilized in determining the most recent appor-

tionment of funds under 23 U.S.C. 402(c).

PART 470—HIGHWAY SYSTEMS

Subpart A—Federal-aid Highway Systems

Sec

470.101 Purpose.

470.103 Definitions.

470.105 Urban area boundaries and highway functional classification.

470.107 Federal-aid highway systems.

470.109 System procedures—General.

470.111 Interstate System procedures.

470.113 National Highway System procedures.

470.115 Approval authority.

APPENDIX A TO SUBPART A OF PART 470— GUIDANCE CRITERIA FOR EVALUATING RE-QUESTS FOR INTERSTATE SYSTEM DESIGNA-TIONS UNDER 23 U.S.C. 139 (a) AND (b)

APPENDIX B TO SUBPART A OF PART 470—DES-IGNATION OF SEGMENTS OF SECTION 332(a)(2) CORRIDORS AS PARTS OF THE INTERSTATE SYSTEM

APPENDIX C TO SUBPART A OF PART 470—POLICY FOR THE SIGNING AND NUMBERING OF FUTURE INTERSTATE CORRIDORS DESIGNATED BY SECTION 332 OF THE NHS DESIGNATION ACT OF 1995 OR DESIGNATED UNDER 23 U.S.C. 139(b)

APPENDIX D TO SUBPART A OF PART 470—
GUIDANCE CRITERIA FOR EVALUATING REQUESTS FOR MODIFICATIONS TO THE NATIONAL HIGHWAY SYSTEM

Subparts B-C [Reserved]

AUTHORITY: 23 U.S.C. 103(b)(2), 103 (e)(1), (e)(2), and (e)(3), 103(f), 134, 135, and 315; and 49 CFR 1.48(b)(2).

SOURCE: 40 FR 42344, Sept. 12, 1975, unless otherwise noted. Redesignated at 41 FR 51396, Nov. 22, 1976.

Subpart A—Federal-aid Highway Systems

SOURCE: 62 FR 33355, June 19, 1997, unless otherwise noted.

§ 470.101 Purpose.

This part sets forth policies and procedures relating to the identification of Federal-aid highways, the functional classification of roads and streets, the designation of urban area boundaries, and the designation of routes on the Federal-aid highway systems.

§ 470.103 Definitions.

Except as otherwise provided in this part, terms defined in 23 U.S.C. 101(a) are used in this part as so defined.

Consultation means that one party confers with another identified party and, prior to taking action(s), considers that party's views.

Cooperation means that the parties involved in carrying out the planning, programming and management systems processes work together to achieve a common goal or objective.

Coordination means the comparison of the transportation plans, programs, and schedules of one agency with related plans, programs, and schedules of other agencies or entities with legal standing, and adjustment of plans, programs, and schedules to achieve general consistency.

Federal-aid highway systems means the National Highway System and the Dwight D. Eisenhower National System of Interstate and Defense Highways (the ''Interstate System'').

Federal-aid highways means highways on the Federal-aid highway systems and all other public roads not classified as local roads or rural minor collectors

Governor means the chief executive of the State and includes the Mayor of the District of Columbia.

Metropolitan planning organization (MPO) means the forum for cooperative transportation decisionmaking for the metropolitan planning area in which the metropolitan transportation planning process required by 23 U.S.C. 134 and 49 U.S.C. 5303–5305 must be carried out.

Responsible local officials means-

(1) In urbanized areas, principal elected officials of general purpose local governments acting through the Metropolitan Planning Organization designated by the Governor, or

(2) In rural areas and urban areas not within any urbanized area, principal elected officials of general purpose local governments.

State means any one of the fifty States, the District of Columbia, Puerto Rico, or, for purposes of functional classification of highways, the Virgin Islands, American Samoa, Guam, or the Commonwealth of the Northern Marianas.

§470.105 Urban area boundaries and highway functional classification.

(a) *Urban area boundaries*. Routes on the Federal-aid highway systems may be designated in both rural and urban areas. Guidance for determining the boundaries of urbanized and nonurbanized urban areas is provided in the "Federal-Aid Policy Guide," Chapter 4 [G 4063.0], dated December 9, 1991.

(b) Highway Functional Classification.

(1) The State transportation agency shall have the primary responsibility for developing and updating a state-wide highway functional classification in rural and urban areas to determine functional usage of the existing roads and streets. Guidance criteria and procedures are provided in the FHWA publication "Highway Functional Classification—Concepts, Criteria and Procedures." The State shall cooperate with responsible local officials, or appropriate Federal agency in the case of areas under Federal jurisdiction, in developing and updating the functional classification.

(2) The results of the functional classification shall be mapped and submitted to the Federal Highway Administration (FHWA) for approval and when approved shall serve as the official record for Federal-aid highways and the basis for designation of the National Highway System.

§ 470.107 Federal-aid highway systems.

(a) Interstate System. (1) The Dwight D. Eisenhower National System of Interstate and Defense Highways (Interstate System) shall consist of routes of highest importance to the Nation, built to the uniform geometric and construction standards of 23 U.S.C. 109(h), which connect, as directly as practicable, the principal metropolitan areas, cities, and industrial centers, including important routes through, and around urban areas, serve the national defense and, to the greatest extent possible, connect at suitable

¹The "Federal-aid Policy Guide" is available for inspection and copying as prescribed in 49 CFR part 7, Appendix D.

²This publication, revised in March 1989, is available on request to the FHWA, Office of Environment and Planning, HEP-10, 400 Seventh Street, SW., Washington, DC 20590.

border points with routes of continental importance in Canada and Mexico.

- (2) The portion of the Interstate System designated under 23 U.S.C. 103 (e)(1), (e)(2), and (e)(3) shall not exceed 69,230 kilometers (43,000 miles). Additional Interstate System segments are permitted under the provisions of 23 U.S.C. 139 (a) and (c) and section 1105(e)(5)(A) of the Intermodal Surface Transportation Efficiency Act of 1991 (ISTEA), Pub. L. 102-240, 105 Stat. 1914, as amended.
- (b) National Highway System. (1) The National Highway System shall consist of interconnected urban and rural principal arterials and highways (including toll facilities) which serve major population centers, international border crossings, ports, airports, public transportation facilities, other intermodal transportation facilities and other major travel destinations; meet national defense requirements; and serve interstate and interregional travel. All routes on the Interstate System are a part of the National Highway System.
- (2) The National Highway System shall not exceed 286,983 kilometers (178,250 miles).
- (3) The National Highway System shall include the Strategic Highway Corridor Network (STRAHNET) and its highway connectors to major military installations, as designated by the Administrator in consultation with appropriate Federal agencies and the States. The STRAHNET includes highways which are important to the United States strategic defense policy and which provide defense access, continuity, and emergency capabilities for the movement of personnel, materials, and equipment in both peace time and war time.
- (4) The National Highway System shall include all high priority corridors identified in section 1105(c) of the ISTEA.

§ 470.109 System procedures—General.

(a) The State transportation agency, in consultation with responsible local officials, shall have the responsibility for proposing to the Federal Highway Administration all official actions regarding the designation, or revision, of the Federal-aid highway systems.

- (b) The routes of the Federal-aid highway systems shall be proposed by coordinated action of the State transportation agencies where the routes involve State-line connections.
- (c) The designation of routes on the Federal-aid highway systems shall be in accordance with the planning process required, pursuant to the provisions at 23 U.S.C. 135, and, in urbanized areas, the provisions at 23 U.S.C. 134(a). The State shall cooperate with local and regional officials. In urbanized areas, the local officials shall act through the metropolitan planning organizations designated for such areas under 23 U.S.C. 134.
- (d) In areas under Federal jurisdiction, the designation of routes on the Federal-aid highway systems shall be coordinated with the appropriate Federal agency.

§ 470.111 Interstate System procedures.

- (a) Proposals for system actions on the Interstate System shall include a route description and a statement of justification. Proposals shall also include statements regarding coordination with adjoining States on Stateline connections, with responsible local officials, and with officials of areas under Federal jurisdiction.
- (b) Proposals for Interstate or future Interstate designation under 23 U.S.C. 139(a) or (b), as logical additions or connections, shall consider the criteria contained in appendix A of this subpart. For designation as a part of the Interstate system, 23 U.S.C. 139(a) requires that a highway meet all the standards of a highway on the Interstate System, be a logical addition or connection to the Interstate System, and have the affirmative recommendation of the State or States involved. For designation as a future part of the Interstate System, 23 U.S.C. 139(b) requires that a highway be a logical addition or connection to the Interstate System, have the affirmative recommendation of the State or States involved, and have the written agreement of the State or States involved that such highway will be constructed to meet all the standards of a highway on the Interstate System within twelve

§470.113

years of the date of the agreement between the FHWA Administrator and the State or States involved. Such highways must also be on the National Highway System.

- (c) Proposals for Interstate designation under 23 U.S.C. 139(c) shall pertain only to Alaska or Puerto Rico. For designation as parts of the Interstate System, 23 U.S.C. 139(c) requires that highway segments be in States which have no Interstate System; be logical components to a system serving the State's principal cities, national defense needs and military installations, and traffic generated by rail, water, and air transportation modes; and have been constructed to the geometric and construction standards adequate for current and probable future traffic demands and the needs of the locality of the segment. Such highways must also be on the National Highway System.
- (d) Routes proposed for Interstate designation under section 332(a)(2) of the NHS Designation Act of 1995 (NHS Act) shall be constructed to Interstate standards and connect to the Interstate System. Proposals shall consider the criteria contained in appendix B of this subpart.
- (e) Proposals for Interstate route numbering shall be submitted by the State transportation agency to the Route Numbering Committee of the American Association of State Highway and Transportation Officials.
- (f) Signing of corridors federally designated as future Interstate routes can follow the criteria contained in appendix C of this subpart. No law, rule, regulation, map, document, or other record of the United States, or of any State or political subdivision thereof, shall refer to any highway under 23 U.S.C. 139, nor shall any such highway be signed or marked, as a highway on the Interstate System until such time as such highway is constructed to the geometric and construction standards for the Interstate System and has been designated as a part of the Interstate System.

§ 470.113 National Highway System procedures.

(a) Proposals for system actions on the National Highway System shall include a route description, a statement of justification, and statements of coordination with adjoining States on State-line connections, with responsible local officials, and with officials of areas under Federal jurisdiction.

(b) Proposed modifications to the National Highway System shall enhance the national transportation characteristics of the National Highway System and shall follow the criteria listed in §470.107. Proposals shall also consider the criteria contained in appendix D of this subpart.

§ 470.115 Approval authority.

- (a) The Federal Highway Administrator will approve Federal-aid highway system actions involving the designation, or revision, of routes on the Interstate System, including route numbers, future Interstate routes, and routes on the National Highway System.
- (b) The Federal Highway Administrator will approve functional classification actions.

APPENDIX A TO SUBPART A OF PART 470—GUIDANCE CRITERIA FOR EVALUATING REQUESTS FOR INTERSTATE SYSTEM DESIGNATIONS UNDER 23 U.S.C. 139 (a) AND (b)

Section 139 (a) and (b), of title 23, U.S.C., permits States to request the designation of National Highway System routes as parts or future parts of the Interstate System. The FHWA Administrator may approve such a request if the route is a logical addition or connection to the Interstate System and has been, or will be, constructed to meet Interstate standards. The following are the general criteria to be used to evaluate 23 U.S.C. 139 requests for Interstate System designations.

- 1. The proposed route should be of sufficient length to serve long-distance Interstate travel, such as connecting routes between principal metropolitan cities or industrial centers important to national defense and economic development.
- 2. The proposed route should not duplicate other Interstate routes. It should serve Interstate traffic movement not provided by another Interstate route.
- 3. The proposed route should directly serve major highway traffic generators. The term "major highway traffic generator" means either an urbanized area with a population over 100,000 or a similar major concentrated land use activity that produces and attracts long-distance Interstate and statewide travel of persons and goods. Typical examples of

Federal Highway Administration, DOT

similar major concentrated land use activities would include a principal industrial complex, government center, military installation, or transportation terminal.

- 4. The proposed route should connect to the Interstate System at each end, with the exception of Interstate routes that connect with continental routes at an international border, or terminate in a "major highway traffic generator" that is not served by another Interstate route. In the latter case, the terminus of the Interstate route should connect to routes of the National Highway System that will adequately handle the traffic. The proposed route also must be functionally classified as a principal arterial and be a part of the National Highway System system.
- 5. The proposed route must meet all the current geometric and safety standards criteria as set forth in 23 CFR part 625 for highways on the Interstate System, or a formal agreement to construct the route to such standards within 12 years must be executed between the State(s) and the Federal Highway Administration. Any proposed exceptions to the standards shall be approved at the time of designation.
- 6. A route being proposed for designation under 23 U.S.C. 139(b) must have an approved final environmental document (including, if required, a 49 U.S.C. 303(c) [Section 4(f)] approval) covering the route and project action must be ready to proceed with design at the time of designation. Routes constructed to Interstate standards are not necessarily logical additions to the Interstate System unless they clearly meet all of the above criteria.

APPENDIX B TO SUBPART A OF PART 470—DESIGNATION OF SEGMENTS OF SECTION 332(a)(2) CORRIDORS AS PARTS OF THE INTERSTATE SYSTEM

The following guidance is comparable to current procedures for Interstate System designation requests under 23 U.S.C. 139(a). All Interstate System additions must be approved by the Federal Highway Administrator. The provisions of section 332(a)(2) of the NHS Act have also been incorporated into the ISTEA as section 1105(e)(5)(A).

- 1. The request must be submitted through the appropriate FHWA Division and Regional Offices to the Associate Administrator for Program Development (HEP-10). Comments and recommendations by the division and regional offices are requested.
- 2. The State DOT secretary (or equivalent) must request that the route segment be added to the Interstate System. The exact location and termini must be specified. If the route segment involves more than one State, each affected State must submit a separate request.

- 3. The request must provide information to support findings that the segment (a) is built to Interstate design standards and (b) connects to the existing Interstate System. The segment should be of sufficient length to provide substantial service to the travelling public.
- 4. The request must also identify and justify any design exceptions for which approval is requested.
- 5. Proposed Interstate route numbering for the segment must be submitted to FHWA and the American Association of State Highway and Transportation Officials Route Numbering

APPENDIX C TO SUBPART A OF PART 470—POLICY FOR THE SIGNING AND NUMBERING OF FUTURE INTERSTATE CORRIDORS DESIGNATED BY SECTION 332 OF THE NHS DESIGNATION ACT OF 1995 OR DESIGNATED UNDER 23 U.S.C. 139(b)

POLICY

State transportation agencies are permitted to erect informational Interstate signs along a federally designated future Interstate corridor only after the specific route location has been established for the route to be constructed to Interstate design standards.

CONDITIONS

- 1. The corridor must have been designated a future part of the Interstate System under section 332(a)(2) of the NHS Designation Act of 1995 or 23 U.S.C. 139(b).
- 2. The specific route location to appropriate termini must have received Federal Highway (FHWA) environmental clearance. Where FHWA environmental clearance is not required or Interstate standards have been met, the route location must have been publicly announced by the State.
- 3. Numbering of future Interstate route segments must be coordinated with affected States and be approved by the American Association of State Highway and Transportation Officials and the FHWA at Headquarters. Short portions of a multistate corridor may require use of an interim 3-digit number.
- 4. The State shall coordinate the location and content of signing near the State line with the adjacent State.
- 5. Signing and other identification of a future Interstate route segment must not indicate, nor imply, that the route is on the Interstate System.
- 6. The FHWA Regional Office must confirm in advance that the above conditions have been met and approve the general locations of signs.

23 CFR Ch. I (4-1-05 Edition)

SIGN DETAILS

- 1. Signs may not be used to give directions and should be away from directional signs, particularly at interchanges.
- 2. An Interstate shield may be located on a green informational sign of a few words. For example: Future Interstate Corridor or Future I-00 Corridor.
- 3. The Interstate shield may not include the word ''Interstate.''
- 4. The FHWA Division Office must approve the signs as to design, wording, and detailed location

APPENDIX D TO SUBPART A OF PART 470—GUIDANCE CRITERIA FOR EVALU-ATING REQUESTS FOR MODIFICATIONS TO THE NATIONAL HIGHWAY SYSTEM

Section 103(b), of title 23, U.S.C., allows the States to propose modifications to the National Highway System (NHS) and authorizes the Secretary to approve such modifications provided that they meet the criteria established for the NHS and enhance the characteristics of the NHS. In proposing modifications under 23 U.S.C. 103(b), the States must cooperate with local and regional officials. In urbanized areas, the local officials must act through the metropolitan planning organization (MPO) designated for such areas under 23 U.S.C. 134. The following guidance criteria should be used by the States to develop proposed modifications to the NHS.

- 1. Proposed additions to the NHS should be included in either an adopted State or metropolitan transportation plan or program.
- 2. Proposed additions should connect at each end with other routes on the NHS or serve a major traffic generator.
- 3. Proposals should be developed in consultation with local and regional officials.
- 4. Proposals to add routes to the NHS should include information on the type of traffic served (*i.e.*, percent of trucks, average trip length, local, commuter, interregional, interstate) by the route, the population centers or major traffic generators served by the route, and how this service compares with existing NHS routes.
- 5. Proposals should include information on existing and anticipated needs and any planned improvements to the route.
- 6. Proposals should include information concerning the possible effects of adding or deleting a route to or from the NHS might have on other existing NHS routes that are in close proximity.
- 7. Proposals to add routes to the NHS should include an assessment of whether modifications (adjustments or deletions) to existing NHS routes, which provide similar service, may be appropriate.

- 8. Proposed modifications that might affect adjoining States should be developed in cooperation with those States.
- 9. Proposed modifications consisting of connections to major intermodal facilities should be developed using the criteria set forth below. These criteria were used for identifying initial NHS connections to major intermodal terminals. The primary criteria are based on annual passenger volumes, annual freight volumes, or daily vehicular traffic on one or more principal routes that serve the intermodal facility. The secondary criteria include factors which underscore the importance of an intermodal facility within a specific State.

PRIMARY CRITERIA

Commercial Aviation Airports

- 2. Cargo—100 trucks per day in each direction on the principal connecting route, or 100,000 tons per year arriving or departing by highway mode.

Ports

- 1. Terminals that handle more than 50,000 TEUs (a volumetric measure of containerized cargo which stands for twenty-foot equivalent units) per year, or other units measured that would convert to more than 100 trucks per day in each direction. (Trucks are defined as large single-unit trucks or combination vehicles handling freight.)
- 2. Bulk commodity terminals that handle more than 500,000 tons per year by highway or 100 trucks per day in each direction on the principal connecting route. (If no individual terminal handles this amount of freight, but a cluster of terminals in close proximity to each other does, then the cluster of terminals could be considered in meeting the criteria. In such cases, the connecting route might terminate at a point where the traffic to several terminals begins to separate.)
- 3. Passengers—terminals that handle more than 250,000 passengers per year or 1,000 passengers per day for at least 90 days during the year.

Truck/Rail

1. 50,000 TEUs per year, or 100 trucks per day, in each direction on the principal connecting route, or other units measured that would convert to more than 100 trucks per day in each direction. (Trucks are defined as large single-unit trucks or combination vehicles carrying freight.)

Pipelines

1. 100 trucks per day in each direction on the principal connecting route.

Federal Highway Administration, DOT

Amtrak

1. 100,000 passengers per year (entrainments and detrainments). Joint Amtrak, intercity bus and public transit terminals should be considered based on the combined passenger volumes. Likewise, two or more separate facilities in close proximity should be considered based on combined passenger volumes.

Intercity Bus

1. 100,000 passengers per year (boardings and deboardings).

Public Transit

1. Stations with park and ride lots with more than 500 vehicle parking spaces, or 5,000 daily bus or rail passengers, with significant highway access (i.e., a high percentage of the passengers arrive by cars and buses using a route that connects to another NHS route), or a major hub terminal that provides for the transfer of passengers among several bus routes. (These hubs should have a significant number of buses using a principal route connecting with the NHS.)

Ferries

1. Interstate/international—1,000 passengers per day for at least 90 days during the year. (A ferry which connects two terminals within the same metropolitan area should be considered as local, not interstate.)

Pt. 470, Subpt. A, App. D

2. Local—see public transit criteria above.

SECONDARY CRITERIA

Any of the following criteria could be used to justify an NHS connection to an intermodal terminal where there is a significant highway interface:

- 1. Intermodal terminals that handle more than 20 percent of passenger or freight volumes by mode within a State:
- 2. Intermodal terminals identified either in the Intermodal Management System or the State and metropolitan transportation plans as a major facility;
- 3. Significant investment in, or expansion of, an intermodal terminal; or
- 4. Connecting routes targeted by the State, MPO, or others for investment to address an existing, or anticipated, deficiency as a result of increased traffic.

PROXIMATE CONNECTIONS

Intermodal terminals, identified under the secondary criteria noted above, may not have sufficient highway traffic volumes to justify an NHS connection to the terminal. States and MPOs should fully consider whether a direct connection should be identified for such terminals, or whether being in the proximity (2 to 3 miles) of an NHS route is sufficient.

Subparts B-C [Reserved]

SUBCHAPTER F—TRANSPORTATION INFRASTRUCTURE MANAGEMENT

PART 500—MANAGEMENT AND MONITORING SYSTEMS

Subpart A—Management systems

Sec.	
500.101	Purpose.
500.102	Policy.
500.103	Definitions.
500.104	State option.
500.105	Requirements.
500.106	PMS.
500.107	BMS.
500.108	SMS.
500.109	CMS.
500.110	PTMS.
500.111	IMS.

Subpart B—Traffic Monitoring System

Sec.	_
	Purpose.
500.202	TMS definitions.
500.203	TMS general requirements.
500.204	TMS components for highway traffic
data.	

AUTHORITY: 23 U.S.C. 134, 135, 303 and 315; 49 U.S.C. 5303-5305; 23 CFR 1.32; and 49 CFR 1.48 and 1.51.

SOURCE: 61 FR 67170, Dec. 19, 1996, unless otherwise noted.

Subpart A—Management Systems

§ 500.101 Purpose.

The purpose of this part is to implement the requirements of 23 U.S.C. 303(a) which directs the Secretary of Transportation (the Secretary) to issue regulations for State development, establishment, and implementation of systems for managing highway pavement of Federal-aid highways (PMS), bridges on and off Federal-aid highways (BMS), highway safety (SMS), traffic congestion (CMS), public transportation facilities and equipment (PTMS), and intermodal transportation facilities and systems (IMS). This regulation also implements 23 U.S.C. 303(b) which directs the Secretary to issue guidelines and requirements for State development, establishment, and implementation of a traffic monitoring system for highways and public transportation facilities and equipment (TMS).

§ 500.102 Policy.

- (a) Federal, State, and local governments are under increasing pressure to balance their budgets and, at the same time, respond to public demands for quality services. Along with the need to invest in America's future, this leaves transportation agencies with the task of trying to manage current transportation systems as cost-effectively as possible to meet evolving, as well as backlog needs. The use of existing or new transportation management systems provides a framework for costeffective decision making that emphasizes enhanced service at reduced public and private life-cycle cost. The primary outcome of transportation management systems is improved system performance and safety. The Federal Highway Administration (FHWA) and the Federal Transit Administration (FTA) strongly encourage implementation of transportation management systems consistent with State, metropolitan planning organization, transit operator, or local government needs.
- (b) Whether the systems are developed under the provisions of this part or under a State's own procedures, the following categories of FHWA administered funds may be used for development, establishment, and implementation of any of the management systems and the traffic monitoring system: National highway system; surface transportation program; State planning and research and metropolitan planning funds (including the optional use of minimum allocation funds authorized under 23 U.S.C. 157(c) and restoration funds authorized under §202(f) of the National Highway System Designation Act of 1995 (Pub.L. 104-59) for carrying out the provisions of 23 U.S.C. 307(c)(1) and 23 U.S.C. 134(a)); congestion mitigation and air quality improvement program funds for those management systems that can be shown to contribute to the attainment of a national ambient air quality standard; and apportioned bridge funds for development

and establishment of the bridge management system. The following categories of FTA administered funds may be used for development, establishment, and implementation of the CMS, PTMS, IMS, and TMS: Metropolitan planning; State planning and research, and formula transit funds.

§ 500.103 Definitions.

Unless otherwise specified in this part, the definitions in 23 U.S.C. 101(a) are applicable to this part. As used in this part:

Federal-aid highways means those highways eligible for assistance under title 23, U.S.C., except those functionally classified as local or rural minor collectors.

Metropolitan planning organization (MPO) means the forum for cooperative transportation decision making for a metropolitan planning area.

National Highway System (NHS) means the system of highways designated and approved in accordance with the provisions of 23 U.S.C. 103(b).

State means any one of the fifty States, the District of Columbia, or Puerto Rico.

Transportation management area (TMA) means an urbanized area with a population over 200,000 (as determined by the latest decennial census) or other area when TMA designation is requested by the Governor and the MPO (or affected local officials), and officially designated by the Administrators of the FHWA and the FTA. The TMA designation applies to the entire metropolitan planning area(s).

§ 500.104 State option.

Except as specified in §500.105 (a) and (b), a State may elect at any time not to implement any one or more of the management systems required under 23 U.S.C. 303, in whole or in part.

§ 500.105 Requirements.

- (a) The metropolitan transportation planning process (23 U.S.C. 134 and 49 U.S.C. 5303-5005) in TMAs shall include a CMS that meets the requirements of \$500.109 of this regulation.
- (b) States shall develop, establish, and implement a TMS that meets the requirements of subpart B of this regulation.

- (c) Any of the management systems that the State chooses to implement under 23 U.S.C. 303 and this regulation shall be developed in cooperation with MPOs in metropolitan areas, affected agencies receiving assistance under the Federal Transit Act (49 U.S.C., Chapter 53), and other agencies (including private owners and operators) that have responsibility for operation of the affected transportation systems or facilities.
- (d) The results (e.g., policies, programs, projects, etc.) of any of the management systems that a State chooses to develop under 23 U.S.C. 303 and this regulation shall be considered in the development of metropolitan and statewide transportation plans and improvement programs and in making project selection decisions under title 23, U.S.C., and under the Federal Transit Act. Plans and programs adopted after September 30, 1997, shall demonstrate compliance with this requirement

§ 500.106 PMS.

An effective PMS for Federal-aid highways is a systematic process that provides information for use in implementing cost-effective pavement reconstruction, rehabilitation, and preventative maintenance programs and that results in pavements designed to accommodate current and forecasted traffic in a safe, durable, and cost-effective manner. The PMS should be based on the "AASHTO Guidelines for Pavement Management Systems." 1

§ 500.107 BMS.

An effective BMS for bridges on and off Federal-aid highways that should be based on the "AASHTO Guidelines for Bridge Management Systems" ² and

¹ AASHTO Guidelines for Pavement Management Systems, July 1990, can be purchased from the American Association of State Highway and Transportation Officials, 444 N. Capitol Street, NW., Suite 249, Washington, D.C. 20001. Available for inspection as prescribed in 49 CFR part 7, appendix D.

² AASHTO Guidelines for Bridge Management Systems, 1992, can be purchased from the American Association of State Highway and Transportation Officials, 444 N. Capitol Street, NW., Suite 249, Washington, D.C.

§500.108

that supplies analyses and summaries of data, uses mathematical models to make forecasts and recommendations, and provides the means by which alternative policies and programs may be efficiently considered. An effective BMS should include, as a minimum, formal procedures for:

- (a) Collecting, processing, and updating data;
 - (b) Predicting deterioration;
 - (c) Identifying alternative actions;
 - (d) Predicting costs;
 - (e) Determining optimal policies;
- (f) Performing short- and long-term budget forecasting; and
- (g) Recommending programs and schedules for implementation within policy and budget constraints.

§ 500.108 SMS.

An SMS is a systematic process with the goal of reducing the number and severity of traffic crashes by ensuring that all opportunities to improve highway safety are identified, considered, implemented as appropriate, and evaluated in all phases of highway planning, design, construction, maintenance, and operation and by providing information for selecting and implementing effective highway safety strategies and projects. The development of the SMS may be based on the guidance in "Safety Management Systems: Good Practices for Development and Implementation."3 An effective SMS should include, at a minimum:

- (a) Communication, coordination, and cooperation among the organizations responsible for the roadway, human, and vehicle safety elements;
- (b) A focal point for coordination of the development, establishment, and implementation of the SMS among the agencies responsible for these major safety elements;
- (c) Establishment of short- and longterm highway safety goals to address identified safety problems;
- (d) Collection, analysis, and linkage of highway safety data;

- (e) Identification of the safety responsibilities of units and positions;
- (f) Public information and education activities; and
- (g) Identification of skills, resources, and training needs to implement highway safety programs.

§ 500.109 CMS.

- (a) For purposes of this regulation, congestion means the level at which transportation system performance is no longer acceptable due to traffic interference. The level of system performance deemed acceptable by State and local officials may vary by type of transportation facility, geographic location (metropolitan area or subarea, rural area), and/or time of day. An effective CMS is a systematic process for managing congestion that provides information on transportation system performance and on alternative strategies for alleviating congestion and enhancing the mobility of persons and goods to levels that meet State and local needs. The CMS results in serious consideration of implementation of strategies that provide the most efficient and effective use of existing and future transportation facilities. In both metropolitan and non-metropolitan areas, consideration needs to be given to strategies that reduce SOV travel and improve existing transportation system efficiency. Where the addition of general purpose lanes is determined to be an appropriate strategy, explicit consideration is to be given to the incorporation of appropriate features into the SOV project to facilitate future demand management and operational improvement strategies that will maintain the functional integrity of those lanes.
- (b) In addition to the criteria in paragraph (a) of this section, in all TMAs, the CMS shall be developed, established and implemented as part of the metropolitan planning process in accordance with 23 CFR 450.320(c) and shall include:
- (1) Methods to monitor and evaluate the performance of the multimodal transportation system, identify the causes of congestion, identify and evaluate alternative actions, provide

20001. Available for inspection as prescribed in 49 CFR part 7, appendix D.

³ Safety Management Systems: Good Practices for Development and Implementation, FHWA and NHTSA, May 1996. Available for inspection and copying as prescribed in 49 CFR part 7, appendix D. information supporting the implementation of actions, and evaluate the efficiency and effectiveness of implemented actions;

- (2) Definition of parameters for measuring the extent of congestion and for supporting the evaluation of the effectiveness of congestion reduction and mobility enhancement strategies for the movement of people and goods. Since levels of acceptable system performance may vary among local communities, performance measures and service thresholds should be tailored to the specific needs of the area and established cooperatively by the State, affected MPO(s), and local officials in consultation with the operators of major modes of transportation in the coverage area:
- (3) Establishment of a program for data collection and system performance monitoring to define the extent and duration of congestion, to help determine the causes of congestion, and to evaluate the efficiency and effectiveness of implemented actions. To the extent possible, existing data sources should be used, as well as appropriate application of the real-time system performance monitoring capabilities available through Intelligent Transportation Systems (ITS) technologies;
- (4) Identification and evaluation of the anticipated performance and expected benefits of appropriate traditional and nontraditional congestion management strategies that will contribute to the more efficient use of existing and future transportation systems based on the established performance measures. The following categories of strategies, or combinations of strategies, should be appropriately considered for each area: Transportation demand management measures, including growth management and congestion pricing; traffic operational improvements; public transportation improvements; ITS technologies; and, where necessary, additional system ca-
- (5) Identification of an implementation schedule, implementation responsibilities, and possible funding sources for each strategy (or combination of strategies) proposed for implementation; and

- (6) Implementation of a process for periodic assessment of the efficiency and effectiveness of implemented strategies, in terms of the area's established performance measures. The results of this evaluation shall be provided to decision makers to provide guidance on selection of effective strategies for future implementation.
- (c) In a TMA designated as nonattainment for carbon monoxide and/or ozone, the CMS shall provide an appropriate analysis of all reasonable (including multimodal) travel demand reduction and operational management strategies for the corridor in which a project that will result in a significant increase in capacity for SOVs (adding general purpose lanes to an existing highway or constructing a new highway) is proposed. If the analysis demonstrates that travel demand reduction and operational management strategies cannot fully satisfy the need for additional capacity in the corridor and additional SOV capacity is warranted, then the CMS shall identify all reasonable strategies to manage the SOV facility effectively (or to facilitate its management in the future). Other travel demand reduction and operational management strategies appropriate for the corridor, but not appropriate for incorporation into the SOV facility itself shall also be identified through the CMS. All identified reasonable travel demand reduction and operational management strategies shall be incorporated into the SOV project or committed to by the State and MPO for implementation.
- (d) (1) Compliance with the requirement that the planning process in all TMAs include a CMS will be addressed during metropolitan planning process certification reviews for all TMAs specified in 23 CFR 450.334. If the metropolitan planning process in a TMA does not include a CMS that meets the requirements of this section, deficiencies will be noted and corrections will need to be made in accordance with the schedule established in the certification review.
- (2) Until October 1, 1997, the interim CMS procedures in 23 CFR 450.336(b) may be used to meet the requirement in 23 U.S.C. 134(l) that Federal funds may not be programmed in a carbon

§500.110

monoxide and/or ozone nonattainment TMA for any highway project that will result in a significant increase in single-occupant-vehicle capacity unless the project is based on an approved CMS. After September 30, 1997, such projects must be based on a CMS that meets the requirements of this part.

§ 500.110 PTMS.

An effective PTMS for public transportation facilities (e.g., maintenance facilities, stations, terminals, transit related structures), equipment, and rolling stock is a systematic process that collects and analyzes information on the condition and cost of transit assets on a continual basis, identifies needs, and enables decision makers to select cost-effective strategies for providing and maintaining transit assets in serviceable condition. The PTMS should cover public transportation systems operated by the State, local jurisdictions, public transportation agencies and authorities, and private (for profit and non-profit) transit operators receiving funds under the Federal Transit Act and include, at a minimum:

- (a) Development of transit asset condition measures and standards;
- (b) An inventory of the transit assets including age, condition, remaining useful life, and replacement cost; and
- (c) Identification, evaluation, and implementation of appropriate strategies and projects.

§ 500.111 IMS.

An effective IMS for intermodal facilities and systems provides efficient, safe, and convenient movement of people and goods through integration of transportation facilities and systems and improvement in the coordination in planning, and implementation of air, water, and the various land-based transportation facilities and systems. An IMS should include, at a minimum:

- (a) Establishment of performance measures;
- (b) Identification of key linkages between one or more modes of transportation, where the performance or use of one mode will affect another;
- (c) Definition of strategies for improving the effectiveness of these modal interactions; and

(d) Evaluation and implementation of these strategies to enhance the overall performance of the transportation system.

Subpart B—Traffic Monitoring System

§ 500.201 Purpose.

The purpose of this subpart is to set forth requirements for development, establishment, implementation, and continued operation of a traffic monitoring system for highways and public transportation facilities and equipment (TMS) in each State in accordance with the provisions of 23 U.S.C. 303 and subpart A of this part.

§ 500.202 TMS definitions.

Unless otherwise specified in this part, the definitions in 23 U.S.C. 101(a) and §500.103 are applicable to this subpart. As used in this part:

Highway traffic data means data used to develop estimates of the amount of person or vehicular travel, vehicle usage, or vehicle characteristics associated with a system of highways or with a particular location on a highway. These types of data support the estimation of the number of vehicles traversing a section of highway or system of highways during a prescribed time period (traffic volume), the portion of such vehicles that may be of a particular type (vehicle classification), the weights of such vehicles including the weight of each axle and associated distances between axles on a vehicle (vehicle weight), or the average number of persons being transported in a vehicle (vehicle occupancy).

Traffic monitoring system means a systematic process for the collection, analysis, summary, and retention of highway and transit related person and vehicular traffic data.

Transit traffic data means person and vehicular data for public transportation on public highways and streets and the number of vehicles and ridership for dedicated transit rights-of-way (e.g., rail and busways), at the maximum load points for the peak period in the peak direction and for the daily time period.

§ 500.203 TMS general requirements.

- (a) Each State shall develop, establish, and implement, on a continuing basis, a TMS to be used for obtaining highway traffic data when:
- (1) The data are supplied to the U.S. Department of Transportation (U.S. DOT):
- (2) The data are used in support of transportation management systems;
- (3) The data are used in support of studies or systems which are the responsibility of the U.S. DOT;
- (4) The collection of the data is supported by the use of Federal funds provided from programs of the U.S. DOT;
- (5) The data are used in the apportionment or allocation of Federal funds by the U.S. DOT;
- (6) The data are used in the design or construction of an FHWA funded project; or
- (7) The data are required as part of a federally mandated program of the U.S. DOT.
- (b) The TMS for highway traffic data should be based on the concepts described in the American Association of State Highway and Transportation Officials (AASHTO) "AASHTO Guidelines for Traffic Data Programs" and the FHWA "Traffic Monitoring Guide (TMG)," and shall be consistent with the FHWA "Highway Performance Monitoring System Field Manual." 6
- Monitoring System Field Manual.''6
 (c) The TMS shall cover all public roads except those functionally classified as local or rural minor collector or those that are federally owned. Coverage of federally owned public roads shall be determined cooperatively by

the State, the FHWA, and the agencies that own the roads.

- (d) The State's TMS shall apply to the activities of local governments and other public or private non-State government entities collecting highway traffic data within the State if the collected data are to be used for any of the purposes enumerated in §500.203(a) of this subpart.
- (e) Procedures other than those referenced in this subpart may be used if the alternative procedures are documented by the State to furnish the precision levels as defined for the various purposes enumerated in §500.203(a) of this subpart and are found acceptable by the FHWA.
- (f) Nothing in this subpart shall prohibit the collection of additional highway traffic data if such data are needed in the administration or management of a highway activity or are needed in the design of a highway project.
- (g) Transit traffic data shall be collected in cooperation with MPOs and transit operators.
- (h) The TMS for highways and public transportation facilities and equipment shall be fully operational and in use by October 1, 1997.

§ 500.204 TMS components for highway traffic data.

- (a) General. Each State's TMS, including those using alternative procedures, shall address the components in paragraphs (b) through (h) of this section.
- (b) Precision of reported data. Traffic data supplied for the purposes identified in §500.203(a) of this subpart shall be to the statistical precision applicable at the time of the data's collection as specified by the data users at various levels of government. A State's TMS shall meet the statistical precisions established by FHWA for the HPMS.
- (c) Continuous counter operations. Within each State, there shall be sufficient continuous counters of traffic volumes, vehicle classification, and vehicle weight to provide estimates of changes in highway travel patterns and to provide for the development of day-of-week, seasonal, axle correction, growth factors, or other comparable factors approved by the FHWA that

⁵Traffic Monitoring Guide, DOT/FHWA, publication No. FHWA-PL-95-031, February 1995. Available for inspection and copying as prescribed in 49 CFR part 7, appendix D.

⁶Highway Performance Monitoring System (HPMS) Field Manual for the Continuing Analytical and Statistical Data Base, DOT/FHWA, August 30, 1993 (FHWA Order M5600.1B). Available for inspection and copying as prescribed in 49 CFR part 7, appendix D

⁴AASHTO Guidelines for Traffic Data Programs, 1992, ISBN 1-56051-054-4, can be purchased from the American Association of State Highway and Transportation Officials, 444 N. Capitol Street, NW., Suite 249, Washington, D.C. 20001. Available for inspection as prescribed in 49 CFR part 7, appendix D.

§ 500.204

support the development of traffic estimates to meet the statistical precision requirements of the data uses identified in §500.203(a) of this subpart. As appropriate, sufficient continuous counts of vehicle classification and vehicle weight should be available to address traffic data program needs.

- (d) Short term traffic monitoring. (1) Count data for traffic volumes collected in the field shall be adjusted to reflect annual average conditions. The estimation of annual average daily traffic will be through the appropriate application of only the following: Seasonal factors, day-of-week factors, and, when necessary, axle correction and growth factors or other comparable factors approved by the FHWA. Count data that have not been adjusted to represent annual average conditions will be noted as being unadjusted when they are reported. The duration and frequency of such monitoring shall comply to the data needs identified in §500.203(a) of this subpart.
- (2) Vehicle classification activities on the National Highway System (NHS), shall be sufficient to assure that, on a cycle of no greater than three years, every major system segment (i.e., segments between interchanges or intersections of principal arterials of the NHS with other principal arterials of the NHS) will be monitored to provide information on the numbers of single-trailer combination trucks, multiple-trailer combination trucks, two-axle four-tire vehicles, buses and the total number of vehicles operating on an average day. If it is determined that two or more continuous major system segments have both similar traffic volumes and distributions of the vehicle types identified above, a single monitoring session will be sufficient to monitor these segments.
- (e) Vehicle occupancy monitoring. As deemed appropriate to support the data uses identified in §500.203(a) of this subpart, data will be collected on the average number of persons per automobile, light two-axle truck, and bus. The duration, geographic extent, and level of detail shall be consistent with the intended use of the data, as cooperatively agreed to by the organizations that will use the data and the organizations that will collect the data. Such vehicle

occupancy data shall be reviewed at least every three years and updated as necessary. Acceptable data collection methods include roadside monitoring, traveler surveys, the use of administrative records (e.g., accident reports or reports developed in support of public transportation programs), or any other method mutually acceptable to the responsible organizations and the FHWA.

- (f) Field operations. (1) Each State's TMS for highway traffic data shall include the testing of equipment used in the collection of the data. This testing shall be based on documented procedures developed by the State. This documentation will describe the test procedure as well as the frequency of testing. Standards of the American Society for Testing and Materials or guidance from the AASHTO may be used. Only equipment passing the test procedures will be used for the collection of data for the purposes identified in §500.203(a) of this subpart.
- (2) Documentation of field operations shall include the number of counts, the period of monitoring, the cycle of monitoring, and the spatial and temporal distribution of count sites. Copies of the State's documentation shall be provided to the FHWA Division Administrator when it is initially developed and after each revision.
- (g) Source data retention. For estimates of traffic or travel, the value or values collected during a monitoring session, as well as information on the date(s) and hour(s) of monitoring, will remain available until the traffic or travel estimates based on the count session are updated. Data shall be available in formats that conform to those in the version of the TMG current at the time of data collection or as then amended by the FHWA.
- (h) Office factoring procedures. (1) Factors to adjust data from short term monitoring sessions to estimates of average daily conditions shall be used to adjust for month, day of week, axle correction, and growth or other comparable factors approved by the FHWA. These factors will be reviewed annually and updated at least every three years.
- (2) The procedures used by a State to edit and adjust highway traffic data collected from short term counts at field locations to estimates of average

Federal Highway Administration, DOT

§500.204

traffic volume shall be documented. The documentation shall include the factors discussed in paragraph (d)(1) of this section. The documentation shall remain available as long as the traffic or travel estimates discussed in paragraph (g) of this section remain cur-

rent. Copies of the State's documentation shall be provided to the FHWA Division Administrator when it is initially developed and after each revision.

PART 511 [RESERVED]

SUBCHAPTER G-ENGINEERING AND TRAFFIC OPERATIONS

PART 620—ENGINEERING

Subpart A—Highway Improvements in the Vicinity of Airports

Sec.

620.101 Purpose.

620.102 Applicability.

620.103 Policy.

620.104 Standards.

Subpart B—Relinquishment of Highway Facilities

620.201 Purpose.

620.202 Applicability.

620.203 Procedures.

AUTHORITY: 23 U.S.C. 315 and 318; 49 CFR 1.48, 23 CFR 1.32.

Source: 39 FR 33311, Sept. 17, 1974, unless otherwise noted.

Subpart A—Highway Improvements in the Vicinity of Airports

SOURCE: 39 FR 35145, Sept. 30, 1974, unless otherwise noted.

§620.101 Purpose.

The purpose of this section is to implement title 23 U.S.C., section 318 which requires coordination of airport and highway developments to insure (a) that airway-highway clearances are adequate for the safe movement of air and highway traffic, and (b) that the expenditure of public funds for airport and highway improvements is in the public interest.

§620.102 Applicability.

The requirements of this section apply to all projects on which Federal-aid highway funds are to be expended and to both civil and military airports.

§ 620.103 Policy.

(a) Federal-aid highway funds shall not participate in the costs of reconstruction or relocation of any highway to which this section applies unless the Federal Highway Administration (FHWA) and State officials, in cooperation with the Federal Aviation Administration (FAA) or appropriate military

authority, or in the case of privately owned airports, the owner of that airport, determine that the location or extension of the airport in question and the consequent relocation or reconstruction of the highway is in the public interest.

(b) In addition to complying with 23 U.S.C. 318 and insuring the prudent use of public funds, it is the policy of FHWA to provide a high degree of safety in the location, design, construction and operation of highways and airports.

(c) Federal-aid funds shall not participate in projects where substandard clearances are created or will continue to exist

§ 620.104 Standards.

A finding of public interest by FHWA will be based on compliance with airway-highway clearances which conform to FAA standards for aeronautical safety.

Subpart B—Relinquishment of Highway Facilities

Source: $39 \ FR \ 33311$, Sept. 17, 1974, unless otherwise noted.

§ 620.201 Purpose.

To prescribe Federal Highway Administration (FHWA) procedures relating to relinquishment of highway facilities.

§620.202 Applicability.

The provisions of this subpart apply to highway facilities where Federal-aid funds have participated in either right-of-way or physical construction costs of a project. The provisions of this subpart apply only to relinquishment of facilities for continued highway purposes. Other real property disposals and modifications or disposal of access rights are governed by the requirements of 23 CFR part 710.

[64 FR 71289, Dec. 21, 1999]

§620.203 Procedures.

(a) After final acceptance of a project on the Federal-aid primary, urban, or

secondary system or after the date that the plans, specifications and estimates (PS&E) for the physical construction on the right-of-way for a Federal-aid Interstate project have been approved by the FHWA, relinquishment of the right-of-way or any change made in control of access shall be in accordance with the provisions of this section. For the purposes of this section, final acceptance for a project involving physical construction is the date of the acceptance of the physical construction by the FHWA and for right-of-way projects, the date the division engineer determines to be the date of the completion of the acquisition of the rightof-way shown on the final plans.

(b) For the purposes of this section, *relinquishment* is defined as the conveyance of a portion of a highway right-ofway or facility by a State highway agency (SHA) to another Government

agency for highway use.

(c) The following facilities may be relinquished in accordance with para-

graph 203(f):

- (1) Sections of a State highway which have been superseded by construction on new location and removed from the Federal-aid system and the replaced section thereof is approved by the FHWA as the new location of the Federal-aid route. Federal-aid funds may not participate in rehabilitation work performed for the purpose of placing the superseded section of the highway in a condition acceptable to the local authority. The relinquishment of any Interstate mileage shall be submitted to the Federal Highway Administrator as a special case for prior approval.
- (2) Sections of reconstructed local facilities that are located outside the control of access lines, such as turnarounds of severed local roads or streets adjacent to the Federal-aid project's right-of-way, and local roads and streets crossing over or under said project that have been adjusted in grade and/or alignment, including new right-of-way required for adjustments. Eligibility for Federal-aid participation in the costs of the foregoing adjustments is as determined at the time of PS&E approval under policies of the FHWA.
- (3) Frontage roads or portions thereof that are constructed generally parallel

to and outside the control of access lines of a Federal-aid project for the purpose of permitting access to private properties rather than to serve as extensions of ramps to connect said Federal-aid project with the nearest crossroad or street.

- (d) The following facilities may be relinquished only with the approval of the Federal Highway Administrator in accordance with paragraph 203(g).
- (1) Frontage roads or portions thereof located outside the access control lines of a Federal-aid project that are constructed to service (in lieu of or in addition to the purposes outlined under paragraph (c)(3) of this section) as connections between ramps to or from the Federal-aid project and existing public roads or streets.
- (2) Ramps constructed to serve as connections for interchange of traffic between the Federal-aid project and local roads or streets.
- (e) Where a frontage road is not on an approved Federal-aid system title to the right-of-way may be acquired initially in the name of the political subdivision which is to assume control thus eliminating the necessity of a formal transfer later. Such procedure would be subject to prior FHWA approval and would be limited to those facilities which meet the criteria set forth in paragraphs (c) (2) and (3) of this section.
- (f) Upon presentation by a State that it intends to relinquish facilities such as described in paragraph (c) (1), (2) or (3) of this section to local authorities, the division engineer of the FHWA shall have appropriate field and office examination made thereof to assure that such relinquishments are in accordance with the provisions of the cited paragraphs. Relinquishments of the types described in paragraph (c) (1), (2) or (3) of this section may be made on an individual basis or on a project or route basis subject to the following conditions and understandings:
- (1) Immediately following action by the State in approving a relinquishment, it shall furnish to the Division Administrator for record purposes a copy of a suitable map or maps identified by the Federal-aid project number, with the facilities to be relinquished

Pt. 625

and the date of such relinquishment action clearly delineated thereon.

- (2) If it is found at any time after relinquishment that a relinquished facility is in fact required for the safe and proper operation of the Federal-aid highway, the State shall take immediate action to restore such facility to its jurisdiction without cost to Federal-aid highway funds.
- (3) If it is found at any time that a relinquished frontage road or portion thereof or any part of the right-of-way therefor has been abandoned by local governmental authority and a showing cannot be made that such abandoned facility is no longer required as a public road, it is to be understood that the Federal Highway Administrator may cause to be withheld from Federal-aid highway funds due to the State an amount equal to the Federal-aid participation in the abandoned facility.
- (4) In no case shall any relinquishment include any portion of the right-of-way within the access control lines as shown on the plans for a Federal-aid project approved by the FHWA, without the prior approval of the Federal Highway Administrator.
- (5) There cannot be additional Federal-aid participation in future construction or reconstruction on any relinquished "off the Federal-aid system" facility unless the underlying reason for such future work is caused by future improvement of the associated Federal-aid highway.
- (g) In the event that a State desires to apply for approval by the Federal Highway Administrator for the relinquishment of a facility such as described in paragraph (d) (1) and (2) of this section, the facts pertinent to such proposal are to be presented to the division engineer of the FHWA. The division engineer shall have appropriate review made of such presentation and forward the material presented by the State together with his findings thereon through the Regional Federal Highway Administrator for consideration by the Federal Highway Administrator and determination of action to be taken
- (h) No change may be made in control of access, without the joint determination and approval of the SHA and FHWA. This would not prevent the re-

linquishment of title, without prior approval of the FHWA, of a segment of the right-of-way provided there is an abandonment of a section of highway inclusive of such segment.

- (i) Relinquishments must be justified by the State's finding concurred in by the FHWA, that:
- (1) The subject land will not be needed for Federal-aid highway purposes in the foreseeable future;
- (2) That the right-of-way being retained is adequate under present day standards for the facility involved;
- (3) That the release will not adversely affect the Federal-aid highway facility or the traffic thereon;
- (4) That the lands to be relinquished are not suitable for retention in order to restore, preserve, or improve the scenic beauty adjacent to the highway consonant with the intent of 23 U.S.C. 319 and Pub. L. 89–285, Title III, sections 302–305 (Highway Beautification Act of 1965).
- (j) If a relinquishment is to a Federal, State, or local government agency for highway purposes, there need not be a charge to the said agency, nor in such event any credit to Federal funds. If for any reason there is a charge, the STD may retain the Federal share of the proceeds if used for projects eligible under title 23 of the United States Code.

[39 FR 33311, Sept. 17, 1974, as amended at 64 FR 71289, Dec. 21, 1999]

PART 625—DESIGN STANDARDS FOR HIGHWAYS

Sec

625.1 Purpose.

625.2 Policy.

625.3 Application.

625.4 Standards, policies, and standard specifications.

AUTHORITY: 23 U.S.C. 109, 315, and 402; Sec. 1073 of Pub. L. 102–240, 105 Stat. 1914, 2012; 49 CFR 1.48(b) and (n).

Source: $62\ FR\ 15397,\ Apr.\ 1,\ 1997,\ unless$ otherwise noted.

§ 625.1 Purpose.

To designate those standards, policies, and standard specifications that are acceptable to the Federal Highway Administration (FHWA) for application

in the geometric and structural design of highways.

§ 625.2 Policy.

- (a) Plans and specifications for proposed National Highway System (NHS) projects shall provide for a facility that will—
- (1) Adequately serve the existing and planned future traffic of the highway in a manner that is conducive to safety, durability, and economy of maintenance; and
- (2) Be designed and constructed in accordance with criteria best suited to accomplish the objectives described in paragraph (a)(1) of this section and to conform to the particular needs of each locality.
- (b) Resurfacing, restoration, and rehabilitation (RRR) projects, other than those on the Interstate system and other freeways, shall be constructed in accordance with standards which preserve and extend the service life of highways and enhance highway safety. Resurfacing, restoration, and rehabilitation work includes placement of additional surface material and/or other work necessary to return an existing roadway, including shoulders, bridges, the roadside, and appurtenances to a condition of structural or functional adequacy.
- (c) An important goal of the FHWA is to provide the highest practical and feasible level of safety for people and property associated with the Nation's highway transportation systems and to reduce highway hazards and the resulting number and severity of accidents on all the Nation's highways.

§625.3 Application.

- (a) Applicable Standards. (1) Design and construction standards for new construction, reconstruction, resurfacing (except for maintenance resurfacing), restoration, or rehabilitation of a highway on the NHS (other than a highway also on the Interstate System or other freeway) shall be those approved by the Secretary in cooperation with the State highway departments. These standards may take into account, in addition to the criteria described in §625.2(a), the following:
- (i) The constructed and natural environment of the area;

- (ii) The environmental, scenic, aesthetic, historic, community, and preservation impacts of the activity; and
- (iii) Access for other modes of transportation.
- (2) Federal-aid projects not on the NHS are to be designed, constructed, operated, and maintained in accordance with State laws, regulations, directives, safety standards, design standards, and construction standards.
- (b) The standards, policies, and standard specifications cited in §625.4 of this part contain specific criteria and controls for the design of NHS projects. Deviations from specific minimum values therein are to be handled in accordance with procedures in paragraph (f) of this section. If there is a conflict between criteria in the documents enumerated in §625.4 of this part, the latest listed standard, policy, or standard specification will govern.
- (c) Application of FHWA regulations, although cited in §625.4 of this part as standards, policies, and standard specifications, shall be as set forth therein.
- (d) This regulation establishes Federal standards for work on the NHS regardless of funding source.
- (e) The Division Administrator shall determine the applicability of the roadway geometric design standards to traffic engineering, safety, and preventive maintenance projects which include very minor or no roadway work. Formal findings of applicability are expected only as needed to resolve controversies.
- (f) Exceptions. (1) Approval within the delegated authority provided by FHWA Order M1100.1A may be given on a project basis to designs which do not conform to the minimum criteria as set forth in the standards, policies, and standard specifications for:
- (i) Experimental features on projects;
- (ii) Projects where conditions warrant that exceptions be made.
- (2) The determination to approve a project design that does not conform to the minimum criteria is to be made only after due consideration is given to all project conditions such as maximum service and safety benefits for the dollar invested, compatibility with adjacent sections of roadway and the probable time before reconstruction of

§ 625.4

the section due to increased traffic demands or changed conditions.

§625.4 Standards, policies, and standard specifications.

The documents listed in this section are incorporated by reference with the approval of the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51 and are on file at the Office of the Federal Register in Washington, DC. They are available as noted in paragraph (d) of this section. The other CFR references listed in this section are included for cross-reference purposes only.

- (a) Roadway and appurtenances. (1) A Policy on Geometric Design of Highways and Streets, AASHTO 2001. [See §625.4(d)(1)]
- (2) A Policy on Design Standards— Interstate System, AASHTO 1991. [See § 625.4(d)(1)]
- (3) The geometric design standards for resurfacing, restoration, and rehabilitation (RRR) projects on NHS highways other than freeways shall be the procedures and the design or design criestablished for individual projects, groups of projects, or all nonfreeway RRR projects in a State, and as approved by the FHWA. The other geometric design standards in this section do not apply to RRR projects on NHS highways other than freeways, except as adopted on an individual State basis. The RRR design standards shall reflect the consideration of the traffic, safety, economic, physical, community, and environmental needs of the projects.
- (4) Erosion and Sediment Control on Highway Construction Projects, refer to 23 CFR part 650, subpart B.
- (5) Location and Hydraulic Design of Encroachments on Flood Plains, refer to 23 CFR part 650, subpart A.
- (6) Procedures for Abatement of Highway Traffic Noise and Construction Noise, refer to 23 CFR part 772.
- (7) Accommodation of Utilities, refer to 23 CFR part 645, subpart B.
- (8) Pavement Design, refer to 23 CFR part 626.
- (b) Bridges and structures. (1) Standard Specifications for Highway Bridges, Fifteenth Edition, AASHTO 1992. [See § 625.4(d)(1)]

- (2) Interim Specifications—Bridges, AASHTO 1993. [See § 625.4(d)(1)]
- (3) Interim Specifications—Bridges, AASHTO 1994. [See §625.4(d)(1)]
- (4) Interim Specifications—Bridges, AASHTO 1995. [See § 625.4(d)(1)]
- (5) AASHTO LRFD Bridge Design Specifications, First Edition, AASHTO 1994 (U.S. Units). [See §625.4(d)(1)]
- (6) AASHTO LRFD Bridge Design Specifications, First Edition, AASHTO 1994 (SI Units). [See §625.4(d)(1)]
- (7) Standard Specifications for Movable Highway Bridges, AASHTO 1988. [See § 625.4(d)(1)]
- (8) Bridge Welding Code, ANSI/AASHTO/AWS D1.5-95, AASHTO. [See §625.4(d) (1) and (2)]
- (9) Structural Welding Code—Reinforcing Steel, ANSI/AWS D1.4-92, 1992. [See § 625.4(d)(2)]
- Specifications for (10) Standard Structural Supports for Highway Signs, Luminaires and Traffic Signals, AASHTO 1994. [See §625.4(d)(1)]
- (11) Navigational Clearances for Bridges, refer to 23 CFR part 650, subpart H.
- (c) Materials. (1) General Materials Requirements, refer to 23 CFR part 635, subpart D.
- (2) Standard Specifications for Transportation Materials and Methods of Sampling and Testing, parts I and II, AASHTO 1995. [See § 625.4(d)(1)]
- (3) Sampling and Testing of Materials and Construction, refer to 23 CFR part 637, subpart B.
- (d) Availability of documents incorporated by reference. The documents listed in §625.4 are incorporated by reference and are on file and available for inspection at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/ federal register/

code_of_federal_regulations/ ibr_locations.html. These documents may also be reviewed at the Department of Transportation Library, 400 Seventh Street, SW., Washington, DC, in Room 2200. These documents are also available for inspection and copying as provided in 49 CFR part 7, appendix D. Copies of these documents may be obtained from the following organizations:

- (1) American Association of State Highway and Transportation Officials (AASHTO), Suite 249, 444 North Capitol Street, NW., Washington, DC 20001.
- (2) American Welding Society (AWS), 2501 Northwest Seventh Street, Miami, FL 33125.

[62 FR 15397, Apr. 1, 1997, as amended at 67 FR 6395, Feb. 12, 2002; 69 FR 18803, Apr. 9, 2004]

PART 626—PAVEMENT POLICY

Sec.

626.1 Purpose.

626.2 Definitions.

626.3 Policy.

AUTHORITY: 23 U.S.C. 101(e), 109, and 315; 49 CFR 1.48(b)

SOURCE: 61 FR 67174, Dec. 19, 1996, unless otherwise noted.

§ 626.1 Purpose.

To set forth pavement design policy for Federal-aid highway projects.

§ 626.2 Definitions.

Unless otherwise specified in this part, the definitions in 23 U.S.C. 101(a) are applicable to this part. As used in this part:

Pavement design means a project level activity where detailed engineering and economic considerations are given to alternative combinations of subbase, base, and surface materials which will provide adequate load carrying capacity. Factors which are considered include: Materials, traffic, climate, maintenance, drainage, and life-cycle costs.

§ 626.3 Policy.

Pavement shall be designed to accommodate current and predicted traffic needs in a safe, durable, and cost effective manner.

PART 627—VALUE ENGINEERING

Sec.

627.1 Purpose and applicability.

627.3 Definitions.

627.5 General principles and procedures.

AUTHORITY: 23 U.S.C. 106(d), 106(f), 112(b), 302, 307, and 315; 49 CFR 18.

SOURCE: 62 FR 6868, Feb. 14, 1997, unless otherwise noted.

§627.1 Purpose and applicability.

- (a) This regulation will establish a program to improve project quality, reduce project costs, foster innovation, eliminate unnecessary and costly design elements, and ensure efficient investments by requiring the application of value engineering (VE) to all Federal-aid highway projects on the National Highway System (NHS) with an estimated cost of \$25 million or more.
- (b) In accordance with the Federal-State relationship established under the Federal-aid highway program, State transportation departments (STDs) shall assure that a VE analysis has been performed on all applicable projects and that all resulting, approved recommendations are incorporated into the plans, specifications and estimate.

[62 FR 6868, Feb. 14, 1997, as amended at 67 FR 75924, Dec. 10, 2002]

§ 627.3 Definitions.

Project. A portion of a highway that a State proposes to construct, reconstruct, or improve as described in the preliminary design report or applicable environmental document. A project may consist of several contracts or phases over several years.

Value engineering. The systematic application of recognized techniques by a multi-disciplined team to identify the function of a product or service, establish a worth for that function, generate alternatives through the use of creative thinking, and provide the needed functions to accomplish the original purpose of the project, reliably, and at the lowest life-cycle cost without sacrificing safety, necessary quality, and environmental attributes of the project.

§ 627.5 General principles and procedures.

(a) State VE programs. State transportation departments must establish programs to assure that VE studies are performed on all Federal-aid highway projects on the NHS with an estimated cost of \$25 million or more. Program procedures should provide for the identification of candidate projects for VE studies early in the development of the

Pt. 630

State's multi-year Statewide Transportation Improvement Program.

- (1) *Project selection.* The program may, at the State's discretion, establish specific criteria and guidelines for selecting other highway projects for VE studies.
- (2) Studies. Value engineering studies shall follow the widely recognized systematic problem-solving analysis process that is used throughout private industry and governmental agencies. Studies must be performed using multi-disciplined teams of individuals not personally involved in the design of the project. Study teams should consist of a team leader and individuals from different speciality areas, such as design, construction, environment, planning, maintenance, right-of-way, and other areas depending upon the type of project being reviewed. Individuals from the public and other agencies may also be included on the team when their inclusion is found to be in the public interest.
- (i) Each team leader should be trained and knowledgeable in VE techniques and be able to serve as the coordinator and facilitator of the team.
- (ii) Studies should be employed as early as possible in the project development or design process so that accepted VE recommendations can be implemented without delaying the progress of the project.
- (iii) Studies should conclude with a formal report outlining the study team's recommendations for improving the project and reducing its overall cost.
- (3) Recommendations. The program should include procedures to approve or reject recommendations and ensure the prompt review of VE recommendations by staff offices whose speciality areas are implicated in proposed changes and by offices responsible for implementing accepted recommendations. Reviews by these offices should be performed promptly to minimize delays to the project.
- (4) Incentives. The program may include a VE or cost reduction incentive clause in an STD's standard specifications or project special provisions that allows construction contractors to submit change proposals and share the resulting cost savings with the STD.

- (5) *Monitoring.* The program should include procedures for monitoring the implementation of VE study team recommendations and VE change proposal recommendations submitted by construction contractors.
- (b) State VE coordinators. Individuals knowledgeable in VE shall be assigned responsibilities to coordinate and monitor the STD's program and be actively involved in all phases of the program.
- (c) Use of consultants. Consultants or firms with experience in VE may be retained by STDs to conduct the studies of Federal-aid highway projects or elements of Federal-aid highway projects required under §627.1(a) of this part. Consultants or firms should not be retained to conduct studies of their own designs unless they maintain separate and distinct organizational separation of their VE and design sections.
- (d) Funding eligibility. The cost of performing VE studies is project related and is, therefore, eligible for reimbursement with Federal-aid highway funds at the appropriate pro-rata share for the project studied.
- (e) In the case of a Federal-aid design-build project meeting the project criteria in 23 CFR 627.1(a), the STDs shall fulfill the value engineering analysis requirement by performing a value engineering analysis prior to the release of the Request for Proposals document.

[62 FR 6868, Feb. 14, 1997, as amended at 67 FR 75924, Dec. 10, 2002]

PART 630—PRECONSTRUCTION PROCEDURES

Subpart A—Project Authorization and Agreements

Sec

630.102 Purpose.

630.104 Applicability.

630.106 Authorization to proceed.

630.108 Preparation of agreement.

630.110 Modification of original agreement. 630.112 Agreement provisions.

Subpart B—Plans, Specifications, and Estimates

630.201 Purpose.

630.203 Applicability.

630.205 Preparation, submission, and approval.

Subpart C [Reserved]

Subpart D—Geodetic Markers

- 630.401 Purpose.
- 630.402 Policy.
- 630.403 Initiation of projects.
- 630.404 Standards.

Subparts E-F [Reserved]

Subpart G—Advance Construction of Federal-Aid Projects

- 630.701 Purpose.
- 630.703 Eligibility.
- 630.705 Procedures.
- 630.707 [Reserved]
- 630.709 Conversion to a regular Federal-aid project.

Subpart H—Bridges on Federal Dams

- 630.801 Purpose.
- 630.802 Applicability.
- 630.803 Procedures.

Subpart I [Reserved]

Subpart J—Traffic Safety in Highway and Street Work Zones

- 630.1002 Purpose.
- 630.1004 Background.
- 630.1006 Policy.
- 630.1008 Implementation.
- 630.1010 Contents of the agency procedures.

AUTHORITY: 23 U.S.C. 106, 109, 115, 315, 320, and 402(a); 23 CFR 1.32; and 49 CFR 1.48(b).

Subpart A—Project Authorization and Agreements

SOURCE: 66 FR 23847, May 10, 2001, unless otherwise noted.

§ 630.102 Purpose.

The purpose of this subpart is to prescribe policies for authorizing Federalaid projects through execution of the project agreement required by 23 U.S.C. 106(a)(2).

§630.104 Applicability.

- (a) This subpart is applicable to all Federal-aid projects unless specifically exempted.
- (b) Other projects which involve special procedures are to be approved, or authorized as set out in the implementing instructions or regulations for those projects.

§630.106 Authorization to proceed.

- (a)(1) The State transportation department (STD) must obtain an authorization to proceed from the FHWA before beginning work on any Federalaid project. The STD may request an authorization to proceed in writing or by electronic mail for a project or a group of projects.
- (2) The FHWA will issue the authorization to proceed either through or after the execution of a formal project agreement with the State. The agreement can be executed only after applicable prerequisite requirements of Federal laws and implementing regulations and directives are satisfied. Except as provided in paragraphs (c)(1) through (c)(4) of this section, the FHWA will obligate Federal funds in the project or group of projects upon execution of the project agreement.
- (b) Federal funds shall not participate in costs incurred prior to the date of a project agreement except as provided by 23 CFR 1.9(b).
- (c) The execution of the project agreement shall be deemed a contractual obligation of the Federal government under 23 U.S.C. 106 and shall require that appropriate funds be available at the time of authorization for the agreed Federal share, either prorata or lump sum, of the cost of eligible work to be incurred by the State except as follows:
- (1) Advance construction projects authorized under 23 U.S.C. 115.
- (2) Projects for preliminary studies for the portion of the preliminary engineering and right-of-way (ROW) phase(s) through the selection of a location
- (3) Projects for ROW acquisition in hardship and protective buying situations through the selection of a particular location. This includes ROW acquisition within a potential highway corridor under consideration where necessary to preserve the corridor for future highway purposes. Authorization of work under this paragraph shall be in accord with the provisions of 23 CFR part 710.
- (4) In special cases where the Federal Highway Administrator determines it to be in the best interest of the Federal-aid highway program.

§ 630.108

- (d) For projects authorized to proceed under paragraphs (c)(1) through (c)(4) of this section, the executed project agreement shall contain the following statement: "Authorization to proceed is not a commitment or obligation to provide Federal funds for that portion of the undertaking not fully funded herein."
- (e) For projects authorized under paragraphs (c)(2) and (c)(3) of this section, subsequent authorizations beyond the location stage shall not be given until appropriate available funds have been obligated to cover eligible costs of the work covered by the previous authorization.
- (f)(1) The Federal-aid share of eligible project costs shall be established at the time the project agreement is executed in one of the following manners:
- (i) Pro rata, with the agreement stating the Federal share as a specified percentage; or
- (ii) Lump sum, with the agreement stating that Federal funds are limited to a specified dollar amount not to exceed the legal pro rata.
- (2) The pro-rata or lump sum share may be adjusted before or shortly after contract award to reflect any substantive change in the bids received as compared to the STD's estimated cost of the project at the time of FHWA authorization, provided that Federal funds are available.
- (3) Federal participation is limited to the agreed Federal share of eligible costs actually incurred by the State, not to exceed the maximum permitted by enabling legislation.
- (g) The State may contribute more than the normal non-Federal share of title 23, U.S.C. projects. In general, financing proposals that result in only minimal amounts of Federal funds in projects should be avoided unless they are based on sound project management decisions.
- (h)(1) Donations of cash, land, material or services may be credited to the State's non-Federal share of the participating project work in accordance with title 23, U.S.C., and implementing regulations.
- (2) Contributions may not exceed the total costs incurred by the State on the project. Cash contributions from

all sources plus the Federal funds may not exceed the total cost of the project.

§630.108 Preparation of agreement.

- (a) The STD shall prepare a project agreement for each Federal-aid project.
- (b) The STD may develop the project agreement in a format acceptable to both the STD and the FHWA provided the following are included:
- (1) A description of each project location including State and project termini:
 - (2) The Federal-aid project number;
- (3) The work covered by the agreement:
- (4) The total project cost and amount of Federal funds under agreement;
- (5) The Federal-aid share of eligible project costs expressed as either a pro rata percentage or a lump sum as set forth in §630.106(f)(1);
- (6) A statement that the State accepts and will comply with the agreement provisions set forth in § 630.112;
- (7) A statement that the State stipulates that its signature on the project agreement constitutes the making of the certifications set for in §630.112; and
- (8) Signatures of officials from both the State and the FHWA, and the date executed.
- (c) The project agreement should also document, by comment, instances where:
- (1) The State is applying amounts of credits from special accounts (such as the 23 U.S.C. 120(j) toll credits, 23 U.S.C. 144(n) off-system bridge credits and 23 U.S.C. 323 land value credits) to cover all or a portion of the normal percent non-Federal share of the project;
- (2) The project involves other arrangements affecting Federal funding or non-Federal matching provisions, including tapered match, donations, or use of other Federal agency funds, if known at the time the project agreement is executed; and
- (3) The State is claiming finance related costs for bond and other debt instrument financing (such as payments to States under 23 U.S.C. 122).

(d) The STD may use an electronic version of the agreement as provided by the FHWA.

(Approved by the Office of Management and Budget under control number 2125–0529)

§ 630.110 Modification of original agreement.

- (a) When changes are needed to the original project agreement, a modification of agreement shall be prepared. Agreements should not be modified to replace one Federal fund category with another unless specifically authorized by statute.
- (b) The STD may develop the modification of project agreement in a format acceptable to both the STD and the FHWA provided the following are included:
- (1) The Federal-aid project number and State:
- (2) A sequential number identifying the modification;
- (3) A reference to the date of the original project agreement to be modified:
- (4) The original total project cost and the original amount of Federal funds under agreement;
- (5) The revised total project cost and the revised amount of Federal funds under agreement;
- (6) The reason for the modifications; and.
- (7) Signatures of officials from both the State and the FHWA and date executed.
- (c) The STD may use an electronic version of the modification of project agreement as provided by the FHWA.

§630.112 Agreement provisions.

- (a) The State, through its transportation department, accepts and agrees to comply with the applicable terms and conditions set forth in title 23, U.S.C., the regulations issued pursuant thereto, the policies and procedures promulgated by the FHWA relative to the designated project covered by the agreement, and all other applicable Federal laws and regulations.
- (b) Federal funds obligated for the project must not exceed the amount agreed to on the project agreement, the balance of the estimated total cost being an obligation of the State. Such obligation of Federal funds extends

only to project costs incurred by the State after the execution of a formal project agreement with the FHWA.

- (c) The State must stipulate that as a condition to payment of the Federal funds obligated, it accepts and will comply with the following applicable provisions:
- (1) Project for acquisition of rights-of-way. In the event that actual construction of a road on this right-of-way is not undertaken by the close of the twentieth fiscal year following the fiscal year in which the project is authorized, the STD will repay to the FHWA the sum or sums of Federal funds paid to the transportation department under the terms of the agreement. The State may request a time extension beyond the 20-year limit with no repayment of Federal funds, and the FHWA may approve this request if it is considered reasonable.
- (2) Preliminary engineering project. In the event that right-of-way acquisition for, or actual construction of, the road for which this preliminary engineering is undertaken is not started by the close of the tenth fiscal year following the fiscal year in which the project is authorized, the STD will repay to the FHWA the sum or sums of Federal funds paid to the transportation department under the terms of the agreement. The State may request a time extension for any preliminary engineering project beyond the 10-year limit with no repayment of Federal funds, and the FHWA may approve this request if it is considered reasonable.
- (3) Drug-free workplace certification. By signing the project agreement, the STD agrees to provide a drug-free workplace as required by 49 CFR part 29, subpart F. In signing the project agreement, the State is providing the certification required in appendix C to 49 CFR part 29, unless the State provides an annual certification.
- (4) Suspension and debarment certification. By signing the project agreement, the STD agrees to fulfill the responsibility imposed by 49 CFR 29.510 regarding debarment, suspension, and other responsibility matters. In signing the project agreement, the State is providing the certification for its principals required in appendix A to 49 CFR part 29.

§ 630.201

(5) Lobbying certification. By signing the project agreement, the STD agrees to abide by the lobbying restrictions set forth in 49 CFR part 20. In signing the project agreement, the State is providing the certification required in appendix A to 49 CFR part 20.

Subpart B—Plans, Specifications, and Estimates

SOURCE: 43 FR 58564, Dec. 15, 1978, unless otherwise noted.

§630.201 Purpose.

The purpose of this subpart is to prescribe Federal Highway Administration (FHWA) procedures relating to the preparation, submission, and approval of plans, specifications and estimates (PS&E), and supporting documents for Federal-aid projects.

§630.203 Applicability.

The provisions of this regulation apply to all highway construction projects financed in whole or in part with Federal-aid highway funds and to be undertaken by a State or political subdivision.

[69 FR 7118, Feb. 13, 2004]

§630.205 Preparation, submission, and approval.

- (a) The contents and number of copies of the PS&E assembly shall be determined by the FHWA.
- (b) Plans and specifications shall describe the location and design features and the construction requirements in sufficient detail to facilitate the construction, the contract control and the estimation of construction costs of the project. The estimate shall reflect the anticipated cost of the project in sufficient detail to provide an initial prediction of the financial obligations to be incurred by the State and FHWA and to permit an effectice review and comparison of the bids received.
- (c) PS&E assemblies for Federal-aid highway projects shall be submitted to the FHWA for approval.
- (d) The State highway agency (SHA) shall be advised of approval of the PS&E by the FHWA.
- (e) No project or part thereof for actual construction shall be advertised

for contract nor work commenced by force account until the PS&E has been approved by the FHWA and the SHA has been so notified.

Subpart C [Reserved]

Subpart D—Geodetic Markers

SOURCE: 39 FR 26414, July 19, 1974, unless otherwise noted.

§ 630.401 Purpose.

The purpose of this subpart is to prescribe procedures for conducting geodetic control surveys when participation with Federal-aid highway funds in the cost thereof is proposed and to encourage inter-agency cooperation in setting station markers, surveying to measure their position, and preserving the control so established.

§ 630.402 Policy.

- (a) Geodetic surveys along Federalaid highway routes may be programmed as Federal-aid highway projects.
- (b) All geodetic survey work performed as a Federal-aid highway project will conform to National Ocean Survey (NOS) specifications. NOS will, as the representative of FHWA, be responsible for the inspection and verification of the work to ascertain that the specifications for the work have been met. Final project acceptance by FHWA will be predicated on a finding of acceptability by NOS.

§ 630.403 Initiation of projects.

All projects shall be coordinated by the FHWA Division Administrator, the State highway department and the National Ocean Survey.

§630.404 Standards.

(a) Highway purposes may best be served by the establishment of station markings for horizontal control along Federal-aid highway routes at spacings of three to eight kilometers (about 2 to 5 miles) and station markers for vertical control of spacings no closer than one kilometer. These requirements may be waived only with the approval of the Administrator.

- (b) Projects should be of sufficient scope to permit efficient use of field parties. Projects should extend at least 30 kilometers. Projects may be coordinated with adjoining States to attain greater efficiency.
- (c) Where geodetic station markers cannot be established inititally at points readily accessible from the Federal-aid route, or where unavoidable circumstances result in their being established within construction limits, supplemental projects may later be approved to set and survey markers at satisfactory permanent points, preferably within the right-of-way but at points where their use does not introduce traffic hazards.

Subparts E-F [Reserved]

Subpart G—Advance Construction of Federal-Aid Projects

Source: $60 \ \mathrm{FR}$ 36993, July 19, 1995, unless otherwise noted.

§630.701 Purpose.

The purpose of this subpart is to prescribe procedures for advancing the construction of Federal-aid highway projects without obligating Federal funds apportioned or allocated to the State.

§630.703 Eligibility.

- (a) The State Highway Agency (SHA) may proceed with a highway substitute, congestion mitigation and air quality improvement program, surface transportation program, bridge replacement and rehabilitation, or planning and research project in accordance with this subpart, provided the SHA:
- (1) Has obligated all funds apportioned or allocated to it under 23 U.S.C. 103(e)(4)(H), 104(b)(2), 104(b)(3), 104(f), 144, or 307, as the case may be for the proposed project, or
- (2) Has used all obligation authority distributed to it, or
- (3) Demonstrates that it will use all obligation authority distributed to it.
- (b) The SHA may proceed with a National Highway System (NHS) or Interstate project in accordance with this subpart without regard to apportion-

ment or obligation authority balances. Interstate projects include Interstate construction and Interstate maintenance.

§630.705 Procedures.

- (a) An advance construction project shall meet the same requirements and be processed in the same manner as a regular Federal-aid project, except,
- (1) The FHWA authorization does not constitute any commitment of Federal funds on the project, and
- (2) The FHWA shall not reimburse the State until the project is converted under §630.709.
- (b) Project numbers shall be identified by the letters "AC" preceding the regular project number prefix.

[60 FR 36993, July 19, 1995, as amended at 68 FR 60033, Oct. 21, 2003]

§630.707 [Reserved]

§630.709 Conversion to a regular Federal-aid project.

- (a) The SHA may submit a written request to the FHWA that a project be converted to a regular Federal-aid project at any time provided that sufficient Federal-aid funds and obligation authority are available.
- (b) Subsequent to FHWA approval the SHA may claim reimbursement for the Federal share of project costs incurred, provided the project agreement has been executed. If the SHA has previously submitted a final voucher, the FHWA will process the voucher for payment.

Subpart H—Bridges on Federal Dams

Source: $39 \ FR \ 36474$, Oct. $10, \ 1974$, unless otherwise noted.

§ 630.801 Purpose.

The purpose of this subpart is to prescribe procedures for the construction and financing, by an agency of the Federal Government, of public highway bridges over dams constructed and owned by or for the United States.

§ 630.802

§630.802 Applicability.

A proposed bridge over a dam, together with the approach roads to connect the bridge with existing public highways, must be eligible for inclusion in the Federal-aid highway system, if not already a part thereof.

§630.803 Procedures.

A State's application to qualify a project under this subpart will include:

- (a) A certification that the bridge is economically desirable and needed as a link in the Federal-aid highway system.
- (b) A statement showing the source and availability of funds to be used in construction of the roadway approaches.
- (c) A statement of any obligation on the part of the agency constructing the dam to provide such bridge or approach roads to satisfy a legal liability incurred independently of this subpart.

Subpart I [Reserved]

Subpart J—Traffic Safety in Highway and Street Work Zones

Source: 43 FR 47140, Oct. 12, 1978, unless otherwise noted.

EFFECTIVE DATE NOTE: At 69 FR 54569, Sept. 9, 2004, subpart J of part 630 was revised, effective Oct. 12, 2007. For the convenience of the user, the revised text is set forth following the subpart.

§630.1002 Purpose.

The purpose of this subpart is to provide guidance and establish procedures to assure that adequate consideration is given to motorists, pedestrians, and construction workers on all Federal-aid construction projects.

§630.1004 Background.

Part VI of the manual on uniform traffic control devices (MUTCD) ¹ sets forth basic priniciples and prescribes standards for the design, application, installation, and maintenance of the

various types of traffic control devices for highway and street construction, maintenance operation, and utility work. The manual cannot address in depth the variety of situations that occur in providing traffic control in work zones. Although agencies responsible for traffic control and work area protection have attempted to develop some guidelines, a coordinated and comprehensive effort to develop greater uniformity is desirable. National reviews have shown that more attention is needed to insure that the MUTCD is properly implemented on all highway projects.

[43 FR 47140, Oct. 12, 1978, as amended at 51 FR 16834, May 7, 1986]

§ 630.1006 Policy.

It is the policy of the Federal Highway Administration that each highway agency shall develop and implement procedures consonant with the requirements of this regulation that will assure the safety of motorists, pedestrians, and construction workers on Federal-aid highway construction projects. The procedures shall be consistent with the provisions of the MUTCD. Highway agencies should be encouraged to implement these procedures for non-Federal-aid projects and maintenance operations as well.

$\S 630.1008$ Implementation.

The FHWA Division Administrator shall review and approve the highway agency's implementation of its procedures at appropriate intervals. The FHWA shall take appropriate action to assure that the highway agency's procedures are being followed and achieve the results intended. Major revisions in established procedures shall be submitted to the FHWA Division Administrator for information.

§ 630.1010 Contents of the agency procedures.

The agency's procedures shall include, but not necessarily be limited to the following:

(a) Traffic control plan (TCP). (1) A traffic control plan is a plan for handling traffic through a specific highway or street work zone or project. These plans may range in scope from a very

¹The MUTCD is available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. It is incorporated by reference at 23 CFR 655, subpart F.

detailed TCP designed solely for a specific project, to a reference to standard plans, a section of the MUTCD, or a standard highway agency manual. The degree of detail in the TCP will depend on the project complexity and traffic interference with construction activity.

(2) Traffic control plans shall be developed for all projects and be included in plans, specifications, and estimates (P.S. & E.'s) and shall be consistent with part VI of the MUTCD.

(3) The scope of the TCP should be determined during planning and design

phases of a project.

- (4) Provisions may be made to permit contractors to develop their own TCP's and use them if the highway agency and FHWA find that these plans are as good as or better than those provided in the P.S. & E.
- (5)(i) Two-lane, two-way operation on one roadway of a normally divided highway (TLTWO) shall be used only after careful consideration of other available methods of traffic control. Where the TLTWO is used, the TCP shall include provisions for the separation of opposing traffic except:
- (A) Where the TLTWO is located on an urban type street or arterial where operating speeds are low;
- (B) Where drivers entering the TLTWO can see the transition back to normal one-way operation on each roadway; or
- (C) Where FHWA approves nonuse of separation devices based on unusual circumstances.
- (ii) Center line striping, raised pavement markers, and complementary signing, either alone or in combination, are not considered acceptable for separation purposes.
- (b) Responsible person. The highway agency shall designate a qualified person at the project level who will have the primary responsibility and sufficient authority for assuring that the TCP and other safety aspects of the contract are effectively administered. While the project or resident engineer may have this responsibility, on large complex projects another person should be assigned at the project level to handle traffic control on a full-time basis.
- (c) Pay items. The P.S. & E. should include unit pay items for providing, in-

stalling, moving, replacing, maintaining, and cleaning traffic control devices required by the TCP. Suitable force account procedures may be utilized for traffic control items. Lumpsum method of payment should be used only to cover very small projects, projects of short duration, contingency, and general items. Payment for traffic control items as incidental to other items of work should be discouraged.

(d) *Training*. All persons responsible for the development, design, implementation, and inspection of traffic control

shall be adequately trained.

- (e) Process review and evaluation. (1) A review team consisting of appropriate highway agency personnel shall annually review randomly selected projects throughout its jurisdiction for the purpose of assessing the effectiveness of its procedures. The agency may elect to include an FHWA representative as a member of the team. The results of this review are to be forwarded to the FHWA Division Administrator for his review and approval of the highway agency's annual traffic safety effort.
- (2) Construction zone accidents and accident data shall be analyzed and used to continually correct deficiencies which are found to exist on individual projects, and to improve the content of future traffic control plans.

[43 FR 47140, Oct. 12, 1978, as amended at 47 FR 21780, May 20, 1982]

EFFECTIVE DATE NOTE: At 69 FR 54569, Sept. 9, 2004, subpart J of part 630 was revised, effective Oct. 12, 2007. For the convenience of the user, the revised text is set forth as follows:

Subpart J—Work Zone Safety and Mobility

§ 630.1002 Purpose.

Work zones directly impact the safety and mobility of road users and highway workers. These safety and mobility impacts are exacerbated by an aging highway infrastructure and growing congestion in many locations. Addressing these safety and mobility issues requires considerations that start early in project development and continue through project completion. Part 6 of the Manual On Uniform Traffic Control Devices (MUTCD)

¹The MUTCD is approved by the FHWA and recognized as the national standard for

Pt. 630, Subpt. J, Note

sets forth basic principles and prescribes standards for the design, application, installation, and maintenance of traffic control devices for highway and street construction, maintenance operation, and utility work. In addition to the provisions in the MUTCD, there are other actions that could be taken to further help mitigate the safety and mobility impacts of work zones. This subpart establishes requirements and provides guidance for systematically addressing the safety and mobility impacts of work zones, and developing strategies to help manage these impacts on all Federal-aid highway projects.

§ 630.1004 Definitions and explanation of terms.

As used in this subpart:

Highway workers include, but are not limited to, personnel of the contractor, subcontractor, DOT, utilities, and law enforcement, performing work within the right-of-way of a transportation facility.

Mobility is the ability to move from place to place and is significantly dependent on the availability of transportation facilities and on system operating conditions. With specific reference to work zones, mobility pertains to moving road users efficiently through or around a work zone area with a minimum delay compared to baseline travel when no work zone is present, while not compromising the safety of highway workers or road users. The commonly used performance measures for the assessment of mobility include delay, speed, travel time and queue lengths.

Safety is a representation of the level of exposure to potential hazards for users of transportation facilities and highway workers. With specific reference to work zones, safety refers to minimizing potential hazards to road users in the vicinity of a work zone and highway workers at the work zone interface with traffic. The commonly used measures for highway safety are the number of crashes or the consequences of crashes (fatalities and injuries) at a given location or along a section of highway during a period of time. Highway worker safety in work zones refers to the safety of workers at the work zone interface with traffic and the impacts of the work zone design on worker safety. The number of worker fatalities and injuries at a given location or along a section of highway, during a period of time are commonly used measures for highway worker safety.

traffic control on all public roads. It is incorporated by reference into the Code of Federal Regulations at 23 CFR part 655. It is available on the FHWA's Web site at http://mutcd.fhwa.dot.gov and is available for inspection and copying at the FHWA Washington, DC Headquarters and all FHWA Division Offices as prescribed at 49 CFR part 7.

Work zone² is an area of a highway with construction, maintenance, or utility work activities. A work zone is typically marked by signs, channelizing devices, barriers, pavement markings, and/or work vehicles. It extends from the first warning sign or high-intensity rotating, flashing, oscillating, or strobe lights on a vehicle to the END ROAD WORK sign or the last temporary traffic control (TTC) device

Work zone crash³ means a traffic crash in which the first harmful event occurs within the boundaries of a work zone or on an approach to or exit from a work zone, resulting from an activity, behavior, or control related to the movement of the traffic units through the work zone. This includes crashes occurring on approach to, exiting from or adjacent to work zones that are related to the work zone.

Work zone impacts refer to work zone-induced deviations from the normal range of transportation system safety and mobility. The extent of the work zone impacts may vary based on factors such as, road classification, area type (urban, suburban, and rural), traffic and travel characteristics, type of work being performed, time of day/night, and complexity of the project. These impacts may extend beyond the physical location of the work zone itself, and may occur on the roadway on which the work is being performed, as well as other highway corridors, other modes of transportation, and/or the regional transportation network.

\$630.1006 Work zone safety and mobility policy.

Each State shall implement a policy for the systematic consideration and management of work zone impacts on all Federalaid highway projects. This policy shall address work zone impacts throughout the various stages of the project development and

²MUTCD, Part 6, "Temporary Traffic Control," Section 6C.02, "Temporary Traffic Control Zones."

^{3&#}x27;'Model Minimum Uniform Crash Criteria Guideline'' (MMUCC), 2d Ed. (Electronic), 2003, produced by National Center for Statistics and Analysis, National Highway Traffic Safety Administration (NHTSA). Telephone 1-(800)-934-8517. Available at the URL: http:// www-nrd.nhtsa.dot.gov. The NHTSA, the FHWA, the Federal Motor Carrier Safety Administration (FMCSA), and the Governors Highway Safety Association (GHSA) sponsored the development of the MMUCC Guideline which recommends voluntary implementation of the 111 MMUCC data elements and serves as a reporting threshold that includes all persons (injured and uninjured) in crashes statewide involving death, personal injury, or property damage of \$1,000 or more. The Guideline is a tool to strengthen existing State crash data systems.

Federal Highway Administration, DOT

implementation process. This policy may take the form of processes, procedures, and/ or guidance, and may vary based on the characteristics and expected work zone impacts of individual projects or classes of projects. The States should institute this policy using a multi-disciplinary team and in partnership with the FHWA. The States are encouraged to implement this policy for non-Federal-aid projects as well.

§630.1008 State-level processes and procedures.

(a) This section consists of State-level processes and procedures for States to implement and sustain their respective work zone safety and mobility policies. State-level processes and procedures, data and information resources, training, and periodic evaluation enable a systematic approach for addressing and managing the safety and mobility impacts of work zones.

(b) Work zone assessment and management procedures. States should develop and implement systematic procedures to assess work zone impacts in project development, and to manage safety and mobility during project implementation. The scope of these procedures shall be based on the project characteristics.

(c) Work zone data. States shall use field observations, available work zone crash data, and operational information to manage work zone impacts for specific projects during implementation. States shall continually pursue improvement of work zone safety and mobility by analyzing work zone crash and operational data from multiple projects to improve State processes and procedures. States should maintain elements of the data and information resources that are necessary to support these activities.

(d) Training. States shall require that personnel involved in the development, design, implementation, operation, inspection, and enforcement of work zone related transportation management and traffic control be trained, appropriate to the job decisions each individual is required to make. States shall require periodic training updates that reflect changing industry practices and State processes and procedures.

(e) Process review. In order to assess the effectiveness of work zone safety and mobility procedures, the States shall perform a process review at least every two years. This review may include the evaluation of work zone data at the State level, and/or review of randomly selected projects throughout their jurisdictions. Appropriate personnel who represent the project development stages and the different offices within the State, and the FHWA should participate in this review. Other non-State stakeholders may also be included in this review, as appropriate. The results of the review are intended to lead to improvements in work zone processes and

procedures, data and information resources, and training programs so as to enhance efforts to address safety and mobility on current and future projects.

§630.1010 Significant projects.

(a) A significant project is one that, alone or in combination with other concurrent projects nearby is anticipated to cause sustained work zone impacts (as defined in §630.1004) that are greater than what is considered tolerable based on State policy and/or engineering judgment.

(b) The applicability of the provisions in §§ 630.1012(b)(2) and 630.1012(b)(3) is dependent upon whether a project is determined to be significant. The State shall identify upcoming projects that are expected to be significant. This identification of significant projects should be done as early as possible in the project delivery and development process, and in cooperation with the FHWA. The State's work zone policy provisions, the project's characteristics, and the magnitude and extent of the anticipated work zone impacts should be considered when determining if a project is significant or not.

(c) All Interstate system projects within the boundaries of a designated Transportation Management Area (TMA) that occupy a location for more than three days with either intermittent or continuous lane closures shall be considered as significant projects.

(d) For an Interstate system project or categories of Interstate system projects that are classified as significant through the application of the provisions in §630.1010(c), but in the judgment of the State they do not cause sustained work zone impacts, the State may request from the FHWA, an exception to §630.1012(b)(2) and 630.1012(b)(3). Exceptions to these provisions may be granted by the FHWA based on the State's ability to show that the specific Interstate system project or categories of Interstate system projects do not have sustained work zone impacts.

§ 630.1012 Project-level procedures.

(a) This section provides guidance and establishes procedures for States to manage the work zone impacts of individual projects.

(b) Transportation Management Plan (TMP). A TMP consists of strategies to manage the work zone impacts of a project. Its scope, content, and degree of detail may vary based upon the State's work zone policy, and the State's understanding of the expected work zone impacts of the project. For significant projects (as defined in §630.1010), the State shall develop a TMP that consists of a Temporary Traffic Control (TTC) plan and addresses both Transportation Operations (TO) and Public Information (PI) components. For individual projects or classes of projects that

Pt. 630, Subpt. J. Note

the State determines to have less than significant work zone impacts, the TMP may consist only of a TTC plan. States are encouraged to consider TO and PI issues for all projects.

(1) A TTC plan describes TTC measures to be used for facilitating road users through a work zone or an incident area. The TTC plan plays a vital role in providing continuity of reasonably safe and efficient road user flow and highway worker safety when a work zone, incident, or other event temporarily disrupts normal road user flow. The TTC plan shall be consistent with the provisions under Part 6 of the MUTCD and with the work zone hardware recommendations in Chapter 9 of the American Association of State Highway and Transportation Officials (AASHTO) Roadside Design Guide. Chapter 9 of the AASHTO Roadside Design Guide: "Traffic Barriers, Traffic Control Devices, and Other Safety Features for Work Zones' 2002, is incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51 and is on file at the National Archives and Record Administration (NARA). For information on the availability of this material at NARA call (202) 741-6030, or go to http:// www.archives.gov/federal register/

code of federal regulations/
ibr locations.html. The entire document is available for purchase from the American Association of State Highway and Transportation Officials (AASHTO), 444 North Capitol Street, NW., Suite 249, Washington, DC 20001 or at the URL: http://www.aashto.org/bookstore. It is available for inspection from the FHWA Washington Headquarters and all Division Offices as listed in 49 CFR Part 7. In developing and implementing the TTC plan, pre-existing roadside safety hardware shall be maintained at an equivalent or better level than existed prior to project implementation. The scope of the TTC plan is determined by the project characteristics, and the traffic safety and control requirements identified by the State for that project. The TTC plan shall either be a reference to specific TTC elements in the MUTCD, approved standard TTC plans, State transportation department TTC manual, or be designed specifically for the project.

(2) The TO component of the TMP shall include the identification of strategies that will be used to mitigate impacts of the work zone on the operation and management of the transportation system within the work zone impact area. Typical TO strategies may include, but are not limited to, demand management, corridor/network management, safety management and enforcement and work zone traffic management. The scope of the TO component should be determined by the project characteristics, and the transportation operations and safety strategies identified by the State.

(3) The PI component of the TMP shall include communications strategies that seek to inform affected road users, the general public, area residences and businesses, and appropriate public entities about the project, the expected work zone impacts, and the changing conditions on the project. This may include traveler information strategies. The scope of the PI component should be determined by the project characteristics and the public information and outreach strategies identified by the State. Public information should be provided through methods best suited for the project, and may include, but not be limited to, information on the project characteristics, expected impacts, closure details, and commuter alternatives.

(4) States should develop and implement the TMP in sustained consultation with stakeholders (e.g., other transportation agencies, railroad agencies/operators, transit providers, freight movers, utility suppliers, police, fire, emergency medical services, schools, business communities, and regional transportation management centers).

(c) The Plans, Specifications, and Estimates (PS&Es) shall include either a TMP or provisions for contractors to develop a TMP at the most appropriate project phase as applicable to the State's chosen contracting methodology for the project. A contractor developed TMP shall be subject to the approval of the State, and shall not be implemented before it is approved by the State.

(d) The PS&Es shall include appropriate pay item provisions for implementing the TMP, either through method or performance based specifications.

(1) For method-based specifications individual pay items, lump sum payment, or a combination thereof may be used.

(2) For performance based specifications, applicable performance criteria and standards may be used (e.g., safety performance criteria such as number of crashes within the work zone; mobility performance criteria such as travel time through the work zone, delay, queue length, traffic volume; incident response and clearance criteria; work duration criteria).

(e) Responsible persons. The State and the contractor shall each designate a trained person, as specified in §630.1008(d), at the project level who has the primary responsibility and sufficient authority for implementing the TMP and other safety and mobility aspects of the project.

§ 630.1014 Implementation.

Each State shall work in partnership with the FHWA in the implementation of its policies and procedures to improve work zone safety and mobility. At a minimum, this shall involve an FHWA review of conformance of the State's policies and procedures with this regulation and reassessment of the State's implementation of its procedures at

appropriate intervals. Each State is encouraged to address implementation of this regulation in its stewardship agreement with the FHWA.

§ 630.1016 Compliance date.

States shall comply with all the provisions of this rule no later than October 12, 2007. For projects that are in the later stages of development at or about the compliance date, and if it is determined that the delivery of those projects would be significantly impacted as a result of this rule's provisions, States may request variances for those projects from the FHWA, on a project-by-project basis.

PART 633—REQUIRED CONTRACT PROVISIONS

Subpart A—Federal-Aid Construction Contracts (Other Than Appalachian Contracts)

Sec.

633.101 Purpose.

633.102 Applicability.

633.103 Regulatory authority.

633.104 Availability.

Subpart B—Federal-Aid Contracts (Appalachian Contracts)

633.201 Purpose.

633.202 Definitions.

633.203 Applicability of existing laws, regulations, and directives.

633.204 Fiscal allocation and obligations.

633.205 Prefinancing.

633.206 Project agreements.

633.207 Construction labor and materials.

633.208 Maintenance.

633.209 Notices to prospective Federal-aid construction contractors.

633.210 Termination of contract.

633.211 Implementation of the Clean Air Act and the Federal Water Pollution Control Act.

APPENDIX A TO SUBPART B—TYPES OF CONTRACTS TO WHICH THE CIVIL RIGHTS ACT OF 1964 IS APPLICABLE

APPENDIX B TO SUBPART B—REQUIRED CONTRACT PROVISIONS, APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM AND LOCAL ACCESS ROADS CONSTRUCTION CONTRACTS

APPENDIX C TO SUBPART B—ADDITIONAL REQUIRED CONTRACT PROVISIONS, APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM AND LOCAL ACCESS ROADS CONTRACTS OTHER THAN CONSTRUCTION CONTRACTS

APPENDIX D TO SUBPART B—FEDERAL-AID PROPOSAL NOTICES

Subpart A—Federal-Aid Construction Contracts (Other Than Appalachian Contracts)

AUTHORITY: 23 U.S.C. 114 and 315; 49 CFR 1.48.

Source: 52 FR 36920, Oct. 2, 1987, unless otherwise noted.

§ 633.101 Purpose.

To prescribe for Federal-aid highway proposals and construction contracts the method for inclusion of required contract provisions of existing regulations which cover employment, nonsegregated facilities, record of materials and supplies, subletting or assigning the contract, safety, false statements concerning highway projects, termination of a contract, and implementation of the Clean Air Act and the Federal Water Pollution Control Act, and other provisions as shall from time-to-time be required by law and regulation as conditions of Federal assistance.

§633.102 Applicability.

(a) The required contract provisions and the required proposal notices apply to all Federal-aid construction contracts other than Appalachian construction contracts.

(b) Form FHWA-1273, "Required Contract Provisions, Federal-aid Construction Contracts," contains required contract provisions and required proposal notices that are required by regulations promulgated by the FHWA or other Federal agencies. The required contract provisions of Form FHWA-1273 shall be physically incorporated in each Federal-aid highway construction contract other than Appalachian construction contracts (see §633.104 for availability of form).

(c) [Reserved]

(d) The required contract provisions contained in Form FHWA-1273 shall apply to all work performed on the contract by the contractor's own organization and to all work performed on the contract by piecework, station work, or by subcontract.

(e) The contractor shall insert in each subcontract, except as excluded by law or regulation, the required contract provisions contained in Form FHWA-1273 and further require their

§ 633.103

inclusion in any lower tier subcontract that may in turn be made. The required contract provisions of Form FHWA-1273 shall not be incorporated by reference in any case. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the requirements contained in the provisions of Form FHWA-1273.

(f) The State highway agency (SHA) shall include the notices concerning certification of nonsegregated facilities and implementation of the Clean Air Act and Federal Water Pollution Control Act, pursuant to 40 CFR part 15, in all bidding proposals for Federal-aid highway construction projects. As the notices are reproduced in Form FHWA-1273, the SHA may include Form FHWA-1273 in its entirety to meet this requirement.

 $[52\ FR\ 36920,\ Oct.\ 2,\ 1987,\ as\ amended\ at\ 69\ FR\ 7118,\ Feb.\ 13,\ 2004]$

§633.103 Regulatory authority.

All required contract provisions contained in Form FHWA-1273 are requirements of regulations promulgated by the FHWA or other Federal agencies. The authority for each provision will be cited in the text of Form FHWA-1273.

§633.104 Availability.

- (a) Form FHWA-1273 will be maintained by the FHWA and as regulatory revisions occur, the form will be updated.
- (b) Current copies of Form FHWA-1273, Required Contract Provisions, will be made available to the SHAs by the FHWA.

Subpart B—Federal-Aid Contracts (Appalachian Contracts)

AUTHORITY: 40 U.S.C. App. 201, 402; 23 U.S.C. 315; 49 CFR 1.48(b)(35).

Source: 39 FR 35146, Sept. 30, 1974, unless otherwise noted.

$\S 633.201$ Purpose.

The purpose of the regulations in this subpart is to establish policies and outline procedures for administering projects and funds for the Appalachian

Development Highway System and Appalachian local access roads.

§ 633.202 Definitions.

- (a) The word *Commission* means the Appalachian Regional Commission (ARC) established by the Appalachian Regional Development Act of 1965, as amended (Act).
- (b) The term *division administrator*'' means the chief Federal Highway Administration (FHWA) official assigned to conduct FHWA business in a particular State.

[39 FR 35156, Sept. 30, 1974, as amended at 40 FR 49084, Oct. 21, 1975; 41 FR 8769, Mar. 1, 1976]

§ 633.203 Applicability of existing laws, regulations, and directives.

The provisions of title 23 U.S.C., that are applicable to the construction and maintenance of Federal-aid primary and secondary highways, and which the Secretary of Transportation determines are not inconsistent with the Act, shall apply, respectively, to the development highway system and the local access roads. In addition, the Regulations for the Administration of Federal-aid for Highways (title 23, Code of Federal Regulations) and directives implementing applicable provisions of title 23 U.S.C., where not inconsistent with the Act, shall be applicable to such projects.

§ 633.204 Fiscal allocation and obligations.

- (a) Federal assistance to any project under the Act shall be as determined by the Commission, but in no event shall such Federal assistance exceed 70 per centum of the cost of such a project.
- (b) The division administrator's authorization to proceed with the proposed work shall establish obligation of Federal funds with regard to a particular project.

[39 FR 35156, Sept. 30, 1974, as amended at 40 FR 49084, Oct. 21, 1975; 41 FR 8769, Mar. 1, 1976]

§633.205 Prefinancing.

(a) Under the provisions of subsection 201(h) of the Act, projects located on the Appalachian Development Highway

System including preliminary engineering, right-of-way, and/or construction may be programed and advanced with interim State financing.

(b) Program approvals, plans, specifications, and estimates (PS&E) approval, authorizations to proceed, concurrence in award of contracts, and all other notifications to the State of advancement of a project shall include the statement, "There is no commitment or obligation on the part of the United States to provide funds for this highway improvement. However, this project is eligible for Federal reimbursement when sufficient funds are available from the amounts allocated by the Appalachian Regional Commission."

§633.206 Project agreements.

- (a) Project agreements executed for projects under the Appalachian program shall contain the following paragraphs:
- (1) "For projects constructed under section 201 of the Appalachian Regional Development Act of 1965, as amended, the State highway department agrees to comply with all applicable provisions of said Act, regulations issued thereunder, and policies and procedures promulgated by the Appalachian Regional Commission, and the Federal Highway Administration. Inasmuch as a primary objective of the Appalachian Regional Development Act of 1965 is to provide employment, the State highway department further agrees that in addition to the other applicable provisions of title 49, Code of Federal Regulations, part 21, §21.5(c)(1), and paragraphs (2)(iii) and (2)(v) of appendix C thereof, shall be applicable to all employment practices in connection with this project, and to the State's employment practices with respect to those employees connected with the Appalachian Highway Program.
- (2) "For projects constructed on a section of an Appalachian development route not already on the Federal-aid Primary System, the State highway department agrees to add the section to the Federal-aid Primary System prior to, or upon completion of, construction accomplished with Appalachian funds."

(b) For prefinanced projects, the following additional provision shall be incorporated into the project agreement: "Project for Construction on the Appalachian Development Highway System in Advance of the Appropriation of Funds. This project, to be constructed pursuant to subsection 201(h) of the Appalachian Regional Development Act Amendments of 1967, will be constructed in accordance with all procedures and requirements and standards applicable to projects on the Appalachian Development Highway System financed with the aid of Appalachian funds. No obligation of Appalachian funds is created by this agreement, its purpose and intent being to provide that, upon application by the State highway department, and approval thereof by the Federal Highway Administration, any Appalachian development highway funds made available to the State by the Appalachian Regional Commission subsequent to the date of this agreement may be used to reimburse the State for the Federal share of the cost of work done on the project.'

§ 633.207 Construction labor and materials.

(a) Construction and materials shall be in accordance with the State highway department standard construction specifications approved for use on Federal-aid primary projects and special provisions and supplemental specifications amendatory thereto approved for use on the specific projects.

(b) The provisions of 23 U.S.C. 324 and of title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. 2000d–2000d–4) and the implementing regulations in 49 CFR part 21, including the provisions of §21.5(c)(1), and paragraphs (2)(iii) and (2)(v) of appendix C thereof relative to employment practices, shall be applicable to all types of contracts listed in appendix A.

(c) The "Required Contract Provisions, Appalachian Development Highway System and Local Access Roads Construction Contracts," Form PR-1316 (appendix B), shall be included in all construction contracts awarded under the Act.

(d) The required contract provisions set forth in Form PR-1317 (appendix C) $\,$

§ 633.208

shall be included in all types of contracts described in appendix A, other than construction contracts.

(e) In the design and construction of highways and roads under the Act, the State may give special preference to the use of mineral resource materials native to the Appalachian region. The provisions of §635.409 of this chapter shall not apply to projects under the Act to the extent such provisions are inconsistent with sections 201(d) and (e) of the Act.

[39 FR 35146, Sept. 30, 1974, as amended at 40 FR 49084, Oct. 21, 1975; 41 FR 36204, Aug. 27, 1976]

§633.208 Maintenance.

Maintenance of all highway projects constructed under the Act, whether on the development system or local access roads, shall be the responsibility of the State. The State may arrange for maintenance of such roads or portions thereof, by agreement with a local governmental unit.

$\$\,633.209$ Notices to prospective Federal-aid construction contractors.

The State highway department shall include the notices set forth in appendix D in all future bidding proposals for Appalachian Development System and Appalachian local access roads construction contracts.

§633.210 Termination of contract.

All contracts exceeding \$2,500 shall contain suitable provisions for termination by the State, including the manner in which the termination will be effected and the basis for settlement. In addition, such contracts shall describe conditions under which the contract may be terminated for default as well as conditions where the contract may be terminated because of circumstances beyond the control of the contractor.

§ 633.211 Implementation of the Clean Air Act and the Federal Water Pollution Control Act.

Pursuant to regulations of the Environmental Protection Agency (40 CFR part 15) implementing requirements with respect to the Clean Air Act and the Federal Water Pollution Control

Act are included in appendix B to this part.

[40 FR 49084, Oct. 21, 1975]

APPENDIX A TO SUBPART B OF PART 633—TYPES OF CONTRACTS TO WHICH THE CIVIL RIGHTS ACT OF 1964 IS APPLICABLE

Section 324 of title 23 U.S.C., the Civil Rights Act of 1964, and the implementing regulations of the Department of Transportation (49 CFR part 21), including the provisions of paragraphs (2)(iii) and (2)(v) of appendix C thereof relative to employment practices, are applicable to the following types of contracts awarded by State highway departments, contractors, and first tier subcontractors, including those who supply materials and lease equipment:

- 1. Construction.
- 2. Planning.
- Research.
- 4. Highway Safety.
- 5. Engineering.
- 6. Property Management.
- 7. Fee contracts and other commitments with persons for services incidental to the acquisition of right-of-way including, but not limited to:
 - a. Advertising contracts.
 - b. Agreements for economic studies.
- c. Contracts for surveys and plats.
- d. Contracts for abstracts of title certificates and title insurance.
- e. Contracts for appraisal services and expert witness fees.
- f. Contracts to negotiate for the acquisition of right-of-way.
- g. Contracts for disposal of improvements and property management services.
- h. Contracts for employment of fee attorneys for right-of-way procurement, or preparation and trial of condemnation cases.
- Contracts for escrow and closing services.

[40 FR 49084, Oct. 21, 1975]

APPENDIX B TO SUBPART B OF PART 633—REQUIRED CONTRACT PROVISIONS, APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM AND LOCAL ACCESS ROADS CONSTRUCTION CONTRACTS

- I. Application.
- II. Employment Preference.
- III. Equal Opportunity: Employment Practices.
- Equal Opportunity: Selection of Subcontractors, Procurement of Materials, and Leasing of Equipment.
- V. Nonsegregated Facilities.
- VI. Payment of Predetermined Minimum Wages
- VII. Statements and Payrolls.
- VIII. Record of Materials, Supplies and Labor.
- IX. Subletting or Assigning the Contract.
- X. Safety: Accident Prevention.
- XI. False Statements Concerning Highway Projects.

Federal Highway Administration, DOT

XII. Implementation of Clean Air Act and Federal Water Pollution Control Act.

I. Application.

- 1. These contract provisions shall apply to all work performed on the contract by the contractor with his own organization and with the assistance of workmen under his immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.
- 2. Except as otherwise provided in sections II, III, and IV hereof, the contractor shall insert in each of his subcontracts all of the stipulations contained in these Required Contract Provisions and also a clause requiring his subcontractors to include these Required Contract Provisions in any lower tier subcontracts which they may enter into, together with a clause requiring the inclusion of these provisions in any further subcontracts that may in turn be made. The Required Contract Provisions shall in no instance be incorporated by reference.
- 3. A breach of any of the stipulations contained in these Required Contract Provisions may be grounds for termination of the contract
- 4. A breach of the following clauses may also be grounds for debarment as provided in 29 CFR 5.6(b):

Section 1, paragraph 2.

Section VI, paragraphs 1, 2, 3, 5 and 8a. Section VII, paragraphs 1, 5a, 5b and 5d.

II. Employment preference.

1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as onsite work, shall give preference to qualified persons who regularly reside in the labor area as designated by the United States Department of Labor wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:

a. To the extent that qualified persons regularly residing in the area are not available.

- b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.
- c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph 1c shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph 4 below.
- 2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of laborers, mechanics and other employees he anticipates will be required to perform the contract work, (b) the number of employees required

in each classification, (c) the date on which he estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, he shall promptly notify the State Employment Service.

3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.

- 4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill the positions covered by the certificate, notwithstanding the provisions of subparagraph 1c above.
- 5. The contractor shall include the provisions of section II-1 through II-4 in every subcontract for work which is, or reasonably may be, done as on-site work.

III. Equal opportunity: employment practices.

During the performance of this contract, the contractor agrees as follows:

- a. The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, or national origin. Such action shall include, but not be limited to the following: Employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoffs or termination; rates of pay or other forms of compensation; and selection of training, including apprenticeship. The contractor agrees to post in conspicuous places, available to emplovees and applicants for employment, notices to be provided by the State highway department setting forth the provisions of this nondiscrimination clause.
- b. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all

Pt. 633, Subpt. B, App. B

qualified applicants will receive consideration for employment without regard to race, color, religion, sex, or national origin.

c. The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided by the State highway department advising the said labor union or workers' representative of the contractor's commitments under this section III and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

d. The contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations and relevant orders of the Secretary of Labor.

e. The contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations and orders of the Secretary of Labor or pursuant thereto, and will permit access to his books, records and accounts by the Federal Highway Administration and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations and orders.

f. In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations or orders, this contract may be canceled, terminated or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts or federally-assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation or order of the Secretary of Labor, or as otherwise provided by law.

g. The contractor will include the provisions of this section III in every subcontract or purchase order unless exempted by rules, regulations or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the State Highway Department or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance: Provided, however. That in the event a contractor becomes involved in, or is threatened with litigation with a subcontractor or vendor as a result of such direction by the Federal Highway Administration, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

IV. Equal opportunity selection of subcontractors, procurement of materials, and leasing of equipment.

During the performance of this contract, the contractor, for itself, its assignees and successors in interest (hereinafter referred to as the *contractor*), *agrees as follows:*

- 1. Compliance with regulations. The contractor shall comply with the provisions of 23 U.S.C. 324 and with the regulations relative to nondiscrimination in Federally-assisted programs of the Department of Transportation (hereinafter, "DOT") title 49, Code of Federal Regulations, part 21, as they may be amended from time to time (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this contract.
- 2. Nondiscrimination. The contractor, with regard to the work performed by it during the contract, shall not discriminate on the grounds of race, color, sex, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipments. The contractor shall not participate either directly or indirectly in the discrimination prohibited by section 21.5 of the Regulations, including employment practices.
- 3. Solicitations for subcontracts including procurement of materials and equipment. In all solicitations either by competitive bidding or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor or supplier, shall be notified by the contractor of the contractor's obligations under this contract and the Regulations relative to nondiscrimination on the grounds of race, color, sex, or national origin.
- 4. Information and reports. The contractor shall provide all information and reports required by the Regulations, or directives issued pursuant thereto, and shall permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the State highway department or the Federal Highway Administration to be pertinent to ascertain compliance with such Regulations, orders and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish this information, the contractor shall so certify to the State highway department, or the Federal Highway Administration, as appropriate, and shall set forth what efforts it has made to obtain the information.
- 5. Sanctions for noncompliance. In the event of the contractor's noncompliance with the nondiscrimination provisions of this contract, the State highway department shall impose such contract sanctions as it or the

Federal Highway Administration, DOT

Federal Highway Administration may determine to be appropriate, including, but not limited to:

a. Withholding of payments to the contractor under the contract until the contractor complies, and/or

b. Cancellation, termination or suspension of the contract, in whole or in part.

6. Incorporation of provisions. The contractor will include the provisions of paragraphs (1) through (6) in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Regulations, or directives issued pursuant thereto. The contractor shall take such action with respect to any subcontract or procurement, as the State highway department or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, That, in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier, as a result of such direction, the contractor may request the State to enter into such litigation to protect the interests of the State, and, in addition, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

V. Nonsegregated facilities.

(Applicable to Federal-aid construction contracts and related subcontracts exceeding \$10,000 which are not exempt from the Equal Opportunity clause.)

By submission of this bid, the execution of this contract or subcontract, or the consummation of this material supply agreement, as appropriate, the bidder, Federal-aid construction contractor, subcontractor, or material supplier, as appropriate, certifies that he does not maintain or provide for his employees any segregated facilities at any of his establishments, and that he does not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. He certifies further that he will not maintain or provide for his employees any segregated facilities at any of his establishments, and that he will not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. He agrees that a breach of this certification is a violation of the Equal Opportunity clause in this contract. As used in this certification, the term segregated facilities means any waiting rooms, work areas, restrooms and washrooms, restaurants and other eating areas, timeclocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive or are in fact segregated on the basis of race, creed, color,

or national origin, because of habit, local custom, or otherwise. He agrees that (except where he has obtained identical certifications from proposed subcontractors and material suppliers for specific time periods), he will obtain identical certifications from proposed subcontractors or material suppliers prior to the award of subcontracts or the consummation of material supply agreements, exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause, and that he will retain such certification in his files.

VI. Payment of predetermined minimum wages.

1. General. All mechanics and laborers employed or working upon the site of the work will be paid unconditionally and not less than once a week, and without subsequent deduction or rebate on any account, except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3), the full amounts due at time of payment computed at wage rates not less than those contained in the wage determination decision of the Secretary of Labor which is attached hereto and made a part thereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics; and the wage determination decision shall be posted by the contractor at the site of the work in a prominent place where it can be easily seen by the workers. For the purpose of this clause, contributions made or costs reasonably anticipated under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of section VI, paragraph 3b, hereof. Also for the purpose of this clause, regular contributions made or costs incurred for more than a weekly period under plans, funds, or programs, but covering the particular weekly period, are deemed to be constructively made or incurred during such weekly period.

2. Classifications—a. The State highway department contracting officer shall require that any class of laborers or mechanics which is not listed in the wage determination and which is to be employed under the contract, shall be classified or reclassified conformably to the wage determination, and a report of the action taken shall be sent by the State highway department contracting officer to the Secretary of Labor.

b. In the event the interested parties cannot agree on the proper classification or reclassification of a particular class of laborers and mechanics to be used, the question accompanied by the recommendation of the State highway department contracting officer shall be referred to the Secretary for final determination.

Pt. 633, Subpt. B, App. B

- 3. Payment of fringe benefits—a. The State highway department contracting officer shall require, whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly wage rate and the contractor is obligated to pay a cash equivalent of such a fringe benefit, an hourly cash equivalent thereof to be established. In the event the interested parties cannot agree upon a cash equivalent of the fringe benefits, the question, accompanied by the recommendation of the contracting officer, shall be referred to the Secretary of Labor for determination.
- b. If the contractor does not make payments to a trustee or other third person, he may consider as part of the wage of any laborer or mechanic the amount of any costs reasonably anticipated in providing benefits under a plan or program of a type expressly listed in the wage determination decision of the Secretary of Labor which is part of this contract: Provided, however, The Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.
- 4. Payment of excess wages. While the wage rates shown are the minimum rates required by the contract to be paid during its life, this is not a representation that labor can be obtained at these rates. No increase in the contract price shall be allowed or authorized on account of the payment of wage rates in excess of those listed herein.
- 5. Apprentices and trainees (Programs of Department of Labor). a. Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Manpower Administration, Bureau of Apprenticeship and Training, or with a State Apprenticeship Agency recognized by the Bureau, or if a person is employed in his first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Bureau of Apprenticeship and Training or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen in any craft classification shall not be greater than the ratio permitted to the contractor as to his entire work force under the registered program. Any employee listed on a payroll at an apprentice wage rate, who is not a trainee as defined in 29 CFR 5.2(c)(2) or is not registered or otherwise employed as stated above, shall be paid the wage rate deter-

mined by the Secretary of Labor for the classification of work he actually performed. The contractor or subcontractor will be required to furnish to the State highway department or to a representative of the Wage-Hour Division of the U.S. Department of Labor written evidence of the registration of his program and apprentices as well as the appropriate ratios and wage rates (expressed in percentages of the journeyman hourly rates), for the area of construction prior to using any apprentices on the contract work. The wage rate paid apprentices shall be not less than the appropriate percentage of the journeyman's rate contained in the applicable wage determination.

- b. Trainees, except as provided in 29 CFR 5.15, will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification, by the U.S. Department of Labor, Manpower Administration, Bureau of Apprenticeship and Training. The ratio of trainees to journeymen shall not be greater than permitted under the plan approved by the Bureau of Apprenticeship and Training. Every trainee must be paid at not less than the rate specified in the approved program for his level of progress. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Bureau of Apprenticeship and Training shall be paid not less than the wage rate determined by the Secretary of Labor for the classification of work he actually performed. The contractor or subcontractor will be required to furnish the State highway department or a representative of the Wage-Hour Division of the U.S. Department of Labor written evidence of the certification of his program, the registration of the trainees, and the ratios and wage rates prescribed in that program. In the event the Bureau of Apprenticeship and Training withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.
- c. The utilization of apprentices, trainees and journeymen shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.
- 6. Apprentices and trainees (Programs of Department of Transportation). Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting equal opportunity in connection with Federal-aid highway construction programs are not subject to the requirements of section VI, paragraph 5 above. The straight time hourly wage rates for apprentices and

trainees under such programs will be established by the particular programs.

7. Withholding for unpaid wages. The State highway department contracting officer may withhold or cause to be withheld from the contractor so much of the accrued payments or advances as may be considered necessary to pay laborers, mechanics, (including apprentices and trainees) watchmen, or guards employed by the contractor or any subcontractor on the work the full amount of wages required by the contract. In the event of failure to pay any laborer, mechanic, (including apprentices and trainees) watchman or guard employed or working on the site of the work, all or part of the wages required by the contract, the State highway department contracting officer may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

8. Overtime requirements. a. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers, mechanics, watchmen or guards (including apprentices and trainees described in paragraphs 5 and 6 above) shall require or permit any laborer, mechanic, watchman or guard in any workweek in which he is employed on such work, to work in excess of eight hours in any calendar day or in excess of forty hours in such workweek unless such laborer, mechanic, watchman or guard receives compensation at a rate not less than one and one-half times his basic rate of pay for all hours worked in excess of eight hours in any calendar day or in excess of forty hours in such workweek, as the case may be.

b. In the event of any violation of paragraph 8a, the contractor and any subcontractor responsible therefor shall be liable to any affected employee for his unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer, mechanic, watchman or guard employed in violation of paragraph 8a, in the sum of \$10 for each calendar day on which such employee was required or permitted to work in excess of eight hours or in excess of the standard workweek of forty hours without payment of the overtime wages required by paragraph 8a.

c. The State highway department contracting officer may withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor, such sums as may administratively be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for liquidated damages as provided in paragraph 8b.

1. Compliance with Copeland Regulations (29 CFR part 3). The contractor shall comply with the Copeland Regulations (29 CFR part 3) of the Secretary of Labor which are herein incorporated by reference.

2. Weekly statement. Each contractor or subcontractor shall furnish each week a statement to the State highway department resident engineer with respect to the wages paid each of its employees, including apprentices and trainees described in section VI, paragraphs 5 and 6, and watchmen and guards on work covered by the Copeland Regulations during the preceding weekly payroll period. The statement shall be executed by the contractor or subcontractor or by an authorized officer or employee of the contractor or subcontractor who supervises the payment of wages. Contractors and subcontractors must use the certification set forth on U.S. Department of Labor Form WH-348, or the same certification appearing on the reverse of Optional U.S. Department of Labor Form WH-347, or on any form with identical wording.

3. Final labor summary. The contractor and each subcontractor shall furnish, upon the completion of the contract, a summary of all employment, indicating for the completed project the total hours worked and the total amount earned. This data shall be submitted to the State highway department resident engineer on Form PR-47 together with the data required in section VIII, hereof, relative to materials and supplies.

4. Final certificate. Upon completion of the contract, the contractor shall submit to the State highway department contracting officer, for transmission to the Federal Highway Administration with the voucher for final payment for any work performed under the contract, a certificate concerning wages and classifications for laborers, mechanics, watchmen and guards employed on the project, in the following form:

The undersigned, contractor on

ne undersigned, contractor or

(Project No.)

hereby certifies that all laborers, mechanics, apprentices, trainees, watchmen and guards employed by him or by any subcontractor performing work under the contract on the project have been paid wages at rates not less than those required by the contract provisions, and that the work performed by each such laborer, mechanic, apprentice or trainee conformed to the classifications set forth in the contract or training program provisions applicable to the wage rate paid.

Signature and title

VII. Statements and payrolls.

Pt. 633, Subpt. B, App. B

- 5. Payrolls and payroll records—a. Payrolls and basic records relating thereto will be maintained during the course of the work and preserved for a period of three years thereafter for all laborers, mechanics, apprentices, trainees, watchmen and guards working at the site of the work.
- b. The payroll records shall contain the name, social security number and address of each such employee, his correct classification, rates of pay (including rates of contributions or costs anticipated of the types described in section 1(b)(2) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor, pursuant to section VI, paragraph 3.b., has found that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section I(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits.
- c. The payrolls shall contain the following information:
- 1. The employee's full name, address and social security number and a notation indicating whether the employee does, or does not, normally reside in the labor area as defined in section II, paragraph 1.a. (The employee's full name and social security number need only appear on the first payroll on which his name appears. The employee's address need only be shown on the first submitted payroll on which the employee's name appears, unless a change of address necessitates a submittal to reflect the new address.)
 - 2. The employee's classification.
- 3. Entries indicating the employee's basic hourly wage rate and, where applicable, the overtime hourly wage rate. The payroll should indicate separately the amounts of employee and employer contributions to fringe benefits funds and/or programs. Any fringe benefits paid to the employee in cash must be indicated. There is no prescribed or mandatory form for showing the above information on payrolls.
- 4. The employee's daily and weekly hours worked in each classification, including actual overtime hours worked (not adjusted).
 - 5. The itemized deductions made and
- 6. The net wages paid.
- d. The contractor will submit weekly a copy of all payrolls to the State highway department resident engineer. The copy shall be accompanied by a statement signed by the employer or his agent indicating that the

payrolls are correct and complete, that the wage rates contained therein are not less than those determined by the Secretary of Labor and the classifications set forth for each laborer or mechanic conform with the work he performed. Submission of a weekly statement which is required under this contract by section VII, paragraph 2, and the Copeland Regulations of the Secretary of Labor (29 CFR part 3) and the filing with the initial payroll or any subsequent payroll of a copy of any findings by the Secretary of Labor pursuant to section VI, paragraph 3b, shall satisfy this requirement. The prime contractor shall be responsible for the sub-mission of copies of payrolls of all subcontractors. The contractor will make the records required under the labor standards clauses of the contract available for inspection by authorized representatives of the State highway department, the Federal Highway Administration and the Department of Labor, and will permit such representatives to interview employees during working hours on the job.

e. The wages of labor shall be paid in legal tender of the United States, except that this condition will be considered satisfied if payment is made by negotiable check, on a solvent bank, which may be cashed readily by the employee in the local community for the full amount, without discount or collection charges of any kind. Where checks are used for payment, the contractor shall make all necessary arrangements for them to be cashed and shall given information regarding such arrangements.

f. No fee of any kind shall be asked or accepted by the contractor or any of his agents from any person as a condition of employment on the project.

g. No laborers shall be charged for any tools used in performing their respective duties except for reasonably avoidable loss or damage thereto.

- h. Every employee on the work covered by this contract shall be permitted to lodge, board and trade where and with whom he elects and neither the contractor nor his agents, nor his employees shall, directly or indirectly, require as a condition of employment that an employee shall lodge, board or trade at a particular place or with a particular person.
- i. No charge shall be made for any transportation furnished by the contractor, or his agents, to any person employed on the work.
- j. No individual shall be employed as a laborer or mechanic on this contract except on a wage basis, but this shall not be construed to prohibit the rental of teams, trucks, or other equipment from individuals.

VIII. Record of materials, supplies and labor.

1. The contractor shall maintain a record of the total cost of all materials and supplies purchased for and incorporated in the work,

Federal Highway Administration, DOT

and also of the quantities of those specific materials and supplies listed on Form PR-47 and in the units shown. Upon completion of the contract, this record, together with the final labor summary required in section VII, paragraph 3, hereof, shall be transmitted to the State highway department resident engineer for the project on Form PR-47 in accordance with instructions attached thereto, which will be furnished for this purpose upon request. The quantities for the listed items shall be reported separately for roadway and for structures over 20 feet long as measured along the centerline of the roadway.

- 2. The contractor shall become familiar with the list of specific materials and supplies contained in Form PR-47 prior to the commencement of work under this contract. Any additional materials information required will be solicited through revisions of Form PR-47 with attendant explanations.
- 3. Where subcontracts are involved the contractor shall submit either a single report covering work both by himself and all his subcontractors, or he may submit separate reports for himself and for each of his subcontractors.

IX. Subletting or assigning the contract.

- 1. The contractor shall perform with his own organization contract work amounting to not less than 50 percent of the original total contract price, except that any items designated by the State as *Specialty Items* may be performed by subcontract and the amount of any such *Specialty Items* so performed may be deducted from the original total contract price before computing the amount of work required to be performed by the contractor with his own organization.
- a. *His own organization* shall be construed to include only workmen employed and paid directly by the prime contractor and equipment owned or rented by him, with or without operators.
- b. Specialty items shall be construed to be limited to work that requires highly specialized knowledge, craftsmanship or equipment not ordinarily available in contracting organizations qualified to bid on the contract as a whole and in general are to be limited to minor components of the overall contract.
- 2. In addition to the 50 percent requirements set forth in paragraph 1 above, the contractor shall furnish (a) a competent superintendent or foreman who is employed by him, who has full authority to direct performance of the work in accordance with the contract requirements, and who is in charge of all construction operations (regardless of who performs the work), and (b) such other of his own organizational capability and responsibility (supervision, management, and engineering services) as the State highway department contracting officer determines is necessary to assure the performance of the contract.

- 3. The contract amount upon which the 50 percent requirement set forth in paragraph 1 is computed includes the cost of materials and manufactured products which are to be purchased or produced by the contractor under the contract provisions.
- 4. Any items that have been selected as *Specialty Items* for the contract are listed as such in the Special Provisions, bid schedule, or elsewhere in the contract documents.
- 5. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the State highway department contracting officer, or his authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Request for permission to sublet, assign or otherwise dispose of any portion of the contract shall be in writing and accompanied by (a) a showing that the organization which will perform the work is particularly experienced and equipped for such work, and (b) an assurance by the contractor that the labor standards provisions set forth in this contract shall apply to labor performed on all work encompassed by the request.

X. Safety: Accident prevention.

In the performance of this contract, the contractor shall comply with all applicable Federal, State and local laws governing safety, health and sanitation. The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions, on his own responsibility, or as the State highway department contracting officer may determine, reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract

It is a condition of this contract, and shall be made a condition of each subcontract entered into pursuant to this contract, that the contractor and any subcontractor shall not require any laborer or mechanic employed in performance of the contract to work in surroundings or under working conditions which are unsanitary, hazardous, or dangerous to his health or safety, as determined under construction safety and health standards (title 29, Code of Federal Regulations, part 1926, formerly part 1518, as revised from time to time), promulgated by the United States Secretary of Labor, in accordance with section 107 of the Contract Work Hours and Safety Standards Act (83 Stat. 96).

XI. False statements concerning highway projects.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of

Pt. 633, Subpt. B, App. C

reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly and honestly as possible. Willfull falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, the following notice shall be posted on each Federal-aid highway project in one or more places where it is readily available to all personnel concerned with the project:

* * * * * *

NOTICE TO ALL PERSONNEL ENGAGED ON FEDERAL-AID HIGHWAY PROJECTS

Title 18 U.S.C., section 1020, reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed or the costs thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction of any highway or related project submitted for approval to the Secretary of Transportation; or "Whoever knowingly makes any false

"Whoever knowingly makes any false statement, false representation, false report, or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

"Whoever knowingly makes any false statement or false representation as to a material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-Aid Road Act approved July 1, 1916 (39 Stat. 355), as amended and supplemented:

"Shall be fined not more than \$10,000 or imprisoned not more than five years, or both."

- XII. Implementation of Clean Air Act and Federal Water Pollution Control Act (applicable to contracts and subcontracts which exceed \$100,000).
- 1. The contractor stipulates that any facility to be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 *et seq.*, as amended by Pub. L. 91-

604), and under the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251 et seq., as amended by Pub. L. 92-500), Executive Order 11738, and regulations in implementation thereof (40 CFR part 15), is listed not on the date of contract award, on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities Pursuant to 40 CFR part 15.20.

2. The contractor agrees to comply with all the requirements of section 114 of the Clean Air Act and section 308 of the Federal Water Pollution Control Act and all regulations and guidelines listed thereunder.

- 3. The contractor shall promptly notify the State highway department of the receipt of any communication from the Director, Office of Federal Activities, EPA, indicating that a facility to be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.
- 4. The contractor agrees to include or cause to be included the requirements of subparagraphs I through 4 of this paragraph XII in every subcontract which exceeds \$100,000, and further agrees to take such action as Government may direct as a means of enforcing such requirements.

[40 FR 49084, Oct. 21, 1975]

APPENDIX C TO SUBPART B OF PART 633—ADDITIONAL REQUIRED CONTRACT PROVISIONS, APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM AND LOCAL ACCESS ROADS CONTRACTS OTHER THAN CONSTRUCTION CONTRACTS

EQUAL OPPORTUNITY: EMPLOYMENT PRACTICES AND SELECTION OF SUBCONTRACTORS, SUP-PLIERS OF MATERIALS, AND LESSORS OF EQUIPMENT

During the performance of this contract, the contractor agrees as follows:

1. Compliance with regulations.

The contractor will comply with the provisions of 23 U.S.C. 324 and with the Regulations of the Department of Transportation relative to nondiscrimination in Federally-assisted programs of the Department of Transportation (Title 49, Code of Federal Regulations, part 21, hereinafter referred to as the regulations), which are herein incorporated by reference and made a part of this contract.

$2.\ Employment\ practices$

a. The contractor will not discriminate against any employee or applicant for employment because of race, color, sex, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, sex, or national origin.

Federal Highway Administration, DOT

Such action shall include, but not be limited to the following: recruitment or recruitment advertising, hiring, firing, upgrading, promotion, demotion, transfer, layoff, termination, rates of pay or other forms of compensation or benefits, selection for training or apprenticeship, use of facilities and treatment of employees. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this employment practices clause.

b. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, sex, or national origin.

c. The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice advising the said labor union or workers representative of the contractor's commitments under the employment practices provision, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

Selection of subcontractors, procurement of materials and leasing of equipment.

a. The contractor, with regard to the work performed by him after award and prior to completion of the contract work, will not discriminate on the ground of race, color, sex, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor will not participate either directly or indirectly in the discrimination prohibited by Section 21.5 of the Regulations.

b. In all solicitations either by competitive bidding or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor, supplier, or lessor shall be notified by the contractor of the contractor's obligations under this contract and the Regulations relative to nondiscrimination on the ground of race, color, sex, or national origin.

4. Information and reports.

The contractor will provide all information and reports required by the Regulations, or orders and instructions issued pursuant thereto, and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the State highway department or the Federal Highway Administration to be pertinent to ascertain compliance with such Regulations, orders and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish this information, the

contractor shall so certify to the State highway department, or the Federal Highway Administration as appropriate, and shall set forth what efforts it has made to obtain the information.

5. Incorporation of provisions.

The contractor will include these additional required contract provisions in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Regulations or orders, or instructions issued pursuant thereto. The contractor will take such action with respect to any subcontract, procurement, or lease as the State highway department or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for non-compliance: Provided, however. That, in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor, supplier, or lessor as a result of such directed action, the contractor may request the State to enter into such litigation to protect the interest of the State, and, in addition, the contractor may request the United States to enter into such litigation to protect the interest of the United States

6. Sanctions for noncompliance.

In the event of the contractor's noncompliance with sections 1 through 5 above, the State highway department shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including but not limited to.

a. Withholding of payments to the contractor under the contract until the contractor complies, and/or

b. Cancellation, termination or suspension of the contract in whole or in part.

[40 FR 49088, Oct. 21, 1975]

APPENDIX D TO SUBPART B OF PART 633—FEDERAL-AID PROPOSAL NOTICES

NOTICES TO PROSPECTIVE FEDERAL-AID CONSTRUCTION CONTRACTORS

I. Certification of nonsegregated facilities.

(a) A Certification of Nonsegregated Facilities, as required by the May 9, 1967, Order of the Secretary of Labor (32 FR 7439, May 19, 1967) on Elimination of Segregated Facilities (is included in the proposal and must be submitted prior to the award of a Federal-aid highway construction contract exceeding \$10,000 which is not exempt from the provisions of the Equal Opportunity clause).

(b) Bidders are cautioned as follows: By signing this bid, the bidder will be deemed to have signed and agreed to the provisions of the "Certification of Nonsegregated Facilities" in this proposal. This certification provides that the bidder does not maintain or provide for his employees facilities which are

Pt. 635

segregated on a basis of race, creed, color, or national origin, whether such facilities are segregated by directive or on a de facto basis. The certification also provides that the bidder will not maintain such segregated facilities.

(c) Bidders receiving Federal-aid highway construction contract awards exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause, will be required to provide for the forwarding of the following notice to prospective subcontractors for construction contracts and material suppliers where the subcontracts or material supply agreements exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity clause.

NOTICE TO PROSPECTIVE SUBCONTRACTORS AND MATERIAL SUPPLIERS OF REQUIREMENT FOR CERTIFICATION OF NONSEGREGATED FACILI-TIES

(a) A Certification of Nonsegregated Facilities is required by the May 9, 1967, Order of the Secretary of Labor (32 FR 7431, May 19, 1967) on Elimination of Segregated Facilities, which is included in the proposal, or attached hereto, must be submitted by each subcontractor and material supplier prior to the award of the subcontract or consummation of a material supply agreement if such subcontract or agreement exceeds \$10,000 and is not exempt from the provisions of the Equal Opportunity clause.

(b) Subcontractors and material suppliers are cautioned as follows: By signing the subcontract or entering into a material supply agreement, the subcontractor or material supplier will be deemed to have signed and agreed to the provisions of the "Certification of Nonsegregated Facilities" in the subcontract or material supply agreement. This certification provides that the subcontractor or material supplier does not maintain or provide for his employees facilities which are segregated on the basis of race, creed, color, or national origin, whether such facilities are segregated by directive or on a de facto basis. The certification also provides that the subcontractor or material supplier will not maintain such segregated facilities.

(c) Subcontractors or material suppliers receiving subcontract awards or material supply agreements exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause will be required to provide for the forwarding of this notice to prospective subcontractors for construction contracts and material suppliers where the subcontracts or material supply agreements exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity clause.

II. Implementation of Clean Air Act.

(a) By signing this bid, the bidder will be deemed to have stipulated as follows:

- (1) That any facility to be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 *et seq.*, as by Pub. L. 91-604), Executive order 11738, and regulations in implementation thereof (40 CFR part 15, is not listed on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities pursuant to 40 CFR 15.20.
- (2) That the State highway department shall be promptly notified prior to contract award of the receipt by the bidder of any communication from the Director, Office of Federal Activities, EPA, indicating that a facility to be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.

PART 635—CONSTRUCTION AND MAINTENANCE

Subpart A—Contract Procedures

- 635.101 Purpose.
- 635.102 Definitions.
- 635.103 Applicability.
- 635.104 Method of construction.
- 635.105 Supervising agency. 635.106 Use of publicly owned equipment.
- 635.107 Participation by disadvantaged business enterprises.
- 635.108 Health and safety.
- 635.109 Standardized changed condition clauses.
- 635.110 Licensing and qualification of contractors.
- 635.111 Tied bids.
- 635.112 Advertising for bids and proposals.
- 635.113 Bid opening and bid tabulations.
- 635.114 Award of contract and concurrence in award.
- 635.115 Agreement estimate.
- 635.116 Subcontracting and contractor responsibilities.
- 635.117 Labor and employment.
- 635.118 Payroll and weekly statements.
- 635.119 False statements.
- 635.120 Changes and extra work.
- 635.121 Contract time and contract time extensions.
- 635.122 Participation in progress payments.
- 635.123 Determination and documentation of pay quantities.
- 635.124 Participation in contract claim awards and settlements.
- 635.125 Termination of contract.
- 635.126 Record of materials, supplies, and
- 635.127 Agreement provisions regarding overruns in contract time.

Subpart B—Force Account Construction

- 635.201 Purpose.
- 635.202 Applicability.

- 635.203 Definitions.
- 635.204 Determination of more cost effective method or an emergency.
- 635.205 Finding of cost effectiveness.

Subpart C—Physical Construction Authorization

- 635.301 Purpose.
- 635.303 Applicability.
- 635.305 Physical construction.
- 635.307 Coordination.
- 635.309 Authorization.

Subpart D—General Material Requirements

- 635.401 Purpose.
- 635.403 Definitions.
- 635.405 Applicability.
- 635.407 Use of materials made available by a public agency.
- 635.409 Restrictions upon materials.
- 635.410 Buy America requirements.
- 635.411 Material or product selection.
- 635.413 Guaranty and warranty clauses.
- 635.417 Convict produced materials.

APPENDIX A TO SUBPART D—SUMMARY OF ACCEPTABLE CRITERIA FOR SPECIFYING TYPES OF CULVERT PIPES

AUTHORITY: 23 U.S.C. 101 (note), 109, 112, 113, 114, 116, 119, 128, and 315; 31 U.S.C. 6505; 42 U.S.C. 3334, 4601 *et seq.*; Sec. 1041 (a), Pub. L. 102–240, 105 Stat. 1914; 23 CFR 1.32; 49 CFR 148(b)

EDITORIAL NOTE: Nomenclature changes to part 635 appear at 67 FR 75924, Dec. 10, 2002.

Subpart A—Contract Procedures

SOURCE: 56 FR 37004, Aug. 2, 1991, unless otherwise noted.

§ 635.101 Purpose.

To prescribe policies, requirements, and procedures relating to Federal-aid highway projects, from the time of authorization to proceed to the construction stage, to the time of final acceptance by the Federal Highway Administration (FHWA).

§ 635.102 Definitions.

As used in this subpart:

Administrator means the Federal Highway Administrator.

Calendar day means each day shown on the calendar but, if another definition is set forth in the State contract specifications, that definition will apply.

Contract time means the number of workdays or calendar days specified in

a contract for completion of the contract work. The term includes authorized time extensions.

Design-build project means a project to be developed using one or more design-build contracts.

Division Administrator means the chief FHWA official assigned to conduct business in a particular State. A State is as defined in 23 U.S.C. 101.

Force account means a basis of payment for the direct performance of highway construction work with payment based on the actual cost of labor, equipment, and materials furnished and consideration for overhead and profit.

Formal approval means approval in writing or the electronic transmission of such approval.

Incentive/disincentive for early completion as used in this subpart, describes a contract provision which compensates the contractor a certain amount of money for each day identified critical work is completed ahead of schedule and assesses a deduction for each day the contractor overruns the incentive/ disincentive time. Its use is primarily intended for those critical projects where traffic inconvenience and delays are to be held to a minimum. The amounts are based upon estimates of such items as traffic safety, traffic maintenance, and road user delay costs.

Liquidated damages means the daily amount set forth in the contract to be deducted from the contract price to cover additional costs incurred by a State transportation department because of the contractor's failure to complete the contract work within the number of calendar days or workdays specified. The term may also mean the total of all daily amounts deducted under the terms of a particular contract.

Local public agency means any city, county, township, municipality, or other political subdivision that may be empowered to cooperate with the State transportation department in highway matters.

Major change or major extra work means a change which will significantly affect the cost of the project to the Federal Government or alter the

termini, character or scope of the work.

Materially unbalanced bid means a bid which generates a reasonable doubt that award to the bidder submitting a mathematically unbalanced bid will result in the lowest ultimate cost to the Federal Government.

Mathematically unbalanced bid means a bid containing lump sum or unit bid items which do not reflect reasonable actual costs plus a reasonable proportionate share of the bidder's anticipated profit, overhead costs, and other indirect costs.

Public agency means any organization with administrative or functional responsibilities which are directly or indirectly affiliated with a governmental body of any nation, State, or local jurisdiction.

Publicly owned equipment means equipment previously purchased or otherwise acquired by the public agency involved primarily for use in its own operations.

Specialty items means work items identified in the contract which are not normally associated with highway construction and require highly specialized knowledge, abilities or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid on the contract; in general, these items are to be limited to minor components of the overall contract.

State transportation department (STD) means that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction. The term "State" should be considered equivalent to "State transportation department" if the context so implies.

Workday means a calendar day during which construction operations could proceed for a major part of a shift, normally excluding Saturdays, Sundays, and State-recognized legal holidays.

[62 FR 6873, Feb. 14, 1997, as amended at 67 FR 75924, Dec. 10, 2002]

§635.103 Applicability.

The policies, requirements, and procedures prescribed in this subpart shall

apply to all Federal-aid highway projects.

[69 FR 7118, Feb. 13, 2004]

§635.104 Method of construction.

- (a) Actual construction work shall be performed by contract awarded by competitive bidding; unless, as provided in §635.104(b), the STD demonstrates to the satisfaction of the Division Administrator that some other method is more cost effective or that an emergency exists. The STD shall assure opportunity for free, open, and competitive bidding, including adequate publicity of the advertisements or calls for bids. The advertising or calling for bids and the award of contracts shall comply with the procedures and requirements set forth in §§635.112 and 635.114.
- (b) Approval by the Division Administrator for construction by a method other than competitive bidding shall be requested by the State in accordance with subpart B of part 635 of this chapter. Before such finding is made, the STD shall determine that the organization to undertake the work is so staffed and equipped as to perform such work satisfactorily and cost effectively.
- (c) In the case of a design-build project, the requirements of 23 CFR part 636 and the appropriate provisions pertaining to design-build contracting in this part will apply. However, no justification of cost effectiveness is necessary in selecting projects for the design-build delivery method.

[56 FR 37004, Aug. 2, 1991, as amended at 67 FR 75925, Dec. 10, 2002]

§635.105 Supervising agency.

- (a) The STD has responsibility for the construction of all Federal-aid projects, and is not relieved of such responsibility by authorizing performance of the work by a local public agency or other Federal agency. The STD shall be responsible for insuring that such projects receive adequate supervision and inspection to insure that projects are completed in conformance with approved plans and specifications.
- (b) Although the STD may employ a consultant to provide construction engineering services, such as inspection

or survey work on a project, the STD shall provide a full-time employed State engineer to be in responsible charge of the project.

- (c) When a project is located on a street or highway over which the STD does not have legal jurisdiction, or when special conditions warrant, the STD, while not relieved of overall project responsibility, may arrange for the local public agency having jurisdiction over such street or highway to perform the work with its own forces or by contract; provided the following conditions are met and the Division Administrator approves the arrangements in advance.
- (1) In the case of force account work, there is full compliance with subpart B of this part.
- (2) When the work is to be performed under a contract awarded by a local public agency, all Federal requirements including those prescribed in this subpart shall be met.
- (3) The local public agency is adequately staffed and suitably equipped to undertake and satisfactorily complete the work; and
- (4) In those instances where a local public agency elects to use consultants for construction engineering services, the local public agency shall provide a full-time employee of the agency to be in responsible charge of the project.

§ 635.106 Use of publicly owned equipment.

- (a) Publicly owned equipment should not normally compete with privately owned equipment on a project to be let to contract. There may be exceptional cases, however, in which the use of equipment of the State or local public agency for highway construction purposes may be warranted or justified. A proposal by any STD for the use of publicly owned equipment on such a project must be supported by a showing that it would clearly be cost effective to do so under the conditions peculiar to the individual project or locality.
- (b) Where publicly owned equipment is to be made available in connection with construction work to be let to contract, Federal funds may participate in the cost of such work provided the following conditions are met:

- (1) The proposed use of such equipment is clearly set forth in the Plans, Specifications and Estimate (PS&E) submitted to the Division Administrator for approval.
- (2) The advertised specifications specify the items of publicly owned equipment available for use by the successful bidder, the rates to be charged, and the points of availability or delivery of the equipment; and
- (3) The advertised specifications include a notification that the successful bidder has the option either of renting part or all of such equipment from the State or local public agency or otherwise providing the equipment necessary for the performance of the contract work.
- (c) In the rental of publicly owned equipment to contractors, the State or local public agency shall not profit at the expense of Federal funds.
- (d) Unforeseeable conditions may make it necessary to provide publicly owned equipment to the contractor at rental rates agreed to between the contractor and the State or local public agency after the work has started. Any such arrangement shall not form the basis for any increase in the cost of the project on which Federal funds are to participate.
- (e) When publicly owned equipment is used on projects constructed on a force account basis, costs may be determined by agreed unit prices or on an actual cost basis. When agreed unit prices are applied the equipment need not be itemized nor rental rates shown in the estimate. However, if such work is to be performed on an actual cost basis, the STD shall submit to the Division Administrator for approval the schedule of rates proposed to be charged, exclusive of profit, for the publicly owned equipment made available for use.

§ 635.107 Participation by disadvantaged business enterprises.

(a) The STD shall schedule contract lettings in a balanced program providing contracts of such size and character as to assure an opportunity for all sizes of contracting organizations to compete. In accordance with Title VI of the Civil Rights Act of 1964, subsequent Federal-aid Highway Acts, and

49 CFR part 26, the STD shall ensure equal opportunity for disadvantaged business enterprises (DBEs) participating in the Federal-aid highway program.

(b) In the case of a design-build project funded with title 23 funds, the requirements of 49 CFR part 26 and the State's approved DBE plan apply. If DBE goals are set, DBE commitments above the goal must not be used as a proposal evaluation factor in determining the successful offeror.

[67 FR 75925, Dec. 10, 2002]

§635.108 Health and safety.

Contracts for projects shall include provisions designed:

- (a) To insure full compliance with all applicable Federal, State, and local laws governing safety, health and sanitation; and
- (b) To require that the contractor shall provide all safeguards, safety devices, and protective equipment and shall take any other actions reasonably necessary to protect the life and health of persons working at the site of the project and the safety of the public and to protect property in connection with the performance of the work covered by the contract.

§ 635.109 Standardized changed condition clauses.

- (a) Except as provided in paragraph (b) of this section, the following changed conditions contract clauses shall be made part of, and incorporated in, each highway construction project approved under 23 U.S.C. 106:
- (1) Differing site conditions. (i) During the progress of the work, if subsurface or latent physical conditions are encountered at the site differing materially from those indicated in the contract or if unknown physical conditions of an unusual nature, differing materially from those ordinarily encountered and generally recognized as inherent in the work provided for in the contract, are encountered at the site, the party discovering such conditions shall promptly notify the other party in writing of the specific differing conditions before the site is disturbed and before the affected work is performed.

- (ii) Upon written notification, the engineer will investigate the conditions, and if it is determined that the conditions materially differ and cause an increase or decrease in the cost or time required for the performance of any work under the contract, an adjustment, excluding anticipated profits, will be made and the contract modified in writing accordingly. The engineer will notify the contractor of the determination whether or not an adjustment of the contract is warranted.
- (iii) No contract adjustment which results in a benefit to the contractor will be allowed unless the contractor has provided the required written notice.
- (iv) No contract adjustment will be allowed under this clause for any effects caused on unchanged work. (This provision may be omitted by the STD's at their option.)
- (2) Suspensions of work ordered by the engineer. (i) If the performance of all or any portion of the work is suspended or delayed by the engineer in writing for an unreasonable period of time (not originally anticipated, customary, or inherent to the construction industry) and the contractor believes that additional compensation and/or contract time is due as a result of such suspension or delay, the contractor shall submit to the engineer in writing a request for adjustment within 7 calendar days of receipt of the notice to resume work. The request shall set forth the reasons and support for such adjustment.
- (ii) Upon receipt, the engineer will evaluate the contractor's request. If the engineer agrees that the cost and/ or time required for the performance of the contract has increased as a result of such suspension and the suspension was caused by conditions beyond the control of and not the fault of the contractor, its suppliers, or subcontractors at any approved tier, and not caused by weather, the engineer will make an adjustment (excluding profit) and modify the contract in writing accordingly. The contractor will be notified of the engineer's determination whether or not an adjustment of the contract is warranted.

- (iii) No contract adjustment will be allowed unless the contractor has submitted the request for adjustment within the time prescribed.
- (iv) No contract adjustment will be allowed under this clause to the extent that performance would have been suspended or delayed by any other cause, or for which an adjustment is provided or excluded under any other term or condition of this contract.
- (3) Significant changes in the character of work. (i) The engineer reserves the right to make, in writing, at any time during the work, such changes in quantities and such alterations in the work as are necessary to satisfactorily complete the project. Such changes in quantities and alterations shall not invalidate the contract nor release the surety, and the contractor agrees to perform the work as altered.
- (ii) If the alterations or changes in quantities significantly change the character of the work under the contract, whether such alterations or changes are in themselves significant changes to the character of the work or by affecting other work cause such other work to become significantly different in character, an adjustment, excluding anticipated profit, will be made to the contract. The basis for the adjustment shall be agreed upon prior to the performance of the work. If a basis cannot be agreed upon, then an adjustment will be made either for or against the contractor in such amount as the engineer may determine to be fair and equitable.
- (iii) If the alterations or changes in quantities do not significantly change the character of the work to be performed under the contract, the altered work will be paid for as provided elsewhere in the contract.
- (iv) The term "significant change" shall be construed to apply only to the following circumstances:
- (A) When the character of the work as altered differs materially in kind or nature from that involved or included in the original proposed construction; or
- (B) When a major item of work, as defined elsewhere in the contract, is increased in excess of 125 percent or decreased below 75 percent of the original contract quantity. Any allowance for

- an increase in quantity shall apply only to that portion in excess of 125 percent of original contract item quantity, or in case of a decrease below 75 percent, to the actual amount of work performed.
- (b) The provisions of this section shall be governed by the following:
- (1) Where State statute does not permit one or more of the contract clauses included in paragraph (a) of this section, the State statute shall prevail and such clause or clauses need not be made applicable to Federal-aid highway contracts.
- (2) Where the State transportation department has developed and implemented one or more of the contract clauses included in paragraph (a) of this section, such clause or clauses, as developed by the State transportation department may be included in Federal-aid highway contracts in lieu of the corresponding clause or clauses in paragraph (a) of this section. The State's action must be pursuant to a specific State statute requiring differing contract conditions clauses. Such State developed clause or clauses, however, must be in conformance with 23 U.S.C., 23 CFR and other applicable Federal statutes and regulations as appropriate and shall be subject to the Division Administrator's approval as part of the PS&E.
- (c) In the case of a design-build project, STDs are strongly encouraged to use "suspensions of work ordered by the engineer" clauses, and may consider "differing site condition" clauses and "significant changes in the character of work" clauses which are appropriate for the risk and responsibilities that are shared with the design-builder.

[56 FR 37004, Aug. 2, 1991; 57 FR 10062, Mar. 23, 1992, as amended at 67 FR 75925, Dec. 10, 2002]

§ 635.110 Licensing and qualification of contractors.

(a) The procedures and requirements a STD proposes to use for qualifying and licensing contractors, who may bid for, be awarded, or perform Federal-aid highway contracts, shall be submitted to the Division Administrator for advance approval. Only those procedures and requirements so approved shall be effective with respect to Federal-aid

highway projects. Any changes in approved procedures and requirements shall likewise be subject to approval by the Division Administrator.

(b) No procedure or requirement for bonding, insurance, prequalification, qualification, or licensing of contractors shall be approved which, in the judgment of the Division Administrator, may operate to restrict competition, to prevent submission of a bid by, or to prohibit the consideration of a bid submitted by, any responsible contractor, whether resident or non-resident of the State wherein the work is to be performed.

(c) No contractor shall be required by law, regulation, or practice to obtain a license before submission of a bid or before the bid may be considered for award of a contract. This, however, is not intended to preclude requirements for the licensing of a contractor upon or subsequent to the award of the contract if such requirements are consistent with competitive Prequalification of contractors may be required as a condition for submission of a bid or award of contract only if the period between the date of issuing a call for bids and the date of opening of bids affords sufficient time to enable a obtain the bidder required prequalification rating.

(d) Requirements for the prequalification, qualification or licensing of contractors, that operate to govern the amount of work that may be bid upon by, or may be awarded to, a contractor, shall be approved only if based upon a full and appropriate evaluation of the contractor's capability to perform the work.

(e) Contractors who are currently suspended, debarred or voluntarily excluded under 49 CFR part 29 or otherwise determined to be ineligible, shall be prohibited from participating in the Federal-aid highway program.

(f) In the case of a design-build project, the STDs may use their own bonding, insurance, licensing, qualification or prequalification procedure for any phase of design-build procurement.

(1) The STDs may not impose statutory or administrative requirements which provide an in-State or local geographical preference in the solicita-

tion, licensing, qualification, pre-qualification, short listing or selection process. The geographic location of a firm's office may not be one of the selection criteria. However, the STDs may require the successful design-builder to establish a local office after the award of contract.

(2) If required by State statute, local statute, or administrative policy, the STDs may require prequalification for construction contractors. The STDs may require offerors to demonstrate the ability of their engineering staff to become licensed in that State as a condition of responsiveness; however, licensing procedures may not serve as a barrier for the consideration of otherwise responsive proposals. The STDs may require compliance with appropriate State or local licensing practices as a condition of contract award.

[56 FR 37004, Aug. 2, 1991, as amended at 67 FR 75925, Dec. 10, 2002]

§ 635.111 Tied bids.

(a) The STD may tie or permit the tying of Federal-aid highway projects or Federal-aid and State-financed highway projects for bidding purposes where it appears that by so doing more favorable bids may be received. To avoid discrimination against contractors desiring to bid upon a lesser amount of work than that included in the tied combinations, provisions should be made to permit bidding separately on the individual projects whenever they are of such character as to be suitable for bidding independently.

(b) When Federal-aid and State-financed highway projects are tied or permitted to be tied together for bidding purposes, the bid schedule shall set forth the quantities separately for the Federal-aid work and the State-financed work. All proposals submitted for the tied projects must contain separate bid prices for each project individually. Federal participation in the cost of the work shall be on the basis of the lowest overall responsive bid proposal unless the analysis of bids reveals that mathematical unbalancing has caused an unsupported shift of cost liability to the Federal-aid work. If such a finding is made, Federal participation shall be based on the unit prices represented in the proposal by the individual contractor who would be the lowest responsive and responsible bidder if only the Federal-aid project were considered.

(c) Federal-aid highway projects and State-financed highway projects may be combined in one contract if the conditions of the projects are so similar that the unit costs on the Federal-aid projects should not be increased by such combinations of projects. In such cases, like quantities should be combined in the proposal to avoid the possibility of unbalancing of bids in favor of either of the projects in the combination.

§ 635.112 Advertising for bids and proposals.

- (a) No work shall be undertaken on any Federal-aid project, nor shall any project be advertised for bids, prior to authorization by the Division Administrator.
- (b) The advertisement and approved plans and specifications shall be available to bidders a minimum of 3 weeks prior to opening of bids except that shorter periods may be approved by the Division Administrator in special cases when justified.
- (c) The STD shall obtain the approval of the Division Administrator prior to issuing any addenda which contain a major change to the approved plans or specifications during the advertising period. Minor addenda need not receive prior approval but should be identified by the STD at the time of or prior to requesting FHWA concurrence in award. The STD shall provide assurance that all bidders have received all issued addenda.
- (d) Nondiscriminatory bidding procedures shall be afforded to all qualified bidders regardless of National, State or local boundaries and without regard to race, color, religion, sex, national origin, age, or handicap. If any provisions of State laws, specifications, regulations, or policies may operate in any manner contrary to Federal requirements, including title VI of the Civil Rights Act of 1964, to prevent submission of a bid, or prohibit consideration of a bid submitted by any responsible bidder appropriately qualified in accordance with §635.110, such provisions

shall not be applicable to Federal-aid projects. Where such nonapplicable provisions exist, notices of advertising, specifications, special provisions or other governing documents shall include a positive statement to advise prospective bidders of those provisions that are not applicable.

- (e) No public agency shall be permitted to bid in competition or to enter into subcontracts with private contractors.
- (f) The STD shall include a noncollusion provision substantially as follows in the bidding documents:

Each bidder shall file a statement executed by, or on behalf of the person, firm, association, or corporation submitting the bid certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. Failure to submit the executed statement as part of the bidding documents will make the bid nonresponsive and not eligible for award consideration.

- (1) The required form for the statement will be provided by the State to each prospective bidder.
- (2) The statement shall either be in the form of an affidavit executed and sworn to by the bidder before a person who is authorized by the laws of the State to administer oaths or in the form of an unsworn declaration executed under penalty of perjury of the laws of the United States.
- (g) The STD shall include the lobbying certification requirement pursuant to 49 CFR part 20 and the requirements of 49 CFR part 29 regarding suspension and debarment certification in the bidding documents.
- (h) The STD shall clearly identify in the bidding documents those requirements which the bidder must assure are complied with to make the bid responsive. Failure to comply with these identified bidding requirements shall make the bid nonresponsive and not eligible for award consideration.
- (i) In the case of a design-build project, the following requirements apply:
- (1) The FHWA Division Administrator's approval of the Request for Proposals document will constitute the FHWA's project authorization and the

FHWA's approval of the STD's request to release the document. This approval will carry the same significance as plan, specification and estimate approval on a design-bid-build Federal-aid project.

(2) The STD may decide the appropriate solicitation schedule for all design-build requests. This includes all project advertising, the release of the Request for Qualifications document, the release of the Request for Proposals document and all deadlines for the receipt of qualification statements and proposals. Typical advertising periods range from six to ten weeks and can be longer for large, complicated projects.

(3) The STD must obtain the approval of the Division Administrator prior to issuing addenda which result in major changes to the Request for Proposals document. Minor addenda need not receive prior approval but may be identified by the STD at the time of or prior to requesting the FHWA's concurrence in award. The STD must provide assurance that all offerors have received all issued addenda.

[56 FR 37004, Aug. 2, 1991, as amended at 67 FR 75925, Dec. 10, 2002]

§635.113 Bid opening and bid tabulations.

- (a) All bids received in accordance with the terms of the advertisement shall be publicly opened and announced either item by item or by total amount. If any bid received is not read aloud, the name of the bidder and the reason for not reading the bid aloud shall be publicly announced at the letting. Negotiation with contractors, during the period following the opening of bids and before the award of the contract shall not be permitted.
- (b) The STD shall prepare and forward tabulations of bids to the Division Administrator. These tabulations shall be certified by a responsible STD official and shall show:
- (1) Bid item details for at least the low three acceptable bids and
- (2) The total amounts of all other acceptable bids.
- (c) In the case of a design-build project, the following requirements apply:

- (1) All proposals received must be opened and reviewed in accordance with the terms of the solicitation. The STD must use its own procedures for the following:
- (i) The process of handling proposals and information;
- (ii) The review and evaluation of proposals:
- (iii) The submission, modification, revision and withdrawal of proposals; and
- (iv) The announcement of the successful offeror.
- (2) The STD must submit a post-award tabulation of proposal prices to the FHWA Division Administrator. The tabulation of price proposal information may include detailed pricing information when available or lump sum price information if itemized prices are not used.

[56 FR 37004, Aug. 2, 1991, as amended at 67 FR 75925, Dec. 10, 2002]

§635.114 Award of contract and concurrence in award.

- (a) Federal-aid contracts shall be awarded only on the basis of the lowest responsive bid submitted by a bidder meeting the criteria of responsibility as may have been established by the STD in accordance with §635.110. Award shall be within the time established by the STD and subject to the prior concurrence of the Division Administrator.
- (b) The STD shall formally request concurrence by the Division Administrator in the award of all Federal-aid contracts. Concurrence in award by the Division Administrator is a prerequisite to Federal participation in construction costs and is considered as authority to proceed with construction, unless specifically stated otherwise. Concurrence in award shall be formally approved and shall only be given after receipt and review of the tabulation of bids.
- (c) Following the opening of bids, the STD shall examine the unit bid prices of the apparent low bid for reasonable conformance with the engineer's estimated prices. A bid with extreme variations from the engineer's estimate, or where obvious unbalancing of unit prices has occurred, shall be thoroughly evaluated.

- (d) Where obvious unbalanced bid items exist, the STD's decision to award or reject a bid shall be supported by written justification. A bid found to be mathematically unbalanced, but not found to be materially unbalanced, may be awarded.
- (e) When a low bid is determined to be both mathematically and materially unbalanced, the Division Administrator will take appropriate steps to protect the Federal interest. This action may be concurrence in a STD decision not to award the contract. If, however, the STD decides to proceed with the award and requests FHWA concurrence, the Division Administrator's action may range from nonconcurrence to concurrence with contingency conditions limiting Federal participation.
- (f) If the STD determines that the lowest bid is not responsive or the bidder is not responsible, it shall so notify and obtain the Division Administrator's concurrence before making an award to the next lowest bidder.
- (g) If the STD rejects or declines to read or consider a low bid on the grounds that it is not responsive because of noncompliance with a requirement which was not clearly identified in the bidding documents, it shall submit justification for its action. If such justification is not considered by the Division Administrator to be sufficient, concurrence will not be given to award to another bidder on the contract at the same letting.
- (h) Any proposal by the STD to reject all bids received for a Federal-aid contract shall be submitted to the Division Administrator for concurrence, accompanied by adequate justification.
- (i) In the event the low bidder selected by the STD for contract award forfeits the bid guarantee, the STD may dispose of the amounts of such forfeited guarantees in accordance with its normal practices.
- (j) A copy of the executed contract between the STD and the construction contractor should be furnished to the Division Administrator as soon as practicable after execution.
- (k) In the case of a design-build project, the following requirements apply: Design-build contracts shall be awarded in accordance with the Request for Proposals document. See 23

CFR Part 636, Design-build Contracting, for details.

[56 FR 37004, Aug. 2, 1991, as amended at 67 FR 75925, Dec. 10, 2002]

§635.115 Agreement estimate.

- (a) Following the award of contract, an agreement estimate based on the contract unit prices and estimated quantities shall be prepared by the STD and submitted to the Division Administrator as soon as practicable for use in the preparation of the project agreement. The agreement estimate shall also include the actual or best estimated costs of any other items to be included in the project agreement.
- (b) An agreement estimate shall be submitted by the STD for each force account project (see 23 CFR part 635, subpart B) when the plans and specifications are submitted to the Division Administrator for approval. It shall normally be based on the estimated quantities and the unit prices agreed upon in advance between the STD and the Division Administrator, whether the work is to be done by the STD or by a local public agency. Such agreed unit prices shall constitute a commitment as the basis for Federal participation in the cost of the project. The unit prices shall be based upon the estimated actual cost of performing the work but shall in no case exceed unit prices currently being obtained by competitive bidding on comparable highway construction work in the same general locality. In special cases involving unusual circumstances, the estimate may be based upon the estimated costs for labor, materials, equipment rentals, and supervision to complete the work rather than upon agreed unit prices. This paragraph shall not be applicable to agreement estimates for railroad and utility force account work.

§ 635.116 Subcontracting and contractor responsibilities.

(a) Contracts for projects shall specify the minimum percentage of work that a contractor must perform with its own organization. This percentage shall be not less than 30 percent of the total original contract price excluding

any identified specialty items. Specialty items may be performed by subcontract and the amount of any such specialty items so performed may be deducted from the total original contract before computing the amount of work required to be performed by the contractor's own organization. The contract amount upon which the above requirement is computed includes the cost of materials and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

- (b) The STD shall not permit any of the contract work to be performed under a subcontract, unless such arrangement has been authorized by the STD in writing. Prior to authorizing a subcontract, the STD shall assure that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract. The Division Administrator may permit the STD to satisfy the subcontract assurance requirements by concurrence in a STD process which requires the contractor to certify that each subcontract arrangement will be in the form of a written agreement containing all the requirements and pertinent provisions of the prime contract. Prior to the Division Administrator's concurrence, the STD must demonstrate that it has an acceptable plan for monitoring such certifications.
- (c) To assure that all work (including subcontract work) is performed in accordance with the contract requirements, the contractor shall be required to furnish:
- (1) A competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work), and;
- (2) Such other of its own organizational resources (supervision, management, and engineering services) as the STD contracting officer determines are necessary to assure the performance of the contract.
- (d) In the case of a design-build project, the following requirements apply:

- (1) The provisions of paragraph (a) of this section are not applicable to design-build contracts;
- (2) At their discretion, the STDs may establish a minimum percentage of work that must be done by the design-builder. For the purpose of this section, the term design-builder may include any firms that are equity participants in the design-builder, their sister and parent companies, and their wholly owned subsidiaries:
- (3) No procedure, requirement or preference shall be imposed which prescribes minimum subcontracting requirements or goals (other than those necessary to meet the Disadvantaged Business Enterprise program requirements of 49 CFR part 26).

[56 FR 37004, Aug. 2, 1991, as amended at 67 FR 75925, Dec. 10, 2002]

§635.117 Labor and employment.

- (a) No construction work shall be performed by convict labor at the work site or within the limits of any Federal-aid highway construction project from the time of award of the contract or the start of work on force account until final acceptance of the work by the STD unless it is labor performed by convicts who are on parole, supervised release, or probation.
- (b) No procedures or requirement shall be imposed by any State which will operate to discriminate against the employment of labor from any other State, possession or territory of the United States, in the construction of a Federal-aid project.
- (c) The selection of labor to be employed by the contractor on any Federal-aid project shall be by the contractor without regard to race, color, religion, sex, national origin, age, or handicap and in accordance with 23 CFR part 230, 41 CFR part 60 and Exec. Order No. 11246 (Sept. 24, 1965), 3 CFR 339 (1964–1965), as amended.
- (d) Pursuant to 23 U.S.C. 140(d), it is permissible for STD's to implement procedures or requirements which will extend preferential employment to Indians living on or near a reservation on eligible projects as defined in paragraph (e) of this section. Indian preference shall be applied without regard

to tribal affiliation or place of enrollment. In no instance should a contractor be compelled to layoff or terminate a permanent core-crew employee to meet a preference goal.

- (e) Projects eligible for Indian employment preference consideration are projects located on roads within or providing access to an Indian reservation or other Indian lands as defined under the term "Indian Reservation Roads" in 23 U.S.C. 101 and regulations issued thereunder. The terminus of a road 'providing access to' is that point at which it intersects with a road functionally classified as a collector or higher classification (outside the reservation boundary) in both urban and rural areas. In the case of an Interstate highway, the terminus is the first interchange outside the reservation.
- (f) The advertisement or call for bids on any contract for the construction of a project located on the Federal-aid system either shall include the minimum wage rates determined by the Secretary of Labor to be prevailing on the same type of work on similar construction in the immediate locality or shall provide that such rates are set out in the bidding documents and shall further specify that such rates are a part of the contract covering the project.

§ 635.118 Payroll and weekly statements.

For all projects, copies of payrolls and statements of wages paid, filed with the State as set forth in the required contract provisions for the project, are to be retained by the STD for the time period pursuant to 49 CFR part 18 for review as needed by the Federal Highway Administration, the Department of Labor, the General Accounting Office, or other agencies.

§635.119 False statements.

The following notice shall be posted on each Federal-aid highway project in one or more places where it is readily available to and viewable by all personnel concerned with the project:

NOTICE TO ALL PERSONNEL ENGAGED ON FEDERAL-AID HIGHWAY PROJECTS

United States Code, title 18, section 1020, reads as follows:

Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the costs thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction of any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever, knowingly makes any false statement, false representation, false report, or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever, knowingly makes any false statement or false representation as to a material fact in any statement, certificate, or report submitted pursuant to the provisions of the Federal-aid Road Act approved July 11, 1916 (39 Stat. 355), as amended and supplemented,

Shall be fined not more than \$10,000 or imprisoned not more than five years, or both.

§635.120 Changes and extra work.

- (a) Following authorization to proceed with a project, all major changes in the plans and contract provisions and all major extra work shall have formal approval by the Division Administrator in advance of their effective dates. However, when emergency or unusual conditions justify, the Division Administrator may give tentative advance approval orally to such changes or extra work and ratify such approval with formal approval as soon thereafter as practicable.
- (b) For non-major changes and non-major extra work, formal approval is necessary but such approval may be given retroactively at the discretion of the Division Administrator. The STD should establish and document with the Division Administrator's concurrence specific parameters as to what constitutes a non-major change and non-major extra work.
- (c) Changes in contract time, as related to contract changes or extra work, should be submitted at the same time as the respective work change for approval by the Division Administrator.

- (d) In establishing the method of payment for contract changes or extra work orders, force account procedures shall only be used when strictly necessary, such as when agreement cannot be reached with the contractor on the price of a new work item, or when the extent of work is unknown or is of such character that a price cannot be determined to a reasonable degree of accuracy. The reason or reasons for using force account procedures shall be documented.
- (e) The STD shall perform and adequately document a cost analysis of each negotiated contract change or negotiated extra work order. The method and degree of the cost analysis shall be subject to the approval of the Division Administrator.
- (f) Proposed changes and extra work involved in nonparticipating operations that may affect the design or participating construction features of a project, shall be subject to review and concurrence by the Division Administrator.

§ 635.121 Contract time and contract time extensions.

- (a) The STD should have adequate written procedures for the determination of contract time. These procedures should be submitted for approval to the Division Administrator within 6 months of the effective date of this Final Rule.
- (b) Contract time extensions granted by a STD shall be subject to the concurrence of the Division Administrator and will be considered in determining the amount of Federal participation. Contract time extensions submitted for approval to the Division Administrator, shall be fully justified and adequately documented.

§ 635.122 Participation in progress payments.

(a) Federal funds will participate in the costs to the STD of construction accomplished as the work progresses, based on a request for reimbursement submitted by State transportation departments. When the contract provisions provide for payment for stockpiled materials, the amount of the reimbursement request upon which participation is based may include the ap-

propriate value of approved specification materials delivered by the contractor at the project site or at another designated location in the vicinity of such construction, provided that:

- (1) The material conforms with the requirements of the plans and specifications.
- (2) The material is supported by a paid invoice or a receipt for delivery of materials. If supported by a receipt of delivery of materials, the contractor must furnish the paid invoice within a reasonable time after receiving payment from the STD; and
- (3) The quantity of a stockpiled material eligible for Federal participation in any case shall not exceed the total estimated quantity required to complete the project. The value of the stockpiled material shall not exceed the appropriate portion of the value of the contract item or items in which such materials are to be incorporated.
- (b) The materials may be stockpiled by the contractor at a location not in the vicinity of the project, if the STD determines that because of required fabrication at an off-site location, it is not feasible or practicable to stockpile the materials in the vicinity of the project.
- (c) In the case of a design-build project, the STD must define its procedures for making progress payments on lump sum contracts in the Request for Proposal document.

[56 FR 37004, Aug. 2, 1991, as amended at 67 FR 75925, Dec. 10, 2002]

§ 635.123 Determination and documentation of pay quantities.

- (a) The STD shall have procedures in effect which will provide adequate assurance that the quantities of completed work are determined accurately and on a uniform basis throughout the State. All such determinations and all related source documents upon which payment is based shall be made a matter of record.
- (b) Initial source documents pertaining to the determination of pay quantities are among those records and documents which must be retained pursuant to 49 CFR part 18.

§ 635.124 Participation in contract claim awards and settlements.

(a) The eligibility for and extent of Federal-aid participation up to the Federal statutory share in a contract claim award made by a State to a Federal-aid contractor on the basis of an arbitration or mediation proceeding, administrative board determination, court judgment, negotiated settlement, or other contract claim settlement shall be determined on a case-by-case basis. Federal funds will participate to the extent that any contract adjustments made are supported, and have a basis in terms of the contract and applicable State law, as fairly construed. Further, the basis for the adjustment and contractor compensation shall be in accord with prevailing principles of public contract law.

(b) The FHWA shall be made aware by the STD of the details of the claim at an early stage so that coordination of efforts can be satisfactorily accomplished. It is expected that STDs will diligently pursue the satisfactory resolution of claims within a reasonable period of time. Claims arising on exempt non-NHS projects should be processed in accordance with the State's

approved Stewardship Plan.

(c) When requesting Federal participation, the STD shall set forth in writing the legal and contractual basis for the claim, together with the cost data and other facts supporting the award or settlement. Federal-aid participation in such instances shall be supported by a STD audit of the actual costs incurred by the contractor unless waived by the FHWA as unwarranted. Where difficult, complex, or novel legal issues appear in the claim, such that evaluation of legal controversies is critical to consideration of the award or settlement, the STD shall include in its submission a legal opinion from its counsel setting forth the basis for determining the extent of the liability under local law, with a level of detail commensurate with the magnitude and complexity of the issues involved.

(d) In those cases where the STD receives an adverse decision in an amount more than the STD was able to support prior to the decision or settles a claim in an amount more than the STD can support, the FHWA will par-

ticipate up to the appropriate Federal matching share, to the extent that it involves a Federal-aid participating portion of the contract, provided that:

(1) The FHWA was consulted and concurred in the proposed course of action;

- (2) All appropriate courses of action had been considered; and
- (3) The STD pursued the case diligently and in a professional manner.
- (e) Federal funds will not participate:
 (1) If it has been determined that STD employees, officers, or agents acted with gross negligence, or participated in intentional acts or omissions, fraud, or other acts not consistent with usual State practices in project design, plan preparation, contract administration, or other activities which gave rise to the claim;
- (2) In such cost items as consequential or punitive damages, anticipated profit, or any award or payment of attorney's fees paid by a State to an opposing party in litigation; and
- (3) In tort, inverse condemnation, or other claims erroneously styled as claims "under a contract."
- (f) Payment of interest associated with a claim will be eligible for participation provided that the payment to the contractor for interest is allowable by State statute or specification and the costs are not a result of delays caused by dilatory action of the State or the contractor. The interest rates must not exceed the rate provided for by the State statute or specification.
- (g) In cases where STD's affirmatively recover compensatory damages through contract claims, cross-claims, or counter claims from contractors, subcontractors, or their agents on projects on which there was Federal-aid participation, the Federal share of such recovery shall be equivalent to the Federal share of the project or projects involved. Such recovery shall be credited to the project or projects from which the claim or claims arose.

[56 FR 37004, Aug. 2, 1991, as amended at 62 FR 6873, Feb. 14, 1997; 69 FR 7118, Feb. 13, 2004]

§635.125 Termination of contract.

(a) All contracts exceeding \$10,000 shall contain suitable provisions for termination by the State, including the manner by which the termination

will be effected and the basis for settlement. In addition, such contracts shall describe conditions under which the contract may be terminated for default as well as conditions where the contract may be terminated because of circumstances beyond the control of the contractor.

(b) The STD prior to termination of a Federal-aid contract shall consult with and receive the concurrence of the Division Administrator. The extent of Federal-aid participation in contract termination costs, including final settlement, will depend upon the merits of the individual case. However, under no circumstances shall Federal funds participate in anticipated profit on work not performed.

(c) Except as provided for in paragraph (e) of this section, normal Federal-aid plans, specifications, and estimates, advertising, and award procedures are to be followed when a STD awards the contract for completion of a terminated Federal-aid contract.

(d) When a STD awards the contract for completion of a Federal-aid contract previously terminated for default, the construction amount eligible for Federal participation on the project should not exceed whichever amount is the lesser, either:

(1) The amount representing the payments made under the original contract plus payments made under the new contract; or

(2) The amount representing what the cost would have been if the construction had been completed as contemplated by the plans and specifications under the original contract.

(e) If the surety awards a contract for completion of a defaulted Federal-aid contract or completes it by some other acceptable means, the FHWA will consider the terms of the original contract to be in effect and that the work will be completed in accordance with the approved plans and specifications included therein. No further FHWA approval or concurrence action will therefore be needed in connection with any defaulted Federal-aid contract awarded by a surety. Under this procedure, the construction amount eligible for Federal participation on the project should not exceed the amount representing what the cost would have

been if the construction had been completed as contemplated by the plans and specifications under the original contract.

§ 635.126 Record of materials, supplies, and labor.

(a) The provisions in this section are required to facilitate FHWA's efforts to compile data on Federal-aid contracts for the establishment of highway construction usage factors.

(b) On all Federal-aid construction contracts of \$1 million or more for projects on the National Highway System, the STD shall require the contractor:

(1) To become familiar with the list of specific materials and supplies including labor-hour and gross earning items contained in Form FHWA-47, 'Statement of Materials and Labor Used by Contractors on Highway Construction Involving Federal Funds,' prior to the commencement of work under this contract:

(2) To maintain a record of the total cost of all materials and supplies purchased for and incorporated in the work, and also of the quantities of those specific materials and supplies listed on Form FHWA-47, and in the units shown; and

(3) To furnish, upon the completion of the contract, to the STD on Form FHWA-47 both the data required in paragraph (b)(2) of this section relative to materials and supplies and a final labor summary for all contract work indicating the total hours worked and the gross earnings.

(c) Upon receipt from the contractor, the STD shall review the Form FHWA-47 for reasonableness and promptly transmit the form to the Division Administrator in accordance with the in-

structions printed in the form.

[56 FR 37004, Aug. 2, 1991, as amended at 62 FR 6873, Feb. 14, 1997]

§ 635.127 Agreement provisions garding overruns in contract time.

(a) Each State transportation department (STD) shall establish specific liquidated damages rates applicable to projects in that State. The rates may be project-specific or may be in the form of a table or schedule developed for a range of project costs and/or project types. These rates shall, as a minimum, be established to cover the estimated average daily construction engineering (CE) costs associated with the type of work encountered on the project. The amounts shall be assessed by means of deductions, for each calendar day or workday overrun in contract time, from payments otherwise due to the contractor for performance in accordance with the contract terms.

- (b) The rates established shall be subject to FHWA approval either on a project-by-project basis, in the case of project-specific rates, or on a periodic basis after initial approval where a rate table or schedule is used. In the latter case, the STD shall periodically review its cost data to ascertain if the rate table/schedule closely approximates, at a minimum, the actual average daily CE costs associated with the type and size of the projects in the State. Where rate schedules or other means are already included in the STD specifications or standard special provisions, verification by the STD that the amounts are adequate shall be submitted to the FHWA for review and approval. After initial approval by the FHWA of the rates, the STD shall review the rates at least every 2 years and provide updated rates, when necessary, for FHWA approval. If updated rates are not warranted, justification of this fact is to be sent to the FHWA for review and acceptance.
- (c) The STD may, with FHWA concurrence, include additional amounts as liquidated damages in each contract to cover other anticipated costs of project related delays or inconveniences to the STD or the public. Costs resulting from winter shutdowns, retaining detours for an extended time, additional demurrage, or similar costs as well as road user delay costs may be included
- (d) In addition to the liquidated damages provisions, the STD may also include incentive/disincentive for early completion provisions in the contract. The incentive/disincentive amounts shall be shown separately from the liquidated damages amounts.
- (e) Where there has been an overrun in contract time, the following principles shall apply in determining the

cost of a project that is eligible for Federal-aid reimbursement:

- (1) A proportional share, as used in this section, is the ratio of the final contract construction costs eligible for Federal participation to the final total contract construction costs of the project.
- (2) Where CE costs are claimed as a participating item based upon actual expenses incurred or where CE costs are not claimed as a participating item, and where the liquidated damages rates cover only CE expenses, the total CE costs for the project shall be reduced by the assessed liquidated damages amounts prior to figuring any Federal pro rata share payable. If the amount of liquidated damages assessed is more than the actual CE totals for the project, a proportional share of the excess shall be deducted from the federally participating contract construction cost before determining the final Federal share.
- (3) Where the STD is being reimbursed for CE costs on the basis of an approved percentage of the participating construction cost, the total contract construction amount that would be eligible for Federal participation shall be reduced by a proportional share of the total liquidated damages amounts assessed on the project.
- (4) Where liquidated damages include extra anticipated non-CE costs due to contractor caused delays, the amount assessed shall be used to pay for the actual non-CE expenses incurred by the STD, and, if a Federal participating item(s) is involved, to reduce the Federal share payable for that item(s). If the amount assessed is more than the actual expenses incurred by the STD, a proportional share of the excess shall be deducted from the federally participating contract construction cost of the project before the Federal share is figured.
- (f) When provisions for incentive/disincentive for early completion are used in the contract, a proportion of the increased project costs due to any incentive payments to the contractor shall be added to the federally participating contract construction cost before calculating the Federal share. When the disincentive provision is applicable, a proportion of the amount assessed the

contractor shall be deducted from the federally participating contract construction cost before the Federal share calculation. Proportions are to be calculated in the same manner as set forth in paragraph (e)(1) of this section.

 $[52\ FR\ 31390,\ Aug.\ 20,\ 1987.\ Redesignated\ at\ 62\ FR\ 6872,\ Feb.\ 14,\ 1997]$

Subpart B—Force Account Construction

§ 635.201 Purpose.

The purpose of this subpart is to prescribe procedures in accordance with 23 U.S.C. 112(b) for a State transportation department to request approval that highway construction work be performed by some method other than contract awarded by competitive bidding.

[48 FR 22912, May 23, 1983]

§ 635.202 Applicability.

This subpart applies to all Federalaid and other highway construction projects financed in whole or in part with Federal funds and to be constructed by a State transportation department or a subdivision thereof in pursuant of agreements between any other State transportation department and the Federal Highway Administration (FHWA).

[69 FR 7119, Feb. 13, 2004]

§635.203 Definitions.

The following definitions shall apply for the purpose of this subpart:

(a) A State transportation department is that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction. The term State should be considered equivalent to State transportation department if the context so implies.

(b) Except as provided for as emergency repair work in §668.105(i) and in §635.204(b), the term *some other method* of construction as used in 23 U.S.C. 112(b) shall mean the *force account* method of construction as defined herein. In the unlikely event that circumstances are considered to justify a negotiated contract or another unusual method of construction, the policies

and procedures prescribed herein for force account work will apply.

(c) The term *force account* shall mean the direct performance of highway construction work by a State transportation department, a county, a railroad, or a public utility company by use of labor, equipment, materials, and supplies furnished by them and used under their direct control.

(d) The term *county* shall mean any county, township, municipality or other political subdivision that may be empowered to cooperate with the State transportation department in highway matters.

(e) The term *cost effective* shall mean the efficient use of labor, equipment, materials and supplies to assure the lowest overall cost.

(f) For the purpose of this part, an *emergency* shall be deemed to exist when emergency repair work as provided for in §668.105(i) is necessary or when a major element or segment of the highway system has failed and the situation is such that competitive bidding is not possible or is impractical because immediate action is necessary to:

- (1) Minimize the extent of the damage,
 - (2) Protect remaining facilities, or
 - (3) Restore essential travel.

This definition of *emergency* has no applicability to the Emergency Relief Program of 23 CFR part 668.

[39 FR 35158, Sept. 30, 1974, as amended at 48 FR 22912, May 23, 1983; 52 FR 45172, Nov. 25, 1987]

§ 635.204 Determination of more cost effective method or an emergency.

(a) Congress has expressly provided that the contract method based on competitive bidding shall be used by a State transportation department or county for performance of highway work financed with the aid of Federal funds unless the State transportation department demonstrates, to the satisfaction of the Secretary, that some other method is more cost effective or that an emergency exists.

(b) When a State transportation department determines it necessary due to an emergency to undertake a federally financed highway construction project by force account or negotiated

contract method, it shall submit a request to the Division Administrator identifying and describing the project, the kinds of work to be performed, the method to be used, the estimated costs, the estimated Federal Funds to be provided, and the reason or reasons that an emergency exists.

(c) Except as provided in paragraph (b) of this section, when a State transportation department desires that highway construction work financed with the aid of Federal funds, other than the kinds of work designated under §635.205(b), be undertaken by force account, it shall submit a request to the Division Administrator identifying and describing the project and the kind of work to be performed, the estimated costs, the estimated Federal funds to be provided, and the reason or reasons that force account for such project is considered cost effective.

(d) The Division Administrator shall notify the State transportation department in writing of his/her determination.

[52 FR 45172, Nov. 25, 1987]

§ 635.205 Finding of cost effectiveness.

(a) It may be found cost effective for a State transportation department or county to undertake a federally financed highway construction project by force account when a situation exists in which the rights or resposibilities of the community at large are so affected as to require some special course of action, including situations where there is a lack of bids or the bids received are unreasonable.

(b) Pursuant to authority in 23 U.S.C. 112(b), it is hereby determined that by reason of the inherent nature of the operations involved, it is cost effective to perform by force account the adjustment of railroad or utility facilities and similar types of facilities owned or operated by a public agency, a railroad, or a utility company provided that the organization is qualified to perform the work in a satisfactory manner. The installation of new facilities shall be undertaken by competitive bidding except as provided in §635.204(c). Adjustment of railroad facilities shall include minor work on the railroad's operating facilities routinely performed by the railroad with its own forces such as the

installation of grade crossing warning devices, crossing surfaces, and minor track and signal work. Adjustment of utility facilities shall include minor work on the utility's existing facilities routinely performed by the utility with its own forces and includes minor installations of new facilities to provide power, minor lighting, telephone, water and similar utility service to a rest area, weigh-station, movable bridge, or other highway appurtenance, provided such installation cannot feasibly be done as incidental to a major installation project such as an extensive highway lighting system.

[52 FR 45173, Nov. 25, 1987]

Subpart C—Physical Construction Authorization

SOURCE: 40 FR 17251, Apr. 18, 1975, unless otherwise noted.

§ 635.301 Purpose.

To prescribe the policies and procedures under which a State transportation department may be authorized to advance a Federal-aid highway project to the physical construction stage.

§635.303 Applicability.

The provisions of this subpart are applicable to all Federal-aid highway construction projects.

[69 FR 7119, Feb. 13, 2004]

§635.305 Physical construction.

For purposes of this subpart the physical construction of a project is considered to consist of the actual construction of the highway itself with its appurtenant facilities. It includes any removal, adjustment or demolition of buildings or major obstructions, and utility or railroad work that is a part of the contract for the physical construction.

§635.307 Coordination.

(a) The right-of-way clearance, utility, and railroad work are to be so coordinated with the physical construction that no unnecessary delay or cost for the physical construction will occur.

- (b) All right-of-way clearance, utility, and railroad work performed separately from the contract for the physical construction of the project are to be accomplished in accordance with provisions of the following:
 - (1) 23 CFR part 140, subpart I;
 - (2) 23 CFR part 646, subpart B; (3) 23 CFR 710.403; and

 - (4) 23 CFR part 645, subpart A.

[40 FR 17251, Apr. 18, 1975, as amended at 40 FR 25585, June 17, 1975; 64 FR 71289, Dec. 21,

§635.309 Authorization.

Authorization to advertise the physical construction for bids or to proceed with force account construction thereof shall normally be issued as soon as, but not until, all of the following conditions have been met:

- (a) The plans, specifications, and estimates (PS&E) therefor have been approved.
- (b) A statement is received from the State, either separately or combined with the information required by §635.309(c), that either all right-of-way clearance, utility, and railroad work has been completed or that all necessary arrangements have been made for it to be undertaken and completed as required for proper coordination with the physical construction schedules. Where it is determined that the completion of such work in advance of the highway construction is not feasible or practical due to economy, special operational problems and the like, there shall be appropriate notification provided in the bid proposals identifying the right-of-way clearance, utility, and railroad work which is to be underway concurrently with the highway construction.
- (c) A statement is received from the State certifying that all individuals and families have been relocated to decent, safe and sanitary housing or the State has made available to relocatees adequate replacement housing in accordance with the provisions of the current Federal Highway Administration (FHWA) directive(s) covering the administration of the Highway Relocation Assistance Program and that one of the following has application:
- (1) All necessary rights-of-way, including control of access rights when

pertinent, have been acquired including legal and physical possession. Trial or appeal of cases may be pending in court but legal possession has been obtained. There may be some improvements remaining on the right-of-way but all occupants have vacated the lands and improvements and the State has physical possession and the right to remove, salvage, or demolish these improvements and enter on all land.

- (2) Although all necessary rights-ofway have not been fully acquired, the right to occupy and to use all rights-ofway required for the proper execution of the project has been acquired. Trial or appeal of some parcels may be pending in court and on other parcels full legal possession has not been obtained but right of entry has been obtained, the occupants of all lands and improvements have vacated and the State has physical possession and right to remove, salvage, or demolish these improvements.
- (3) The acquisition or right of occupancy and use of a few remaining parcels is not complete, but all occupants of the residences on such parcels have had replacement housing made available to them in accordance with 49 CFR 24.204. The State may request authorization on this basis only in very unusual circumstances. This exception must never become the rule. Under these circumstances, advertisement for bids or force-account work may be authorized if FHWA finds that it will be in the public interest. The physical construction may then also proceed, but the State shall ensure that occupants of residences, businesses, farms, or non-profit organizations who have not yet moved from the right-of-way are protected against unnecessary inconvenience and disproportionate injury or any action coercive in nature. When the State requests authorization to advertise for bids and to proceed with physical construction where acquisition or right of occupancy and use of a few parcels has not been obtained, full explanation and reasons therefor including identification of each such parcel will be set forth in the State's request along with a realistic date when physical occupancy and use is anticipated as well as substantiation that

such date is realistic. Appropriate notification shall be provided in the bid proposals identifying all locations where right of occupancy and use has not been obtained.

- (d) The State transportation department in accord with 23 CFR 771.111(h), has submitted public hearing transcripts, certifications and reports pursuant to 23 U.S.C. 128.
- (e) An affirmative finding of cost effectiveness or that an emergency exists has been made as required by 23 U.S.C. 112, when construction by some method other than contract based on competitive bidding is contemplated.
- (f) Minimum wage rates determined by the Department of Labor in accordance with the provisions of 23 U.S.C. 113, are in effect and will not expire before the end of the period within which it can reasonably be expected that the contract will be awarded.
- (g) A statement has been received that right-of-way has been acquired or will be acquired in accordance with the current FHWA directive(s) covering the acquisition of real property or that acquisition of right-of-way is not required.
- (h) A statement has been received that the steps relative to relocation advisory assistance and payments as required by the current FHWA directive(s) covering the administration of the Highway Relocation Assistance Program have been taken, or that they are not required.
- (i) The FHWA Division Administrator has determined that appropriate measures have been included in the PS&E in keeping with approved guidelines, for minimizing possible soil erosion and water pollution as a result of highway construction operations.
- (j) The FHWA Division Administrator has determined that requirements of 23 CFR part 771 have been fulfilled and appropriate measures have been included in the PS&E to ensure that conditions and commitments made in the development of the project to mitigate environmental harm will be met.
- (k) Where utility facilities are to use and occupy the right-of-way, the State has demonstrated to the satisfaction of the FHWA Division Administrator that

the provisions of 23 CFR 645.119(b) have been fulfilled.

- (l) The FHWA Division Administrator has verified the fact that adequate replacement housing is in place and has been made available to all affected persons.
- (m) Where applicable, areawide agency review has been accomplished as required by 42 U.S.C. 3334 and 4231 through 4233.
- (n) The FHWA Division Administrator has determined that the PS&E provide for the erection of only those information signs and traffic control devices that conform to the standards developed by the Secretary of Transportation or mandates of Federal law and do not include promotional or other informational signs regarding such matters as identification of public officials, contractors, organizational affiliations, and related logos and symbols.
- (o) The FHWA Division Administrator has determined that, where applicable, provisions are included in the PS&E that require the erection of funding source signs, for the life of the construction project, in accordance with section 154 of the Surface Transportation and Uniform Relocation Assistance Act of 1987.
- (p) In the case of a design-build project, the following certification requirements apply:
- (1) The FHWA's project authorization (authorization to advertise or release the Request for Proposals document) will not be issued until the following conditions have been met:
- (i) All projects must conform with the statewide and metropolitan transportation planning requirements (23 CFR part 450).
- (ii) All projects in air quality nonattainment and maintenance areas must meet all transportation conformity requirements (40 CFR parts 51 and 93).
- (iii) The NEPA review process has been concluded. (See 23 CFR 636.109).
- (iv) The Request for Proposals document has been approved.
- (v) A statement is received from the STD that either all right-of-way, utility, and railroad work has been completed or that all necessary arrangements will be made for the completion

§ 635.401

of right of way, utility, and railroad work.

- (vi) If the STD elects to include right-of-way, utility, and/or railroad services as part of the design-builder's scope of work, then the Request for Proposals document must include:
- (A) A statement concerning scope and current status of the required services, and
- (B) A statement which requires compliance with the Uniform Relocation and Real Property Acquisition Policies Act of 1970, as amended, and 23 CFR part 710.
- (2) During a conformity lapse, a design-build project (including right-of-way acquisition activities) may continue if, prior to the conformity lapse, the NEPA process was completed and the project has not changed significantly in design scope, the FHWA authorized the design-build project and the project met transportation conformity requirements (40 CFR parts 51 and 93).
- (3) Changes to the design-build project concept and scope may require a modification of the transportation plan and transportation improvement program. The project sponsor must comply with the metropolitan and statewide transportation planning requirements in 23 CFR part 450 and the transportation conformity requirements (40 CFR parts 51 and 93) in air quality nonattainment and maintenance areas, and provide appropriate approval notification to the design-builder for such changes.

[40 FR 17251, Apr. 18, 1975; 40 FR 36319, Aug. 20, 1975, as amended at 47 FR 47239, Oct. 25, 1982; 49 FR 28550, July 13, 1984; 50 FR 34093, Aug. 23, 1985; 52 FR 32669, Aug. 28, 1987; 52 FR 45173, Nov. 25, 1987; 53 FR 1921, Jan. 25, 1988; 54 FR 47075, Nov. 9, 1989; 67 FR 75926, Dec. 10, 2002]

Subpart D—General Material Requirements

SOURCE: 41 FR 36204, Aug. 27, 1976, unless otherwise noted.

§ 635.401 Purpose.

The purpose of this subpart is to prescribe requirements and procedures relating to product and material selection and use on Federal-aid highway projects.

§ 635.403 Definitions.

As used in this subpart, the following terms have the meanings indicated:

- (a) FHWA Division Administrator means the chief Federal Highway Administration (FHWA) official assigned to conduct business in a particular State.
- (b) *Material* means any tangible substance incorporated into a Federal-aid highway project;
- (c) PS&E means plans, specifications, and estimates:
- (d) *Special provisions* means additions and revisions to the standard and supplemental specifications applicable to an individual project;
- (e) Standard specifications means a compilation in book form of specifications approved for general application and repetitive use;
- (f) *State* has the meaning set forth in 23 U.S.C. 101;
- (g) State transportation department means that department, commission, board, or official of any State charged by its laws with the responsibility for highway construction;
- (h) Supplemental specifications means approved additions and revisions to the standard specifications.

$\S 635.405$ Applicability.

The requirements and procedures prescribed in this subpart apply to all contracts relating to Federal-aid highway projects.

[69 FR 7119, Feb. 13, 2004]

$\$\,635.407$ Use of materials made available by a public agency.

(a) Contracts for highway projects shall require the contractor to furnish all materials to be incorporated in the work and shall permit the contractor to select the sources from which the materials are to be obtained. Exception to this requirement may be made when there is a definite finding by the State transportation department and concurred in by the FHWA Division Administrator, that it is in the public interest to require the contractor to use material furnished by the State transportation department or from sources designated by the State transportation

department. In cases such as this, the FHWA does not expect mutual sharing of costs unless the State transportation department receives a related credit from another agency or political subdivision of the State. Where such a credit does accrue to the State transportation department, it shall be applied to the Federal-aid project involved. The designation of a mandatory material source may be permitted based on environmental considerations, provided the environment would be substantially enhanced without excessive cost. Otherwise, if a State transportation department proposal to designate a material source for mandatory use would result in higher project costs, Federal-aid funds shall not participate in the increase even if the designation would conserve other public funds.

(b) The provisions of paragraph (a) of this section will not preclude the designation in the plans and specifications of sources of local natural materials, such as borrow aggregates, that have been investigated by the State transportation department and found to contain materials meeting specification requirements. The use of materials from such designated sources shall not be mandatory unless there is a finding of public interest as stated in paragraph (a) of this section.

(c) Federal funds may participate in the cost of specifications materials made available by a public agency when they have been actually incorporated in accepted items of work, or in the cost of such materials meeting the criteria and stockpiled at the locations specified in §635.114 of this chapter.

(d) To be eligible for Federal participation in its cost, any material, other than local natural materials, to be purchased by the State transportation department and furnished to the contractor for mandatory use in the project, must have been acquired on the basis of competitive bidding, except when there is a finding of public interest justifying the use of another method of acquisition. The location and unit price at which such material will be available to the contractor must be stated in the special provisions for the benefit of all prospective bid-

ders. The unit cost eligible for Federation participation will be limited to the unit cost of such material to the State transportation department.

(e) When the State transportation department or another public agency owns or has control over the source of a local natural material the unit price at which such material will be made available to the contractor must be stated in the plans or special provisions. Federal participation will be limited to (1) the cost of the material to the State transportation department or other public agency; or (2) the fair and reasonable value of the material, whichever is less. Special cases may arise that will justify Federal participation on a basis other than that set forth above. Such cases should be fully documented and receive advance approval by the FHWA Division Administrator.

(f) Costs incurred by the State transportation department or other public agency for acquiring a designated source or the right to take materials from it will not be eligible for Federal participation if the source is not used by the contractor.

(g) The contract provisions for one or a combination of Federal-aid projects shall not specify a mandatory site for the disposal of surplus excavated materials unless there is a finding by the State transportation department with the concurrence of the FHWA Division Administrator that such placement is the most economical except that the designation of a mandatory site may be permitted based on environmental considerations, provided the environment would be substantially enhanced without excessive cost.

§635.409 Restrictions upon materials.

No requirement shall be imposed and no procedure shall be enforced by any State transportation department in connection with a project which may operate:

(a) To require the use of or provide a price differential in favor of articles or materials produced within the State, or otherwise to prohibit, restrict or discriminate against the use of articles or materials shipped from or prepared,

§ 635.410

made or produced in any State, territory or possession of the United States; or

(b) To prohibit, restrict or otherwise discriminate against the use of articles or materials of foreign origin to any greater extent than is permissible under policies of the Department of Transportation as evidenced by requirements and procedures prescribed by the FHWA Administrator to carry out such policies.

§ 635.410 Buy America requirements.

- (a) The provisions of this section shall prevail and be given precedence over any requirements of this subpart which are contrary to this section. However, nothing in this section shall be construed to be contrary to the requirements of §635.409(a) of this subpart.
- (b) No Federal-aid highway construction project is to be authorized for advertisement or otherwise authorized to proceed unless at least one of the following requirements is met:
- (1) The project either: (i) Includes no permanently incorporated steel or iron materials, or (ii) if steel or iron materials are to be used, all manufacturing processes, including application of a coating, for these materials must occur in the United States. Coating includes all processes which protect or enhance the value of the material to which the coating is applied.
- (2) The State has standard contract provisions that require the use of domestic materials and products, including steel and iron materials, to the same or greater extent as the provisions set forth in this section.
- (3) The State elects to include alternate bid provisions for foreign and domestic steel and iron materials which comply with the following requirements. Any procedure for obtaining alternate bids based on furnishing foreign steel and iron materials which is acceptable to the Division Administrator may be used. The contract provisions must (i) require all bidders to submit a bid based on furnishing domestic steel and iron materials, and (ii) clearly state that the contract will be awarded to the bidder who submits the lowest total bid based on furnishing domestic steel and iron mate-

rials unless such total bid exceeds the lowest total bid based on furnishing foreign steel and iron materials by more than 25 percent.

- (4) When steel and iron materials are used in a project, the requirements of this section do not prevent a minimal use of foreign steel and iron materials, if the cost of such materials used does not exceed one-tenth of one percent (0.1 percent) of the total contract cost or \$2,500, whichever is greater. For purposes of this paragraph, the cost is that shown to be the value of the steel and iron products as they are delivered to the project.
- (c)(1) A State may request a waiver of the provisions of this section if;
- (i) The application of those provisions would be inconsistent with the public interest; or
- (ii) Steel and iron materials/products are not produced in the United States in sufficient and reasonably available quantities which are of a satisfactory quality.
- (2) A request for waiver, accompanied by supporting information, must be submitted in writing to the Regional Federal Highway Administrator (RFHWA) through the FHWA Division Administrator. A request must be submitted sufficiently in advance of the need for the waiver in order to allow time for proper review and action on the request. The RFHWA will have approval authority on the request.
- (3) Requests for waivers may be made for specific projects, or for certain materials or products in specific geographic areas, or for combinations of both, depending on the circumstances.
- (4) The denial of the request by the RFHWA may be appealed by the State to the Federal Highway Administrator (Administrator), whose action on the request shall be considered administratively final.
- (5) A request for a waiver which involves nationwide public interest or availability issues or more than one FHWA region may be submitted by the RFHWA to the Administrator for action.
- (6) A request for waiver and an appeal from a denial of a request must include facts and justification to support the granting of the waiver. The FHWA response to a request or appeal will be in

writing and made available to the public upon request. Any request for a nationwide waiver and FHWA's action on such a request may be published in the FEDERAL REGISTER for public comment.

- FEDERAL REGISTER for public comment. (7) In determining whether the waivers described in paragraph (c)(1) of this section will be granted, the FHWA will consider all appropriate factors including, but not limited to, cost, administrative burden, and delay that would be imposed if the provision were not waived.
- (d) Standard State and Federal-aid contract procedures may be used to assure compliance with the requirements of this section.

[48 FR 53104, Nov. 25, 1983, as amended at 49 FR 18821, May 3, 1984; 58 FR 38975, July 21, 1993]

EDITORIAL NOTE: For a waiver document affecting §635.410, see 60 FR 15478, Mar. 24, 1995

§ 635.411 Material or product selection.

- (a) Federal funds shall not participate, directly or indirectly, in payment for any premium or royalty on any patented or proprietary material, specification, or process specifically set forth in the plans and specifications for a project, unless:
- (1) Such patented or proprietary item is purchased or obtained through competitive bidding with equally suitable unpatented items; or
- (2) The State transportation department certifies either that such patented or proprietary item is essential for synchronization with existing highway facilities, or that no equally suitable alternate exists; or
- (3) Such patented or proprietary item is used for research or for a distinctive type of construction on relatively short sections of road for experimental purposes.
- (b) When there is available for purchase more than one nonpatented, non-proprietary material, semifinished or finished article or product that will fulfill the requirements for an item of work of a project and these available materials or products are judged to be of satisfactory quality and equally acceptable on the basis of engineering analysis and the anticipated prices for the related item(s) of work are esti-

mated to be approximately the same, the PS&E for the project shall either contain or include by reference the specifications for each such material or product that is considered acceptable for incorporation in the work. If the State transportation department wishes to substitute some other acceptable material or product for the material or product designated by the successful bidder or bid as the lowest alternate, and such substitution results in an increase in costs, there will not be Federal-aid participation in any increase in costs.

- (c) A State transportation department may require a specific material or product when there are other acceptable materials and products, when such specific choice is approved by the Division Administrator as being in the public interest. When the Division Administrator's approval is not obtained, the item will be nonparticipating unless bidding procedures are used that establish the unit price of each acceptable alternative. In this case Federal-aid participation will be based on the lowest price so established.
- (d) Appendix A sets forth the FHWA requirements regarding (1) the specification of alternative types of culvert pipes, and (2) the number and types of such alternatives which must be set forth in the specifications for various types of drainage installations.
- (e) Reference in specifications and on plans to single trade name materials will not be approved on Federal-aid contracts.
- (f) In the case of a design-build project, the following requirements apply: Federal funds shall not participate, directly or indirectly, in payment for any premium or royalty on any patented or proprietary material, specification, or process specifically set forth in the Request for Proposals document unless the conditions of paragraph (a) of this section are applicable.

[41 FR 36204, Aug. 27, 1976, as amended at 67 FR 75926, Dec. 10, 2002]

§ 635.413 Guaranty and warranty clauses.

The STD may include warranty provisions in National Highway System (NHS) construction contracts in accordance with the following:

§635.417

- (a) Warranty provisions shall be for a specific construction product or feature. Items of maintenance not eligible for Federal participation shall not be covered.
- (b) All warranty requirements and subsequent revisions shall be submitted to the Division Administrator for advance approval.
- (c) No warranty requirement shall be approved which, in the judgment of the Division Administrator, may place an undue obligation on the contractor for items over which the contractor has no control.
- (d) A STD may follow its own procedures regarding the inclusion of warranty provisions in non-NHS Federal-aid contracts.
- (e) In the case of a design-build project, the following requirements will apply instead of paragraphs (a) through (d) of this section.
- (1) General project warranties may be used on NHS projects, provided:
- (i) The term of the warranty is short (generally one to two years);
- (ii) The warranty is not the sole means of acceptance;
- (iii) The warranty must not include items of routine maintenance which are not eligible for Federal participation; and,
- (iv) The warranty may include the quality of workmanship, materials and other specific tasks identified in the contract
- (2) Performance warranties for specific products on NHS projects may be used at the STD's discretion. If performance warranties are used, detailed performance criteria must be provided in the Request for Proposal document.

- (3) The STD may follow its own procedures regarding the inclusion of warranty provisions on non-NHS Federal-aid design-build contracts.
- (4) For best value selections, the STD may allow proposers to submit alternate warranty proposals that improve upon the warranty terms in the RFP document. Such alternate warranty proposals must be in addition to the base proposal that responds to the RFP requirements.

[60 FR 44274, Aug. 25, 1995, as amended at 67 FR 75926, Dec. 10, 2002]

§ 635.417 Convict produced materials.

- (a) Materials produced after July 1, 1991, by convict labor may only be incorporated in a Federal-aid highway construction project if such materials have been:
- (1) Produced by convicts who are on parole, supervised release, or probation from a prison or
- (2) Produced in a qualified prison facility and the cumulative annual production amount of such materials for use in Federal-aid highway construction does not exceed the amount of such materials produced in such facility for use in Federal-aid highway construction during the 12-month period ending July 1, 1987.
- (b) Qualified prison facility means any prison facility in which convicts, during the 12-month period ending July 1, 1987, produced materials for use in Federal-aid highway construction projects.
- [53 FR 1923, Jan. 25, 1988, as amended at 58 FR 38975, July 21, 1993]

APPENDIX A TO SUBPART D OF PART 635—SUMMARY OF ACCEPTABLE CRITERIA FOR SPECIFYING TYPES OF CULVERT PIPES

Type of drainage installation	Alternatives required			AASHTO designations to be in-		
	Yes	No	Number	cluded with alter- natives	Application	Remarks
Cross drains under high- type pavement. ¹		x			Statewide	Any AASHTO-ap- proved material. ²
Other cross-drain installations.	X		3 minimum	M-170 and M- 190.	do	Do. ²
Side-drain installations	X		do	M-36	do	Do. ²
Special installation conditions.		x			Individual installation.	Specified to meet special conditions.

Type of droipege installe	Alternatives required		AASHTO des- ignations to be in-			
Type of drainage installa- tion	Yes	No	Number	cluded with alter- natives	Application	Remarks
Special drainage systems (storm sewers, inverted siphons, etc.).		X			do	Specified to meet site requirements.

¹High-type pavement is generally described as FHWA construction type codes I, J, K, L, and plant mix and penetration macadam segments, respectively shown in the right-hand columns of type codes G and H having a combined thickness of surface and base of 7 in or more (or equivalent) or that are constructed on rigid bases.

²Types not included in currently approved AASHTO specifications may be specified if recommended by the State with adequate justification and approved by FHWA.

PART 636—DESIGN-BUILD CONTRACTING

Subpart A—General

- What does this part do? 636.101
- 636.102 Does this part apply to me?
- 636.103 What are the definitions of terms used in this part?
- 636.104 Does this part apply to all Federalaid design-build projects?
- 636.105 Is the FHWA requiring the use of design-build?
- 636.106 What type of projects may be used with design-build contracting?
- 636.107 Does the definition of a qualified project limit the use of design-build contracting?
- 636.108 How does the definition of a qualified project apply to ITS projects?
- 636.109 How does the NEPA review process relate to the design-build procurement process?
- 636.110 What procedures may be used for solicitations and receipt of proposals?
- 636.111 Can oral presentations be used during the procurement process?
- 636.112 May stipends be used?
- 636.113 Is the stipend amount eligible for Federal participation?
- 636.114 What factors should be considered in risk allocation?
- 636.115 May I meet with industry to gather information concerning the appropriate risk allocation strategies?
- 636.116 What organizational conflict of interest requirements apply to design-build projects?
- 636.117 What conflict of interest standards apply to individuals who serve as selection team members for the owner?
- 636.118 Is team switching allowed after contract award?
- 636.119 How does this part apply to a project developed under a public-private partner-

Subpart B—Selection Procedures, Award Criteria

636.201 What selection procedures and award criteria may be used?

- 636.202 When are two-phase design-build selection procedures appropriate?
- 636.203 What are the elements of two-phase selection procedures for competitive proposals?
- 636.204 What items may be included in a phase-one solicitation?
- 636.205 Can past performance be used as an evaluation criteria?
- 636.206 How do I evaluate offerors who do not have a record of relevant past performance?
- 636.207 Is there a limit on short listed firms?
- 636.208 May use my prequalification procedures with designbuild contracts?
- 636.209 What items must be included in a phase-two solicitation?
- 636.210 What requirements apply to projects which use the modified design-build procedure?
- 636.211 When and how should tradeoffs be used?
- 636.212 To what extent must tradeoff decisions be documented?

Subpart C—Proposal Evaluation Factors

- 636.301 How should proposal evaluation factors be selected?
- 636.302 Are there any limitations on the selection and use of proposal evaluation factors?
- 636.303 May pre-qualification standards be used as proposal evaluation criteria in the RFP?
- 636.304 What process may be used to rate and score proposals?
- 636.305 Can price information be provided to analysts who are reviewing technical proposals?

Subpart D-Exchanges

- 636.401 What types of information exchange may take place prior to the release of the RFP document?
- 636.402 What types of information exchange may take place after the release of the RFP document?
- 636.403 What information may be exchanged with a clarification?

§ 636.101

- 636.404 Can a competitive range be used to limit competition?
- 636.405 After developing a short list, can I still establish a competitive range?
- 636.406 Are communications allowed prior to establishing the competitive range?
- 636.407 Am I limited in holding communications with certain firms?
- 636.408 Can communications be used to cure proposal deficiencies?
- 636.409 Can offerors revise their proposals during communications?

Subpart E—Discussions, Proposal Revisions and Source Selection

- 636.501 What issues may be addressed in discussions?
- 636.502 Why should I use discussions?
- 636.503 Must I notify offerors of my intent to use/not use discussions?
- 636.504 If the solicitation indicated my intent was to award contract without discussions, but circumstances change, may I still hold discussions?
- 636.505 Must a contracting agency establish a competitive range if it intends to have discussions with offerors?
- 636.506 What issues must be covered in discussions?
- 636.507 What subjects are prohibited in discussions, communications and clarifications with offerors?
- 636.508 Can price or cost be an issue in discussions?
- 636.509 Can offerors revise their proposals as a result of discussions?
- 636.510 Can the competitive range be further defined once discussions have begun?
 636.511 Can there be more than one round of
- 636.511 Can there be more than one round of discussions?
- 636.512 What is the basis for the source selection decision?
- 636.513 Are limited negotiations allowed prior to contract execution?
- 636.514 How may I provide notifications and debriefings?

AUTHORITY: Sec. 1307 of Pub. L. 105-178, 112 Stat. 107; 23 U.S.C. 101, 109, 112, 113, 114, 115, 119, 128, and 315; 49 CFR 1.48(b).

SOURCE: 67 FR 75926, Dec. 10, 2002, unless otherwise noted.

Subpart A—General

§636.101 What does this part do?

This part describes the FHWA's policies and procedures for approving design-build projects financed under title 23, United States Code (U.S.C.). This part satisfies the requirement of section 1307(c) of the Transportation Equity Act for the 21st Century (TEA-21), enacted on June 9, 1998. The con-

tracting procedures of this part apply to all design-build project funded under title 23, U.S.C.

§ 636.102 Does this part apply to me?

- (a) This part uses a plain language format to make the rule easier for the general public and business community to use. The section headings and text, often in the form of questions and answers, must be read together.
- (b) Unless otherwise noted, the pronoun "you" means the primary recipient of Federal-aid highway funds, the State Transportation Department (STD). Where the STD has an agreement with a local public agency (or other governmental agency) to administer a Federal-aid design-build project, the term "you" will also apply to that contracting agency.

§ 636.103 What are the definitions of terms used in this part?

Unless otherwise specified in this part, the definitions in 23 U.S.C. 101(a) are applicable to this part. Also, the following definitions are used:

Adjusted low bid means a form of best value selection in which qualitative aspects are scored on a 0 to 100 scale expressed as a decimal; price is then divided by qualitative score to yield an "adjusted bid" or "price per quality point." Award is made to offeror with the lowest adjusted bid.

Best value selection means any selection process in which proposals contain both price and qualitative components and award is based upon a combination of price and qualitative considerations.

Clarifications means a written or oral exchange of information which takes place after the receipt of proposals when award without discussions is contemplated. The purpose of clarifications is to address minor or clerical revisions in a proposal.

Communications are exchanges, between the contracting agency and offerors, after receipt of proposals, which lead to the establishment of the competitive range.

Competitive acquisition means an acquisition process which is designed to foster an impartial and comprehensive

evaluation of offerors' proposals, leading to the selection of the proposal representing the best value to the contracting agency.

Competitive range means a list of the most highly rated proposals based on the initial proposal rankings. It is based on the rating of each proposal against all evaluation criteria.

Contracting agency means the public agency awarding and administering a design-build contract. The contracting agency may be the STD or another State or local public agency.

Deficiency means a material failure of a proposal to meet a contracting agency requirement or a combination of significant weaknesses in a proposal that increases the risk of unsuccessful contract performance to an unacceptable level.

Design-bid-build means the traditional project delivery method where design and construction are sequential steps in the project development process.

Design-build contract means an agreement that provides for design and construction of improvements by a contractor or private developer. The term encompasses design-build-maintain, design-build-operate, design-build-finance and other contracts that include services in addition to design and construction. Franchise and concession agreements are included in the term if they provide for the franchisee or concessionaire to develop the project which is the subject of the agreement.

Design-builder means the entity contractually responsible for delivering the project design and construction.

Discussions mean written or oral exchanges that take place after the establishment of the competitive range with the intent of allowing the offerors to revise their proposals.

Fixed price/best design means a form of best value selection in which contract price is established by the owner and stated in the Request for Proposals document. Design solutions and other qualitative factors are evaluated and rated, with award going to the firm offering the best qualitative proposal for the established price.

Intelligent Transportation System (ITS) services means services which provide for the acquisition of technologies or

systems of technologies (e.g., computer hardware or software, traffic control devices, communications link, fare payment system, automatic vehicle location system, etc.) that provide or contribute to the provision of one or more ITS user services as defined in the National ITS Architecture.

Modified design-build means a variation of design-build in which the contracting agency furnishes offerors with partially complete plans. The design-builders role is generally limited to the completion of the design and construction of the project.

Organizational conflict of interest means that because of other activities or relationships with other persons, a person is unable or potentially unable to render impartial assistance or advice to the owner, or the person's objectivity in performing the contract work is or might be otherwise impaired, or a person has an unfair competitive advantage.

Prequalification means the contracting agency's process for determining whether a firm is fundamentally qualified to compete for a certain project or class of projects. The prequalification process may be based on financial, management and other types of qualitative data. Prequalification should be distinguished from short listing.

Price proposal means the price submitted by the offeror to provide the required design and construction services.

Proposal modification means a change made to a proposal before the solicitation closing date and time, or made in response to an amendment, or made to correct a mistake at any time before award.

Proposal revision means a change to a proposal made after the solicitation closing date, at the request of or as allowed by a contracting officer, as the result of negotiations.

Qualified project means any designbuild project with a total estimated cost greater than \$50 million or an intelligent transportation system project greater than \$5 million (23 U.S.C. 112 (b)(3)(C)).

Request for Proposals (RFP) means the document that describes the procurement process, forms the basis for the

§ 636.104

final proposals and may potentially become an element in the contract.

Request for Qualification (RFQ) means the document issued by the owner in Phase I of the two-phased selection process. It typically describes the project in enough detail to let potential offerors determine if they wish to compete and forms the basis for requesting qualifications submissions from which the most highly qualified offerors can be identified.

Short listing means the narrowing of the field of offerors through the selection of the most qualified offerors who have responded to an RFQ.

Single-phase selection process means a procurement process where price and/or technical proposals are submitted in response to an RFP. Short listing is not used.

Solicitation means a public notification of an owner's need for information, qualifications, or proposals related to identified services.

Stipend means a monetary amount sometimes paid to unsuccessful offerors.

Technical proposal means that portion of a design-build proposal which contains design solutions and other qualitative factors that are provided in response to the RFP document.

Tradeoff means an analysis technique involving a comparison of price and non-price factors to determine the best value when considering the selection of other than the lowest priced proposal.

Two-phase selection process means a procurement process in which the first phase consists of short listing (based on qualifications submitted in response to an RFQ) and the second phase consists of the submission of price and technical proposals in response to an RFP.

Weakness means a flaw in the proposal that increases the risk of unsuccessful contract performance. A significant weakness in the proposal is a flaw that appreciably increases the risk of unsuccessful contract performance.

Weighted criteria process means a form of best value selection in which maximum point values are pre-established for qualitative and price components, and award is based upon high total points earned by the offerors.

§636.104 Does this part apply to all Federal-aid design-build projects?

The provisions of this part apply to all Federal-aid design-build projects within the highway right-of-way or linked to a Federal-aid highway project (*i.e.*, the project would not exist without another Federal-aid highway project). Projects that are not located within the highway right-of-way, and not linked to a Federal-aid highway project may utilize State-approved procedures.

§ 636.105 Is the FHWA requiring the use of design-build?

No, the FHWA is neither requiring nor promoting the use of the designbuild contracting method. The designbuild contracting technique is optional.

§ 636.106 What type of projects may be used with design-build contracting?

You may use the design-build contracting technique for any qualified or non-qualified project which you deem to be appropriate on the basis of project delivery time, cost, construction schedule and/or quality.

§ 636.107 Does the definition of a qualified project limit the use of designbuild contracting?

(a) No, the use of the term "qualified project" does not limit the use of design-build contracting. It merely determines the FHWA's procedures for approval. The FHWA Division Administrator may approve the design-build method for "qualified projects" which meet the requirements of this part.

(b) The FHWA Division Administrator may also approve other designbuild projects (which do not meet the "qualified projects" definition) by using Special Experimental Projects No. 14 (SEP-14), "Innovative Contracting Practices," provided the project meets the requirements of this part. Projects which do not meet the requirements of this part (either

¹Information concerning Special Experimental Project No. 14 (SEP-14), "Innovative Contracting Practices," is available on FHWA's home page: http://www.fhwa.dot.gov. Additional information may be obtained from the FHWA Division Administrator in each State

"qualified or non-qualified" projects) must be submitted to the FHWA Head-quarters for concept approval.

§ 636.108 How does the definition of a qualified project apply to ITS projects?

For the purpose of this part, a Federal-aid ITS design-build project meets the criteria of a "qualified project" if:

- (a) A majority of the scope of services provides ITS services (at least 50 percent of the scope of work is related to ITS services); and
- (b) The estimated contract value exceeds \$5 million.

§ 636.109 How does the NEPA review process relate to the design-build procurement process?

In terms of the design-build procurement process:

- (a) The RFQ solicitation may be released prior to the conclusion of the NEPA review process as long as the RFQ solicitation informs proposers of the general status of the NEPA proc-
- (b) The RFP must not be released prior to the conclusion of the NEPA process. The NEPA review process is concluded with either a Categorical Exclusion classification, an approved Finding of No Significant Impact, or an approved Record of Decision as defined in 23 CFR 771.113(a).
- (c) The RFP must address how environmental commitments and mitigation measures identified during the NEPA process will be implemented.

§ 636.110 What procedures may be used for solicitations and receipt of proposals?

You may use your own procedures for the solicitation and receipt of proposals and information including the following:

- (a) Exchanges with industry before receipt of proposals;
 - (b) RFQ, RFP and contract format;
 - (c) Solicitation schedules;
- (d) Lists of forms, documents, exhibits, and other attachments;
 - (e) Representations and instructions;
 - (f) Advertisement and amendments;
- (g) Handling proposals and information; and
- (h) Submission, modification, revisions and withdrawal of proposals.

§ 636.111 Can oral presentations be used during the procurement process?

- (a) Yes, the use of oral presentations as a substitute for portions of a written proposal can be effective in streamlining the source selection process. Oral presentations may occur at any time in the acquisition process, however, you must comply with the appropriate State procurement integrity standards.
- (b) Oral presentations may substitute for, or augment, written information. You must maintain a record of oral presentations to document what information you relied upon in making the source selection decision. You may decide the appropriate method and level of detail for the record (e.g., videotaping, audio tape recording, written record, contracting agency notes, copies of offeror briefing slides or presentation notes). A copy of the record should be placed in the contract file and may be provided to offerors upon request.

§ 636.112 May stipends be used?

At your discretion, you may elect to pay a stipend to unsuccessful offerors who have submitted responsive proposals. The decision to do so should be based on your analysis of the estimated proposal development costs and the anticipated degree of competition during the procurement process.

§ 636.113 Is the stipend amount eligible for Federal participation?

- (a) Yes, stipends are eligible for Federal-aid participation. Stipends are recommended on large projects where there is substantial opportunity for innovation and the cost of submitting a proposal is significant. On such projects, stipends are used to:
 - (1) Encourage competition;
- (2) Compensate unsuccessful offerors for a portion of their costs (usually one-third to one-half of the estimated proposal development cost); and

(3) Ensure that smaller companies are not put at a competitive disadvantage.

(b) Unless prohibited by State law, you may retain the right to use ideas from unsuccessful offerors if they accept stipends. If stipends are used, the

§636.114

RFP should describe the process for distributing the stipend to qualifying offerors.

§636.114 What factors should be considered in risk allocation?

- (a) You may consider, identify, and allocate the risks in the RFP document and define these risks in the contract. Risk should be allocated with consideration given to the party who is in the best position to manage and control a given risk or the impact of a given risk.
- (b) Risk allocation will vary according to the type of project and location, however, the following factors should be considered:
- (1) Governmental risks, including the potential for delays, modifications, withdrawal, scope changes, or additions that result from multi-level Federal, State, and local participation and sponsorship;
- (2) Regulatory compliance risks, including environmental and third-party issues, such as permitting, railroad, and utility company risks;
- (3) Construction phase risks, including differing site conditions, traffic control, interim drainage, public access, weather issues, and schedule;
- (4) Post-construction risks, including public liability and meeting stipulated performance standards; and
- (5) Right-of-way risks including acquisition costs, appraisals, relocation delays, condemnation proceedings, including court costs and others.

§ 636.115 May I meet with industry to gather information concerning the appropriate risk allocation strategies?

- (a) Yes, information exchange at an early project stage is encouraged if it facilitates your understanding of the capabilities of potential offerors. However, any exchange of information must be consistent with State procurement integrity requirements. Interested parties include potential offerors, end users, acquisition and supporting personnel, and others involved in the conduct or outcome of the acquisition.
- (b) The purpose of exchanging information is to improve the understanding of your requirements and industry capabilities, thereby allowing

potential offerors to judge whether or how they can satisfy your requirements, and enhancing your ability to obtain quality supplies and services, including construction, at reasonable prices, and increase efficiency in proposal preparation, proposal evaluation, negotiation, and contract award.

- (c) An early exchange of information can identify and resolve concerns regarding the acquisition strategy, including proposed contract type, terms and conditions, and acquisition planning schedules. This also includes the feasibility of the requirement, including performance requirements, statements of work, and data requirements; the suitability of the proposal instructions and evaluation criteria, including the approach for assessing past performance information; the availability of reference documents; and any other industry concerns or questions. Some techniques to promote early exchanges of information are as follows:
- (1) Industry or small business conferences;
 - (2) Public hearings;
 - (3) Market research;
- (4) One-on-one meetings with potential offerors (any meetings that are substantially involved with potential contract terms and conditions should include the contracting officer; also see paragraph (e) of this section regarding restrictions on disclosure of information):
 - (5) Presolicitation notices;
 - (6) Draft RFPs;
 - (7) Request for Information (RFI);
- (8) Presolicitation or preproposal conferences; and
 - (9) Site visits.
- (d) RFIs may be used when you do not intend to award a contract, but want to obtain price, delivery, other market information, or capabilities for planning purposes. Responses to these notices are not offers and cannot be accepted to form a binding contract. There is no required format for an RFI.
- (e) When specific information about a proposed acquisition that would be necessary for the preparation of proposals is disclosed to one or more potential offerors, that information shall be made available to all potential offerors as soon as practicable, but no later

than the next general release of information, in order to avoid creating an unfair competitive advantage. Information provided to a particular offeror in response to that offeror's request must not be disclosed if doing so would reveal the potential offeror's confidential business strategy. When a presolicitation or preproposal conference is conducted, materials distributed at the conference should be made available to all potential offerors, upon request.

§ 636.116 What organizational conflict of interest requirements apply to design-build projects?

- (a) State statutes or policies concerning organizational conflict of interest should be specified or referenced in the design-build RFQ or RFP document as well as any contract for engineering services, inspection or technical support in the administration of the design-build contract. All design-build solicitations should address the following situations as appropriate:
- (1) Consultants and/or sub-consultants who assist the owner in the preparation of a RFP document will not be allowed to participate as an offeror or join a team submitting a proposal in response to the RFP. However, a contracting agency may determine there is not an organizational conflict of interest for a consultant or sub-consultant where:
- (i) The role of the consultant or subconsultant was limited to provision of preliminary design, reports, or similar "low-level" documents that will be incorporated into the RFP, and did not include assistance in development of instructions to offerors or evaluation criteria, or
- (ii) Where all documents and reports delivered to the agency by the consultant or sub-consultant are made available to all offerors.
- (2) All solicitations for design-build contracts, including related contracts for inspection, administration or auditing services, must include a provision which:
- (i) Directs offerors attention to this subpart;
- (ii) States the nature of the potential conflict as seen by the owner;

- (iii) States the nature of the proposed restraint or restrictions (and duration) upon future contracting activities, if appropriate;
- (iv) Depending on the nature of the acquisition, states whether or not the terms of any proposed clause and the application of this subpart to the contract are subject to negotiation; and
- (v) Requires offerors to provide information concerning potential organizational conflicts of interest in their proposals. The apparent successful offerors must disclose all relevant facts concerning any past, present or currently planned interests which may present an organizational conflict of interest. Such firms must state how their interests, or those of their chief executives. directors, key project personnel, or any proposed consultant, contractor or subcontractor may result, or could be viewed as, an organizational conflict of interest. The information may be in the form of a disclosure statement or a certification.
- (3) Based upon a review of the information submitted, the owner should make a written determination of whether the offeror's interests create an actual or potential organizational conflict of interest and identify any actions that must be taken to avoid, neutralize, or mitigate such conflict. The owner should award the contract to the apparent successful offeror unless an organizational conflict of interest is determined to exist that cannot be avoided, neutralized, or mitigated.
- (b) The organizational conflict of interest provisions in this subpart provide minimum standards for STDs to identify, mitigate or eliminate apparent or actual organizational conflicts of interest. To the extent that State-developed organizational conflict of interest standards are more stringent than that contained in this subpart, the State standards prevail.

§ 636.117 What conflict of interest standards apply to individuals who serve as selection team members for the owner?

State laws and procedures governing improper business practices and personal conflicts of interest will apply to the owner's selection team members. In the absence of such State provisions,

§ 636.118

the requirements of 48 CFR Part 3, Improper Business Practices and Personal Conflicts of Interest, will apply to selection team members.

§ 636.118 Is team switching allowed after contract award?

Where the offeror's qualifications are a major factor in the selection of the successful design-builder, team member switching (adding or switching team members) is discouraged after contract award. However, the owner may use its discretion in reviewing team changes or team enhancement requests on a case-by-case basis. Specific project rules related to changes in team members or changes in personnel within teams should be explicitly stated by the STD in all project solicitations.

§ 636.119 How does this part apply to a project developed under a public-private partnership?

(a) In order for a project being developed under a public-private agreement to be eligible for Federal-aid funding (including traditional Federal-aid funds, direct loans, loan guarantees, lines of credit, or some other form of credit assistance), the contracting agency must have awarded the contract to the public-private entity through a competitive process that complies with applicable State and local laws.

(b) If a contracting agency wishes to utilize traditional Federal-aid funds in a project under a public-private agreement, the applicability of Federal-aid procurement procedures will depend on the nature of the public-private agreement.

(1) If the public-private agreement establishes price and an assignment of risk, then all subsequent contracts executed by the developer are considered to be subcontracts and are not subject to Federal-aid procurement requirements.

(2) If the public-private agreement does not establish price and an assignment of risk, the developer is considered to be an agent of the owner, and the developer must follow the appropriate Federal-aid procurement requirements (23 CFR part 172 for engineering service contracts, 23 CFR part

635 for construction contracts and the requirements of this part for design-build contracts) for all prime contracts (not subcontracts).

(c) The STD must ensure such public-private projects comply with all non-procurement requirements of 23 U. S. Code, regardless of the form of the FHWA funding (traditional Federal-aid funding or credit assistance). This includes compliance with all FHWA policies such as environmental and right-of-way requirements and compliance with such construction contracting requirements as Buy America, Davis-Bacon minimum wage rate requirements, for federally funded construction or design-build contracts under the public-private agreement.

Subpart B—Selection Procedures, Award Criteria

§ 636.201 What selection procedures and award criteria may be used?

You should consider using two-phase selection procedures for all design-build projects. However, if you do not believe two-phase selection procedures are appropriate for your project (based on the criteria in §636.202), you may use a single phase selection procedure or the modified-design-build contracting method. The following procedures are available:

Selection proce- dure	Criteria for using a selection proce- dure	Award criteria op- tions
(a) Two-Phase Selection Procedures (RFQ followed by RFP).	§ 636.202	Lowest price, Ad- justed low-bid (price per quality point), meets cri- teria/low bid, weighted criteria process, fixed price/best de- sign, best value.
(b) Single Phase (RFP).	Project not meet- ing the criteria in § 636.202.	All of the award criteria in item (a) of this table.
(c) Modified Design-Build (may be one or two phases).	Any project	Lowest price tech- nically accept- able.

§ 636.202 When are two-phase designbuild selection procedures appro-

You may consider the following criteria in deciding whether two-phase selection procedures are appropriate. A

negative response may indicate that two-phase selection procedures are not appropriate.

- (a) Are three or more offers anticipated?
- (b) Will offerors be expected to perform substantial design work before developing price proposals?
- (c) Will offerors incur a substantial expense in preparing proposals?
- (d) Have you identified and analyzed other contributing factors, including:
- (1) The extent to which you have defined the project requirements?
- (2) The time constraints for delivery of the project?
- (3) The capability and experience of potential contractors?
- (4) Your capability to manage the two-phase selection process?
- (5) Other criteria that you may consider appropriate?

§ 636.203 What are the elements of two-phase selection procedures for competitive proposals?

The first phase consists of short listing based on a RFQ. The second phase consists of the receipt and evaluation of price and technical proposals in response to a RFP.

§ 636.204 What items may be included in a phase-one solicitation?

You may consider including the following items in any phase-one solicitation:

- (a) The scope of work;
- (b) The phase-one evaluation factors and their relative weights, including:
- Technical approach (but not detailed design or technical information);
 - (2) Technical qualifications, such as-
- (i) Specialized experience and technical competence;
- (ii) Capability to perform (including key personnel); and
- (iii) Past performance of the members of the offeror's team (including the architect-engineer and construction members);
- (3) Other appropriate factors (excluding cost or price related factors, which are not permitted in phase-one);
 - (c) Phase-two evaluation factors; and
- (d) A statement of the maximum number of offerors that will be short listed to submit phase-two proposals.

§ 636.205 Can past performance be used as an evaluation criteria?

- (a) Yes, past performance information is one indicator of an offeror's ability to perform the contract successfully. Past performance information may be used as an evaluation criteria in either phase-one or phase-two solicitations. If you elect to use past performance criteria, the currency and relevance of the information, source of the information, context of the data, and general trends in contractor's performance may be considered.
- (b) Describe your approach for evaluating past performance in the solicitation, including your policy for evaluating offerors with no relevant performance history. You should provide offerors an opportunity to identify past or current contracts (including Federal, State, and local government and private) for efforts similar to the current solicitation.
- (c) If you elect to request past performance information, the solicitation should also authorize offerors to provide information on problems encountered on the identified contracts and the offeror's corrective actions. You may consider this information, as well as information obtained from any other sources, when evaluating the offeror's past performance. You may use your discretion in determining the relevance of similar past performance information.
- (d) The evaluation should take into account past performance information regarding predecessor companies, key personnel who have relevant experience, or subcontractors that will perform major or critical aspects of the requirement when such information is relevant to the current acquisition.

§636.206 How do I evaluate offerors who do not have a record of relevant past performance?

In the case of an offeror without a record of relevant past performance or for whom information on past performance is not available, the offeror may not be evaluated favorably or unfavorably on past performance.

§ 636.207

§ 636.207 Is there a limit on short listed firms?

Normally, three to five firms are short listed, however, the maximum number specified shall not exceed five unless you determine, for that particular solicitation, that a number greater than five is in your interest and is consistent with the purposes and objectives of two-phase design-build contracting.

§ 636.208 May I use my existing prequalification procedures with design-build contracts?

Yes, you may use your existing prequalification procedures for either construction or engineering design firms as a supplement to the procedures in this part.

§ 636.209 What items must be included in a phase-two solicitation?

- (a) You must include the requirements for technical proposals and price proposals in the phase-two solicitation. All factors and significant subfactors that will affect contract award and their relative importance must be stated clearly in the solicitation. Use your own procedures for the solicitation as long as it complies the requirements of this part.
- (b) At your discretion, you may allow proposers to submit alternate technical concepts in their proposals as long as these alternate concepts do not conflict with criteria agreed upon in the environmental decision making process. Alternate technical concept proposals may supplement, but not substitute for base proposals that respond to the RFP requirements.

§ 636.210 What requirements apply to projects which use the modified design-build procedure?

- (a) Modified design-build selection procedures (lowest price technically acceptable source selection process) may be used for any project.
- (b) The solicitation must clearly state the following:
- (1) The identification of evaluation factors and significant subfactors that establish the requirements of acceptability.
- (2) That award will be made on the basis of the lowest evaluated price of

proposals meeting or exceeding the acceptability standards for non-cost factors.

- (c) The contracting agency may forgo a short listing process and advertise for the receipt of proposals from all responsible offerors. The contract is then awarded to the lowest responsive bidder.
- (d) Tradeoffs are not permitted, however, you may incorporate cost-plustime bidding procedures (A+B bidding), lane rental, or other cost-based provisions in such contracts.
- (e) Proposals are evaluated for acceptability but not ranked using the non-cost/price factors.
- (f) Exchanges may occur (see subpart D of this part).

§ 636.211 When and how should tradeoffs be used?

- (a) At your discretion, you may consider the tradeoff technique when it is desirable to award to other than the lowest priced offeror or other than the highest technically rated offeror.
- (b) If you use a tradeoff technique, the following apply:
- (1) All evaluation factors and significant subfactors that will affect contract award and their relative importance must be clearly stated in the solicitation; and
- (2) The solicitation must also state, at a minimum, whether all evaluation factors other than cost or price, when combined, are—
- (i) Significantly more important than cost or price; or
- (ii) Approximately equal to cost or price; or
- (iii) Significantly less important than cost or price.

[67 FR 75926, Dec. 10, 2002; 68 FR 7922, Feb. 19, 2003]

§ 636.212 To what extent must tradeoff decisions be documented?

When tradeoffs are performed, the source selection records must include the following:

- (a) An assessment of each offeror's ability to accomplish the technical requirements; and
- (b) A summary, matrix, or quantitative ranking, along with appropriate supporting narrative, of each

technical proposal using the evaluation factors.

Subpart C—Proposal Evaluation Factors

§ 636.301 How should proposal evaluation factors be selected?

- (a) The proposal evaluation factors and significant subfactors should be tailored to the acquisition.
- (b) Evaluation factors and significant subfactors should:
- (1) Represent the key areas of importance and emphasis to be considered in the source selection decision; and
- (2) Support meaningful comparison and discrimination between and among competing proposals.

§ 636.302 Are there any limitations on the selection and use of proposal evaluation factors?

- (a) The selection of the evaluation factors, significant subfactors and their relative importance are within your broad discretion subject to the following requirements:
- (1) You must evaluate price in every source selection where construction is a significant component of the scope of work
- (2) You must evaluate the quality of the product or service through consideration of one or more non-price evaluation factors. These factors may include (but are not limited to) such criteria as:
- (i) Compliance with solicitation requirements;
- (ii) Completion schedule (contractual incentives and disincentives for early completion may be used where appropriate); or
 - (iii) Technical solutions.
- (3) At your discretion, you may evaluate past performance, technical experience and management experience (subject to §636.303(b)).
- (b) All factors and significant subfactors that will affect contract award and their relative importance must be stated clearly in the solicitation.

§636.303 May pre-qualification standards be used as proposal evaluation criteria in the RFP?

(a) If you use a prequalification procedure or a two-phase selection proce-

- dure to develop a short list of qualified offerors, then pre-qualification criteria should not be included as proposal evaluation criteria.
- (b) The proposal evaluation criteria should be limited to the quality, quantity, value and timeliness of the product or service being proposed. However, there may be circumstances where it is appropriate to include prequalification standards as proposal evaluation criteria. Such instances include situations where:
- (1) The scope of work involves very specialized technical expertise or specialized financial qualifications; or
- (2) Where prequalification procedures or two-phase selection procedures are not used (short listing is not performed).

§ 636.304 What process may be used to rate and score proposals?

- (a) Proposal evaluation is an assessment of the offeror's proposal and ability to perform the prospective contract successfully. You must evaluate proposals solely on the factors and subfactors specified in the solicitation.
- (b) You may conduct evaluations using any rating method or combination of methods including color or adjectival ratings, numerical weights, and ordinal rankings. The relative strengths, deficiencies, significant weaknesses, and risks supporting proposal evaluation must be documented in the contract file.

§ 636.305 Can price information be provided to analysts who are reviewing technical proposals?

Normally, technical and price proposals are reviewed independently by separate evaluation teams. However, there may be occasions where the same experts needed to review the technical proposals are also needed in the review of the price proposals. This may occur where a limited amount of technical expertise is available to review proposals. Price information may be provided to such technical experts in accordance with your procedures.

§ 636.401

Subpart D—Exchanges

§ 636.401 What types of information exchange may take place prior to the release of the RFP document?

Verbal or written information exchanges (such as in the first-phase of a two-phase selection procedure) must be consistent with State and/or local procurement integrity requirements. See §636.115(a) for additional details.

§ 636.402 What types of information exchange may take place after the release of the RFP document?

Certain types of information exchange may be desirable at different points after the release of the RFP document. The following table summarizes the types of communications that will be discussed in this subpart. These communication methods are optional.

Type of information exchange	When	Purpose	Parties involved
(a) Clarifications	After receipt of proposals	Used when award without dis- cussions is contemplated. Used to clarify certain as- pects of a proposal (resolve minor errors, clerical errors, obtain additional past per- formance information, etc.).	Any offeror whose proposal is not clear to the contracting agency.
(b) Communications	After receipt of proposals, prior to the establishment of the competitive range.	Used to address issues which might prevent a proposal from being placed in the competitive range.	Only those offerors whose ex- clusion from, or inclusion in, the competitive range is un- certain. All offerors whose past performance informa- tion is the determining fac- tor preventing them from being placed in the com- petitive range.
(c) Discussions (see Subpart E of this part).	After receipt of proposals and after the determination of the competitive range.	Enhance contracting agency understanding of proposals and offerors understanding of scope of work. Facilitate the evaluation process.	Must be held with all offerors in the competitive range.

§636.403 What information may be exchanged with a clarification?

(a) You may wish to clarify any aspect of proposals which would enhance your understanding of an offeror's proposal. This includes such information as an offeror's past performance or information regarding adverse past performance to which the offeror has not previously had an opportunity to respond. Clarification exchanges are discretionary. They do not have to be held with any specific number of offerors and do not have to address specific issues.

(b) You may wish to clarify and revise the RFP document through an addenda process in response to questions from potential offerors.

§ 636.404 Can a competitive range be used to limit competition?

If the solicitation notifies offerors that the competitive range can be limited for purposes of efficiency, you may limit the number of proposals to the greatest number that will permit an efficient competition. However, you must provide written notice to any offeror whose proposal is no longer considered to be included in the competitive range. Offerors excluded or otherwise eliminated from the competitive range may request a debriefing. Debriefings may be conducted in accordance with your procedures as long as you comply with §636.514.

§ 636.405 After developing a short list, can I still establish a competitive range?

Yes, if you have developed a short list of firms, you may still establish a competitive range. The short list is based on qualifications criteria. The competitive range is based on the rating of technical and price proposals.

§ 636.406 Are communications allowed prior to establishing the competitive range?

Yes, prior to establishing the competitive range, you may conduct communications to:

- (a) Enhance your understanding of proposals;
- (b) Allow reasonable interpretation of the proposal; or
- (c) Facilitate your evaluation process.

§ 636.407 Am I limited in holding communications with certain firms?

Yes, if you establish a competitive range, you must do the following:

- (a) Hold communications with offerors whose past performance information is the determining factor preventing them from being placed within the competitive range;
- (b) Address adverse past performance information to which an offeror has not had a prior opportunity to respond; and
- (c) Hold communications only with those offerors whose exclusion from, or inclusion in, the competitive range is uncertain.

§ 636.408 Can communications be used to cure proposal deficiencies?

- (a) No, communications must not be used to:
- Cure proposal deficiencies or material omissions;
- (2) Materially alter the technical or cost elements of the proposal; and/or
 - (3) Otherwise revise the proposal.
- (b) Communications may be considered in rating proposals for the purpose of establishing the competitive range.

§ 636.409 Can offerors revise their proposals during communications?

- (a) No, communications shall not provide an opportunity for an offeror to revise its proposal, but may address the following:
- (1) Ambiguities in the proposal or other concerns (e.g., perceived deficiencies, weaknesses, errors, omissions, or mistakes); and
- (2) Information relating to relevant past performance.
- (b) Communications must address adverse past performance information to

which the offeror has not previously had an opportunity to comment.

Subpart E—Discussions, Proposal Revisions and Source Selection

§ 636.501 What issues may be addressed in discussions?

In a competitive acquisition, discussions may include bargaining. The term bargaining may include: persuasion, alteration of assumptions and positions, give-and-take, and may apply to price, schedule, technical requirements, type of contract, or other terms of a proposed contract.

§ 636.502 Why should I use discussions?

You should use discussions to maximize your ability to obtain the best value, based on the requirements and the evaluation factors set forth in the solicitation.

§ 636.503 Must I notify offerors of my intent to use/not use discussions?

Yes, in competitive acquisitions, the solicitation must notify offerors of your intent. You should either:

- (a) Notify offerors that discussions may or may not be held depending on the quality of the proposals received (except clarifications may be used as described in §636.401). Therefore, the offeror's initial proposal should contain the offeror's best terms from a cost or price and technical standpoint; or
- (b) Notify offerors of your intent to establish a competitive range and hold discussions.

§ 636.504 If the solicitation indicated my intent was to award contract without discussions, but circumstances change, may I still hold discussions?

Yes, you may still elect to hold discussions when circumstances dictate, as long as the rationale for doing so is documented in the contract file. Such circumstances might include situations where all proposals received have deficiencies, when fair and reasonable prices are not offered, or when the cost or price offered is not affordable.

§ 636.505

§ 636.505 Must a contracting agency establish a competitive range if it intends to have discussions with offerors?

Yes, if discussions are held, they must be conducted with all offerors in the competitive range. If you wish to hold discussions and do not formally establish a competitive range, then you must hold discussions with all responsive offerors.

§ 636.506 What issues must be covered in discussions?

(a) Discussions should be tailored to each offeror's proposal. Discussions must cover significant weaknesses, deficiencies, and other aspects of a proposal (such as cost or price, technical approach, past performance, and terms and conditions) that could be altered or explained to enhance materially the proposal's potential for award. You may use your judgment in setting limits for the scope and extent of discussions.

(b) In situations where the solicitation stated that evaluation credit would be given for technical solutions exceeding any mandatory minimums, you may hold discussions regarding increased performance beyond any mandatory minimums, and you may suggest to offerors that have exceeded any mandatory minimums (in ways that are not integral to the design), that their proposals would be more competitive if the excesses were removed and the offered price decreased.

§ 636.507 What subjects are prohibited in discussions, communications and clarifications with offerors?

You may not engage in conduct that:

- (a) Favors one offeror over another;
- (b) Reveals an offeror's technical solution, including unique technology, innovative and unique uses of commercial items, or any information that would compromise an offeror's intellectual property to another offeror;
- (c) Reveals an offerors price without that offeror's permission;
- (d) Reveals the names of individuals providing reference information about an offeror's past performance; or
- (e) Knowingly furnish source selection information which could be in vio-

lation of State procurement integrity standards.

§ 636.508 Can price or cost be an issue in discussions?

You may inform an offeror that its price is considered to be too high, or too low, and reveal the results of the analysis supporting that conclusion. At your discretion, you may indicate to all offerors your estimated cost for the project.

§ 636.509 Can offerors revise their proposals as a result of discussions?

- (a) Yes, you may request or allow proposal revisions to clarify and document understandings reached during discussions. At the conclusion of discussions, each offeror shall be given an opportunity to submit a final proposal revision.
- (b) You must establish a common cut-off date only for receipt of final proposal revisions. Requests for final proposal revisions shall advise offerors that the final proposal revisions shall be in writing and that the contracting agency intends to make award without obtaining further revisions.

§ 636.510 Can the competitive range be further defined once discussions have begun?

Yes, you may further narrow the competitive range if an offeror originally in the competitive range is no longer considered to be among the most highly rated offerors being considered for award. That offeror may be eliminated from the competitive range whether or not all material aspects of the proposal have been discussed, or whether or not the offeror has been afforded an opportunity to submit a proposal revision. You must provide an offeror excluded from the competitive range with a written determination and notice that proposal revisions will not be considered.

§ 636.511 Can there be more than one round of discussions?

Yes, but only at the conclusion of discussions will the offerors be requested to submit a final proposal revision, also called best and final offer (BAFO). Thus, regardless of the length or number of discussions, there will be

only one request for a revised proposal (*i.e.*, only one BAFO).

§ 636.512 What is the basis for the source selection decision?

(a) You must base the source selection decision on a comparative assessment of proposals against all selection criteria in the solicitation. While you may use reports and analyses prepared by others, the source selection decision shall represent your independent judgment.

(b) The source selection decision shall be documented, and the documentation shall include the rationale for any business judgments and tradeoffs made or relied on, including benefits associated with additional costs. Although the rationale for the selection decision must be documented, that documentation need not quantify the tradeoffs that led to the decision.

§ 636.513 Are limited negotiations allowed prior to contract execution?

Yes, after the source selection but prior to contract execution, you may conduct limited negotiations with the selected design-builder to clarify any remaining issues regarding scope, schedule, financing or any other information provided by that offeror. You must comply with the provisions of §636.507 in the exchange of this information.

§ 636.514 How may I provide notifications and debriefings?

You may provide pre-award or post-award notifications in accordance with State approved procedures. If an offer-or requests a debriefing, you may provide pre-award or post-award debriefings in accordance with State approved procedures.

PART 637—CONSTRUCTION INSPECTION AND APPROVAL

Subpart A [Reserved]

Subpart B—Quality Assurance Procedures for Construction

Sec.

637.201 Purpose.

637.203 Definitions.

637.205 Policy.

637.207 Quality assurance program.

637.209 Laboratory and sampling and testing personnel qualifications.

APPENDIX A TO SUBPART B—GUIDE LETTER OF CERTIFICATION BY STATE ENGINEER

AUTHORITY: Sec. 1307, Pub. L. 105-178, 112 Stat. 107; 23 U.S.C. 109, 114, and 315; 49 CFR 1.48(b).

SOURCE: 60 FR 33717, June 29, 1995, unless otherwise noted.

EDITORIAL NOTE: Nomenclature changes to part 637 appear at 67 FR 75934, Dec. 10, 2002.

Subpart A [Reserved]

Subpart B—Quality Assurance Procedures for Construction

§ 637.201 Purpose.

To prescribe policies, procedures, and guidelines to assure the quality of materials and construction in all Federal-aid highway projects on the National Highway System.

§ 637.203 Definitions.

Acceptance program. All factors that comprise the State transportation department's (STD) determination of the quality of the product as specified in the contract requirements. These factors include verification sampling, testing, and inspection and may include results of quality control sampling and testing.

Independent assurance program. Activities that are an unbiased and independent evaluation of all the sampling and testing procedures used in the acceptance program. Test procedures used in the acceptance program which are performed in the STD's central laboratory would not be covered by an independent assurance program.

Proficiency samples. Homogeneous samples that are distributed and tested by two or more laboratories. The test results are compared to assure that the laboratories are obtaining the same results.

Qualified laboratories. Laboratories that are capable as defined by appropriate programs established by each STD. As a minimum, the qualification program shall include provisions for checking test equipment and the laboratory shall keep records of calibration checks.

§ 637.205

Qualified sampling and testing personnel. Personnel who are capable as defined by appropriate programs established by each STD.

Quality assurance. All those planned and systematic actions necessary to provide confidence that a product or service will satisfy given requirements for quality.

Quality control. All contractor/vendor operational techniques and activities that are performed or conducted to fulfill the contract requirements.

Random sample. A sample drawn from a lot in which each increment in the lot has an equal probability of being chosen.

Vendor. A supplier of project-produced material that is not the contractor.

Verification sampling and testing. Sampling and testing performed to validate the quality of the product.

§ 637.205 Policy.

- (a) Quality assurance program. Each STD shall develop a quality assurance program which will assure that the materials and workmanship incorporated into each Federal-aid highway construction project on the NHS are in conformity with the requirements of the approved plans and specifications, including approved changes. The program must meet the criteria in §637.207 and be approved by the FHWA.
- (b) STD capabilities. The STD shall maintain an adequate, qualified staff to administer its quality assurance program. The State shall also maintain a central laboratory. The State's central laboratory shall meet the requirements in §637.209(a)(2).
- (c) Independent assurance program. Independent assurance samples and tests or other procedures shall be performed by qualified sampling and testing personnel employed by the STD or its designated agent.
- (d) Verification sampling and testing. The verification sampling and testing are to be performed by qualified testing personnel employed by the STD or its designated agent, excluding the contractor and vendor.
- (e) Random samples. All samples used for quality control and verification sampling and testing shall be random samples.

§637.207 Quality assurance program.

- (a) Each STD's quality assurance program shall provide for an acceptance program and an independent assurance (IA) program consisting of the following:
 - (1) Acceptance program.
- (i) Each STD's acceptance program shall consist of the following:
- (A) Frequency guide schedules for verification sampling and testing which will give general guidance to personnel responsible for the program and allow adaptation to specific project conditions and needs.
- (B) Identification of the specific location in the construction or production operation at which verification sampling and testing is to be accomplished.
- (C) Identification of the specific attributes to be inspected which reflect the quality of the finished product.
- (ii) Quality control sampling and testing results may be used as part of the acceptance decision provided that:
- (A) The sampling and testing has been performed by qualified laboratories and qualified sampling and testing personnel.
- (B) The quality of the material has been validated by the verification sampling and testing. The verification testing shall be performed on samples that are taken independently of the quality control samples.
- (C) The quality control sampling and testing is evaluated by an IA program.
- (iii) If the results from the quality control sampling and testing are used in the acceptance program, the STD shall establish a dispute resolution system. The dispute resolution system shall address the resolution of discrepancies occurring between the verification sampling and testing and the quality control sampling and testing. The dispute resolution system may be administered entirely within the STD.
- (iv) In the case of a design-build project on the National Highway System, warranties may be used where appropriate. See 23 CFR 635.413(e) for specific requirements.
- (2) The IA program shall evaluate the qualified sampling and testing personnel and the testing equipment. The program shall cover sampling procedures, testing procedures, and testing

equipment. Each IA program shall include a schedule of frequency for IA evaluation. The schedule may be established based on either a project basis or a system basis. The frequency can be based on either a unit of production or on a unit of time.

- (i) The testing equipment shall be evaluated by using one or more of the following: Calibration checks, split samples, or proficiency samples.
- (ii) Testing personnel shall be evaluated by observations and split samples or proficiency samples.
- (iii) A prompt comparison and documentation shall be made of test results obtained by the tester being evaluated and the IA tester. The STD shall develop guidelines including tolerance limits for the comparison of test results.
- (iv) If the STD uses the system approach to the IA program, the STD shall provide an annual report to the FHWA summarizing the results of the IA program.
- (3) The preparation of a materials certification, conforming in substance to Appendix A of this subpart, shall be submitted to the FHWA Division Administrator for each construction project which is subject to FHWA construction oversight activities.
- (b) In the case of a design-build project funded under title 23, U.S. Code, the STD's quality assurance program should consider the specific contractual needs of the design-build project. All provisions of paragraph (a) of this section are applicable to designbuild projects. In addition, the quality assurance program may include the following:
- (1) Reliance on a combination of contractual provisions and acceptance methods;
- (2) Reliance on quality control sampling and testing as part of the acceptance decision, provided that adequate verification of the design-builder's quality control sampling and testing is performed to ensure that the design-builder is providing the quality of materials and construction required by the contract documents.

(3) Contractual provisions which require the operation of the completed facility for a specific time period.

[60 FR 33717, June 29, 1995, as amended at 67 FR 75934, Dec. 10, 2002]

§ 637.209 Laboratory and sampling and testing personnel qualifications.

- (a) Laboratories.
- (1) After June 29, 2000, all contractor, vendor, and STD testing used in the acceptance decision shall be performed by qualified laboratories.
- (2) After June 30, 1997, each STD shall have its central laboratory accredited by the AASHTO Accreditation Program or a comparable laboratory accreditation program approved by the FHWA.
- (3) After June 29, 2000, any non-STD designated laboratory which performs IA sampling and testing shall be accredited in the testing to be performed by the AASHTO Accreditation Program or a comparable laboratory accreditation program approved by the FHWA.
- (4) After June 29, 2000, any non-STD laboratory that is used in dispute resolution sampling and testing shall be accredited in the testing to be performed by the AASHTO Accreditation Program or a comparable laboratory accreditation program approved by the FHWA.
- (b) Sampling and testing personnel. After June 29, 2000, all sampling and testing data to be used in the acceptance decision or the IA program shall be executed by qualified sampling and testing personnel.
- (c) Conflict of interest. In order to avoid an appearance of a conflict of interest, any qualified non-STD laboratory shall perform only one of the following types of testing on the same project: Verification testing, quality control testing, IA testing, or dispute resolution testing.

APPENDIX A TO SUBPART B OF PART 637—GUIDE LETTER OF CERTIFI-CATION BY STATE ENGINEER

Date
Project No.
This is to certify that:
The results of the tests used in the accept-
ance program indicate that the materials in-

corporated in the construction work, and the

Pt. 645

construction operations controlled by sampling and testing, were in conformity with the approved plans and specifications. (The following sentence should be added if the IA testing frequencies are based on project quantities. All independent assurance samples and tests are within tolerance limits of the samples and tests that are used in the acceptance program.)

Exceptions to the plans and specifications are explained on the back hereof (or on attached sheet).

Director of STD Laboratory or other appropriate STD Official.

PART 645—UTILITIES

Subpart A—Utility Relocations, Adjustments, and Reimbursement

Sec.	
645.101	Purpose.
645.103	Applicability.
645.105	Definitions.
645.107	Eligibility.
645.109	Preliminary engineering.
645.111	Right-of-way.
645.113	Agreements and authorizations.
645.115	Construction.
645.117	Cost development and reimburse-
mei	nt.
645.119	Alternate procedure.

Subp	part B—Accommodation of Utilities
645.201	Purpose.
645.203	Applicability.
645.205	Policy.
645.207	Definitions.
645.209	General requirements.
645.211	State transportation department ac-
con	nmodation policies.
645.213	Use and occupancy agreements (per-
mit	es).
645.215	Approvals.
	00 77 0 0 404 400 444 440 400

AUTHORITY: 23 U.S.C. 101, 109, 111, 116, 123, and 315; 23 CFR 1.23 and 1.27; 49 CFR 1.48(b); and E.O. 11990, 42 26961 (May 24, 1977).

EDITORIAL NOTE: Nomenclature changes to part 645 appear at 65 FR 70311, Nov. 22, 2000.

Subpart A—Utility Relocations. Adjustments, and Reimbursement

SOURCE: 50 FR 20345, May 15, 1985, unless otherwise noted.

§ 645.101 Purpose.

To prescribe the policies, procedures, and reimbursement provisions for the adjustment and relocation of utility facilities on Federal-aid and direct Federal projects.

§ 645.103 Applicability.

- (a) The provisions of this regulation apply to reimbursement claimed by a State transportation department (STD) for costs incurred under an approved and properly executed transportation department (TD)/utility agreement and for payment of costs incurred under all Federal Highway Administration (FHWA)/utility agreements.
- (b) Procedures on the accommodation of utilities are set forth in 23 CFR part 645, subpart B, Accommodation of Utilities.
- (c) When the lines or facilities to be relocated or adjusted due to highway construction are privately owned, located on the owner's land, devoted exclusively to private use and not directly or indirectly serving the public, the provisions of the FHWA's right-ofway procedures in 23 CFR 710.203, apply. When applicable, under the foregoing conditions, the provisions of this regulation may be used as a guide to establish a cost-to-cure.
- (d) The FHWA's reimbursement to the STD will be governed by State law (or State regulation) or the provisions of this regulation, whichever is more restrictive. When State law or regulation differs from this regulation, a determination shall be made by the STD subject to the concurrence of the FHWA as to which standards will govern, and the record documented accordingly, for each relocation encountered.
- (e) For direct Federal projects, all references herein to the STD or TD are inapplicable, and it is intended that the FHWA be considered in the relative position of the STD or TD.

[50 FR 20345, May 15, 1985, as amended at 64 FR 71289, Dec. 21, 1999]

§ 645.105 Definitions.

For the purposes of this regulation, the following definitions shall apply:

Authorization—for Federal-aid projects authorization to the STD by the FHWA, or for direct Federal projects authorization to the utility by the FHWA, to proceed with any phase of a project. The date of authorization establishes the date of eligibility for

Federal funds to participate in the costs incurred on that phase of work.

Betterment—any upgrading of the facility being relocated that is not attributable to the highway construction and is made solely for the benefit of and at the election of the utility.

Cost of relocation—the entire amount paid by or on behalf of the utility properly attributable to the relocation after deducting from that amount any increase in value of the new facility, and any salvage derived from the old facility.

Cost of Removal—the amount expended to remove utility property including the cost of demolishing, dismantling, removing, transporting, or otherwise disposing of utility property and of cleaning up to leave the site in a neat and presentable condition.

Cost of salvage—the amount expended to restore salvaged utility property to usable condition after its removal.

Direct Federal projects—highway projects such as projects under the Federal Lands Highways Program which are under the direct administration of the FHWA.

Indirect or overhead costs—those costs which are not readily identifiable with one specific task, job, or work order. Such costs may include indirect labor, social security taxes, insurance, stores expense, and general office expenses. Costs of this nature generally are distributed or allocated to the applicable job or work orders, other accounts and other functions to which they relate. Distribution and allocation is made on a uniform basis which is reasonable, equitable, and in accordance with generally accepted cost accounting practices.

Relocation—the adjustment of utility facilities required by the highway project. It includes removing and reinstalling the facility, including necessary temporary facilities, acquiring necessary right-of-way on the new location, moving, rearranging or changing the type of existing facilities and taking any necessary safety and protective measures. It shall also mean constructing a replacement facility that is both functionally equivalent to the existing facility and necessary for continuous operation of the utility

service, the project economy, or sequence of highway construction.

Salvage value—the amount received from the sale of utility property that has been removed or the amount at which the recovered material is charged to the utility's accounts, if retained for reuse.

State transportation department—the transportation department of one of the 50 States, the District of Columbia, or Puerto Rico.

Transportation department(TD)—that department, commission, board, or official of any State or political subdivison thereof, charged by its law with the responsibility for highway administration.

Use and occupancy agreement—the document (written agreement or permit) by which the TD approves the use and occupancy of highway right-of-way by utility facilities or private lines.

Utility—a privately, publicly, or cooperatively owned line, facility or system for producing, transmitting, or distributing communications, cable television, power, electricity, light, heat, gas, oil, crude products, water, steam, waste, storm water not connected with highway drainage, or any other similar commodity, including any fire or police signal system or street lighting system, which directly or indirectly serves the public. The term utility shall also mean the utility company inclusive of any wholly owned or controlled subsidiary.

Work order system—a procedure for accumulating and recording into separate accounts of a utility all costs to the utility in connection with any change in its system or plant.

[50 FR 20345, May 15, 1985, as amended at 65 FR 70311, Nov. 22, 2000]

§645.107 Eligibility.

(a) When requested by the STD, Federal funds may participate, subject to the provisions of §645.103(d) of this part and at the pro rata share applicable, in an amount actually paid by an TD for the costs of utility relocations. Federal funds may participate in safety corrective measures made under the provisions of §645.107(k) of this part. Federal funds may also participate for relocations necessitated by the actual construction of highway project made

§ 645.107

under one or more of the following conditions when:

- (1) The STD certifies that the utility has the right of occupancy in its existing location because it holds the fee, an easement, or other real property interest, the damaging or taking of which is compensable in eminent domain,
- (2) The utility occupies privately or publicly owned land, including public road or street right-of-way, and the STD certifies that the payment by the TD is made pursuant to a law authorizing such payment in conformance with the provisions of 23 U.S.C. 123, and/or
- (3) The utility occupies publicy owned land, including public road and street right-of-way, and is owned by a public agency or political subdivision of the State, and is not required by law or agreement to move at its own expense, and the STD certifies that the TD has the legal authority or obligation to make such payments.
- (b) On projects which the STD has the authority to participate in project costs, Federal funds may not participate in payments made by a political subdivision for relocation of utility facilities, other than those proposed under the provisions of §645.107(k) of this part, when State law prohibits the STD from making payment for relocation of utility facilities.
- (c) On projects which the STD does not have the authority to participate in project costs, Federal funds may participate in payments made by a political subdivision for relocation of utility facilities necessitated by the actual construction of a highway project when the STD certifies that such payment is based upon the provisions of §645.107(a) of this part and does not violate the terms of a use and occupancy agreement, or legal contract, between the utility and the TD or for utility safety corrective measures under the provisions of §645.107(k) of this part.
- (d) Federal funds are not eligible to participate in any costs for which the utility contributes or repays the TD, except for utilities owned by the political subdivision on projects which qualify under the provisions of §645.107(c) of this part in which case the costs of the

utility are considered to be costs of the TD.

- (e) The FHWA may deny Federal fund participation in any payments made by a TD for the relocation of utility facilities when such payments do not constitute a suitable basis for Federal fund participation under the provisions of title 23 U.S.C.
- (f) The rights of any public agency or political subdivision of a State under contract, franchise, or other instrument or agreement with the utility, pertaining to the utility's use and occupancy of publicly owned land, including public road and street right-of-way, shall be considered the rights of the STD in the absence of State law to the contrary.
- (g) In lieu of the individual certifications required by §645.107(a) and (c), the STD may file a statement with the FHWA setting forth the conditions under which the STD will make payments for the relocation of utility facilities. The FHWA may approve Federal fund participation in utility relocations proposed by the STD under the conditions of the statement when the FHWA has made an affirmative finding that such statement and conditions form a suitable basis for Federal fund participation under the provisions of 23 U.S.C. 123.
- (h) Federal funds may not participate in the cost of relocations of utility facilities made solely for the benefit or convenience of a utility, its contractor, or a highway contractor.
- (i) When the advance installation of new utility facilities crossing or otherwise occupying the proposed right-ofway of a planned highway project is underway, or scheduled to be underway, prior to the time such right-ofway is purchased by or under control of the TD, arrangements should be made for such facilities to be installed in a manner that will meet the requirements of the planned highway project. Federal funds are eligible to participate in the additional cost incurred by the utility that are attributable to, and in accommodation of, the highway project provided such costs are incurred subsequent to authorization of the work by the FHWA. Subject to the other provisions of this regulation, Federal participation may be approved

under the foregoing circumstances when it is demonstrated that the action taken is necessary to protect the public interest and the adjustment of the facility is necessary by reason of the actual construction of the highway project.

(j) Federal funds are eligible to participate in the costs of preliminary engineering and allied services for utilities, the acquisition of replacement right-of-way for utilities, and the physical construction work associated with utility relocations. Such costs must be incurred by or on behalf of a utility after the date the work is included in an approved program and after the FHWA has authorized the STD to proceed in accordance with 23 CFR part 630, subpart A, Federal-Aid Programs Approval and Project Authorization.

(k) Federal funds may participate in projects solely for the purpose of implementing safety corrective measures to reduce the roadside hazards of utility facilities to the highway user. Safety corrective measures should be developed in accordance with the provisions of 23 CFR 645.209(k).

(Information collection requirements in paragraph (g) were approved by the Office of Management and Budget under control number 2125–0515)

[50 FR 20345, May 15, 1985, as amended at 53 FR 24932, July 1, 1988]

§ 645.109 Preliminary engineering.

- (a) As mutually agreed to by the TD and utility, and subject to the provisions of paragraph (b) of this section, preliminary engineering activities associated with utility relocation work may be done by:
- (Ĭ) The TD's or utility's engineering forces:
- (2) An engineering consultant selected by the TD, after consultation with the utility, the contract to be administered by the TD; or,
- (3) An engineering consultant selected by the utility, with the approval of the TD, the contract to be administered by the utility.
- (b) When a utility is not adequately staffed to pursue the necessary preliminary engineering and related work for the utility relocation, Federal funds may participate in the amount paid to engineers, architects, and others for re-

quired engineering and allied services provided such amounts are not based on a percentage of the cost of relocation. When Federal participation is requested by the STD in the cost of such services, the utility and its consultant shall agree in writing as to the services to be provided and the fees and arrangements for the services. Federal funds may participate in the cost of such services performed under existing written continuing contracts when it is demonstrated that such work is performed regularly for the utility in its own work and that the costs are reasonable.

(c) The procedures in 23 CFR part 172, Administration of Engineering and Design Related Service Contracts, may be used as a guide for reviewing proposed consultant contracts.

[50 FR 20345, May 15, 1985, as amended at 60 FR 34850, July 5, 1995; 65 FR 70311, Nov. 22, 2000]

§645.111 Right-of-way.

- (a) Federal participation may be approved for the cost of replacement right-of-way provided:
- (1) The utility has the right of occupancy in its existing location beause it holds the fee, an easement, or another real property interest, the damaging or taking of which is compensable in eminent domain, or the acquisition is made in the interest of project economy or is necessary to meet the requirements of the highway project, and
- (2) There will be no charge to the project for that portion of the utility's existing right-of-way being transferred to the TD for highway purposes.
- (b) The utility shall determine and make a written valuation of the replacement right-of-way that it acquires in order to justify amounts paid for such right-of-way. This written valuation shall be accomplished prior to negotiation for acquisition.
- (c) Acquisition of replacement right-of-way by the TD on behalf of a utility or acquisition of nonoperating real property from a utility shall be in accordance with the Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970 (42 U.S.C. 4601 et seq.) and applicable right-of-way procedures in 23 CFR 710.203.

§ 645.113

(d) When the utility has the right-ofoccupancy in its existing location because it holds the fee, an easement, or another real property interest, and it is not necessary by reason of the highway construction to adjust or replace the facilities located thereon, the taking of and damage to the utility's real property, including the disposal or removal of such facilities, may be considered a right-of-way transaction in accordance with provisions of the applicable rightof-way procedures in 23 CFR 710.203.

[50 FR 20345, May 15, 1985, as amended at 64 FR 71289, Dec. 21, 1999]

§ 645.113 Agreements and authorizations.

(a) On Federal-aid and direct Federal projects involving utility relocations, the utility and the TD shall agree in writing on their separate responsibilities for financing and accomplishing the relocation work. When Federal participation is requested, the agreement shall incorporate this regulation by reference and designate the method to be used for performing the work (by contract or force account) and for developing relocation costs. The method proposed by the utility for developing relocation costs must be acceptable to both the TD and the FHWA. The preferred method for the development of relocation costs by a utility is on the basis of actual direct and related indirect costs accumulated in accordance with a work order accounting procedure prescribed by the applicable Federal or State regulatory body.

(b) When applicable, the written agreement shall specify the terms and amounts of any contribution or repayments made or to be made by the utility to the TD in connection with payments by the TD to the utility under the provisions of §645.107 of this regulation.

(c) The agreement shall be supported by plans, specifications when required, and itemized cost estimates of the work agreed upon, including appropriate credits to the project, and shall be sufficiently informative and complete to provide the TD and the FHWA with a clear description of the work required.

(d) When the relocation involves both work to be done at the TD's expense

and work to be done at the expense of the utility, the written agreement shall state the share to be borne by each party.

(e) In the event there are changes in the scope of work, extra work or major changes in the planned work covered by the approved agreement, plans, and estimates, Federal participation shall be limited to costs covered by a modification of the agreement, a written change, or extra work order approved by the TD and the FHWA.

(f) When proposed utility relocation and adjustment work on a project for a specific utility company can be clearly defined and the cost can be accurately estimated, the FHWA may approve an agreement between the TD and the utility company for a lump-sum payment without later confirmation by audit of actual costs.

(g) Except as otherwise provided by §645.113(h), authorization by the FHWA to the STD to proceed with the physical relocation of a utility's facilities may be given after:

(I) The utility relocation work, or the right-of-way, or physical construction phase of the highway construction work is included in an approved Statewide transportation improvement program,

(2) The appropriate environmental evaluation and public hearing procedures required by 23 CFR part 771, Environmental Impact and Related Procedures, have been satisfied.

(3) The FHWA has reviewed and approved the plans, estimates, and proposed or executed agreements for the utility work and is furnished a schedule for accomplishing the work.

(h) The FHWA may authorize the physical relocation of utility facilities before the requirements of §645.113(g)(2) are satisfied when the relocation or adjustment of utility facilities meets the requirements of §645.107(i) of this regulation.

(i) Whenever the FHWA has authorized right-of-way acquisition under the hardship and protective buying provisions of 23 CFR 710.503, the FHWA may authorize the physical relocation of utility facilities located in whole or in part on such right-of-way.

(j) When all efforts by the TD and utility fail to bring about written

agreement of their separate responsibilities under the provisions of this regulation, the STD shall submit its proposal and a full report of the circumstances to the FHWA. Conditional authorizations for the relocation work to proceed may be given by the FHWA to the STD with the understanding that Federal funds will not be paid for work done by the utility until the STD proposal has been approved by the FHWA.

(k) The FHWA will consider for approval any special procedure under State law, or appropriate administrative or judicial order, or under blanket master agreements with the utilities, that will fully accomplish all of the foregoing objectives and accelerate the advancement of the construction and completion of projects.

[50 FR 20345, May 15, 1985, as amended at 60 FR 34850, July 5, 1995; 64 FR 71289, Dec. 21, 1999; 65 FR 70311, Nov. 22, 2000]

§645.115 Construction.

- (a) Part 635, subpart B, of this title, Force Account Construction (justification required for force account work), states that it is cost-effective for certain utility adjustments to be performed by a utility with its own forces and equipment, provided the utility is qualified to perform the work in a satisfactory manner. This cost-effectiveness finding covers minor work on the utility's existing facilities routinely performed by the utility with its own forces. When the utility is not adequately staffed and equipped to perform such work with its own forces and equipment at a time convenient to and in coordination with the associated highway construction, such work may be done by:
- (1) A contract awarded by the TD or utility to the lowest qualified bidder based on appropriate solicitation,
- (2) Inclusion as part of the TD's highway construction contract let by the TD as agreed to by the utility,
- (3) An existing continuing contract, provided the costs are reasonable, or
- (4) A contract for low-cost incidental work, such as tree trimming and the like, awarded by the TD or utility without competitive bidding, provided the costs are reasonable.

- (b) When it has been determined under part 635, subpart B, that the force account method is not the most cost-effective means for accomplishing the utility adjustment, such work is to be done under competitive bid contracts as described in §645.115(a) (1) and (2) or under an existing continuing contract provided it can be demonstrated this is the most cost-effective method.
- (c) Costs for labor, materials, equipment, and other services furnished by the utility shall be billed by the utility directly to the TD. The special provisions of contracts let by the utility or the TD shall be explicit in this respect. The costs of force account work performed for the utility by the TD and of contract work performed for the utility under a contract let by the TD shall be reported separately from the costs of other force account and contract items on the highway project.

§ 645.117 Cost development and reimbursement.

- (a) Developing and recording costs. (1) All utility relocation costs shall be recorded by means of work orders in accordance with an approved work order system except when another method of developing and recording costs, such as lump-sum agreement, has been approved by the TD and the FHWA. Except for work done under contracts, the individual and total costs properly reported and recorded in the utility's accounts in accordance with the approved method for developing such costs, or the lump-sum agreement, shall constitute the maximum amount on which Federal participation may be based.
- (2) Each utility shall keep its work order system or other approved accounting procedure in such a manner as to show the nature of each addition to or retirement from a facility, the total costs thereof, and the source or sources of cost. Separate work orders may be issued for additions and retirements. Retirements, however, may be included with the construction work order provided that all items relating to retirements shall be kept separately from those relating to construction.
- (3) The STD may develop, or work in concert with utility companies to develop, other acceptable costing methods, such as unit costs, to estimate and

§ 645.117

reimburse utility relocation expenditures. Such other methods shall be founded in generally accepted industry practices and be reasonably supported by recent actual expenditures. Unit costs should be developed periodically and supported annually by a maintained data base of relocation expenses. Development of any alternate costing method should consider the factors listed in paragraphs (b) through (g) of this section. Streamlining of the cost development and reimbursement procedures is encouraged so long as adequate accountability for Federal expenditures is maintained. Concurrence by the FHWA is required for any costing method used other than actual cost.

- (b) Direct labor costs. (1) Salaries and wages, at actual or average rates, and related expenses paid by the utility to individuals for the time worked on the project are reimbursable when supported by adequate records. This includes labor associated with preliminary engineering, construction engineering, right-of-way, and force account construction.
- (2) Salaries and expenses paid to individuals who are normally part of the overhead organization of the utility may be reimbursed for the time worked directly on the project when supported by adequate records and when the work performed by such individuals is essential to the project and could not have been accomplished as economically by employees outside the overhead organization.
- (3) Amounts paid to engineers, architects and others for services directly related to projects may be reimbursed.
- (c) Labor surcharges. (1) Labor surcharges include worker compensation insurance, public liability and property damage insurance, and such fringe benefits as the utility has established for the benefit of its employees. The cost of labor surcharges will be reimbursed at actual cost to the utility, or, at the option of the utility, average rates which are representative of actual costs may be used in lieu of actual costs if approved by the STD and the FHWA. These average rates should be adjusted at least once annually to take account known anticipated changes and correction for any over or

under applied costs for the preceding period.

- (2) When the utility is a self-insurer, there may be reimbursement at experience rates properly developed from actual costs. The rates cannot exceed the rates of a regular insurance company for the class of employment covered.
- (d) Overhead and indirect construction costs. (1) Overhead and indirect construction costs not charged directly to work order or construction accounts may be allocated to the relocation provided the allocation is made on an equitable basis. All costs included in the allocation shall be eligible for Federal reimbursement, reasonable, actually incurred by the utility, and consistent with the provisions of 48 CFR part 31.
- (2) Costs not eligible for Federal reimbursement include, but are not limited to, the costs associated with advertising, sales promotion, interest on borrowings, the issuance of stock, bad debts, uncollectible accounts receivable, contributions, donations, entertainment, fines, penalties, lobbying, and research programs.
- (3) The records supporting the entries for overhead and indirect construction costs shall show the total amount, rate, and allocation basis for each additive, and are subject to audit by representatives of the State and Federal Government.
- (e) Material and supply costs. (1) Materials and supplies, if available, are to be furnished from company stock except that they may be obtained from other sources near the project site when available at a lower cost. When not available from company stock, they may be purchased either under competitive bids or existing continuing contracts under which the lowest available prices are developed. Minor quantities of materials and supplies and proprietary products routinely used in the utility's operation and essential for the maintenance of system compatibility may be excluded from these requirements. The utility shall not be required to change its existing standards for materials used in permanent changes to its facilities. Costs shall be determined as follows:
- (i) Materials and supplies furnished from company stock shall be billed at

the current stock prices for such new or used materials at time of issue.

- (ii) Materials and supplies not furnished from company stock shall be billed at actual costs to the utility delivered to the project site.
- (iii) A reasonable cost for plant inspection and testing may be included in the costs of materials and supplies when such expense has been incurred. The computation of actual costs of materials and supplies shall include the deduction of all offered discounts, rebates, and allowances.
- (iv) The cost of rehabilitating rather than replacing existing utility facilities to meet the requirements of a project is reimbursable, provided this cost does not exceed replacement costs.
- (2) Materials recovered from temporary use and accepted for reuse by the utility shall be credited to the project at prices charged to the job, less a considertion for loss in service life at 10 percent. Materials recovered from the permanent facility of the utility that are accepted by the utility for return to stock shall be credited to the project at the current stock prices of such used materials. Materials recovered and not accepted for reuse by the utility, if determined to have a net sale value, shall be sold to the highest bidder by the TD or utility following an opportunity for TD inspection and appropriate solicitation for bids. If the utility practices a system of periodic disposal by sale, credit to the project shall be at the going prices supported by records of the utility
- (3) Federal participation may be approved for the total cost of removal when either such removal is required by the highway construction or the existing facilities cannot be abandoned in place for aesthetic or safety reasons. When the utility facilities can be abandoned in place but the utility or highway constructor elects to remove and recover the materials, Federal funds shall not participate in removal costs which exceed the value of the materials recovered.
- (4) The actual and direct costs of handling and loading materials and supplies at company stores or material yards, and of unloading and handling recovered materials accepted by the utility at its stores or material yards

- are reimbursable. In lieu of actual costs, average rates which are representative of actual costs may be used if approved by the STD and the FHWA. These average rates should be adjusted at least once annually to take into account known anticipated changes and correction for any over or under applied costs for the preceding period. At the option of the utility, 5 percent of the amounts billed for the materials and supplies issued from company stores and material yards or the value of recovered materials will be reimbursed in lieu of actual or average costs for handling.
- (f) Equipment costs. The average or actual costs of operation, minor maintenance, and depreciation of utility-owned equipment may be reimbursed. Reimbursement for utility-owned vehicles may be made at average or actual costs. When utility-owned equipment is not available, reimbursement will be limited to the amount of rental paid (1) to the lowest qualified bidder, (2) under existing continuing contracts at reasonable costs, or (3) as an exception by negotiation when paragraph (f) (1) and (2) of this section are impractical due to project location or schedule.
- (g) *Transportation costs.* (1) The utility's cost, consistent with its overall policy, of necessary employee transportation and subsistence directly attributable to the project is reimbursable.
- (2) Reasonable cost for the movement of materials, supplies, and equipment to the project and necessary return to storage including the associated cost of loading and unloading equipment is reimbursable.
- (h) *Credits.* (1) Credit to the highway project will be required for the cost of any betterments to the facility being replaced or adjusted, and for the salvage value of the materials removed.
- (2) Credit to the highway project will be required for the accrued depreciation of a utility facility being replaced, such as a building, pumping station, filtration plant, power plant, substation, or any other similar operational unit. Such accrued depreciation is that amount based on the ratio between the period of actual length of

§645.119

service and total life expectancy applied to the original cost. Credit for accrued depreciation shall not be required for a segment of the utility's service, distribution, or transmission lines.

- (3) No betterment credit is required for additions or improvements which are:
 - (i) Required by the highway project,
- (ii) Replacement devices or materials that are of equivalent standards although not identical,
- (iii) Replacement of devices or materials no longer regularly manufactured with next highest grade or size,
- (iv) Required by law under governmental and appropriate regulatory commission code, or
- (v) Required by current design practices regularly followed by the company in its own work, and there is a direct benefit to the highway project.
- (4) When the facilities, including equipment and operating facilities, described in §645.117(h)(2) are not being replaced, but are being rehabilitated and/or moved, as necessitated by the highway project, no credit for accrued depreciation is needed.
- (5) In no event will the total of all credits required under the provisions of this regulation exceed the total costs of adjustment exclusive of the cost of additions or improvements necessitated by the highway construction.
- (i) Billings. (1) After the executed TD/ utility agreement has been approved by the FHWA, the utility may be reimbursed through the STD by progress billings for costs incurred. Cost for materials stockpiled at the project site or specifically purchased and delivered to the utility for use on the project may also be reimbursed on progress billings following approval of the executed TD/ utility agreement.
- (2) The utility shall provide one final and complete billing of all costs incurred, or of the agreed-to lump-sum, within one year following completion of the utility relocation work, otherwise previous payments to the utility may be considered final, except as agreed to between the STD and the utility. Billings received from utilities more than one year following completion of the utility relocation work may be paid if the STD so desires, and Fed-

eral-aid highway funds may participate in these payments.

(3) All utility cost records and accounts relating to the project are subject to audit by representatives of the State and Federal Government for a period of 3 years from the date final payment has been received by the utility.

(Information collection requirements in paragraph (i) were approved by the Office of Management and Budget under control number 2125-0159)

[50 FR 20345, May 15, 1985, as amended at 60 FR 34850, July 5, 1995; 65 FR 70311, Nov. 22, 20001

§645.119 Alternate procedure.

- (a) This alternate procedure is provided to simplify the processing of utility relocations or adjustments under the provisions of this regulation. Under this procedure, except as otherwise provided in paragraph (b) of this section, the STD is to act in the relative position of the FHWA for reviewing and approving the arrangements, fees, estimates, plans, agreements, and other related matters required by this regulation as prerequisites for authorizing the utility to proceed with and complete the work.
- (b) The scope of the STD's approval authority under the alternate procedure includes all actions necessary to advance and complete all types of utility work under the provisions of this regulation except in the following instances:
- (1) Utility relocations and adjustments involving major transfer, production, and storage facilities such as generating plants, power feed stations, pumping stations and reservoirs.
- (2) Utility relocations falling within the scope of §645.113 (h), (i), and (j), and §645.107(i) of this regulation.
- (c) To adopt the alternate procedure, the STD must file a formal application for approval by the FHWA. The application must include the following:
- (1) The STD's written policies and procedures for administering and processing Federal-aid utility adjustments. Those policies and procedures must make adequate provisions with respect to the following:
- (i) Compliance with the requirements of this regulation, except as otherwise

provided by §645.119(b), and the provisions of 23 CFR part 645, subpart B, Accommodation of Utilities.

- (ii) Advance utility liaison, planning, and coordination measures for providing adequate lead time and early scheduling of utility relocation to minimize interference with the planned highway construction.
- administrative, (iii) Appropriate legal, and engineering review and coordination procedures as needed to establish the legal basis of the TD's payment; the extent of eligibility of the work under State and Federal laws and regulations; the more restrictive payment standards under §645.103(d) of this regulation; the necessity of the proposed utility work and its compatibility with proposed highway improvements; and the uniform treatment of all utility matters and actions, consistent with sound management practices.
- (iv) Documentation of actions taken in compliance with STD policies and the provisions of this regulation, shall be retained by the STD.
- (2) A statement signed by the chief administrative officer of the STD certifying that:
- (i) Federal-aid utility relocations will be processed in accordance with the applicable provisions of this regulation, and the STD's utility policies and procedures submitted under \$645.119(c)(1).
- (ii) Reimbursement will be requested only for those costs properly attributable to the proposed highway construction and eligible for participation under the provisions of this regulation.
- (d) The STD's application and any changes to it will be submitted to the FHWA for review and approval.
- (e) After the alternate procedure has been approved, the FHWA may authorize the STD to proceed with utility relocation on a project in accordance with the certification, subject to the following conditions:
- (1) The utility work must be included in an approved program.
- (2) The STD must submit a request in writing for such authorization. The request shall include a list of the utility relocations to be processed under the alternate procedure, along with the

best available estimate of the total costs involved.

(f) The FHWA may suspend approval of the alternate procedure when any FHWA review discloses noncompliance with the certification. Federal funds will not participate in relocation costs incurred that do not comply with the requirements under §645.119(c)(1).

(Information collection requirements in paragraph (c) were approved by the Office of Management and Budget under control number 2125–0533)

[50 FR 20345, May 15, 1985, as amended at 65 FR 70311. Nov. 22, 2000]

Subpart B—Accommodation of Utilities

Source: $50 \ \mathrm{FR}$ 20354, May 15, 1985, unless otherwise noted.

§ 645.201 Purpose.

To prescribe policies and procedures for accommodating utility facilities and private lines on the right-of-way of Federal-aid or direct Federal highway projects.

§645.203 Applicability.

This subpart applies to:

- (a) New utility installations within the right-of-way of Federal-aid or direct Federal highway projects,
- (b) Existing utility facilities which are to be retained, relocated, or adjusted within the right-of-way of active projects under development or construction when Federal-aid or direct Federal highway funds are either being or have been used on the involved highway facility. When existing utility installations are to remain in place without adjustments on such projects the transportation department and utility are to enter into an appropriate agreement as discussed in §645.213 of this part,
- (c) Existing utility facilities which are to be adjusted or relocated under the provisions of §645.209(k), and
- (d) Private lines which may be permitted to cross the right-of-way of a Federal-aid or direct Federal highway project pursuant to State law and regulations and the provisions of this subpart. Longitudinal use of such right-of-

§ 645.205

way by private lines is to be handled under the provisions of 23 CFR 1.23(c).

§ 645.205 Policy.

(a) Pursuant to the provisions of 23 CFR 1.23, it is in the public interest for utility facilities to be accommodated on the right-of-way of a Federal-aid or direct Federal highway project when such use and occupancy of the highway right-of-way do not adversely affect highway or traffic safety, or otherwise impair the highway or its aesthetic quality, and do not conflict with the provisions of Federal, State or local laws or regulations.

(b) Since by tradition and practice highway and utility facilities frequently coexist within common rightof-way or along the same transportation corridors, it is essential in such situations that these public service facilities be compatibly designed and operated. In the design of new highway facilities consideration should be given to utility service needs of the area traversed if such service is to be provided from utility facilities on or near the highway. Similarly the potential impact on the highway and its users should be considered in the design and location of utility facilities on or along highway right-of-way. Efficient, effective and safe joint highway and utility development of transportation corridors is important along high speed and high volume roads, such as major arterials and freeways, particularly those approaching metropolitan areas where space is increasingly limited. Joint highway and utility planning and development efforts are encouraged on Federal-aid highway projects.

(c) The manner is which utilities cross or otherwise occupy the right-ofway of a direct Federal or Federal-aid highway project can materially affect the highway, its safe operation, aesquality, and maintenance. thetic Therefore, it is necessary that such use and occupancy, where authorized, be regulated by transportation departments in a manner which preserves the operational safety and the functional and aesthetic quality of the highway facility. This subpart shall not be construed to alter the basic legal authority of utilities to install their facilities on public highways pursuant to law or

franchise and reasonable regulation by transportation departments with respect to location and manner of installation

(d) When utilities cross or otherwise occupy the right-of-way of a direct Federal or Federal-aid highway project on Federal lands, and when the right-of-way grant is for highway purposes only, the utility must also obtain and comply with the terms of a right-of-way or other occupancy permit for the Federal agency having jurisdiction over the underlying land.

[50 FR 20354, May 15, 1985, as amended at 53 FR 2833, Feb. 2, 1988]

§ 645.207 Definitions.

For the purpose of this regulation, the following definitions shall apply:

Aesthetic quality—those desirable characteristics in the appearance of the highway and its environment, such as harmony between or blending of natural and manufactured objects in the environment, continuity of visual form without distracting interruptions, and simplicity of designs which are desirably functional in shape but without clutter.

Border area—the area between the traveled way and the right-of-way line.

Clear roadside policy—that policy employed by a transportation department to provide a clear zone in order to increase safety, improve traffic operations, and enhance the aesthetic quality of highways by designing, constructing and maintaining highway roadsides as wide, flat, and rounded as practical and as free as practical from natural or manufactured hazards such as trees, drainage structures, nonyielding sign supports, highway lighting supports, and utility poles and other ground-mounted structures. The policy should address the removal of roadside obstacles which are likely to be associated with accident or injury to the highway user, or when such obstacles are essential, the policy should provide for appropriate countermeasures to reduce hazards. Countermeasures include placing utility facilities at locations which protect out-ofcontrol vehicles, using breakaway features, using impact attenuation devices, or shielding. In all cases full consideration shall be given to sound engineering principles and economic factors.

Clear zone—the total roadside border area starting at the edge of the traveled way, available for safe use by errant vehicles. This area may consist of a shoulder, a recoverable slope, a nonrecoverable slope, and/or the area at the toe of a non-recoverable slope available for safe use by an errant vehicle. The desired width is dependent upon the traffic volumes and speeds, and on the roadside geometry. The current edition of the AASHTO "Roadside Design Guide" should be used as a guide for establishing clear zones for various types of highways and operating conditions. This publication is available for inspection and copying from the FHWA Washington Headquarters and all FHWA Division Offices as prescribed in 49 CFR part 7. Copies of current AASHTO publications are available for purchase from the American Association of State Highway and Transportation Officials, Suite 225, 444 North Capitol Street, NW., Washington, D.C. 20001, or electronically at http://www.aashto.org.

Direct Federal highway projects—those active or completed highway projects such as projects under the Federal Lands Highways Program which are under the direct administration of the Federal Highway Administration (FHWA)

Federal-aid highway projects—those active or completed highway projects administered by or through a State transportation department which involve or have involved the use of Federal-aid highway funds for the development, acquisition of right-of-way, construction or improvement of the highway or related facilities, including highway beautification projects under 23 U.S.C. 319, Landscaping and Scenic Enhancement.

Freeway—a divided arterial highway with full control of access.

Highway—any public way for vehicular travel, including the entire area within the right-of-way and related facilities constructed or improved in

whole or in part with Federal-aid or direct Federal highway funds.

Transportation department—that department, agency, commission, board, or official of any State or political subdivision thereof, charged by its law with the responsibility for highway administration.

Private lines—privately owned facilities which convey or transmit the commodities outlined in the definition of utility facility of this section, but devoted exclusively to private use.

Right-of-way—real property, or interests therein, acquired, dedicated or reserved for the construction, operation, and maintenance of a highway in which Federal-aid or direct Federal highway funds are or have been involved in any stage of development. Lands acquired under 23 U.S.C. 319 shall be considered to be highway right-of-way.

State transportation department—the transportation department of one of the 50 States, the District of Columbia, or Puerto Rico.

Use and occupancy agreement—the document (written agreement or permit) by which the transportation department approves the use and occupancy of highway right-of-way by utility facilities or private lines.

Utility facility-privately, publicly or cooperatively owned line, facility, or system for producing, transmitting, or distributing communications, cable television, power, electricity, light, heat, gas, oil, crude products, water, steam, waste, storm water not connected with highway drainage, or any other similar commodity, including any fire or police signal system or street lighting system, which directly or indirectly serves the public. The term utility shall also mean the utility company inclusive of any substantially owned or controlled subsidiary. For the purposes of this part, the term includes those utility-type facilities which are owned or leased by a government agency for its own use, or otherwise dedicated solely to governmental use. The term utility includes those facilities

§ 645.209

used solely by the utility which are a part of its operating plant.

[50 FR 20345, May 15, 1985, as amended at 51 FR 16834, May 7, 1986; 53 FR 2833, Feb. 2, 1988; 55 FR 25828, June 25, 1990; 60 FR 34850, July 5, 1995; 61 FR 12022, Mar. 25, 1996; 65 FR 70311, Nov 22 20001

§ 645.209 General requirements.

(a) Safety. Highway safety and traffic safety are of paramount, but not of sole, importance when accommodating utility facilities within highway rightof-way. Utilities provide an essential public service to the general public. Traditionally, as a matter of sound economic public policy and law, utilities have used public road right-of-way for transmitting and distributing their services. The lack of sufficient rightof-way width to accommodate utilities outside the desirable clear zone, in and of itself, is not a valid reason to preclude utilities from occupying the highway right-of-way. However, due to the nature and volume of highway traffic, the effect of such joint use on the traveling public must be carefully considered by transportation departments before approval of utility use of the right-of-way of Federal-aid or direct Federal highway projects is given. Adjustments in the operating characteristics of the utility or the highway or other special efforts may be necessary to increase the compatibility of utility-highway joint use. The possibility of this joint use should be a consideration in establishing right-of-way requirements for highway projects. In any event, the design, location, and manner in which utilities use and occupy the right-of-way of Federal-aid or direct Federal highway projects must conform to the clear roadside policies for the highway involved and otherwise provide for a safe traveling environment as required by 23 U.S.C. 109(l)(1).

(b) New above ground installations. On Federal-aid or direct Federal highway projects, new above ground utility installations, where permitted, shall be located as far from the traveled way as possible, preferably along the right-ofway line. No new above ground utility installations are to be allowed within the established clear zone of the highway unless a determination has been made by the transportation department that placement underground is not technically feasible or is unreasonably costly and there are no feasible alternate locations. In exceptional situations when it is essential to locate such above ground utility facilities within the established clear zone of the highway, appropriate countermeasures to reduce hazards shall be used. Countermeasures include placing utility facilities at locations which protect or minimize exposure to out-of-control vehicles, using breakaway features, using impact attenuation devices, using delineation, or shielding.

(c) Installations within freeways. (1) Each State transportation department shall submit an accommodation plan in accordance with §§ 645.211 and 645.215 which addresses how the State transportation department will consider applications for longitudinal utility installations within the access control lines of a freeway. This includes utility installations within interchange areas which must be constructed or serviced by direct access from the main lanes or ramps. If a State transportation department elects to permit such use, the plan must address how the State transportation department will oversee such use consistent with this subpart, Title 23 U.S.C., and the safe and efficient use of the highways.

(2) Any accommodation plan shall assure that installations satisfy the fol-

lowing criteria:

(i) The effects utility installations will have on highway and traffic safety will be ascertained, since in no case shall any use be permitted which would adversely affect safety.

(ii) The direct and indirect environmental and economic effects of any loss of productive agricultural land or any productivity of any agricultural land which would result from the disapproval of the use of such right-ofway for accommodation of such utility facility will be evaluated.

(iii) These environmental and economic effects together with any interference with or impairment of the use of the highway in such right-of-way which would result from the use of such right-of-way for the accommodation of such utility facility will be considered.

(iv) [Reserved]

(v) A utility strip will be established along the outer edge of the right-ofway by locating a utility access control line between the proposed utility installation and the through roadway and ramps. Existing fences should be retained and, except along sections of freeways having frontage planned fences should be located at the freeway right-of-way line. The State or political subdivision is to retain control of the utility strip right-of-way including its use by utility facilities. Service connections to adjacent properties shall not be permitted from within the utility strip.

(3) Nothing in this part shall be construed as prohibiting a transportation department from adopting a more restrictive policy than that contained herein with regard to longitudinal utility installations along freeway right-of-way and access for constructing and/or for servicing such installations.

- (d) Uniform policies and procedures. For a transportation department to fulfill its responsibilities to control utility use of Federal-aid highway right-of-way within the State and its political subdivisions, it must exercise or cause to be exercised, adequate regulation over such use and occupancy through the establishment and enforcement of reasonably uniform policies and procedures for utility accommodation.
- (e) Private lines. Because there are circumstances when private lines may be allowed to cross or otherwise occupy the right-of-way of Federal-aid projects, transportation departments shall establish uniform policies for properly controlling such permitted use. When permitted, private lines must conform to the provisions of this part and the provisions of 23 CFR 1.23(c) for longitudinal installations.
- (f) Direct Federal highway projects. On direct Federal highway projects, the FHWA will apply, or cause to be applied, utility and private line accommodation policies similar to those required on Federal-aid highway projects. When appropriate, agreements will be entered into between the FHWA and the transportation department or other government agencies to ensure adequate control and regulation of use by utilities and private lines of

the right-of-way on direct Federal highway projects.

- (g) Projects where state lacks authority. On Federal-aid highway projects where the State transportation department does not have legal authority to regulate highway use by utilities and private lines, the State transportation department must enter into formal agreements with those local officials who have such authority. The agreements must provide for a degree of protection to the highway at least equal to the protection provided by the State transportation department's utility accommodation policy approved under the provisions of §645.215(b) of this part. The project agreement between the State transportation department and the FHWA on all such Federal-aid highway projects shall contain a special provision incorporating the formal agreements with the responsible local officials.
- (h) Scenic areas. New utility installations, including those needed for highway purposes, such as for highway lighting or to serve a weigh station, rest area or recreation area, are not permitted on highway right-of-way or other lands which are acquired or improved with Federal-aid or direct Federal highway funds and are located within or adjacent to areas of scenic enhancement and natural beauty. Such areas include public park and recreational lands, wildlife and waterfowl refuges, historic sites as described in 23 U.S.C. 138, scenic strips, overlooks, rest areas and landscaped areas. The State transportation department may permit exceptions provided the following conditions are met:
- (1) New underground or aerial installations may be permitted only when they do not require extensive removal or alteration of trees or terrain features visible to the highway user or impair the aesthetic quality of the lands being traversed.
- (2) Aerial installations may be permitted only when:
- (i) Other locations are not available or are unusually difficult and costly, or are less desirable from the standpoint of aesthetic quality,
- (ii) Placement underground is not technically feasible or is unreasonably costly, and

§ 645.209

- (iii) The proposed installation will be made at a location, and will employ suitable designs and materials, which give the greatest weight to the aesthetic qualities of the area being traversed. Suitable designs include, but are not limited to, self-supporting armless, single-pole construction with vertical configuration of conductors and cable.
- (3) For new utility installations within freeways, the provisions of paragraph (c) of this section must also be satisfied.
- (i) Joint use agreements. When the utility has a compensable interest in the land occupied by its facilities and such land is to be jointly occupied and used for highway and utility purposes, the transportation department and utility shall agree in writing as to the obligations and responsibilities of each party. Such joint-use agreements shall incorporate the conditions of occupancy for each party, including the rights vested in the transportation department and the rights and privileges retained by the utility. In any event, the interest to be acquired by or vested in the transportation department in any portion of the right-of-way of a Federal-aid or direct Federal highway project to be vacated, used or occupied by utilities or private lines, shall be adequate for the construction, safe operation, and maintenance of the highway project.
- (j) Traffic control plan. Whenever a utility installation, adjustment or maintenance activity will affect the movement of traffic or traffic safety, the utility shall implement a traffic control plan and utilize traffic control devices as necessary to ensure the safe and expeditious movement of traffic around the work site and the safety of the utility work force in accordance with procedures established by the transportation department. The traffic control plan and the application of traffic control devices shall conform to the standards set forth in the current edition of the "Manual on Uniform Traffic Control Devices" (MUTCD) and 23 CFR part 630, subpart J. This publication is available for inspection and copying from the FHWA Washington Headquarters and all FHWA Division Offices as prescribed in 49 CFR part 7.
- (k) Corrective measures. When the transportation department determines that existing utility facilities are likely to be associated with injury or accident to the highway user, as indicated by accident history or safety studies, the transportation department shall initiate or cause to be initiated in consultation with the affected utilities, corrective measures to provide for a safer traffic environment. The corrective measures may include changes to utility or highway facilities and should be prioritized to maximum safety benefits in the most cost-effective manner. The scheduling of utility safety improvements should take into consideration planned utility replacement or upgrading schedules, accident potential, and the availability of resources. It is expected that the requirements of this paragraph will result in an orderly and positive process to address the identified utility hazard problems in a timely and reasonable manner with due regard to the effect of the corrective measures on both the utility consumer and the road user. The type of corrective measures are not prescribed. Any requests received involving Federal participation in the cost of adjusting or relocating utility facilities pursuant to this paragrpah shall be subject to the provisions of 23 CFR part 645, subpart A, Utility Relocations, Adjustments and Reimbursement, and 23 CFR part 924, Highway Safety Improvement Program.
- (l) Wetlands. The installation of privately owned lines or conduits on the right-of-way of Federal-aid or direct Federal highway projects for the purpose of draining adjacent wetlands onto the highway right-of-way is considered to be inconsistent with Executive Order 11990, Protection of Wetlands, dated May 24, 1977, and shall be prohibited.
- (m) *Utility determination*. In determining whether a proposed installation is a utility or not, the most important consideration is how the STD views it under its own State laws and/or regulations.

[50 FR 20354, May 15, 1985, as amended at 53 FR 2833, Feb. 2, 1988; 60 FR 34851, July 5, 1995; 65 FR 70311, Nov. 22, 2000]

§ 645.211 State transportation department accommodation policies.

The FHWA should use the current editions of the AASHTO publications, 'A Guide for Accommodating Utilities Within Highway Right-of-Way" "Roadside Design Guide" to assist in the evaluation of adequacy of STD utility accommodation policies. These publications are available for inspection from the FHWA Washington Headquarters and all FHWA Division Offices as prescribed in 49 CFR part 7. Copies of current AASHTO publications are available for purchase from the American Association of State Highway and Transportation Officials, Suite 225, 444 North Capitol Street NW., Washington, DC 20001, or electronically at http:// www.aashto.org. At a minimum, such policies shall make adequate provisions with respect to the following:

- (a) Utilities must be accommodated and maintained in a manner which will not impair the highway or adversely affect highway or traffic safety. Uniform procedures controlling the manner, nature and extent of such utility use shall be established.
- (b) Consideration shall be given to the effect of utility installations in regard to safety, aesthetic quality, and the costs or difficulty of highway and utility construction and maintenance.
- (c) The State transportation department's standards for regulating the use and occupancy of highway right-of-way by utilities must include, but are not limited to, the following:
- (1) The horizontal and vertical location requirements and clearances for the various types of utilities must be clearly stated. These must be adequate to ensure compliance with the clear roadside policies for the particular highway involved.
- (2) The applicable provisions of government or industry codes required by law or regulation must be set forth or appropriately referenced, including highway design standards or other measures which the State transportation department deems necessary to provide adequate protection to the highway, its safe operation, aesthetic quality, and maintenance.
- (3) Specifications for and methods of installation; requirements for preservation and restoration of highway fa-

cilities, appurtenances, and natural features and vegetation on the right-of-way; and limitations on the utility's activities within the right-of-way including installation within areas set forth by §645.209(h) of this part should be prescribed as necessary to protect highway interests.

- (4) Measures necessary to protect traffic and its safe operation during and after installation of facilities, including control-of-access restrictions, provisions for rerouting or detouring traffic, traffic control measures to be employed, procedures for utility traffic control plans, limitations on vehicle parking and materials storage, protection of open excavations, and the like must be provided.
- (5) A State transportation department may deny a utility's request to occupy highway right-of-way based on State law, regulation, or ordinances or the State transportation department's policy. However, in any case where the provisions of this part are to be cited as the basis for disapproving a utility's request to use and occupy highway right-of-way, measures must be provided to evaluate the direct and indirect environmental and economic effects of any loss of productive agricultural land or any impairment of the productivity of any agricultural land that would result from the disapproval. The environmental and economic effects on productive agricultural land together with the possible interference with or impairment of the use of the highway and the effect on highway safety must be considered in the decision to disapprove any proposal by a utility to use such highway right-ofway
- (d) Compliance with applicable State laws and approved State transportation department utility accommodation policies must be assured. The responsible State transportation department's file must contain evidence of the written arrangements which set forth the terms under which utility facilities are to cross or otherwise occupy highway right-of-way. All utility installations made on highway right-of-way shall be subject to written approval by the State transportation department. However, such approval will not be required where so provided in

§ 645.213

the use and occupancy agreement for such matters as utility facility maintenance, installation of service connections on highways other than freeways, or emergency operations.

- (e) The State transportation department shall set forth in its utility accommodation plan detailed procedures, criteria, and standards it will use to evaluate and approve individual applications of utilities on freeways under the provisions of §645.209(c) of this part. The State transportation department also may develop such procedures, criteria and standards by class of utility. In defining utility classes, consideration may be given to distinguishing utility services by type, nature or function and their potential impact on the highway and its user.
- (f) The means and authority for enforcing the control of access restrictions applicable to utility use of controlled access highway facilities should be clearly set forth in the State transportation department plan.

(Information collection requirements in paragraphs (a), (b) and (c) were approved under control number 2125–0522, and paragraph (d) under control number 2125–0514)

[50 FR 20354, May 15, 1985, as amended at 53 FR 2834, Feb. 2, 1988; 55 FR 25828, June 25, 1990; 65 FR 70312, Nov. 22, 2000]

§ 645.213 Use and occupancy agreements (permits).

The written arrangements, generally in the form of use and occupancy agreements setting forth the terms under which the utility is to cross or otherwise occupy the highway right-of-way, must include or incorporate by reference:

- (a) The transportation department standards for accommodating utilities. Since all of the standards will not be applicable to each individual utility installation, the use and occupancy agreement must, as a minimum, describe the requirements for location, construction, protection of traffic, maintenance, access restriction, and any special conditions applicable to each installation.
- (b) A general description of the size, type, nature, and extent of the utility facilities being located within the highway right-of-way.

- (c) Adequate drawings or sketches showing the existing and/or proposed location of the utility facilities within the highway right-of-way with respect to the existing and/or planned highway improvements, the traveled way, the right-of-way lines and, where applicable, the control of access lines and approved access points.
- (d) The extent of liability and responsibilities associated with future adjustment of the utilities to accommodate highway improvements.
- (e) The action to be taken in case of noncompliance with the transportation department's requirements.
- (f) Other provisions as deemed necessary to comply with laws and regulations.

(Approved by the Office of Management and Budget under control number 2125–0522)

§ 645.215 Approvals.

(a) Each State transportation department shall submit a statement to the FHWA on the authority of utilities to use and occupy the right-of-way of State highways, the State transportation department's power to regulate such use, and the policies the State transportation department employs or proposes to employ for accommodating utilities within the right-of-way Federal-aid highways under its jurisdiction. Statements previously submitted and approved by the FHWA need not be resubmitted provided the statement adequately addresses the requirements of this part. When revisions are deemed necessary the changes to the previously approved statement may be submitted separately to the FHWA for approval. The State transportation department shall include similar information on the use and occupancy of such highways by private lines where permitted. The State shall identify those areas, if any, of Federal-aid highways within its borders where the State transportation department is without legal authority to regulate use by utilities. The statement shall address the nature of the formal agreements with local officials required by §645.209(g) of this part. It is expected that the statements required by this part or necessary revisions to previously submitted and approved statements will be submitted to FHWA

within 1 year of the effective date of this regulation.

(b) Upon determination by the FHWA that a State transportation department's policies satisfy the provisions of 23 U.S.C. 109, 111, and 116, and 23 CFR 1.23 and 1.27, and meet the requirements of this regulation, the FHWA will approve their use on Federal-aid highway projects in that State

(c) Any changes, additions or deletions the State transportation department proposes to the approved policies are subject to FHWA approval.

- (d) When a utility files a notice or makes an individual application or request to a STD to use or occupy the right-of-way of a Federal-aid highway project, the STD is not required to submit the matter to the FHWA for prior concurrence, except when the proposed installation is not in accordance with this regulation or with the STD's utility accommodation policy approved by the FHWA for use on Federal-aid highway projects.
- (e) The State transportation department's practices under the policies or agreements approved under §645.215(b) of this part shall be periodically reviewed by the FHWA.

(Information collection requirements in paragraph (a) were approved by the Office of Management and Budget under control number 2125–0514)

[50 FR 20354, May 15, 1985, as amended at 53 FR 2834, Feb. 2, 1988; 60 FR 34851, July 5, 1995; 65 FR 70312, Nov. 22, 2000]

PART 646—RAILROADS

Subpart A—Railroad-Highway Insurance Protection

Sec.

646.101 Purpose.

646.103 Application.

646.105 Contractor's public liability and property damage insurance.

646.107 Railroad protective insurance.

646.109 Types of coverage.

646.111 Amount of coverage.

Subpart B—Railroad-Highway Projects

646.200 Purpose and applicability.

646.202 [Reserved]

646.204 Definitions.

646.206 Types of projects.

646.208 Funding.

646.210 Classification of projects and railroad share of the cost.

646.212 Federal share.

646.214 Design.

646.216 General procedures.

646.218 Simplified procedure for accelerating grade crossing improvements.

646.220 Alternate Federal-State procedure.

APPENDIX TO SUBPART B—HORIZONTAL AND VERTICAL CLEARANCE PROVISIONS FOR OVERPASS AND UNDERPASS STRUCTURES

AUTHORITY: 23 U.S.C. 109(e), 120(c), 130, 133(d)(1), and 315; 49 CFR 1.48(b).

Subpart A—Railroad-Highway Insurance Protection

SOURCE: 39 FR 36474, Oct. 10, 1974, unless otherwise noted.

§ 646.101 Purpose.

The purpose of this part is to prescribe provisions under which Federal funds may be applied to the costs of public liability and property damage insurance obtained by contractors (a) for their own operations, and (b) on behalf of railroads on or about whose right-of-way the contractors are required to work in the construction of highway projects financed in whole or in part with Federal funds.

§ 646.103 Application.

- (a) This part applies:
- (1) To a contractors' legal liability for bodily injury to, or death of, persons and for injury to, or destruction of, property.
- (2) To the liability which may attach to railroads for bodily injury to, or death of, persons and for injury to, or destruction of, property.
- (3) To damage to property owned by or in the care, custody or control of the railroads, both as such liability or damage may arise out of the contractor's operations, or may result from work performed by railroads at or about railroad rights-of-way in connection with projects financed in whole or in part with Federal funds.
- (b) Where the highway construction is under the direct supervision of the Federal Highway Administration (FHWA), all references herein to the State shall be considered as references to the FHWA.

§ 646.105

§ 646.105 Contractor's public liability and property damage insurance.

(a) Contractors may be subject to liability with respect to bodily injury to or death of persons, and injury to, or destruction of property, which may be suffered by persons other than their own employees as a result of their operations in connection with construction of highway projects located in whole or in part within railroad rightof-way and financed in whole or in part with Federal funds. Protection to cover such liability of contractors shall be furnished under regular contractors' public liability and property damage insurance policies issued in the names of the contractors. Such policies shall be so written as to furnish protection to contractors respecting their operations in performing work covered by their contract.

(b) Where a contractor sublets a part of the work on any project to a subcontractor, the contractor shall be required to secure insurance protection in his own behalf under contractor's public liability and property damage insurance policies to cover any liability imposed on him by law for damages because of bodily injury to, or death of, persons and injury to, or destruction of, property as a result of work undertaken by such subcontractors. In addition, the contractor shall provide for and on behalf of any such subcontractors protection to cover like liability imposed upon the latter as a result of their operations by means of separate and individual contractor's public liability and property damage policies; or, in the alternative, each subcontractor shall provide satisfactory insurance on his own behalf to cover his individual operations.

(c) The contractor shall furnish to the State highway department evidence satisfactory to such department and to the FHWA that the insurance coverages required herein have been provided. The contractor shall also furnish a copy of such evidence to the railroad or railroads involved. The insurance specified shall be kept in force until all work required to be performed shall have been satisfactorily completed and accepted in accordance with the contract under which the construction work is undertaken.

§ 646.107 Railroad protective insurance.

In connection with highway projects for the elimination of hazards of rail-road-highway crossings and other highway construction projects located in whole or in part within railroad right-of-way, railroad protective liability insurance shall be purchased on behalf of the railroad by the contractor. The standards for railroad protective insurance established by §§ 646.109 through 646.111 shall be adhered to insofar as the insurance laws of the State will permit.

[39 FR 36474, Oct. 10, 1974, as amended at 47 FR 33955, Aug. 5, 1982]

§ 646.109 Types of coverage.

- (a) Coverage shall be limited to damage suffered by the railroad on account of occurrences arising out of the work of the contractor on or about the railroad right-of-way, independent of the railroad's general supervision or control, except as noted in §646.109(b) (4).
 - (b) Coverage shall include:
- (1) Death of or bodily injury to passengers of the railroad and employees of the railroad not covered by State workmen's compensation laws;
- (2) Personal property owned by or in the care, custody or control of the railroads;
- (3) The contractor, or any of his agents or employees who suffer bodily injury or death as the result of acts of the railroad or its agents, regardless of the negligence of the railroad;
- (4) Negligence of only the following classes of railroad employees:
- (i) Any supervisory employee of the railroad at the job site;
- (ii) Any employee of the railroad while operating, attached to, or engaged on, work trains or other railroad equipment at the job site which are assigned exclusively to the contractor; or
- (iii) Any employee of the railroad not within (b)(4) (i) or (ii) who is specifically loaned or assigned to the work of the contractor for prevention of accidents or protection of property, the cost of whose services is borne specifically by the contractor or governmental authority.

§ 646.111 Amount of coverage.

- (a) The maximum dollar amounts of coverage to be reimbursed from Federal funds with respect to bodily injury, death and property damage is limited to a combined amount of \$2 million per occurrence with an aggregate of \$6 million applying separately to each annual period except as provided in paragraph (b) of this section.
- (b) In cases involving real and demonstrable danger of appreciably higher risks, higher dollar amounts of coverage for which premiums will be reimbursable from Federal funds shall be allowed. These larger amounts will depend on circumstances and shall be written for the individual project in accordance with standard underwriting practices upon approval of the FHWA.

[39 FR 36474, Oct. 10, 1974, as amended at 47 FR 33955, Aug. 5, 1982]

Subpart B—Railroad-Highway Projects

Source: 40 FR 16059, Apr. 9, 1975, unless otherwise noted.

§ 646.200 Purpose and applicability.

- (a) The purpose of this subpart is to prescribe policies and procedures for advancing Federal-aid projects involving railroad facilities.
- (b) This subpart, and all references hereinafter made to *projects*, applies to Federal-aid projects involving railroad facilities, including projects for the elimination of hazards of railroad-highway crossings, and other projects which use railroad properties or which involve adjustments required by highway construction to either railroad facilities or facilities that are jointly owned or used by railroad and utility companies.
- (c) Additional instructions for projects involving the elimination of hazards of railroad/highway grade crossings pursuant to 23 U.S.C. 130 are set forth in 23 CFR part 924.
- (d) Procedures on reimbursement for projects undertaken pursuant to this subpart are set forth in 23 CFR part 140, subpart I.
- (e) Procedures on insurance required of contractors working on or about

railroad right-of-way are set forth in 23 CFR part 646, subpart A.

[40 FR 16059, Apr. 9, 1975, as amended at 45 FR 20795, Mar. 31, 1980; 62 FR 45328, Aug. 27, 1997]

§646.202 [Reserved]

§ 646.204 Definitions.

For the purposes of this subpart, the following definitions apply:

Active warning devices means those traffic control devices activated by the approach or presence of a train, such as flashing light signals, automatic gates and similar devices, as well as manually operated devices and crossing watchmen, all of which display to motorists positive warning of the approach or presence of a train.

Company shall mean any railroad or utility company including any wholly owned or controlled subsidiary thereof.

Construction shall mean the actual physical construction to improve or eliminate a railroad-highway grade crossing or accomplish other railroad involved work.

A diagnostic team means a group of knowledgeable representatives of the parties of interest in a railroad-highway crossing or a group of crossings.

Main line railroad track means a track of a principal line of a railroad, including extensions through yards, upon which trains are operated by timetable or train order or both, or the use of which is governed by block signals or by centralized traffic control.

Passive warning devices means those types of traffic control devices, including signs, markings and other devices, located at or in advance of grade crossings to indicate the presence of a crossing but which do not change aspect upon the approach or presence of a train.

Preliminary engineering shall mean the work necessary to produce construction plans, specifications, and estimates to the degree of completeness required for undertaking construction thereunder, including locating, surveying, designing, and related work.

Railroad shall mean all rail carriers, publicly-owned, private, and common carriers, including line haul freight and passenger railroads, switching and terminal railroads and passenger carrying

§ 646.206

railroads such as rapid transit, commuter and street railroads.

Utility shall mean the lines and facilities for producing, transmitting or distributing communications, power, electricity, light, heat, gas, oil, water, steam, sewer and similar commodities. [40 FR 16059, Apr. 9, 1975, as amended at 62 FR 45328, Aug. 27, 1997]

§ 646.206 Types of projects.

- (a) Projects for the elimination of hazards, to both vehicles and pedestrians, of railroad-highway crossings may include but are not limited to:
 - (1) Grade crossing elimination;
- (2) Reconstruction of existing grade separations; and
 - (3) Grade crossing improvements.
- (b) Other railroad-highway projects are those which use railroad properties or involve adjustments to railroad facilities required by highway construction but do not involve the elimination of hazards of railroad-highway crossings. Also included are adjustments to facilities that are jointly owned or used by railroad and utility companies.

§646.208 Funding.

- (a) Railroad/highway crossing projects may be funded through the Federal-aid funding source appropriate for the involved project.
- (b) Projects for the elimination of hazards at railroad/highway crossings may, at the option of the State, be funded with the funds provided by 23 U.S.C. 133(d)(1).

[62 FR 45328, Aug. 27, 1997]

§ 646.210 Classification of projects and railroad share of the cost.

- (a) State laws requiring railroads to share in the cost of work for the elimination of hazards at railroad-highway crossings shall not apply to Federal-aid projects.
- (b) Pursuant to 23 U.S.C. 130(b), and 49 CFR 1.48:
- (1) Projects for grade crossing improvements are deemed to be of no ascertainable net benefit to the railroads and there shall be no required railroad share of the costs.
- (2) Projects for the reconstruction of existing grade separations are deemed to generally be of no ascertainable net

benefit to the railroad and there shall be no required railroad share of the costs, unless the railroad has a specific contractual obligation with the State or its political subdivision to share in the costs.

(3) On projects for the elimination of existing grade crossings at which active warning devices are in place or ordered to be installed by a State regulatory agency, the railroad share of the project costs shall be 5 percent.

- (4) On projects for the elimination of existing grade crossings at which active warning devices are not in place and have not been ordered installed by a State regulatory agency, or on projects which do not eliminate an existing crossing, there shall be no required railroad share of the project cost.
- (c) The required railroad share of the cost under §646.210(b) (3) shall be based on the costs for preliminary engineering, right-of-way and construction within the limits described below:
- (1) Where a grade crossing is eliminated by grade separation, the structure and approaches required to transition to a theoretical highway profile which would have been constructed if there were no railroad present, for the number of lanes on the existing highway and in accordance with the current design standards of the State highway agency.
- (2) Where another facility, such as a highway or waterway, requiring a bridge structure is located within the limits of a grade separation project, the estimated cost of a theoretical structure and approaches as described in §646.210(c) (1) to eliminate the railroad-highway grade crossing without considering the presence of the waterway or other highway.
- (3) Where a grade crossing is eliminated by railroad or highway relocation, the actual cost of the relocation project, the estimated cost of the relocation project, or the estimated cost of a structure and approaches as described in §646.210(c)(1), whichever is less
- (d) Railroads may voluntarily contribute a greater share of project costs than is required. Also, other parties may voluntarily assume the railroad's share.

§646.212 Federal share.

- (a) *General.* (1) Federal funds are not eligible to participate in costs incurred solely for the benefit of the railroad.
- (2) At grade separations Federal funds are eligible to participate in costs to provide space for more tracks than are in place when the railroad establishes to the satisfaction of the State highway agency and FHWA that it has a definite demand and plans for installation of the additional tracks within a reasonable time.
- (3) The Federal share of the cost of a grade separation project shall be based on the cost to provide horizontal and/or vertical clearances used by the railroad in its normal practice subject to limitations as shown in the appendix or as required by a State regulatory agency.

(b) The Federal share of railroad/ highway crossing projects may be:

- (1) Regular pro rata sharing as provided by 23 U.S.C. 120(a) and 120(b).
- (2) Ŏne hundred percent Federal share, as provided by 23 U.S.C. 120(c).
- (3) Ninety percent Federal share for funds made available through 23 U.S.C. 133(d)(1).

[40 FR 16059, Apr. 9, 1975, as amended at 47 FR 33955, Aug. 5, 1982; 53 FR 32218, Aug. 24, 1988; 62 FR 45328, Aug. 27, 1997]

§646.214 Design.

(a) *General.* (1) Facilities that are the responsibility of the railroad for maintenance and operation shall conform to the specifications and design standards used by the railroad in its normal practice, subject to approval by the State highway agency and FHWA.

(2) Facilities that are the responsibility of the highway agency for maintenance and operation shall conform to the specifications and design standards and guides used by the highway agency in its normal practice for Federal-aid

projects.

(b) Grade crossing improvements. (1) All traffic control devices proposed shall comply with the latest edition of the Manual on Uniform Traffic Control Devices for Streets and Highways supplemented to the extent applicable by State standards.

(2) Pursuant to 23 U.S.C. 109(e), where a railroad-highway grade crossing is located within the limits of or near the terminus of a Federal-aid highway

project for construction of a new highway or improvement of the existing roadway, the crossing shall not be opened for unrestricted use by traffic or the project accepted by FHWA until adequate warning devices for the crossing are installed and functioning properly.

(3)(i) Adequate warning devices, under \$646.214(b) (2) or on any project where Federal-aid funds participate in the installation of the devices are to include automatic gates with flashing light signals when one or more of the following conditions exist:

(A) Multiple main line railroad tracks.

(B) Multiple tracks at or in the vicinity of the crossing which may be occupied by a train or locomotive so as to obscure the movement of another train approaching the crossing.

(C) High Speed train operation combined with limited sight distance at either single or multiple track crossings.

- (D) A combination of high speeds and moderately high volumes of highway and railroad traffic.
- (E) Either a high volume of vehicular traffic, high number of train movements, substantial numbers of schoolbuses or trucks carrying hazardous materials, unusually restricted sight distance, continuing accident occurrences, or any combination of these conditions.
- (F) A diagnostic team recommends them.
- (ii) In individual cases where a diagnostic team justifies that gates are not appropriate, FHWA may find that the above requirements are not applicable.
- (4) For crossings where the requirements of §646.214(b) (3) are not applicable, the type of warning device to be installed, whether the determination is made by a State regulatory agency, State highway agency, and/or the railroad, is subject to the approval of FHWA.
- (c) Grade crossing elimination. All crossings of railroads and highways at grade shall be eliminated where there is full control of access on the highway (a freeway) regardless of the volume of railroad or highway traffic.

[40 FR 16059, Apr. 9, 1975, as amended at 47 FR 33955, Aug. 5, 1982; 62 FR 45328, Aug. 27, 1997]

§ 646.216

§ 646.216 General procedures.

- (a) *General.* Unless specifically modified herein, applicable Federal-aid procedures govern projects undertaken pursuant to this subpart.
- (b) Preliminary engineering and engineering services. (1) As mutually agreed to by the State highway agency and railroad, and subject to the provisions of §646.216(b) (2), preliminary engineering work on railroad-highway projects may be accomplished by one of the following methods:
- (i) The State or railroad's engineering forces;
- (ii) An engineering consultant selected by the State after consultation with the railroad, and with the State administering the contract; or
- (iii) An engineering consultant selected by the railroad, with the approval of the State and with the railroad administering the contract.
- (2) Where a railroad is not adequately staffed, Federal-aid funds may participate in the amounts paid to engineering consultants and others for required services, provided such amounts are not based on a percentage of the cost of construction, either under contracts for individual projects or under existing written continuing contracts where such work is regularly performed for the railroad in its own work under such contracts at reasonable costs.
- (c) Rights-of-way. (1) Acquisition of right-of-way by a State highway agency on behalf of a railroad or acquisition of nonoperating real property from a railroad shall be in accordance with the Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970 (42 U.S.C. 4601 et seq.) and applicable FHWA right-of-way procedures in 23 CFR, chapter I, subchapter H. On projects for the elimination of hazards of railroad-highway crossings by the relocation of railroads, acquisition or replacement right-of-way by a railroad shall be in accordance with 42 U.S.C. 4601 et sea.
- (2) Where buildings and other depreciable structures of the railroad (such as signal towers, passenger stations, depots, and other buildings, and equipment housings) which are integral to operation of railroad traffic are wholly or partly affected by a highway project, the costs of work necessary to

- functionally restore such facilities are eligible for participation. However, when replacement of such facilities is necessary, credits shall be made to the cost of the project for:
- (i) Accrued depreciation, which is that amount based on the ratio between the period of actual length of service and total life expectancy applied to the original cost.
- (ii) Additions or improvements which provide higher quality or increased service capability of the facility and which are provided solely for the benefit of the railroad.
- (iii) Actual salvage value of the material recovered from the facility being replaced. Total credits to a project shall not be required in excess of the replacement cost of the facility.
- (3) Where Federal funds participate in the cost of replacement right-of-way, there will be no charge to the project for the railroad's existing right-of-way being transferred to the State highway agency except when the value of the right-of-way being taken exceeds the value of the replacement right-of-way.
- (d) State-railroad agreements. (1) Where construction of a Federal-aid project requires use of railroad properties or adjustments to railroad facilities, there shall be an agreement in writing between the State highway agency and the railroad company.
- (2) The written agreement between the State and the railroad shall, as a minimum include the following, where applicable:
- (i) The provisions of this subpart and of 23 CFR part 140, subpart I, incorporated by reference.
- (ii) A detailed statement of the work to be performed by each party.
- (iii) Method of payment (either actual cost or lump sum),
- (iv) For projects which are not for the elimination of hazards of railroadhighway crossings, the extent to which the railroad is obligated to move or adjust its facilities at its own expense,
- (v) The railroad's share of the project cost.
- (vi) An itemized estimate of the cost of the work to be performed by the railroad,

- (vii) Method to be used for performing the work, either by railroad forces or by contract,
 - (viii) Maintenance responsibility,
- (ix) Form, duration, and amounts of any needed insurance,
- (x) Appropriate reference to or identification of plans and specifications,
- (xi) Statements defining the conditions under which the railroad will provide or require protective services during performance of the work, the type of protective services and the method of reimbursement to the railroad, and
- (xii) Provisions regarding inspection of any recovered materials.
- (3) On work to be performed by the railroad with its own forces and where the State highway agency and railroad agree, subject to approval by FHWA, an agreement providing for a lump sum payment in lieu of later determination of actual costs may be used for any of the following:
- (i) Installation or improvement of grade crossing warning devices and/or grade crossing surfaces, regardless of cost, or
- (ii) Any other eligible work where the estimated cost to the State of the proposed railroad work does not exceed \$100,000 or
- (iii) Where FHWA finds that the circumstances are such that this method of developing costs would be in the best interest of the public.
- (4) Where the lump sum method of payment is used, periodic reviews and analyses of the railroad's methods and cost data used to develop lump sum estimates will be made.
- (5) Master agreements between a State and a railroad on an areawide or statewide basis may be used. These agreements would contain the specifications, regulations, and provisions required in conjunction with work performed on all projects. Supporting data for each project or group of projects must, when combined with the master agreement by reference, satisfy the provisions of §646.216(d)(2).
- (6) Official orders issued by regulatory agencies will be accepted in lieu of State-railroad agreements only where, together with supplementary written understandings between the State and the railroad, they include the items required by §646.216(d) (2).

- (7) In extraordinary cases where FHWA finds that the circumstances are such that requiring such agreement or order would not be in the best interest of the public, projects may be approved for construction with the aid of Federal funds, provided satisfactory commitments have been made with respect to construction, maintenance and the railroad share of project costs.
- (e) Authorizations. (1) The costs of preliminary engineering, right-of-way acquisition, and construction incurred after the date each phase of the work is included in an approved statewide transportation improvement program and authorized by the FHWA are eligible for Federal-aid participation. Preliminary engineering and right-of-way acquisition costs which are otherwise eligible, but incurred by a railroad prior to authorization by the FHWA, although not reimbursable, may be included as part of the railroad share of project cost where such a share is required.
- (2) Prior to issuance of authorization by FHWA either to advertise the physical construction for bids or to proceed with force account construction for railroad work or for other construction affected by railroad work, the following must be accomplished:
- (i) The plans, specifications and estimates must be approved by FHWA.
- (ii) A proposed agreement between the State and railroad must be found satisfactory by FHWA. Before Federal funds may be used to reimburse the State for railroad costs the executed agreement must be approved by FHWA. However, cost for materials stockpiled at the project site or specifically purchased and delivered to the company for use on the project may be reimbursed on progress billings prior to the approval of the executed State-Railroad Agreement in accordance with 23 CFR 140.922(a) and §646.218 of this part.
- (iii) Adequate provisions must be made for any needed easements, rightof-way, temporary crossings for construction purposes or other property interests.
- (iv) The pertinent portions of the State-railroad agreement applicable to any protective services required during performance of the work must be included in the project specifications and

§ 646.218

special provisions for any construction contract.

- (3) In unusual cases, pending compliance with §646.216(e) (2) (ii), (iii) and (iv), authorization may be given by FHWA to advertise for bids for highway construction under conditions where a railroad grants a right-ofentry to its property as necessary to prosecute the physical construction.
- (f) Construction. (1) Construction may be accomplished by:
 - (i) Railroad force account,
- (ii) Contracting with the lowest qualified bidder based on appropriate solicitation,
- (iii) Existing continuing contracts at reasonable costs, or
- (iv) Contract without competitive bidding, for minor work, at reasonable costs
- (2) Reimbursement will not be made for any increased costs due to changes in plans:
- (i) For the convenience of the contractor, or
- (ii) Not approved by the State and FHWA.
- (3) The State and FHWA shall be afforded a reasonable opportunity to inspect materials recovered by the railroad prior to disposal by sale or scrap. This requirement will be satisfied by the railroad giving written notice, or oral notice with prompt written confirmation, to the State of the time and place where the materials will be available for inspection. The giving of notice is the responsibility of the railroad, and it may be held accountable for full value of materials disposed of without notice.
- (4) In addition to normal construction costs, the following construction costs are eligible for participation with Federal-aid funds when approved by the State and FHWA:
- (i) The cost of maintaining temporary facilities of a railroad company required by and during the highway construction to the extent that such costs exceed the documented normal cost of maintaining the permanent facilities.
- (ii) The cost of stage or extended construction involving grade corrections and/or slope stabilization for permanent tracks of a railroad which are required to be relocated on new grade by

the highway construction. Stage or extended construction will be approved by FHWA only when documentation submitted by the State establishes the proposed method of construction to be the only practical method and that the cost of the extended construction within the period specified is estimated to be less than the cost of any practicable alternate procedure.

- (iii) The cost of restoring the company's service by adustments of existing facilities away from the project site, in lieu of and not to exceed the cost of replacing, adjusting or relocating facilities at the project site.
- (iv) The cost of an addition or improvement to an existing railroad facility which is required by the highway construction.

[40 FR 16059, Apr. 9, 1975, as amended at 40 FR 29712, July 15, 1975; 47 FR 33956, Aug. 5, 1982; 62 FR 45328, Aug. 27, 1997]

§ 646.218 Simplified procedure for accelerating grade crossing improvements.

- (a) The procedure set forth in this section is encouraged for use in simplifying and accelerating the processing of single or multiple grade crossing improvements.
- (b) Eligible preliminary engineering costs may include those incurred in selecting crossings to be improved, determining the type of improvement for each crossing, estimating the cost and preparing the required agreement.
- (c) The written agreement between a State and a railroad shall contain as a minimum:
- (1) Identification of each crossing location.
- (2) Description of improvement and estimate of cost for each crossing location.
- (3) Estimated schedule for completion of work at each location.
- (d) Following programming, authorization and approval of the agreement under §646.218(c), FHWA may authorize construction, including acquisition of warning device materials, with the condition that work at any particular location will not be undertaken until the proposed or executed State-railroad agreement under §646.216(d) (2) is found satisfactory by FHWA and the

Federal Highway Administration, DOT

final plans, specifications, and estimates are approved and with the condition that only material actually incorporated into the project will be eligible for Federal participation.

(e) Work programmed and authorized under this simplified procedure should include only that which can reasonably be expected to reach the construction stage within one year and be completed within two years after the initial authorization date.

§646.220 Alternate Federal-State procedure.

- (a) On other than Interstate projects, an alternate procedure may be used, at the election of the State, for processing certain types of railroad-highway work. Under this procedure, the State highway agency will act in the relative position of FHWA for reviewing and approving projects.
- (b) The scope of the State's approval authority under the alternate procedure includes all actions necessary to advance and complete the following types of railroad-highway work:
- (1) All types of grade crossing improvements under §646.206(a) (3).
- (2) Minor adjustments to railroad facilities under §646.206(b).
- (c) The following types of work are to be reviewed and approved in the normal manner, as prescribed elsewhere in this subpart.
- (1) All projects under §646.206(a) (1) and (2).
- (2) Major adjustments to railroad facilities under §646.206(b).
- (d) Any State wishing to adopt the alternate procedure may file a formal application for approval by FHWA. The application must include the following:
- (1) The State's written policies and procedures for administering and processing Federal-aid railroad-highway work, which make adequate provisions with respect to all of the following:
- (i) Compliance with the provisions of title 23 U.S.C., title 23 CFR, and other applicable Federal laws and Executive Orders
- (ii) Compliance with this subpart and 23 CFR part 140, subpart I and 23 CFR part 172.
- (iii) For grade crossing safety improvements, compliance with the requirements of 23 CFR part 924.

(2) A statement signed by the Chief Administrative Officer of the State highway agency certifying that:

(i) The work will be done in accordance with the applicable provisions of the State's policies and procedures submitted under §646.220(d)(1), and

(ii) Reimbursement will be requested in only those costs properly attributable to the highway construction and eligible for Federal fund participation.

- (e) When FHWA has approved the alternate procedure, it may authorize the State to proceed in accordance with the State's certification, subject to the following conditions:
 - (1) The work has been programmed.
- (2) The State submits in writing a request for such authorization which shall include a list of the improvements or adjustments to be processed under the alternate procedure, along with the best available estimate of cost.
- (f) The FHWA Regional Administrator may suspend approval of the certified procedure, where FHWA reviews disclose noncompliance with the certification. Federal-aid funds will not be eligible to participate in costs that do not qualify under § 646.220(d)(1).

[40 FR 16059, Apr. 9, 1975; 40 FR 29712, July 15, 1975; 40 FR 31211, July 25, 1975; 42 FR 30835, June 17, 1977, as amended at 45 FR 20795, Mar. 31, 1980]

APPENDIX TO SUBPART B OF PART 646— HORIZONTAL AND VERTICAL CLEAR-ANCE PROVISIONS FOR OVERPASS AND UNDERPASS STRUCTURES

The following implements provisions of 23 CFR 646.212(a)(3).

a. Lateral Geometrics

A cross section with a horizontal distance of 6.1 meters, measured at right angles from the centerline of track at the top of rails, to the face of the embankment slope, may be approved. The 6.1-meters distance may be increased at individual structure locations as appropriate to provide for drainage if justified by a hydraulic analysis or to allow adequate room to accommodate special conditions, such as where heavy and drifting snow is a problem. The railroad must demonstrate that this is its normal practice to address these special conditions in the manner proposed. Additionally, this distance may also be increased up to 2.5 meters as may be necessary for off-track maintenance equipment, provided adequate horizontal clearance is not available in adjacent spans and where

Pt. 650

justified by the presence of an existing maintenance road or by evidence of future need for such equipment. All piers should be placed at least 2.8 meters horizontally from the centerline of the track and preferably beyond the drainage ditch. For multiple track facilities, all dimensions apply to the centerline of the outside track.

Any increase above the 6.1-meters horizontal clearance distance must be required by specific site conditions and be justified by the railroad to the satisfaction of the State highway agency (SHA) and the FHWA. b. *Vertical Clearance*

A vertical clearance of 7.1 meters above the top of rails, which includes an allowance for future ballasting of the railroad tracks, may be approved. Vertical clearance greater than 7.1 meters may be approved when the State regulatory agency having jurisdiction over such matters requires a vertical clearance in excess of 7.1 meters or on a site by site basis where justified by the railroad to the satisfaction of the SHA and the FHWA. A railroad's justification for increased vertical clearance should be based on an analysis of engineering, operational and/or economic conditions at a specific structure location.

Federal-aid highway funds are also eligible to participate in the cost of providing vertical clearance greater than 7.1 meters where a railroad establishes to the satisfaction of a SHA and the FHWA that it has a definite formal plan for electrification of its rail system where the proposed grade separation project is located. The plan must cover a logical independent segment of the rail system and be approved by the railroad's corporate headquarters. For 25 kv line, a vertical clearance of 7.4 meters may be approved. For 50 kv line, a vertical clearance of 8.0 meters may be approved.

A railroad's justification to support its plan for electrification shall include maps and plans or drawings showing those lines to be electrified; actions taken by its corporate headquarters committing it to electrifica-tion including a proposed schedule; and actions initiated or completed to date implementing its electrification plan such as a showing of the amounts of funds and identification of structures, if any, where the railroad has expended its own funds to provide added clearance for the proposed electrification. If available, the railroad's justification should include information on its contemplated treatment of existing grade separations along the section of its rail system proposed for electrification.

The cost of reconstructing or modifying any existing railroad-highway grade separation structures solely to accommodate electrification will not be eligible for Federal-aid highway fund participation.

c. Railroad Structure Width

Two and eight tenths meters of structure width outside of the centerline of the outside

tracks may be approved for a structure carrying railroad tracks. Greater structure width may be approved when in accordance with standards established and used by the affected railroad in its normal practice.

In order to maintain continuity of offtrack equipment roadways at structures carrying tracks over limited access highways, consideration should be given at the preliminary design stage to the feasibility of using public road crossings for this purpose. Where not feasible, an additional structure width of 2.5 meters may be approved if designed for off-track equipment only.

[53 FR 32218, Aug. 24, 1988, as amended at 62 FR 45328, Aug. 27, 1997]

PART 650—BRIDGES, STRUCTURES, AND HYDRAULICS

Subpart A—Location and Hydraulic Design of Encroachments on Flood Plains

650.101 Purpose. Policy. 650.103 650.105 Definitions. Applicability. 650.107 650.109 Public involvement. 650 111 Location hydraulic studies. 650.113 Only practicable alternative finding. 650.115 Design standards. 650.117 Content of design studies.

Subpart B—Erosion and Sediment Control on Highway Construction Projects

650.207 Plans, specifications, and estimates.
 650.209 Construction.
 650.211 Guidelines.
 Subpart C—National Bridge Inspection Standards
 650.301 Purpose.
 650.303 Applicability.
 650.305 Definitions.

650.307 Bridge inspection organization. 650.309 Qualifications of personnel. 650.311 Inspection frequency. 650.313 Inspection procedures.

650.315 Inspection procedures

650.317 Reference manuals.

Subpart D—Highway Bridge Replacement and Rehabilitation Program

650.401 Purpose.

650.201 Purpose.

Policy.

Definitions.

650.203

650 205

650.403 Definition of terms.

650.405 Eligible projects.

650.407 Application for bridge replacement or rehabilitation.

650.409 Evaluation of bridge inventory.

- 650.411 Procedures for bridge replacement and rehabilitation projects.
- 650.413 Funding.
- 650.415 Reports.

Subparts E-F [Reserved]

Subpart G—Discretionary Bridge Candidate Rating Factor

- 650.701 Purpose.
- 650.703 Eligible projects.
- 650.705 Application for discretionary bridge funds.
- 650.707 Rating factor.
- 650.709 Special considerations.

Subpart H—Navigational Clearances for Bridges

- 650.801 Purpose.
- 650.803 Policy.
- 650.805 Bridges not requiring a USCG permit.
- $\,$ 650.807 $\,$ Bridges requiring a USCG permit.
- 650.809 Movable span bridges.

AUTHORITY: 23 U.S.C. 109(a) and (h), 144, 151, 315, and 319; 33 U.S.C. 401, 491 et seq.; 511 et seq.; sec. 4(b) of Pub. L. 97-134, 95 Stat. 1699 (1981); sec. 161 of Pub. L. 97-424, 96 Stat. 2097, at 3135 (1983); sec. 1311 of Pub. L. 105-178, as added by Pub. L. 105-206, 112 Stat. 842 (1998); 23 CFR 1.32; 49 CFR 1.48(b); E.O. 11988 (3 CFR, 1977 Comp., p. 117); Department of Transportation Order 5650.2, dated April 23, 1979 (44 FR 24678).

Subpart A—Location and Hydraulic Design of Encroachments on Flood Plains

SOURCE: 44 FR 67580, Nov. 26, 1979, unless otherwise noted.

§650.101 Purpose.

To prescribe Federal Highway Administration (FHWA) policies and procedures for the location and hydraulic design of highway encroachments on flood plains, including direct Federal highway projects administered by the FHWA.

§650.103 Policy.

It is the policy of the FHWA:

- (a) To encourage a broad and unified effort to prevent uneconomic, hazardous or incompatible use and development of the Nation's flood plains,
- (b) To avoid longitudinal encroachments, where practicable,

- (c) To avoid significant encroachments, where practicable,
- (d) To minimize impacts of highway agency actions which adversely affect base flood plains,
- (e) To restore and preserve the natural and beneficial flood-plain values that are adversely impacted by highway agency actions,
- (f) To avoid support of incompatible flood-plain development,
- (g) To be consistent with the intent of the Standards and Criteria of the National Flood Insurance Program, where appropriate, and
- (h) To incorporate "A Unified National Program for Floodplain Management" of the Water Resources Council into FHWA procedures.

$\S 650.105$ Definitions.

- (a) Action shall mean any highway construction, reconstruction, rehabilitation, repair, or improvement undertaken with Federal or Federal-aid highway funds or FHWA approval.
- (b) Base flood shall mean the flood or tide having a 1-percent chance of being exceeded in any given year.
- (c) Base flood plain shall mean the area subject to flooding by the base flood.
- (d) *Design Flood* shall mean the peak discharge, volume if appropriate, stage or wave crest elevation of the flood associated with the probability of exceedance selected for the design of a highway encroachment. By definition, the highway will not be inundated from the stage of the design flood.
- (e) *Encroachment* shall mean an action within the limits of the base flood plain.
- (f) Floodproof shall mean to design and construct individual buildings, facilities, and their sites to protect against structural failure, to keep water out or to reduce the effects of water entry.
- (g) Freeboard shall mean the vertical clearance of the lowest structural member of the bridge superstructure above the water surface elevation of the overtopping flood.
- (h) *Minimize* shall mean to reduce to the smallest practicable amount or degree.
- (i) Natural and beneficial flood-plain values shall include but are not limited

§ 650.107

to fish, wildlife, plants, open space, natural beauty, scientific study, outdoor recreation, agriculture, aquaculture, forestry, natural moderation of floods, water quality maintenance, and groundwater recharge.

- (j) Overtopping flood shall mean the flood described by the probability of exceedance and water surface elevation at which flow occurs over the highway, over the watershed divide, or through structure(s) provided for emergency relief.
- (k) *Practicable* shall mean capable of being done within reasonable natural, social, or economic constraints.
- (l) *Preserve* shall mean to avoid modification to the functions of the natural flood-plain environment or to maintain it as closely as practicable in its natural state.
- (m) Regulatory floodway shall mean the flood-plain area that is reserved in an open manner by Federal, State or local requirements, i.e., unconfined or unobstructed either horizontally or vertically, to provide for the discharge of the base flood so that the cumulative increase in water surface elevation is no more than a designated amount (not to exceed 1 foot as established by the Federal Emergency Management Agency (FEMA) for administering the National Flood Insurance Program).
- (n) *Restore* shall mean to reestablish a setting or environment in which the functions of the natural and beneficial flood-plain values adversely impacted by the highway agency action can again operate.
- (o) *Risk* shall mean the consequences associated with the probability of flooding attributable to an encroachment. It shall include the potential for property loss and hazard to life during the service life of the highway.
- (p) Risk analysis shall mean an economic comparison of design alternatives using expected total costs (construction costs plus risk costs) to determine the alternative with the least total expected cost to the public. It shall include probable flood-related costs during the service life of the facility for highway operation, maintenance, and repair, for highway-aggravated flood damage to other property,

and for additional or interrupted highway travel.

- (q) Significant encroachment shall mean a highway encroachment and any direct support of likely base flood-plain development that would involve one or more of the following construction-or flood-related impacts:
- (1) A significant potential for interruption or termination of a transportation facility which is needed for emergency vehicles or provides a community's only evacuation route.
 - (2) A significant risk, or
- (3) A significant adverse impact on natural and beneficial flood-plain values.
- (r) Support base flood-plain development shall mean to encourage, allow, serve, or otherwise facilitate additional base flood-plain development. Direct support results from an encroachment, while indirect support results from an action out of the base flood plain.

§650.107 Applicability.

- (a) The provisions of this regulation shall apply to all encroachments and to all actions which affect base flood plains, except for repairs made with emergency funds (23 CFR part 668) during or immediately following a disaster.
- (b) The provisions of this regulation shall not apply to or alter approvals or authorizations which were given by FHWA pursuant to regulations or directives in effect before the effective date of this regulation.

§650.109 Public involvement.

Procedures which have been established to meet the public involvement requirements of 23 CFR part 771 shall be used to provide opportunity for early public review and comment on alternatives which contain encroachments.

[53 FR 11065, Apr. 5, 1988]

§650.111 Location hydraulic studies.

(a) National Flood Insurance Program (NFIP) maps or information developed by the highway agency, if NFIP maps are not available, shall be used to determine whether a highway

location alternative will include an encroachment.

- (b) Location studies shall include evaluation and discussion of the practicability of alternatives to any longitudinal encroachments.
- (c) Location studies shall include discussion of the following items, commensurate with the significance of the risk or environmental impact, for all alternatives containing encroachments and for those actions which would support base flood-plain development:
- (1) The risks associated with implementation of the action,
- (2) The impacts on natural and beneficial flood-plain values,
- (3) The support of probable incompatible flood-plain development,
- (4) The measures to minimize floodplain impacts associated with the action, and
- (5) The measures to restore and preserve the natural and beneficial flood-plain values impacted by the action.
- (d) Location studies shall include evaluation and discussion of the practicability of alternatives to any significant encroachments or any support of incompatible flood-plain development.
- (e) The studies required by \$650.111 (c) and (d) shall be summarized in environmental review documents prepared pursuant to 23 CFR part 771.
- (f) Local, State, and Federal water resources and flood-plain management agencies should be consulted to determine if the proposed highway action is consistent with existing watershed and flood-plain management programs and to obtain current information on development and proposed actions in the affected watersheds.

§650.113 Only practicable alternative finding.

- (a) A proposed action which includes a significant encroachment shall not be approved unless the FHWA finds that the proposed significant encroachment is the only practicable alternative. This finding shall be included in the final environmental document (final environmental impact statement or finding of no significant impact) and shall be supported by the following information:
- (1) The reasons why the proposed action must be located in the flood plain,

- (2) The alternatives considered and why they were not practicable, and
- (3) A statement indicating whether the action conforms to applicable State or local flood-plain protection standards.
 - (b) [Reserved]

[44 FR 67580, Nov. 26, 1979, as amended at 48 FR 29274, June 24, 1983]

§650.115 Design standards.

- (a) The design selected for an encroachment shall be supported by analyses of design alternatives with consideration given to capital costs and risks, and to other economic, engineering, social and environmental concerns.
- (1) Consideration of capital costs and risks shall include, as appropriate, a risk analysis or assessment which includes:
- (i) The overtopping flood or the base flood, whichever is greater, or
- (ii) The greatest flood which must flow through the highway drainage structure(s), where overtopping is not practicable. The greatest flood used in the analysis is subject to state-of-theart capability to estimate the exceedance probability.
- (2) The design flood for encroachments by through lanes of Interstate highways shall not be less than the flood with a 2-percent chance of being exceeded in any given year. No minimum design flood is specified for Interstate highway ramps and frontage roads or for other highways.
- (3) Freeboard shall be provided, where practicable, to protect bridge structures from debris- and scour-related failure.
- (4) The effect of existing flood control channels, levees, and reservoirs shall be considered in estimating the peak discharge and stage for all floods considered in the design.
- (5) The design of encroachments shall be consistent with standards established by the FEMA, State, and local governmental agencies for the administration of the National Flood Insurance Program for:
- (i) All direct Federal highway actions, unless the standards are demonstrably inappropriate, and
- (ii) Federal-aid highway actions where a regulatory floodway has been

§650.117

designated or where studies are underway to establish a regulatory floodway.

- (b) Rest area buildings and related water supply and waste treatment facilities shall be located outside the base flood plain, where practicable. Rest area buildings which are located on the base flood plain shall be floodproofed against damage from the base flood.
- (c) Where highway fills are to be used as dams to permanently impound water more than 50 acre-feet (6.17×10⁴ cubic metres) in volume or 25 feet (7.6 metres) deep, the hydrologic, hydraulic, and structural design of the fill and appurtenant spillways shall have the approval of the State or Federal agency responsible for the safety of dams or like structures within the State, prior to authorization by the Division Administrator to advertise for bids for construction.

§ 650.117 Content of design studies.

- (a) The detail of studies shall be commensurate with the risk associated with the encroachment and with other economic, engineering, social or environmental concerns.
- (b) Studies by highway agencies shall contain:
- (1) The hydrologic and hydraulic data and design computations,
- (2) The analysis required by §650.115(a), and
- (3) For proposed direct Federal highway actions, the reasons, when applicable, why FEMA criteria (44 CFR 60.3, formerly 24 CFR 1910.3) are demonstrably inappropriate.
- (c) For encroachment locations, project plans shall show:
- (1) The magnitude, approximate probability of exceedance and, at appropriate locations, the water surface elevations associated with the overtopping flood or the flood of §650.115(a)(1)(ii), and
- (2) The magnitude and water surface elevation of the base flood, if larger than the overtopping flood.

Subpart B—Erosion and Sediment Control on Highway Construction Projects

SOURCE: 59 FR 37939, July 26, 1994, unless otherwise noted.

§ 650.201 Purpose.

The purpose of this subpart is to prescribe policies and procedures for the control of erosion, abatement of water pollution, and prevention of damage by sediment deposition from all construction projects funded under title 23, United States Code.

§650.203 Policy.

It is the policy of the Federal Highway Administration (FHWA) that all highways funded in whole or in part under title 23, United States Code, shall be located, designed, constructed and operated according to standards that will minimize erosion and sediment damage to the highway and adjacent properties and abate pollution of surface and ground water resources. Guidance for the development of standards used to minimize erosion and sediment damage is referenced in §650.211 of this part.

§650.205 Definitions.

Erosion control measures and practices are actions that are taken to inhibit the dislodging and transporting of soil particles by water or wind, including actions that limit the area of exposed soil and minimize the time the soil is exposed.

Permanent erosion and sediment control measures and practices are installations and design features of a construction project which remain in place and in service after completion of the project.

Pollutants are substances, including sediment, which cause deterioration of water quality when added to surface or ground waters in sufficient quantity.

Sediment control measures and practices are actions taken to control the deposition of sediments resulting from surface runoff.

Temporary erosion and sediment control measures and practices are actions taken on an interim basis during construction to minimize the disturbance, transportation, and unwanted deposition of sediment.

§ 650.207 Plans, specifications and estimates.

(a) Emphasis shall be placed on erosion control in the preparation of plans, specifications and estimates.

(b) All reasonable steps shall be taken to insure that highway project designs for the control of erosion and sedimentation and the protection of water quality comply with applicable standards and regulations of other agencies.

[39 FR 36332, Oct. 9, 1974]

§650.209 Construction.

- (a) Permanent erosion and sediment control measures and practices shall be established and implemented at the earliest practicable time consistent with good construction and management practices.
- (b) Implementation of temporary erosion and sediment control measures and practices shall be coordinated with permanent measures to assure economical, effective, and continuous control throughout construction.
- (c) Erosion and sediment control measures and practices shall be monitored and maintained or revised to insure that they are fulfilling their intended function during the construction of the project.
- (d) Federal-aid funds shall not be used in erosion and sediment control actions made necessary because of contractor oversight, carelessness, or failure to implement sufficient control measures.
- (e) Pollutants used during highway construction or operation and material from sediment traps shall not be stockpiled or disposed of in a manner which makes them susceptible to being washed into any watercourse by runoff or high water. No pollutants shall be deposited or disposed of in watercourses.

§650.211 Guidelines.

(a) The FHWA adopts the AASHTO Highway Drainage Guidelines, Volume III, "Erosion and Sediment Control in Highway Construction," 1992, 1 as guidelines to be followed on all construction projects funded under title 23, United

¹This document is available for inspection from the FHWA headquarters and field offices as prescribed by 49 CFR part 7, appendix D. It may be purchased from the American Association of State Highway and Transportation Officials offices at Suite 225, 444 North Capitol Street, NW., Washington, DC 20001.

States Code. These guidelines are not intended to preempt any requirements made by or under State law if such requirements are more stringent.

- (b) Each State highway agency should apply the guidelines referenced in paragraph (a) of this section or apply its own guidelines, if these guidelines are more stringent, to develop standards and practices for the control of erosion and sediment on Federal-aid construction projects. These specific standards and practices may reference available resources, such as the procedures presented in the AASHTO "Model Drainage Manual," 1991.²
- (c) Consistent with the requirements of section 6217(g) of the Coastal Zone Act Reauthorization Amendments of 1990 (Pub. L. 101-508, 104 Stat. 1388-299), highway construction projects funded under title 23, United States Code, and located in the coastal zone management areas of States with coastal zone management programs approved by the United States Department of Commerce, National Oceanic and Atmospheric Administration, should utilize Guidance Specifying Management Measures for Sources of Nonpoint Source Pollution in Coastal Waters, 84-B-92-002, U.S. EPA, January 1993.3 State highway agencies should refer to this Environmental Protection Agency guidance document for the design of projects within coastal zone management areas.

Subpart C—National Bridge Inspection Standards

SOURCE: 69 FR 74436, Dec. 14, 2004, unless otherwise noted.

§650.301 Purpose.

This subpart sets the national standards for the proper safety inspection and evaluation of all highway bridges in accordance with 23 U.S.C. 151.

³This document is available for inspection and copying as prescribed by 49 CFR part 7, appendix D.

²This document is available for inspection from the FHWA headquarters and field offices as prescribed by 49 CFR part 7, appendix D. It may be purchased from the American Association of State Highway and Transportation Officials offices at Suite 225, 444 North Capitol Street, NW., Washington, DC 20001.

§ 650.303

§650.303 Applicability.

The National Bridge Inspection Standards (NBIS) in this subpart apply to all structures defined as highway bridges located on all public roads.

§650.305 Definitions.

Terms used in this subpart are defined as follows:

American Association of State Highway and Transportation Officials (AASHTO) Manual. "Manual for Condition Evaluation of Bridges," second edition, published by the American Association of State Highway and Transportation Officials (incorporated by reference, see §650.317).

Bridge. A structure including supports erected over a depression or an obstruction, such as water, highway, or railway, and having a track or passageway for carrying traffic or other moving loads, and having an opening measured along the center of the roadway of more than 20 feet hetween undercopings of abutments or spring lines of arches, or extreme ends of openings for multiple boxes; it may also include multiple pipes, where the clear distance between openings is less than half of the smaller contiguous opening.

Bridge inspection experience. Active participation in bridge inspections in accordance with the NBIS, in either a field inspection, supervisory, or management role. A combination of bridge design, bridge maintenance, bridge construction and bridge inspection experience, with the predominant amount in bridge inspection, is acceptable.

Bridge inspection refresher training. The National Highway Institute "Bridge Inspection Refresher Training Course" or other State, local, or federally developed instruction aimed to improve quality of inspections, introduce new techniques, and maintain the consistency of the inspection program.

Bridge Inspector's Reference Manual (BIRM). A comprehensive FHWA manual on programs, procedures and techniques for inspecting and evaluating a variety of in-service highway bridges.

This manual may be purchased from the U.S. Government Printing Office, Washington, DC 20402 and from National Technical Information Service, Springfield, Virginia 22161, and is available at the following URL: http://www.fhwa.dot.gov/bridge/bripub.htm.

Complex bridge. Movable, suspension, cable stayed, and other bridges with unusual characteristics.

Comprehensive bridge inspection training. Training that covers all aspects of bridge inspection and enables inspectors to relate conditions observed on a bridge to established criteria (see the Bridge Inspector's Reference Manual for the recommended material to be covered in a comprehensive training course)

Critical finding. A structural or safety related deficiency that requires immediate follow-up inspection or action.

Damage inspection. This is an unscheduled inspection to assess structural damage resulting from environmental factors or human actions.

Fracture critical member (FCM). A steel member in tension, or with a tension element, whose failure would probably cause a portion of or the entire bridge to collapse.

Fracture critical member inspection. A hands-on inspection of a fracture critical member or member components that may include visual and other non-destructive evaluation.

Hands-on. Inspection within arms length of the component. Inspection uses visual techniques that may be supplemented by nondestructive testing.

Highway. The term "highway" is defined in 23 U.S.C. 101(a)(11).

In-depth inspection. A close-up, inspection of one or more members above or below the water level to identify any deficiencies not readily detectable using routine inspection procedures; hands-on inspection may be necessary at some locations.

Initial inspection. The first inspection of a bridge as it becomes a part of the bridge file to provide all Structure Inventory and Appraisal (SI&A) data and other relevant data and to determine baseline structural conditions.

¹The National Highway Institute training may be found at the following URL: http://www.nhi.fhwa.dot.gov./

Legal load. The maximum legal load for each vehicle configuration permitted by law for the State in which the bridge is located.

Load rating. The determination of the live load carrying capacity of a bridge using bridge plans and supplemented by information gathered from a field inspection.

National Institute for Certification in Engineering Technologies (NICET). The NICET provides nationally applicable voluntary certification programs covering several broad engineering technology fields and a number of specialized subfields. For information on the NICET program certification contact: National Institute for Certification in Engineering Technologies, 1420 King Street, Alexandria, VA 22314–2794.

Operating rating. The maximum permissible live load to which the structure may be subjected for the load configuration used in the rating.

Professional engineer (PE). An individual, who has fulfilled education and experience requirements and passed rigorous exams that, under State licensure laws, permits them to offer engineering services directly to the public. Engineering licensure laws vary from State to State, but, in general, to become a PE an individual must be a graduate of an engineering program accredited by the Accreditation Board for Engineering and Technology, pass the Fundamentals of Engineering exam, gain four years of experience working under a PE, and pass the Principles of Practice of Engineering exam.

Program Manager. The individual in charge of the program, that has been assigned or delegated the duties and responsibilities for bridge inspection, reporting, and inventory. The program manager provides overall leadership and is available to inspection team leaders to provide guidance.

Public road. The term "public road" is defined in 23 U.S.C. 101(a)(27).

Quality assurance (QA). The use of sampling and other measures to assure the adequacy of quality control procedures in order to verify or measure the quality level of the entire bridge inspection and load rating program.

Quality control (QC). Procedures that are intended to maintain the quality of

a bridge inspection and load rating at or above a specified level.

Routine inspection. Regularly scheduled inspection consisting of observations and/or measurements needed to determine the physical and functional condition of the bridge, to identify any changes from initial or previously recorded conditions, and to ensure that the structure continues to satisfy present service requirements.

Routine permit load. A live load, which has a gross weight, axle weight or distance between axles not conforming with State statutes for legally configured vehicles, authorized for unlimited trips over an extended period of time to move alongside other heavy vehicles on a regular basis.

Scour. Erosion of streambed or bank material due to flowing water; often considered as being localized around piers and abutments of bridges.

Scour critical bridge. A bridge with a foundation element that has been determined to be unstable for the observed or evaluated scour condition.

Special inspection. An inspection scheduled at the discretion of the bridge owner, used to monitor a particular known or suspected deficiency.

State transportation department. The term "State transportation department" is defined in 23 U.S.C. 101(a)(34).

Team leader. Individual in charge of an inspection team responsible for planning, preparing, and performing field inspection of the bridge.

Underwater diver bridge inspection training. Training that covers all aspects of underwater bridge inspection and enables inspectors to relate the conditions of underwater bridge elements to established criteria (see the Bridge Inspector's Reference Manual section on underwater inspection for the recommended material to be covered in an underwater diver bridge inspection training course).

Underwater inspection. Inspection of the underwater portion of a bridge substructure and the surrounding channel, which cannot be inspected visually at low water by wading or probing, generally requiring diving or other appropriate techniques.

§ 650.307

§650.307 Bridge inspection organization.

- (a) Each State transportation department must inspect, or cause to be inspected, all highway bridges located on public roads that are fully or partially located within the State's boundaries, except for bridges that are owned by Federal agencies.
- (b) Federal agencies must inspect, or cause to be inspected, all highway bridges located on public roads that are fully or partially located within the respective agency responsibility or jurisdiction.
- (c) Each State transportation department or Federal agency must include a bridge inspection organization that is responsible for the following:
- (İ) Statewide or Federal agencywide bridge inspection policies and procedures, quality assurance and quality control, and preparation and maintenance of a bridge inventory.
- (2) Bridge inspections, reports, load ratings and other requirements of these standards.
- (d) Functions identified in paragraphs (c)(1) and (2) of this section may be delegated, but such delegation does not relieve the State transportation department or Federal agency of any of its responsibilities under this subpart.
- (e) The State transportation department or Federal agency bridge inspection organization must have a program manager with the qualifications defined in §650.309(a), who has been delegated responsibility for paragraphs (c)(1) and (2) of this section.

§650.309 Qualifications of personnel.

- (a) A program manager must, at a minimum:
- (1) Be a registered professional engineer, or have ten years bridge inspection experience; and
- (2) Successfully complete a Federal Highway Administration (FHWA) approved comprehensive bridge inspection training course.
- (b) There are five ways to qualify as a team leader. A team leader must, at a minimum:
- (1) Have the qualifications specified in paragraph (a) of this section; or
- (2) Have five years bridge inspection experience and have successfully completed an FHWA approved comprehen-

sive bridge inspection training course; or

- (3) Be certified as a Level III or IV Bridge Safety Inspector under the National Society of Professional Engineer's program for National Certification in Engineering Technologies (NICET) and have successfully completed an FHWA approved comprehensive bridge inspection training course, or
 - (4) Have all of the following:
- (i) A bachelor's degree in engineering from a college or university accredited by or determined as substantially equivalent by the Accreditation Board for Engineering and Technology;
- (ii) Successfully passed the National Council of Examiners for Engineering and Surveying Fundamentals of Engineering examination;
- (iii) Two years of bridge inspection experience; and
- (iv) Successfully completed an FHWA approved comprehensive bridge inspection training course, or
 - (5) Have all of the following:
- (i) An associate's degree in engineering or engineering technology from a college or university accredited by or determined as substantially equivalent by the Accreditation Board for Engineering and Technology;
- (ii) Four years of bridge inspection experience; and
- (iii) Successfully completed an FHWA approved comprehensive bridge inspection training course.
- (c) The individual charged with the overall responsibility for load rating bridges must be a registered professional engineer.
- (d) An underwater bridge inspection diver must complete an FHWA approved comprehensive bridge inspection training course or other FHWA approved underwater diver bridge inspection training course.

$\S 650.311$ Inspection frequency.

- (a) Routine inspections. (1) Inspect each bridge at regular intervals not to exceed twenty-four months.
- (2) Certain bridges require inspection at less than twenty-four-month intervals. Establish criteria to determine the level and frequency to which these bridges are inspected considering such

factors as age, traffic characteristics, and known deficiencies.

- (3) Certain bridges may be inspected at greater than twenty-four month intervals, not to exceed forty-eightmonths, with written FHWA approval. This may be appropriate when past inspection findings and analysis justifies the increased inspection interval.
- (b) *Underwater inspections.* (1) Inspect underwater structural elements at regular intervals not to exceed sixty months.
- (2) Certain underwater structural elements require inspection at less than sixty-month intervals. Establish criteria to determine the level and frequency to which these members are inspected considering such factors as construction material, environment, age, scour characteristics, condition rating from past inspections and known deficiencies.
- (3) Certain underwater structural elements may be inspected at greater than sixty-month intervals, not to exceed seventy-two months, with written FHWA approval. This may be appropriate when past inspection findings and analysis justifies the increased inspection interval.
- (c) Fracture critical member (FCM) inspections. (1) Inspect FCMs at intervals not to exceed twenty-four months.
- (2) Certain FCMs require inspection at less than twenty-four-month intervals. Establish criteria to determine the level and frequency to which these members are inspected considering such factors as age, traffic characteristics, and known deficiencies.
- (d) Damage, in-depth, and special inspections. Establish criteria to determine the level and frequency of these inspections.

§650.313 Inspection procedures.

- (a) Inspect each bridge in accordance with the inspection procedures in the AASHTO Manual (incorporated by reference, see \$650.317).
- (b) Provide at least one team leader, who meets the minimum qualifications stated in §650.309, at the bridge at all times during each initial, routine, indepth, fracture critical member and underwater inspection.
- (c) Rate each bridge as to its safe load-carrying capacity in accordance

- with the AASHTO Manual (incorporated by reference, see §650.317). Post or restrict the bridge in accordance with the AASHTO Manual or in accordance with State law, when the maximum unrestricted legal loads or State routine permit loads exceed that allowed under the operating rating or equivalent rating factor.
- (d) Prepare bridge files as described in the AASHTO Manual (incorporated by reference, see §650.317). Maintain reports on the results of bridge inspections together with notations of any action taken to address the findings of such inspections. Maintain relevant maintenance and inspection data to allow assessment of current bridge condition. Record the findings and results of bridge inspections on standard State or Federal agency forms.
- (e) Identify bridges with FCMs, bridges requiring underwater inspection, and bridges that are scour critical.
- (1) Bridges with fracture critical members. In the inspection records, identify the location of FCMs and describe the FCM inspection frequency and procedures. Inspect FCMs according to these procedures.
- (2) Bridges requiring underwater inspections. Identify the location of underwater elements and include a description of the underwater elements, the inspection frequency and the procedures in the inspection records for each bridge requiring underwater inspection. Inspect those elements requiring underwater inspections according to these procedures.
- (3) Bridges that are scour critical. Prepare a plan of action to monitor known and potential deficiencies and to address critical findings. Monitor bridges that are scour critical in accordance with the plan.
- (f) Complex bridges. Identify specialized inspection procedures, and additional inspector training and experience required to inspect complex bridges. Inspect complex bridges according to those procedures.
- (g) Quality control and quality assurance. Assure systematic quality control (QC) and quality assurance (QA) procedures are used to maintain a high degree of accuracy and consistency in

§650.315

the inspection program. Include periodic field review of inspection teams, periodic bridge inspection refresher training for program managers and team leaders, and independent review of inspection reports and computations.

(h) Follow-up on critical findings. Establish a statewide or Federal agency wide procedure to assure that critical findings are addressed in a timely manner. Periodically notify the FHWA of the actions taken to resolve or monitor critical findings.

§ 650.315 Inventory.

(a) Each State or Federal agency must prepare and maintain an inventory of all bridges subject to the NBIS. Certain Structure Inventory and Appraisal (SI&A) data must be collected and retained by the State or Federal agency for collection by the FHWA as requested. A tabulation of this data is contained in the SI&A sheet distributed by the FHWA as part of the "Recording and Coding Guide for the Structure Inventory and Appraisal of the Nation's Bridges," (December 1995) together with subsequent interim changes or the most recent version. Report the data using FHWA established procedures as outlined in the "Recording and Coding Guide for the Structure Inventory and Appraisal of the Nation's Bridges.'

(b) For routine, in-depth, fracture critical member, underwater, damage and special inspections enter the SI&A data into the State or Federal agency inventory within 90 days of the date of inspection for State or Federal agency bridges and within 180 days of the date of inspection for all other bridges.

(c) For existing bridge modifications that alter previously recorded data and for new bridges, enter the SI&A data into the State or Federal agency inventory within 90 days after the completion of the work for State or Federal agency bridges and within 180 days after the completion of the work for all other bridges.

(d) For changes in load restriction or closure status, enter the SI&A data into the State or Federal agency inventory within 90 days after the change in status of the structure for State or Federal agency bridges and within 180 days after the change in status of the structure for all other bridges.

§650.317 Reference manuals.

(a) The materials listed in this subpart are incorporated by reference in the corresponding sections noted. These incorporations by reference were approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. These materials are incorporated as they exist on the date of the approval, and notice of any change in these documents will be published in the FEDERAL REGISTER. The materials are available for purchase at the address listed below, and are available for inspection at the National Archives and Records Administration (NARA). These materials may also be reviewed at the Department of Transportation Library, 400 Seventh Street, SW., Washington, DC, in Room 2200. For information on the availability of these materials at NARA call (202) 741-6030, or go to the following http://www.archives.gov/ URL: federal register/

code_of_federal_regulations/

ibr_locations.html. In the event there is a conflict between the standards in this subpart and any of these materials, the standards in this subpart will apply.

(b) The following materials are available for purchase from the American Association of State Highway and Transportation Officials, Suite 249, 444 N. Capitol Street, NW., Washington, DC 20001. The materials may also be ordered via the AASHTO bookstore located at the following URL: http://www.aashto.org/aashto/home.nsf/FrontPage.

(1) The Manual for Condition Evaluation of Bridges, 1994, second edition, as amended by the 1995, 1996, 1998, and 2000 interim revisions, AASHTO, incorporation by reference approved for §§ 650.305 and 650.313.

(2) 2001 Interim Revision to the Manual for Condition Evaluation of Bridges, AASHTO, incorporation by reference approved for §§ 650.305 and 650.313.

(3) 2003 Interim Revision to the Manual for Condition Evaluation of Bridges, AASHTO, incorporation by reference approved for $\S\S650.305$ and 650.313.

Subpart D—Highway Bridge Replacement and Rehabilitation Program

Source: 44 FR 15665, Mar. 15, 1979, unless otherwise noted.

§650.401 Purpose.

The purpose of this regulation is to prescribe policies and outline procedures for administering the Highway Bridge Replacement and Rehabilitation Program in accordance with 23 U.S.C. 144.

§650.403 Definition of terms.

As used in this regulation:

- (a) Bridge. A structure, including supports, erected over a depression or an obstruction, such as water, a highway, or a railway, having a track or passageway for carrying traffic or other moving loads, and having an opening measured along the center of the roadway of more than 20 feet between undercopings of abutments or spring lines of arches, or extreme ends of the openings for multiple boxes; it may include multiple pipes where the clear distance between openings is less than half of the smaller contiguous opening.
- (b) Sufficiency rating. The numerical rating of a bridge based on its structural adequacy and safety, essentiality for public use, and its serviceability and functional obsolescence.
- (c) Rehabilitation. The major work required to restore the structural integrity of a bridge as well as work necessary to correct major safety defects.

§ 650.405 Eligible projects.

- (a) General. Deficient highway bridges on all public roads may be eligible for replacement or rehabilitation.
- (b) Types of projects which are eligible. The following types of work are eligible for participation in the Highway Bridge Replacement and Rehabilitation Program (HBRRP), hereinafter known as the bridge program.
- (1) Replacement. Total replacement of a structurally deficient or functionally obsolete bridge with a new facility constructed in the same general traffic corridor. A nominal amount of approach work, sufficient to connect the new facility to the existing roadway or

to return the gradeline to an attainable touchdown point in accordance with good design practice is also eligible. The replacement structure must meet the current geometric, construction and structural standards required for the types and volume of projected traffic on the facility over its design life.

- (2) Rehabilitation. The project requirements necessary to perform the major work required to restore the structural integrity of a bridge as well as work necessary to correct major safety defects are eligible except as noted under ineligible work. Bridges to be rehabilitated both on or off the F-A System shall, as a minimum, conform with the provisions of 23 CFR part 625, Design Standards for Federal-aid Highways, for the class of highway on which the bridge is a part.
- (c) *Ineligible work.* Except as otherwise prescribed by the Administrator, the costs of long approach fills, causeways, connecting roadways, interchanges, ramps, and other extensive earth structures, when constructed beyond the attainable touchdown point, are not eligible under the bridge program.

§ 650.407 Application for bridge replacement or rehabilitation.

- (a) Agencies participate in the bridge program by conducting bridge inspections and submitting Structure Inventory and Appraisal (SI&A) sheet inspection data. Federal and local governments supply SI&A sheet data to the State agency for review and processing. The State is responsible for submitting the six computer card format or tapes containing all public road SI&A sheet bridge information through the Division Administrator of the Federal Highway Administration (FHWA) for processing. These requirements are prescribed in 23 CFR 650.309 and 650.311, the National Bridge Inspection Standards.
- (b) Inventory data may be submitted as available and shall be submitted at such additional times as the FHWA may request.
- (c) Inventory data on bridges that have been strengthened or repaired to eliminate deficiencies, or those that have been replaced or rehabilitated

§ 650.409

using bridge replacement and/or other funds, must be revised in the inventory through data submission.

(d) The Secretary may, at the request of a State, inventory bridges, on and off the Federal-aid system, for historic significance.

[44 FR 15665, Mar. 15, 1979, as amended at 44 FR 72112, Dec. 13, 1979]

§650.409 Evaluation of bridge inventory.

(a) Sufficiency rating of bridges. Upon receipt and evaluation of the bridge inventory, a sufficiency rating will be assigned to each bridge by the Secretary in accordance with the approved AASHTO¹ sufficiency rating formula. The sufficiency rating will be used as a basis for establishing eligibility and priority for replacement or rehabilitation of bridges; in general the lower the rating, the higher the priority.

(b) Selection of bridges for inclusion in State program. After evaluation of the inventory and assignment of sufficiency ratings, the Secretary will provide the State with a selection list of bridges within the State that are eligible for the bridge program. From that list or from previously furnished selection lists, the State may select bridge projects.

§ 650.411 Procedures for bridge replacement and rehabilitation projects.

(a) Consideration shall be given to projects which will remove from service highway bridges most in danger of failure.

(b) Submission and approval of projects. (1) Bridge replacement or rehabilitation projects shall be submitted by the State to the Secretary in accordance with 23 CFR part 630, subpart A Federal-Aid Programs, Approval and Authorization.

(2) Funds apportioned to a State shall be made available throughout each State on a fair and equitable basis.

(c)(1) Each approved project will be designed, constructed, and inspected

for acceptance in the same manner as other projects on the system on which the project is located. It shall be the responsibility of the State agency to properly maintain, or cause to be properly maintained, any project constructed under this bridge program. The State highway agency shall enter into a formal agreement for maintenance with appropriate local government officials in cases where an eligible project is located within and is under the legal authority of such a local government.

(2) Whenever a deficient bridge is replaced or its deficiency alleviated by a new bridge under the bridge program, the deficient bridge shall either be dismantled or demolished or its use limited to the type and volume of traffic the structure can safely service over its remaining life. For example, if the only deficiency of the existing structure is inadequate roadway width and the combination of the new and existing structure can be made to meet current standards for the volume of traffic the facility will carry over its design life, the existing bridge may remain in place and be incorporated into the sys-

[44 FR 15665, Mar. 15, 1979, as amended at 44 FR 72112, Dec. 13, 1979]

§ 650.413 Funding.

- (a) Funds authorized for carrying out the Highway Bridge Replacement and Rehabilitation Program are available for obligation at the beginning of the fiscal year for which authorized and remain available for expenditure for the same period as funds apportioned for projects on the Federal-aid primary system.
- (b) The Federal share payable on account of any project carried out under 23 U.S.C. 144 shall be 80 percent of the eligible cost.
- (c) Not less than 15 percent nor more than 35 percent of the apportioned funds shall be expended for projects located on public roads, other than those on a Federal-aid system. The Secretary after consultation with State and local officials may, with respect to a State, reduce the requirement for expenditure for bridges not on a Federal-aid system when he determines that such State

¹American Association of State Highway and Transporation Officials, Suite 225, 444 North Capitol Street, NW, Washington, DC 20001

has inadequate needs to justify such expenditure.

§ 650.415 Reports.

The Secretary must report annually to the Congress on projects approved and current inventories together with recommendations for further improvements.

Subparts E-F [Reserved]

Subpart G—Discretionary Bridge Candidate Rating Factor

SOURCE: 48 FR 52296, Nov. 17, 1983, unless otherwise noted.

§650.701 Purpose.

The purpose of this regulation is to describe a rating factor used as part of a selection process of allocation of discretionary bridge funds made available to the Secretary of Transportation under 23 U.S.C. 144.

§650.703 Eligible projects.

(a) Deficient highway bridges on Federal-aid highway system roads may be eligible for allocation of discretionary bridge funds to the same extent as they are for bridge funds apportioned under 23 U.S.C. 144, provided that the total project cost for a discretionary bridge candidate is at least \$10 million or twice the amont of 23 U.S.C. 144 funds apportioned to the State during the fiscal year for which funding for the candidate bridge is requested.

- (b) After November 14, 2002 only candidate bridges not previously selected with a computed rating factor of 100 or less and ready to begin construction in the fiscal year in which funds are available for obligation will be eligible for consideration.
- (c) Projects from States that have transferred Highway Bridge Replacement and Rehabilitation funds to other funding categories will not be eligible for funding the following fiscal year.

[48 FR 52296, Nov. 17, 1983, as amended at 67 FR 63542, Oct. 15, 2002]

§ 650.705 Application for discretionary bridge funds.

Each year through its field offices, the FHWA will issue an annual call for discretionary bridge candidate submittals including updates of previously submitted but not selected projects. Each State is responsible for submitting such data as required for candidate bridges. Data requested will include structure number, funds needed by fiscal year, total project cost, current average daily truck traffic and a narrative describing the existing bridge, the proposed new or rehabilitated bridge and other relevant factors which the State believes may warrant special consideration.

§650.707 Rating factor.

(a) The following formula is to be used in the selection process for ranking discretionary bridge candidates.

$$Rating \ Factor \ (RF) = \frac{SR}{N} \times \frac{\text{TPC}}{\text{ADT'}} \times \left[1 + \frac{Unobligated \ HBRRP \ Balance}{Total \ HBRRP \ Funds \ Received}\right]$$

The lower the rating factor, the higher the priority for selection and funding.

- (b) The terms in the rating factor are defined as follows:
- (1) SR is Sufficiency Rating computed as illustrated in appendix A of the Recording and Coding Guide for the Structure Inventory and Appraisal of the Nation's Bridges, USDOT/FHWA (latest edition); (If SR is less than 1.0, use SR=1.0);
- (2) ADT is Average Daily Traffic in thousands taking the most current value from the national bridge inventory data;
- (3) ADTT is Average Daily Truck Traffic in thousands (Pick up trucks and light delivery trucks not included). For load posted bridges, the ADTT furnished should be that which would use the bridge if traffic were not restricted. The ADTT should be the annual average volume, not peak or seasonal;

§ 650.709

- (4) N is National Highway System Status. N=1 if not on the National Highway System. N=1.5 if bridge carries a National Highway System road;
- (5) The last term of the rating factor expression includes the State's unobligated balance of funds received under 23 U.S.C. 144 as of June 30 preceding the date of calculation, and the total funds received under 23 U.S.C. 144 for the last four fiscal years ending with the most recent fiscal year of the FHWA's annual call for discretionary bridge candidate submittals; (if unobligated HBRRP balance is less than \$10 million, use zero balance);
- (6) TPC is Total Project Cost in millions of dollars;
- (7) HBRRP is Highway Bridge Replacement and Rehabilitation Program;
 - (8) ADT' is ADT plus ADTT.
- (c) In order to balance the relative importance of candidate bridges with very low (less than one) sufficiency ratings and very low ADT's against candidate bridges with high ADT's, the minimum sufficiency rating used will be 1.0. If the computed sufficiency rating for a candidate bridge is less than 1.0, use 1.0 in the rating factor formula.
- (d) If the unobligated balance of HBRRP funds for the State is less than \$10 million, the HBRRP modifier is 1.0. This will limit the effect of the modifier on those States with small apportionments or those who may be accumulating funds to finance a major bridge.

[48 FR 52296, Nov. 17, 1983; 48 FR 53407, Nov. 28, 1983, as amended at 67 FR 63542, Oct. 15, 2002]

$\S 650.709$ Special considerations.

(a) The selection process for new discretionary bridge projects will be based upon the rating factor priority ranking. However, although not specifically included in the rating factor formula, special consideration will be given to bridges that are closed to all traffic or that have a load restriction of less than 10 tons. Consideration will also be given to bridges with other unique situations, and to bridge candidates in States that have not previously been allocated discretionary bridge funds. In addition, consideration will be given to candidates that receive additional

funds or contributions from local, State, county, or private sources, but not from Federal sources which reduce the total Federal cost or Federal share of the project. These funds or contributions may be used to reduce the total project cost for use in the rating factor formula.

- (b) The need to administer the program from a balanced national perspective requires that the special cases set forth in paragraph (a) of this section and other unique situations be considered in the discretionary bridge candidate evaluation process.
- (c) Priority consideration will be given to the continuation and completion of projects previously begun with discretionary bridge funds which will be ready to begin construction in the fiscal year in which funds are available for obligation.

[48 FR 52296, Nov. 17, 1983, as amended at 67 FR 63543, Oct. 15, 2002]

Subpart H—Navigational Clearances for Bridges

Source: 52 FR 28139, July 28, 1987, unless otherwise noted.

§ 650.801 Purpose.

The purpose of this regulation is to establish policy and to set forth coordination procedures for Federal-aid highway bridges which require navigational clearances.

§650.803 Policy.

- It is the policy of FHWA:
- (a) To provide clearances which meet the reasonable needs of navigation and provide for cost-effective highway operations.
- (b) To provide fixed bridges wherever practicable, and
- (c) To consider appropriate pier protection and vehicular protective and warning systems on bridges subject to ship collisions.

$\$\,650.805$ Bridges not requiring a USCG permit.

(a) The FHWA has the responsibility under 23 U.S.C. 144(h) to determine that a USCG permit is not required for bridge construction. This determination shall be made at an early stage of

project development so that any necessary coordination can be accomplished during environmental processing.

(b) A USCG permit shall not be required if the FHWA determines that the proposed construction, reconstruction, rehabilitation, or replacement of the federally aided or assisted bridge is over waters (1) which are not used or are not susceptible to use in their natural condition or by reasonable improvement as a means to transport interstate or foreign commerce and (2) which are (i) not tidal, or (ii) if tidal, used only by recreational boating, fishing, and other small vessels less than 21 feet in length.

(c) The highway agency (HA) shall assess the need for a USCG permit or navigation lights or signals for proposed bridges. The HA shall consult the appropriate District Offices of the U.S. Army Corps of Engineers if the susceptibility to improvement for navigation of the water of concern is unknown and

shall consult the USCG if the types of

vessels using the waterway are unknown.

(d) For bridge crossings of waterways with navigational traffic where the HA believes that a USCG permit may not be required, the HA shall provide supporting information early in the environmental analysis stage of project development to enable the FHWA to make a determination that a USCG permit is not required and that proposed navigational clearances are reasonable.

(e) Since construction in waters exempt from a USCG permit may be subject to other USCG authorizations, such as approval of navigation lights and signals and timely notice to local mariners of waterway changes, the USCG should be notified whenever the proposed action may substantially affect local navigation.

§650.807 Bridges requiring a USCG permit.

(a) The USCG has the responsibility (1) to determine whether a USCG permit is required for the improvement or construction of a bridge over navigable waters except for the exemption exercised by FHWA in §650.805 and (2) to approve the bridge location, alignment

and appropriate navigational clearances in all bridge permit applications.

(b) A USCG permit shall be required when a bridge crosses waters which are: (1) tidal and used by recreational boating, fishing, and other small vessels 21 feet or greater in length or (2) used or susceptible to use in their natural condition or by reasonable improvement as a means to transport interstate or foreign commerce. If it is determined that a USCG permit is required, the project shall be processed in accordance with the following procedures.

(c) The HA shall initiate coordination with the USCG at an early stage of project development and provide opportunity for the USCG to be involved throughout the environmental review process in accordance with 23 CFR part 771. The FHWA and Coast Guard have developed internal guidelines which set forth coordination procedures that both agencies have found useful in streamlining and expediting the permit approval process. These guidelines include (1) USCG/FHWA Procedures for Handling Projects which Require a USCG Permit 1 and (2) the USCG/FHWA Memorandum of Understanding on Coordinating The Preparation and Processing of Environmental Projects. 2

(d) The HA shall accomplish sufficient preliminary design and consultation during the environmental phase of project development to investigate bridge concepts, including the feasibility of any proposed movable bridges, the horizontal and vertical clearances that may be required, and other location considerations which may affect navigation. At least one fixed bridge alternative shall be included with any proposal for a movable bridge to provide a comparative analysis of engineering, social, economic and environ-

mental benefit and impacts.

¹This document is an internal directive in the USCG Bridge Administration Manual, Enclosure 1a, COMDT INST M16590.5, change 2 dated Dec. 1, 1983. It is available for inspection and copying from the U.S. Coast Guard or the Federal Highway Administration as prescribed in 49 CFR part 7, appendices B and D

 $^{^2{\}rm FHWA}$ Notice 6640.22 dated July 17, 1981, is available for inspection and copying as prescribed in 49 CFR part 7, appendix D.

§ 650.809

- (e) The HA shall consider hydraulic, safety, environmental and navigational needs along with highway costs when designing a proposed navigable waterway crossing.
- (f) For bridges where the risk of ship collision is significant, HA's shall consider, in addition to USCG requirements, the need for pier protection and warning systems as outlined in FHWA Technical Advisory 5140.19, Pier Protection and Warning Systems for Bridges Subject to Ship Collisions, dated February 11, 1983.
- (g) Special navigational clearances shall normally not be provided for accommodation of floating construction equipment of any type that is not required for navigation channel maintenance. If the navigational clearances are influenced by the needs of such equipment, the USCG should be consulted to determine the appropriate clearances to be provided.
- (h) For projects which require FHWA approval of plans, specifications and estimates, preliminary bridge plans shall be approved at the appropriate level by FHWA for structural concepts, hydraulics, and navigational clearances prior to submission of the permit application.
- (i) If the HA bid plans contain alternative designs for the same configuration (fixed or movable), the permit application shall be prepared in sufficient detail so that all alternatives can be evaluated by the USCG. If appropriate, the USCG will issue a permit for all alternatives. Within 30 days after award of the construction contract, the USCG shall be notified by the HA of the alternate which was selected. The USCG procedure for evaluating permit applications which contain alternates is presented in its Bridge Administration Manual (COMDT INST M16590.5). 3 The FHWA policy on alternates, Alternate Design for Bridges; Policy Statement, was published at 48 FR 21409 on May 12, 1983.

§650.809 Movable span bridges.

A fixed bridge shall be selected wherever practicable. If there are social, economic, environmental or engineering reasons which favor the selection of a movable bridge, a cost benefit analysis to support the need for the movable bridge shall he prepared as a part of the preliminary plans.

PART 652—PEDESTRIAN AND BICY-CLE ACCOMMODATIONS AND PROJECTS

Sec.

652.1 Purpose. 652.3 Definitions.

652.5 Policy.

652.7 Eligibility.

652.9 Federal participation.

652.11 Planning.

652.13 Design and construction criteria.

AUTHORITY: 23 U.S.C. 109, 217, 315, 402(b)(1)(F); 49 CFR 1.48(b).

SOURCE: 49 FR 10662, Mar. 22, 1984, unless otherwise noted.

§652.1 Purpose.

To provide policies and procedures relating to the provision of pedestrian and bicycle accommodations on Federal-aid projects, and Federal participation in the cost of these accommodations and projects.

§652.3 Definitions.

- (a) *Bicycle*. A vehicle having two tandem wheels, propelled solely by human power, upon which any person or persons may ride.
- (b) *Bikeway*. Any road, path, or way which in some manner is specifically designated as being open to bicycle travel, regardless of whether such facilities are designated for the exclusive use of bicycles or are to be shared with other transportation modes.
- (c) *Bicycle Path (Bike Path)*. A bikeway physically separated from motorized vehicular traffic by an open space or barrier and either within the highway right-of-way or within an independent right-of-way.
- (d) Bicycle Lane (Bike Lane). A portion of a roadway which has been designated by striping, signing and pavement markings for the preferential or exclusive use of bicyclists.

 $^{^3}$ United States Coast Guard internal directives are available for inspection and copying as prescribed in 49 CFR part 7, appendix R

- (e) Bicycle Route (Bike Route). A segment of a system of bikeways designated by the jurisdiction having authority with appropriate directional and informational markers, with or without a specific bicycle route number.
- (f) Shared Roadway. Any roadway upon which a bicycle lane is not designated and which may be legally used by bicycles regardless of whether such facility is specifically designated as a bikeway.
- (g) Pedestrian Walkway or Walkway. A continuous way designated for pedestrians and separated from the through lanes for motor vehicles by space or barrier.
- (h) *Highway Construction Project.* A project financed in whole or in part with Federal-aid or Federal funds for the construction, reconstruction or improvement of a highway or portions thereof, including bridges and tunnels.
- (i) Independent Bicycle Construction Project (Independent Bicycle Project). A project designation used to distinguish a bicycle facility constructed independently and primarily for use by bicyclists from an improvement included as an incidental part of a highway construction project
- way construction project.
 (j) Independent Pedestrian Walkway Construction Project (Independent Walkway Project). A project designation used to distinguish a walkway constructed independently and solely as a pedestrian walkway project from a pedestrian improvement included as an incidental part of a highway construction project.
- (k) Incidental Bicycle or Pedestrian Walkway Construction Project (Incidental Feature). One constructed as an incidental part of a highway construction project
- (l) Nonconstruction Bicycle Project. A bicycle project not involving physical construction which enhances the safe use of bicycles for transportation purposes.
- (m) Snowmobile. A motorized vehicle solely designed to operate on snow or ice.

§ 652.5 Policy.

The safe accommodation of pedestrians and bicyclists should be given full consideration during the develop-

ment of Federal-aid highway projects, and during the construction of such projects. The special needs for the elderly and the handicapped shall be considered in all Federal-aid projects that include pedestrian facilities. Where current or anticipated pedestrian and/ or bicycle traffic presents a potential conflict with motor vehicle traffic, every effort shall be made to minimize the detrimental effects on all highway users who share the facility. On highways without full control of access where a bridge deck is being replaced or rehabilitated, and where bicycles are permitted to operate at each end, the bridge shall be reconstructed so that bicycles can be safely accommodated when it can be done at a reasonable cost. Consultation with local groups of organized bicyclists is to be encouraged in the development of bicycle projects.

§652.7 Eligibility.

- (a) Independent bicycle projects, incidental bicycle projects, and nonconstruction bicycle projects must be principally for transportation rather than recreational use and must meet the project conditions for authorization where applicable.
- (b) The implementation of pedestrian and bicycle accommodations may be authorized for Federal-aid participation as either incidental features of highways or as independent projects where all of the following conditions are satisfied.
- (1) The safety of the motorist, bicyclist, and/or pedestrian will be enhanced by the project.
- (2) The project is initiated or supported by the appropriate State highway agency(ies) and/or the Federal land management agency. Projects are to be located and designed pursuant to an overall plan, which provides due consideration for safety and contiguous routes.
- (3) A public agency has formally agreed to:
- (i) Accept the responsibility for the operation and maintenance of the facility,
- (ii) Ban all motorized vehicles other than maintenance vehicles, or snowmobiles where permitted by State or local regulations, from pedestrian walkways and bicycle paths, and

§ 652.9

- (iii) Ban parking, except in the case of emergency, from bicycle lanes that are contiguous to traffic lanes.
- (4) The estimated cost of the project is consistent with the anticipated benefits to the community.
- (5) The project will be designed in substantial conformity with the latest official design criteria. (See §652.13.)

[49 FR 10662, Mar. 22, 1984; 49 FR 14729, Apr. 13, 1984]

§652.9 Federal participation.

- (a) Independent walkway projects, independent bicycle projects and nonconstruction bicycle projects shall be financed with 100 percent Federal-aid primary, secondary or urban highway funds, provided the total amount obligated for all such projects in any one State in any fiscal year does not exceed \$4.5 million of Federal-aid funds or a lesser amount apportioned by the Federal Highway Administrator to avoid exceeding the annual \$45 million cost limitation on these projects for all States in a fiscal year. The Federal Highway Administrator may, upon application, waive this limitation for a State for any fiscal year. This limitation also applies to projects funded under §652.9(d). This limitation does not apply to projects of the type described in §652.9(c). The FHWA Offices of Direct Federal Programs and Engineering will coordinate projects of the type described in §652.9(d) to ensure that the annual cost limitations will not be exceeded.
- (b) Specific eligibility requirements for Federal-aid participation in independent and nonconstruction projects are:
- (1) An independent walkway project must be constructed on highway right-of-way or easement, or right-of-way acquired for this purpose. Independent walkway projects may be constructed separately or in conjunction with a Federal-aid highway construction project. Where an independent walkway project is located away from the Federal-aid highway right-of-way, it must serve pedestrians who would normally desire to use the Federal-aid route.
- (2) An independent bicycle project may include the acquisition of land needed for the facility, or such projects

- may be constructed on existing highway right-of-way or easement acquired for this purpose. Independent bicycle projects may include construction of bicycle lanes, paths, shelters, bicycle parking facilities and other roadway and bridge work necessary to accommodate bicyclists.
- (3) Nonconstruction bicycle projects must be related to the safe use of bicycles for transportation, and may include safety educational material and route maps for safe bicycle transportation purposes. Nonconstruction bicycle projects shall not include salaries for administration, law enforcement, maintenance and similar items required to operate transportation networks and programs, but may include cost of staff or consultants for development of specific nonconstruction projects.
- (c) Bicycle and pedestrian accommodations may also be constructed as incidental features of highway construction projects. These incidental features may be financed with the same type of Federal-aid funds, including funds of the type described in §652.9(d) (except Interstate construction funds) and at the same Federal share payable as a basic highway project. These accommodations are not subject to the funding limitations for independent walkway, independent bicycle and nonconstruction bicycle projects. In the case of the Interstate construction projects, Federal-aid Interstate construction funds may only be used to replace existing facilities that would be interrupted by construction of the project, or to mitigate specific environmental impacts. Interstate 4R funds provided by 23 U.S.C. 104(b)(5)(B) may be used only for incidental features. As incidental features, these accommodations must be part of a highway improvement and must be located within the right-of-way of the highway, including land acquired under 23 U.S.C. 319 (Scenic Enhancement Program).
- (d) Funds authorized for Federal lands highways (forest highways, public lands highways, park roads, parkways, and Indian reservation roads which are public roads), forest development roads and trails (i.e., roads or

trails under the jurisdiction of the Forest Service), and public lands development roads and trails (i.e., roads or trails which the Secretary of the Interior determines are of primary importance for the development, protection, administration, and utilization of public lands and resources under his/her control), may be used for independent bicycle routes and independent walkway projects. These funds may not be used for nonconstruction bicycle projects.

§652.11 Planning.

Federally aided bicycle and pedestrian projects implemented within urbanized areas must be included in the transportation improvement program/ annual (or biennial) element unless excluded by agreement between the State and the metropolitan planning organi-

§652.13 Design and construction cri-

(a) The American Association of State Highway and Transportation Officials' "Guide for Development of New Bicycle Facilities, 1981" (AASHTO Guide) or equivalent guides developed in cooperation with State or local officials and acceptable to the division office of the FHWA, shall be used as standards for the construction and design of bicycle routes. Copies of the AASHTO Guide may be obtained from the American Association of State Highway and Transportation Officials, 444 North Capitol Street, NW., Suite 225, Washington, DC 20001.

(b) Curb cuts and other provisions as may be appropriate for the handicapped are required on all Federal and Federal-aid projects involving the provision of curbs or sidewalks at all pedestrian crosswalks.

PART 655—TRAFFIC OPERATIONS Subparts A-E [Reserved]

Subpart F-Traffic Control Devices on Federal-Aid and Other Streets and Highways

655.601 Purpose. 655.602 Definitions.

655.603 Standards.

Achieving basic uniformity. 655.604

655.605 Project procedures.

655.606 Higher cost materials.

655.607 Funding.

APPENDIX TO SUBPART F-ALTERNATE METH-OD OF DETERMINING THE COLOR OF RETROREFLECTIVE SIGN MATERIALS AND PAVEMENT MARKING MATERIALS

Subpart G [Reserved]

AUTHORITY: 23 U.S.C. 101(a), 104, 109(d), 114(a), 217, 315, and 402(a); 23 CFR 1.32; and 49 CFR 1.48(b).

Subparts A-E [Reserved]

Subpart F—Traffic Control Devices on Federal-Aid and Other Streets and Highways

Source: 48 FR 46776, Oct. 14, 1983, unless otherwise noted.

§655.601 Purpose.

To prescribe the policies and procedures of the Federal Highway Administration (FHWA) to obtain basic uniformity of traffic control devices on all streets and highways in accordance with the following references that are approved by the FHWA for application on Federal-aid projects:

(a) Manual on Uniform Traffic Control Devices for Streets and Highways (MUTCD), 2003 Edition, including Revision No.1, FHWA, dated November 2004. This publication is incorporated by reference in accordance with 5 U.S.C. 552 (a) and 1 CFR part 51 and is on file at the National Archives and Record Administration (NARA). For information on the availability of this material at NARA call (202) 741-6030, or go to http:// www.archives.gov/federal register/ code of federal regulations/

ibr locations.html. It is available for inspection and copying at the Federal Highway Administration, 400 Seventh Street, SW., Room 3408, Washington, DC 20590, as provided in 49 CFR part 7. The text is also available from the FHWA Office of Transportation Operations' Web site at: http://

mutcd.fhwa.dot.gov.

(b) Standard Alphabets for Highway Signs, FHWA, 1966 Edition, Reprinted May 1972. (This publication is incorporated by reference and is on file at the Office of the Federal Register in Washington, DC. This document is

§ 655.602

available for inspection and copying as provided in 49 CFR part 7, appendix D).

(c) Guide to Metric Conversion, AASHTO, 1993. This publication is incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51 and is on file at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/ federal_register/
code_of_federal_regulations/

ibr locations.html. This document is available for inspection as provided in 49 CFR part 7. It may be purchased from the American Association of State Highway and Transportation Officials, Suite 249, 444 North Capitol Street, NW., Washington, DC 20001.

(d) Traffic Engineering Metric Conversion Factors, 1993—Addendum to the Guide to Metric Conversion, AASHTO, October 1993. This publication is incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51 and is on file at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http:// www.archives.gov/federal_register/

code_of_federal_regulations/ ibr_locations.html. This document is available for inspection as provided in 49 CFR part 7. It may be purchased from the American Association of State Highway and Transportation Officials, Suite 249, 444 North Capitol Street, NW., Washington, DC 20001.

[51 FR 16834, May 7, 1986, as amended at 60 FR 18521, Apr. 11, 1995; 61 FR 29626, June 11, 1996; 62 FR 1373, Jan. 9, 1997; 63 FR 8351, Feb. 19, 1998; 63 FR 33549, June 19, 1998; 64 FR 33753, June 24, 1999; 65 FR 13, Jan. 3, 2000; 65 FR 78958, Dec. 18, 2000; 67 FR 7076, Feb. 15, 2002; 68 FR 65582, Nov. 20, 2003; 69 FR 18803, Apr. 9, 2004; 69 FR 69819, Dec. 1, 2004]

§655.602 Definitions.

The terms used herein are defined in accordance with definitions and usages contained in the MUTCD and 23 U.S.C. 101(a).

§655.603 Standards.

(a) National MUTCD. The MUTCD approved by the Federal Highway Administrator is the national standard for all traffic control devices installed on any street, highway, or bicycle trail open to public travel in accordance with 23 U.S.C 109(d) and 402(a). The national MUTCD is specifically approved by the FHWA for application on any highway project in which Federal highway funds participate and on projects in federally administered areas where a Federal department or agency controls the highway or supervises the traffic operations.

(b) State or other Federal MUTCD. (1) Where State or other Federal agency MUTCDs or supplements are required, they shall be in substantial conformance with the national MUTCD. Changes to the national MUTCD issued by the FHWA shall be adopted by the States or other Federal agencies within 2 years of issuance. The FHWA Division Administrators shall approve the State MUTCDs and supplements that are in substantial conformance with the national MUTCD.

- (2) The FHWA Associate Administrator of the Federal Lands Highway Program shall approve other Federal land management agencies' MUTCDs that are in substantial conformance with the national MUTCD. States and other Federal agencies are encouraged to adopt the national MUTCD as their official Manual on Uniform Traffic Control Devices.
- (c) Color specifications. Color determinations and specifications of sign and pavement marking materials shall conform to requirements of the FHWA Color Tolerance Charts. 2 An alternate method of determining the color of retroreflective sign material is provided in the appendix.
- (d) Compliance—(1) Existing highways. Each State, in cooperation with its political subdivisions, and Federal agency shall have a program as required by 23 U.S.C. 402(a), which shall include provisions for the systematic upgrading of substandard traffic control devices and for the installation of needed devices to achieve conformity with the MUTCD.

² Available for inspection from the Office of Traffic Operations, Federal Highway Administration, 400 Seventh Street, SW., Washington, DC 20590.

- (2) New or reconstructed highways. Federal-aid projects for the construction, reconstruction, resurfacing, restoration, or rehabilitation of streets and highways shall not be opened to the public for unrestricted use until all appropriate traffic control devices, either temporary or permanent, are installed and functioning properly. Both temporary and permanent devices shall conform to the MUTCD.
- (3) Construction area activities. All traffic control devices installed in construction areas using Federal-aid funds shall conform to the MUTCD. Traffic control plans for handling traffic and pedestrians in construction zones and for protection of workers shall conform to the requirements of 23 CFR part 630, subpart J, Traffic Safety in Highway and Street Work Zones.
- (4) *MUTCD changes*. The FHWA may establish target dates for achieving compliance with changes to specific devices in the MUTCD.
- (e) *Specific information signs*. Standards for specific information signs are contained in the MUTCD.

[48 FR 46776, Oct. 14, 1983, as amended at 51 FR 16834, May 7, 1986; 68 FR 14139, Mar. 24, 2003]

$\S 655.604$ Achieving basic uniformity.

- (a) *Programs.* Programs for the orderly and systematic upgrading of existing traffic control devices or the installation of needed traffic control devices on or off the Federal-aid system should be based on inventories made in accordance with 23 CFR 1204.4, Highway Safety Program Standards. These inventories provide the information necessary for programming traffic control device upgrading projects.
- (b) *Inventory*. An inventory of all traffic control devices is required by Highway Safety Program Standard Number 13, Traffic Engineering Services (23 CFR 1204.4). Highway planning and research funds and highway related safety grant program funds may be used in statewide or systemwide studies or inventories. Also, metropolitan planning (PL) funds may be used in urbanized areas provided the activity is included in an approved unified work program.

§655.605 Project procedures.

(a) Federal-aid highways. Federal-aid projects involving the installation of traffic control devices shall follow procedures as established in 23 CFR part 630, subpart A, Federal-Aid Programs Approval and Project Authorization. Simplified and timesaving procedures are to be used to the extent permitted by existing policy.

(b) Off-system highways. Certain federally funded programs are available for installation of traffic control devices on streets and highways that are not on the Federal-aid system. The procedures used in these programs may vary from project to project but, essentially, the guidelines set forth herein should be used.

§655.606 Higher cost materials.

The use of signing, pavement marking, and signal materials (or equipment) having distinctive performance characteristics, but costing more than other materials (or equipment) commonly used may be approved by the FHWA Division Administrator when the specific use proposed is considered to be in the public interest.

§ 655.607 Funding.

- (a) Federal-aid highways. (1) Funds apportioned or allocated under 23 U.S.C. 104(b) are eligible to participate in projects to install traffic control devices in accordance with the MUTCD on newly constructed, reconstructed, resurfaced, restored, or rehabilitated highways, or on existing highways when this work is classified as construction in accordance with 23 U.S.C. 101(a). Federal-aid highway funds for eligible pavement markings and traffic control signalization may amount to 100 percent of the construction cost. Federal-aid highway funds apportioned or allocated under other sections of 23 U.S.C. are eligible for participation in improvements conforming to the MUTCD in accordance with the provisions of applicable program regulations and directives.
- (2) Traffic control devices are eligible, in keeping with paragraph (a)(1) of this section, provided that the work is classified as construction in accordance with 23 U.S.C. 101(a) and the State or local agency has a policy acceptable

Pt. 655, Subpt. F, App.

to the FHWA Division Administrator for selecting traffic control devices material or equipment based on items such as cost, traffic volumes, safety, and expected service life. The State's policy should provide for cost-effective selection of materials which will provide for substantial service life taking into account expected and necessary routine maintenance. For these purposes, effectiveness would normally be measured in terms of durability, service life and/or performance of the material. Specific projects including material or equipment selection shall be developed in accordance with this policy. Proposed work may be approved on a project-by-project basis when the work is (i) clearly warranted, (ii) on a Federal-aid system, (iii) clearly identified by site, (iv) substantial in nature, and (v) of sufficient magnitude at any given location to warrant Federal-aid participation as a construction item.

- (3) The method of accomplishing the work will be in accordance with 23 CFR part 635, subpart A, Contract Procedures.
- (b) Off-system highways. Certain Federal-aid highway funds are eligible to participate in traffic control device improvement projects on off-system highways. In addition, Federal-aid highway funds apportioned or allocated in 23 U.S.C. are eligible for the installation of traffic control devices on any public road not on the Federal-aid system when the installation is directly related to a traffic improvement project on a Federal-aid system route.
- APPENDIX TO SUBPART F OF PART 655—
 ALTERNATE METHOD OF DETERMINING THE COLOR OF RETROREFLECTIVE SIGN MATERIALS
 AND PAVEMENT MARKING MATERIALS
- 1. Although the FHWA Color Tolerance Charts depreciate the use of spectrophotometers or accurate tristimulus colorimeters for measuring the daytime color of retroreflective materials, recent testing has determined that 0/45 or 45/0

spectroradiometers and tristimulus colorimeters have proved that the measurements can be considered reliable and may be used.

- 2. The daytime color of non-fluorescent retroreflective materials may be measured in accordance with ASTM Test Method E1349, "Standard Test Method for Reflec-Factor and Color Spectrophotometry Using Bidirectional Geometry" or ASTM Test Method E 1347 (Replaces E97), "Standard Test Method for Color Color-Difference Measurement Tristimulus (Filter) Colorimetry.'' The latter test method specified bidirectional geometry for the measurement of retroreflective materials. The geometric conditions to be used in both test methods are 0/45 or 45/0 circumferential illumination or viewing. Uniplanar geometry is not recommended for material types IV or higher (designated microprismatic). The CIE standard illuminant used in computing the colorimetric coordinates shall be D_{65} and the 2 Degree Standard CIE observer shall be used.
- 3. For fluorescent retroreflective materials ASTM E991 may be used to determine the chromaticity provided that the D_{65} illumination meets the requirements of E 991. This practice, however, allows only the total luminous factor to be measured. The fluorescent luminous factor must be determined using bispectral fluorescent colorimetry. Commercial instruments are available which allow such determination. Some testing laboratories are also equipped to perform these measurements.
- 4. For nighttime measurements CIE Standard Illuminant A shall be used in computing the colorimetric coordinates and the 2 Degree Standard CIE Observer shall be used.
- 5. Average performance sheeting is identified as Types I and II sheeting and high performance sheeting is identified as Type III. Super-high intensity sheeting is identified as Types V, VI, and VII in ASTM D 4956.
- 6. The following nine tables depict the 1931 CIE Chromaticity Diagram x and y coordinates for the corner points defining the recommended color boxes in the diagram and the daytime luminance factors for those colors. Lines drawn between these corner points specify the limits of the chromaticity allowed in the 1931 Chromaticity Diagram. Color coordinates of samples that lie within these lines are acceptable. For blue and green colors the spectrum locus is the defining limit between the corner points located on the spectrum locus:

Federal Highway Administration, DOT

Pt. 655, Subpt. F, App.

Table 1 to Appendix to Part 655, Subpart F—Daytime Color Specification Limits for Retroreflective Material With CIE 2° Standard Observer and 45/0 (0/45) Geometry and CIE Standard Illuminant D_{65} .

	Chromaticity Coordinates								
Color	1		2		3		4		
	х	у	х	У	у	х	x	у	
White	0.303	0.300	0.368	0.366	0.340	0.393	0.274	0.329	
Red	0.648	0.351	0.735	0.265	0.629	0.281	0.565	0.346	
Orange	0.558	0.352	0.636	0.364	0.570	0.429	0.506	0.404	
Brown	0.430	0.340	0.430	0.390	0.518	0.434	0.570	0.382	
Yellow	0.498	0.412	0.557	0.442	0.479	0.520	0.438	0.472	
Green	0.026	0.399	0.166	0.364	0.286	0.446	0.207	0.771	
Blue	0.078	0.171	0.150	0.220	0.210	0.160	0.137	0.038	
Light Blue	0.180	0.260	0.240	0.300	0.270	0.260	0.230	0.200	
Purple	0.300	0.064	0.320	0.200	0.550	0.300	0.600	0.202	

Table 1a to Appendix to Part 655, Subpart F—Daytime Luminance Factors (%) for Retroreflective Material With CIE 2° Standard Observer and 45/0 (0/45) Geometry and CIE Standard Illuminant D_{65} .

		Daytime Luminance Factor (Y %) by ASTM Type								
Color	Types I, II, III and VI		Types IV, \	/II, and VIII	Type V					
	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum				
White	27		40		15					
Red	2.5	12	3.0	15	2.5	11				
Orange	14	30	12	30	7.0	25				
Brown	4.0	9.0	1.0	6.0	1.0	9.0				
Yellow	15	45	24	45	12	30				
Green	3.0	9.0	3.0	12	2.5	11				
Blue	1.0	10	1.0	10	1.0	10				
Light Blue	12	40	18	40	8.0	25				
Purple	2.0	10	2.0	10	2.0	10				

Table 2 to Appendix to Part 655, Subpart F—Nighttime Color Specification Limits for Retroreflective Material With CIE 2° Standard Observer and Observation Angle of 0.33°, Entrance Angle of +5° and CIE Standard Illuminant A.

	Chromaticity Coordinates								
Color	1		2		3	3	4		
	X	у	х	у	х	у	х	У	
White	0.475	0.452	0.360	0.415	0.392	0.370	0.515	0.409	
Red	0.650	0.348	0.620	0.348	0.712	0.2550	0.735	0.265	
Orange	0.595	0.405	0.565	0.405	0.613	0.355	0.643	0.355	
Brown	0.595	0.405	0.540	0.405	0.570	0.365	0.643	0.355	
Yellow	0.513	0.487	0.500	0.4700	0.545	0.425	0.572	0.425	
Green	0.007	0.570	0.200	0.500	0.322	0.590	0.193	0.782	
Blue	0.033	0.370	0.180	0.370	0.230	0.240	0.091	0.133	
Light Blue	Chromaticity coordinates are yet to be determined.								
Purple	Chromaticity coordinates are yet to be determined.								

Note: Materials used as High-Conspicuity, Retroreflective Traffic Signage Materials shall meet the requirements for Daytime Color Specification Limits, Daytime Luminance Factors and Nighttime Color Specification Limits for Fluorescent Retroreflective Material, as described in Tables 3, 3a, and 4, throughout the service life of the sign.

Pt. 655, Subpt. F, App.

Table 3 to Appendix to Part 655, Subpart F—Daytime Color Specification Limits for Fluorescent Retroreflective Material with CIE 2° Standard Observer and 45/0 (0/45) Geometry and CIE Standard Illuminant D_{65} .

	Chromaticity Coordinates								
Color	1		2		3		4		
	x	у	x	у	x	У	x	у	
Fluorescent Orange Fluorescent Yellow Fluorescent Yellow-Green Fluorescent Green Fluorescent Fluoresce	0.583 0.479 0.387 0.210 0.450	0.416 0.520 0.610 0.770 0.270	0.535 0.446 0.369 0.232 0.590	0.400 0.483 .546 0.656 0.350	0.595 0.512 .428 0.320 0.644	0.351 0.421 .496 0.590 0.290	0.645 0.557 0.460 0.320 0.536	0.355 0.442 0.540 0.675 0.230	

TABLE 3A TO APPENDIX TO PART 655, SUBPART F—DAYTIME LUMINANCE FACTORS (%) FOR FLUORESCENT RETROREFLECTIVE MATERIAL WITH CIE 2° STANDARD OBSERVER AND 45/0 (0/45) GEOMETRY AND CIE STANDARD ILLUMINANT D₆₅.

Color	Luminan	Luminance Factor Limits (Y)			
Color		Max	Y _F *		
Fluorescent Orange Fluorescent Yellow Fluorescent Yellow-Green Fluorescent Green Fluorescent Pink	25 45 60 20 25	None None None 30 None	15 20 20 12 15		

^{*}Fluorescence luminance factors (YF) are typical values, and are provided for quality assurance purposes only. YF shall not be used as a measure of performance during service.

Table 4 to Appendix to Part 655, Subpart F—Nighttime Color Specification Limits for Fluorescent Retroreflective Material With CIE 2° Standard Observer and Observation Angle of 0.33°, Entrance Angle of +5° and CIE Standard Illuminant A.

	Chromaticity Coordinates								
Color	1		2		3		4		
	х	у	x	у	x	у	x	у	
Fluorescent Orange Fluorescent Yellow Fluorescent Yellow-Green Fluorescent Green	0.625 0.554 0.480 0.007	0.375 0.445 0.520 0.570	0.589 0.526 0.473 0.200	0.376 0.437 0.490 0.500	0.636 0.569 0.523 0.322	0.330 0.394 0.440 0.590	0.669 0.610 0.550 0.193	0.331 0.390 0.449 0.782	

Table 5 to Appendix to Part 655, Subpart F—Daytime Color Specification Limits for Retroreflective Pavement Marking Material With CIE 2° Standard Observer and 45/0 (0/45) Geometry and CIE Standard Illuminant D_{65} .

	Chromaticity Coordinates								
Color	1		2		3		4		
	х	у	x	у	x	у	х	у	
White Yellow Red Blue	0.355 0.560 0.480 0.105	0.355 0.440 0.300 0.100	0.305 0.490 0.690 0.220	0.305 0.510 0.315 0.180	0.285 0.420 0.620 0.200	0.325 0.440 0.380 0.260	0.335 0.460 0.480 0.060	0.375 0.400 0.360 0.220	

Table 5a to Part 655, Subpart F—Daytime Luminance Factors (%) for Retroreflective Pavement Marking Material With CIE 2° Standard Observer and 45/0 (0/45) Geometry and CIE Standard Illuminant D_{65} .

Color	Luminance F	actor (Y%)
Coloi	Minimum	Maximum
White	35 25	

Table 5a to Part 655, Subpart F—Daytime Luminance Factors (%) for Retroreflective Pavement Marking Material With CIE 2° Standard Observer and 45/0 (0/45) Geometry and CIE Standard Illuminant D_{65} .—Continued

Color	Luminance F	actor (Y%)
Coloi	Minimum	Maximum
Red	6 5	15 14

Table 6 to Appendix to Part 655, Subpart F—Nightime Color Specification Limits for Retroreflective Pavement Marking Material With CIE 2° Standard Observer, Observation Angle of 1.05°, Entrance Angle of +88.76° and CIE Standard Illuminant A.

	Chromaticity Coordinates								
Color	1		2		3		4		
	х	у	x	у	х	у	х	у	
WhiteYellow	0.480 0.575	0.410 0.425	0.430 0.508	0.380 0.415	0.405 0.473	0.405 0.453	0.455 0.510	0.435 0.490	

Note: Luminance factors for retroreflective pavement marking materials are for materials as they are intended to be used. For paint products, that means inclusion of class beads and/or other retroreflective components.

[67 FR 49572, July 31, 2002, as amended at 67 FR 70163, Nov. 21, 2002; 68 FR 65582, 65583, Nov. 20, 2003]

Subpart G [Reserved]

PART 656—CARPOOL AND VANPOOL PROJECTS

Sec.

656.1 Purpose.

656.3 Policy.

656.5 Eligibility.

656.7 Determination of an exception.

AUTHORITY: 23 U.S.C. 146 and 315; sec. 126 of the Surface Transportation Assistance Act of 1978, Pub. L. 95-599, 92 Stat. 2689; 49 CFR 148(h)

SOURCE: 47 FR 43024, Sept. 30, 1982, unless otherwise noted.

§ 656.1 Purpose.

The purpose of this regulation is to prescribe policies and general procedures for administering a program of ridesharing projects using Federal-aid primary, secondary, and urban system funds.

§ 656.3 Policy.

Section 126(d) of the Surface Transportation Assistance Act of 1978 declares that special effort should be made to promote commuter modes of transportation which conserve energy,

reduce pollution, and reduce traffic congestion.

§656.5 Eligibility.

- (a) Projects which promote ridesharing programs need not be located on but must serve a Federal-aid system to be eligible for Federal-aid primary, secondary, or urban system funds depending on the system served. The Federal share payable will be in accordance with the provisions of 23 U.S.C. 120. Except for paragraph (c)(3) of this section, for all purposes of this regulation the term *carpool* includes *vanpool*.
- (b) Projects shall not be approved under this regulation if they will have an adverse effect on any mass transportation system.
- (c) The following types of projects and work are considered eligible under this program:
- (1) Systems, whether manual or computerized, for locating potential participants in carpools and informing them of the oppportunities for participation. Eligible costs for such systems may include costs of use or rental of computer hardware, costs of software, and installation costs (including both labor and other related items).
- (2) Specialized procedures to provide carpooling opportunities to elderly or handicapped persons.
- (3) The costs of acquiring vanpool vehicles and actual financial losses that

§ 656.5

occur when the operation of any vanpool is aborted before the scheduled termination date for the reason, concurred in by the State, that its continuation is no longer productive. The cost of acquiring a vanpool vehicle is eligible under the following conditions:

- (i) The vanpool vehicle is a four-wheeled vehicle manufactured for use on public highways for transportation of 7-15 passengers (no passenger cars which do not meet the 7—15 criteria and no buses); and
- (ii) Provision is made for repayment of the acquisition cost to the project within the passenger-service life of the vehicle. Repayment may be accomplished through the charging of a reasonable user fee based on an estimated number of riders per vehicle and the cost of reasonable vehicle depreciation, operation, and maintenance. Repayment is not required under the following conditions:
- (A) When vehicles are purchased as demonstrator vans for use as a marketing device. Vehicles procured for this purpose should be used to promote the vanpool concept among employees, employers, and other groups by allowing potential riders and sponsors to examine commuter vans; or
- (B) When vehicles are purchased for use on a trial commuting basis to enable people to experience vanpooling first hand. The trial period must be limited to a maximum of 2 months. That part of the user fee normally collected to cover the capital or ownership cost of the van would be eligible for reimbursement as a promotional cost during the limited trial period. As with established vanpool service, all vehicle operating costs must be borne by the user(s) during the trial period.
- (4) Work necessary to designate existing highway lanes as preferential carpool lanes or bus and carpool lanes. Eligible work may include preliminary engineering to determine traffic flow and design criteria, signing, pavement markings, traffic control devices, and minor physical modifications to permit the use of designated lanes as preferential carpool lanes or bus and carpool lanes. Such improvements on any public road may be approved if such projects facilitate more efficient use of any Federal-aid highway. Eligible costs

may also include costs of initial inspection or monitoring of use, including special equipment, to ensure that the high occupancy vehicle (HOV) lanes designation is effective and that the project is fully developed and operating properly. While no fixed time limit is being arbitrarily prescribed for the inspection and monitoring period, it is intended that this activity be conducted as soon as possible to evaluate the effectiveness of the project and does not extend indefinitely nor become a part of routine facility operations.

- (5) Signing of and modifications to existing facilities to provide preferential parking for carpools inside or outside the central business district. Eligible costs may include trail blazers, on-site signs designating highway interchange areas or other existing publicly or privately owned facilities as preferential parking for carpool participants, and initial or renewal costs for leasing parking space or acquisition or easements or restrictions, as, for example, at shopping centers and public or private parking facilities. The lease or acquisition cost may be computed on the demonstrated reduction in the overall number of vehicles using the designated portion of a commercial facility, but not on a reduction of the per-vehicle user charge for parking.
- (6) Construction of carpool parking facilities outside the central business district. Eligible costs may include acquisition of land and normal construction activities, including installation of lighting and fencing, trail blazers, on-site signing, and passenger shelters. Such facilities need not be located in conjunction with any existing or planned mass transportation service, but should be designed so that the facility could accommodate mass transportation in the event such service may be developed. Except for the requirement of the availability of mass/ public transportation facilities, fringe parking construction under this section shall be subject to the provisions of 23 CFR part 810.106.
- (7) Reasonable public information and promotion expenses, including personnel costs, incurred in connection with any of the other eligible items mentioned herein.

§656.7 Determination of an exception.

(a) The FHWA has determined under provisions of 23 U.S.C. 146(b) that an exceptional situation exists in regard to the funding of carpools so as to allow the State to contribute as its share of the non-Federal match essential project-related work and services performed by local agencies and private organizations when approved and authorized in accordance with regular Federal-aid procedures. The cost of such work must be properly valued, supportable and verifiable in order for inclusion as an eligible project cost. Examples of such contributed work and services include: public service announcements, computer services, and project-related staff time for administration by employees of public and private organizations.

(b) This determination is based on: (1) The nature of carpool projects to provide a variety of services to the public; (2) the fact that carpool projects are labor intensive and require professional and specialized technical skills; (3) the extensive use of joint public and private endeavors; and (4) the fact that project costs involve the acquisition of capital equipment as opposed to construction of fixed items.

(c) This exception is limited to carpool projects and therefore is not applicable to other Federal-aid projects. The exception does not affect or replace the standard Federal-aid funding procedures or real property acquisition procedures and requirements, part 712, The Acquisition Function.

PART 657—CERTIFICATION OF SIZE AND WEIGHT ENFORCEMENT

Sec.

657.1 Purpose.

657.3 Definition.

657.5 Policy.

657.7 Objective.

657.9 Formulation of a plan for enforcement.

657.11 Evaluation of operations.

657.13 Certification requirement.

657.15 Certification content.

657.17 Certification submittal.

 $657.19\,$ Effect of failure to certify or to enforce State laws adequately.

657.21 Procedure for reduction of funds.

APPENDIX TO PART 657—GUIDELINES TO BE USED IN DEVELOPING ENFORCEMENT PLANS AND CERTIFICATION EVALUATION

AUTHORITY: Sec. 123, Pub. L. 95-599, 92 Stat. 2689; 23 U.S.C. 127, 141, and 315; 49 U.S.C. 31111, 31113, and 31114; sec. 1023, Pub. L. 102-240, 105 Stat. 1914; and 49 CFR 1.48(b)(19), (b)(23), (c)(1), and (c)(19).

SOURCE: 45 FR 52368, Aug. 7, 1980; 62 FR 62261, Nov. 21, 1997, unless otherwise noted.

NOTE: The recordkeeping requirements contained in this part have been approved by the Office of Management and Budget under control number 2125–0034.

§ 657.1 Purpose.

To prescribe requirements for administering a program of vehicle size and weight enforcement on Federal-aid (FA) highways, including the required annual certification by the State.

§657.3 Definition.

Enforcing or enforcement means all actions by the State to obtain compliance with size and weight requirements by all vehicles operating on the FA Interstate, primary, urban, and secondary systems.

§657.5 Policy.

Federal Highway Administration (FHWA) policy is that each State enforce vehicle size and weight laws to assure that violations are discouraged and that vehicles traversing the highway system do not exceed the limits specified by law. These size and weight limits are based upon design specifications and safety considerations, and enforcement shall be developed and maintained both to prevent premature deterioration of the highway pavement and structures and to provide a safe driving environment.

§657.7 Objective.

The objective of this regulation is the development and operation by each State of an enforcement process which identifies vehicles of excessive size and weight and provides a systematic approach to eliminate violations and thus improve conditions.

§ 657.9

§657.9 Formulation of a plan for enforcement.

(a) Each State shall develop a plan for the maintenance of an effective enforcement process. The plan shall describe the procedures, resources, and facilities which the State intends to devote to the enforcement of its vehicle size and weight laws. Each State plan must be accepted by the FHWA and will then serve as a basis by which the annual certification of enforcement will be judged for adequacy.

(b) The plan shall discuss the fol-

lowing subjects:

(1) Facilities and resources. (i) No program shall be approved which does not utilize a combination of at least two of the following listed devices to deter evasion of size and weight measurement in sufficient quantity to cover the FA system: fixed platform scales; portable wheel weigher scales; semiportable or ramp scales; WIM equipment.

(ii) Staff assigned to the program, identified by specific agency. Where more than one State agency has weight enforcement responsibility, the lead

agency should be indicated.

(2) Practices and procedures. (i) Proposed plan of operation, including geographical coverage and hours of oper-

ation in general terms.

- (ii) Policy and practices with respect to overweight violators, including off-loading requirements for divisible loads. In those States in which off-loading is mandatory by law, an administrative variance from the legal requirement shall be fully explained. In those States in which off-loading is permissive administrative guidelines shall be included.
- (iii) Policy and practices with respect to penalties, including those for repeated violations. Administrative directives, booklets or other written criteria shall be made part of the plan submission.
- (iv) Policy and practices with respect to special permits for overweight. Administrative directives, booklets or other written criteria shall be made part of the plan submission.

(3) *Updating*. Modification and/or additions to the plan based on experience and new developments in the enforcement program. It is recognized that the

plan is not static and that changes may be required to meet changing needs.

§657.11 Evaluation of operations.

- (a) The State shall submit its enforcement plan or annual update to the Office of Motor Carriers in the FHWA division office by July 1 of each year. However, if a State's legislative or budgetary cycle is not consonant with that date, the FHWA and the State may jointly select an alternate date. In any event, a State must have an approved plan in effect by October 1 of each year. Failure of a State to submit or update a plan will result in the State being unable to certify in accordance with §657.13 for the period to be covered by the plan.
- (b) The Office of Motor Carriers in the FHWA division office shall review the State's operation under the accepted plan on a continuing basis and shall prepare an evaluation report annually. The State will be advised of the results of the evaluation and of any needed changes either in the plan itself or in its implementation. Copies of the evaluation report and subsequent modifications resulting from the evaluation shall be forwarded through the Regional Director of Motor Carriers to the Washington, D.C., Headquarters office.

[59 FR 30418, June 13, 1994]

§657.13 Certification requirement.

Each State shall certify to the Federal Highway Administrator, before January 1 of each year, that it is enforcing all State laws respecting maximum vehicle size and weight permitted on what, prior to October 1, 1991, were the Federal-aid Primary, Secondary, and Urban Systems, including the Interstate System, in accordance with 23 U.S.C. 127. The States must also certify that they are enforcing and complying with the ISTEA freeze on the use of LCV's and other multi-unit vehicles. The certification shall be supported by information on activities and results achieved during the preceding 12-month period ending on September 30 of each year.

[59 FR 30418, June 13, 1994]

§657.15 Certification content.

The certification shall consist of the following elements and each element shall be addressed even though the response is negative:

- (a) A statement by the Governor of the State, or an official designated by the Governor, that the State's vehicle weight laws and regulations governing use of the Interstate System conform to 23 U.S.C. 127.
- (b) A statement by the Governor of the State, or an official designated by the Governor, that all State size and weight limits are being enforced on the Interstate System and those routes which prior to October 1, 1991, were designated as part of the Federal-aid Primary, Urban, and Secondary Systems, and that the State is enforcing and complying with the provisions of 23 U.S.C. 127(d) and 49 U.S.C. 31112 Urbanized areas not subject to State jurisdiction shall be identified. The statement shall include an analysis of enforcement efforts in such areas.
- (c) Except for Alaska and Puerto Rico, the certifying statements required by paragraphs (a) and (b) of this section shall be worded as follows (the statements for Alaska and Puerto Rico do not have to reference 23 U.S.C. 127(d) in (c)(2), or include paragraph (c)(3) of this section):
- I, (name of certifying official), (position title), of the State of _____ do hereby certify:
- (1) That all State laws and regulations governing vehicle size and weight are being enforced on those highways which, prior to October 1, 1991, were designated as part of the Federal-aid Primary, Federal-aid Secondary, or Federal-aid Urban Systems;
- (2) That the State is enforcing the freeze provisions of the Intermodal Surface Transportation Efficiency Act of 1991 (23 U.S.C. 127(d) and 49 U.S.C. 31112); and
- (3) That all State laws governing vehicle weight on the Interstate System are consistent with 23 U.S.C. 127 (a) and (b).
- (d) If this statement is made by an official other than the Governor, a copy of the document designating the official, signed by the Governor, shall

also be included in the certification made under this part.

- (e) A copy of any State law or regulation pertaining to vehicle sizes and weights adopted since the State's last certification and an analysis of the changes made. Those laws and regulations pertaining to special permits and penalties shall be specifically identified and analyzed in accordance with section 123 of the Surface Transportation Assistance Act of 1978 (Pub. L. 95–599).
- (f) A report of State size and weight enforcement efforts during the period covered by the certification which addresses the following:
- (1) Actual operations as compared with those forecast by the plan submitted earlier, with particular attention to changes in or deviations from the operations proposed.
- (2) Impacts of the process as actually applied, in terms of changes in the number of oversize and/or overweight vehicles.
- (3) Measures of activity—(i) Vehicles weighed. Separate totals shall be reported for the annual number of vehicles weighed on fixed scales, on semiportable scales, on portable scales, and on WIM when used for enforcement.
- (ii) Penalties. Penalties reported shall include the number of citations or civil assessments issued for violations of each of the following: Axle, gross and bridge formula weight limits. The number of vehicles whose loads are either shifted or offloaded must also be reported.
- (iii) *Permits.* The number of permits issued for *overweight* loads shall be reported. The reported numbers shall specify permits for divisible and non-divisible loads and whether issued on a trip or annual basis. Permits issued for excess height, length, or width need not be reported except where issued for the overwidth movement of a divisible load.

[59 FR 30418, June 13, 1994, as amended at 62 FR 10181, Mar. 5, 1997]

§657.17 Certification submittal.

(a) The Governor, or an official designated by the Governor, shall submit the certification to the Office of Motor

§657.19

Carriers in the FHWA division office prior to January 1 of each year.

(b) The Office of Motor Carriers in the FHWA division office shall forward the original certification to the Associate Administrator for Motor Carriers and one copy to the Office of Chief Counsel. Copies of appropriate evaluations and/or comments shall accompany any transmittal.

[59 FR 30418, June 13, 1994]

§657.19 Effect of failure to certify or to enforce State laws adequately.

Beginning January 1, 1981, if a State fails to certify as required by this regulation or if the Secretary determines that a State is not adequately enforcing all State laws respecting maximum vehicle sizes and weights on FA highways notwithstanding the State's certification, the FA highway funds apportioned to the State for the next fiscal year shall be reduced by an amount equal to 10 percent of the amount which would otherwise be apportioned to the State under 23 U.S.C. 104, and/or by the amount required pursuant to 23 U.S.C. 127.

§ 657.21 Procedure for reduction of funds.

(a) If it appears to the Federal Highway Administrator that a State has not submitted a certification conforming to the requirements of this regulation, or that the State is not adequately enforcing State laws respecting maximum vehicle size and weight, including laws applicable to vehicles using the Interstate System with weights or widths in excess of those provided under 23 U.S.C. 127, the Federal Highway Administrator shall make in writing a proposed determination of nonconformity, and shall notify the Governor of the State of the proposed determination by certified mail. The notice shall state the reasons for the proposed determination and inform the State that it may, within 30 days from the date of the notice, request a hearing to show cause why it should not be found in nonconformity. If the State informs the Administrator before the end of this 30-day period that it wishes to attempt to resolve the matter informally, the Administrator may extend the time for requesting a hearing. In the event of a request for informal resolution, the State and the Administrator (or designee) shall promptly schedule a meeting to resolve the matter.

- (b) In all instances where the State proceeds on the basis of informal resolution, a transcript of the conference will be made and furnished to the State by the FHWA.
- (1) The State may offer any information which it considers helpful to a resolution of the matter, and the scope of review at the conference will include, but not be limited to, legislative actions, including those proposed to remedy deficiencies, budgetary considerations, judicial actions, and proposals for specific actions which will be implemented to bring the State into compliance.
- (2) The information produced at the conference may constitute an explanation and offer of settlement and the Administrator will make a determination on the basis of the certification, record of the conference, and other information submitted by the State. The Administrator's final decision together with a copy of the transcript of the conference will be furnished to the State.
- (3) If the Administrator does not accept an offer of settlement made pursuant to paragraph (b)(2) of this section, the State retains the right to request a hearing on the record pursuant to paragraph (d) of this section, except in the case of a violation of section 127.
- (c) If the State does not request a hearing in a timely fashion as provided in paragraph (a) of this section, the Federal Highway Administrator shall forward the proposed determination of nonconformity to the Secretary. Upon approval of the proposed determination by the Secretary, the fund reduction specified by §657.19 shall be effected.
- (d) If the State requests a hearing, the Secretary shall expeditiously convene a hearing on the record, which shall be conducted according to the provisions of the Administrative Procedure Act, 5 U.S.C. 555 et seq. Based on the record of the proceeding, the Secretary shall determine whether the State is in nonconformity with this regulation. If the Secretary determines that the State is in nonconformity, the

fund reduction specified by section 567.19 shall be effected.

- (e) The Secretary may reserve 10 percent of a State's apportionment of funds under 23 U.S.C. 104 pending a final administrative determination under this regulation to prevent the apportionment to the State of funds which would be affected by a determination of nonconformity.
- (f) Funds withheld pursuant to a final administrative determination under this regulation shall be reapportioned to all other eligible States one year from the date of this determination, unless before this time the Secretary determines, on the basis of information submitted by the State and the FHWA, that the State has come into conformity with this regulation. If the Secretary determines that the State has come into conformity, the withheld funds shall be released to the State.
- (g) The reapportionment of funds under paragraph (e) of this section shall be stayed during the pendency of any judicial review of the Secretary's final administrative determination of nonconformity.

APPENDIX TO PART 657—GUIDELINES TO BE USED IN DEVELOPING ENFORCE-MENT PLANS AND CERTIFICATION EVALUATION

A. Facilities and Equipment

- 1. Permanent Scales
- a. Number
- b. Location (a map appropriately coded is suggested) $\,$
 - c. Public-private (if any)
 - 2. Weigh-in-motion (WIM)
 - a. Number
- b. Location (notation on above map is suggested)
- 3. Semi-portable scales
- a. Type and number
- b. If used in sets, the number comprising a set
 - 4. Portable Scales
 - a. Type and number
- b. If used in sets, the number comprising a set

B. Resources

- 1. Agencies involved ($\it i.e.$, highway agency, State police, motor vehicle department, etc.)
- 2. Personnel—numbers from respective agencies assigned to weight enforcement
- 3. Funding
- a. Facilities
- b. Personnel

C. Practices

- 1. Proposed schedule of operation of fixed scale locations in general terms
- 2. Proposed schedule of deployment of portable scale equipment in general terms
- 3. Proposed schedule of deployment of semi-portable equipment in general terms
- 4. Strategy for prevention of bypassing of fixed weighing facility location
- 5. Proposed action for implementation of off-loading, if applicable

D. Goals

- 1. Short term—the year beginning October 1 following submission of a vehicle size and weight enforcement plan
- 2. Medium term—2-4 years after submission of the enforcement plan
- 3. Long term—5 years beyond the submission of the enforcement plan
- 4. Provision for annual review and update of vehicle size and weight enforcement plan

E. Evaluation

The evaluation of an existing plan, in comparison to goals for strengthening the enforcement program, is a difficult task, especially since there is very limited experience nationwide.

The FHWA plans to approach this objective through a continued cooperative effort with State and other enforcement agencies by gathering useful information and experience on elements of enforcement practices that produce positive results.

It is not considered practicable at this time to establish objective minimums, such as the number of vehicles to be weighed by each State, as a requirement for satisfactory compliance. However, the States will want to know as many specifics as possible about what measuring tools will be used to evaluate their annual certifications for adequacy.

The above discussion goes to the heart of the question concerning numerical criteria. The assumption that a certain number of weighings will provide a maximum or even satisfactory deterrent is not supportable. The enforcement of vehicle size and weight laws requires that vehicles be weighed but it does not logically follow that the more vehicles weighed, the more effective the enforcement program, especially if the vehicles are weighed at a limited number of fixed locations. A "numbers game" does not necessarily provide a deterrent to deliberate overloading. Consistent, vigorous enforcement activities, the certainty of apprehension and of penalty, the adequacy of the penalty, even the publicity given these factors, may be greater deterrents than the number of weighings alone.

In recognizing that all States are unique in character, there are some similarities between certain States and useful perspectives

Pt. 658

may be obtained by relating their program elements. Some comparative factors are:

- 1. Truck registration (excluding pickups and panels)
 - 2. Population
- 3. Average Daily Traffic (ADT) for trucks on FA highways
 4. To total mileage of Federal-aid high-
- - 5. Geographic location of the State
- 6. Annual truck miles traveled in State
- 7. Number of truck terminals (over 6 doors) 8. Vehicle miles of intrastate truck traffic
- Quantities relating to the above items can become factors that in the aggregate are descriptive of a State's characteristics and can identify States that are similar from a trucking operation viewpoint. This is especially applicable for States within the same

After States with similar truck traffic operations have been identified in a regional area, another important variable must be considered: the type of weighing equipment that has been or is proposed for predominant use in the States. When data become available on the number of trucks weighed by each type of scale (fixed, portable, semi-portable, etc.) some indicators will be developed to relate one State's effort to those of other States. The measures of activity that are a part of each certification submitted will provide a basis for the development of more precise numerical criteria by which an enforcement plan and its activities can be judged for

Previous certifications have provided information from which the following gross scale capabilities have been derived.

Potential Weighing Capacities

- 1. Permanent scales 60 veh/hr.
- 2. Weigh-in-motion scales 100 veh/hr.
- 3. Semi-portable scales 25 veh/hr.
- 4. Portable scales 3 veh/hr.

To meet the mandates of Federal and other laws regarding truck size and weight en-forcement, the FHWA desires to become a resource for all States in achieving a successful exchange of useful information. Some States are more advanced in their enforcement activities. Some have special experience with portable, semi-portable, fixed, or weighing-in-motion devices. Others have operated permanent scales in combination with concentrated safety inspection programs. The FHWA is interested in information on individual State experiences in these specialized areas as part of initial plan submissions. If such information has recently been furnished to the Washington Headquarters, an appropriate cross reference should be included on the submission.

It is the policy of the FHWA to avoid red tape, and information volunteered by the States will be of assistance in meeting many needs. The ultimate goal in developing information through the evaluation process is to assemble criteria for a model enforcement program.

PART 658—TRUCK SIZE AND WEIGHT, ROUTE DESIGNATIONS— LENGTH, WIDTH AND WEIGHT **LIMITATIONS**

Sec.

658.1 Purpose.

658.3 Policy statement. 658 5

Definitions. 658.7

Applicability.

658.9 National Network criteria.

658.11 Additions, deletions, exceptions, and restrictions.

658.13 Length.

658.15 Width.

658.16 Exclusions from length and width determinations.

658.17 Weight.

658.19 Reasonable access.

658.21 Identification of National Network.

658.23 LCV freeze; cargo-carrying unit freeze.

APPENDIX A TO PART 658—NATIONAL NET-WORK—FEDERALLY-DESIGNATED ROUTES

APPENDIX B TO PART 658—GRANDFATHERED SEMITRAILER LENGTHS

APPENDIX C TO PART 658—TRUCKS OVER 80.000 POUNDS ON THE INTERSTATE SYSTEM AND TRUCKS OVER STAA LENGTHS ON THE NA-TIONAL NETWORK

APPENDIX D TO PART 658—DEVICES THAT ARE EXCLUDED FROM MEASUREMENT OF THE LENGTH OR WIDTH OF A COMMERCIAL MOTOR VEHICLE

AUTHORITY: 23 U.S.C. 127 and 315; 49 U.S.C. 31111, 31112, and 31114; 49 CFR 1.48(b)(19) and

SOURCE: 49 FR 23315, June 5, 1984, unless otherwise noted.

§658.1 Purpose.

The purpose of this part is to identify a National Network of highways available to vehicles authorized by provisions of the Surface Transportation Assistance Act of 1982 (STAA) as amended, and to prescribe national policies that govern truck and bus size and weight.

[59 FR 30419, June 13, 1994]

§658.3 Policy statement.

The Federal Highway Administration's (FHWA) policy is to provide a safe and efficient National Network of highways that can safely and efficiently accommodate the large vehicles authorized by the STAA. This network includes the Interstate System plus other qualifying Federal-aid Primary System Highways.

§ 658.5 Definitions.

Automobile transporters. Any vehicle combination designed and used specifically for the transport of assembled highway vehicles, including truck camper units.

Beverage semitrailer. A van-type, dropframe semitrailer designed and used specifically for the transport and delivery of bottled or canned beverages (i.e., liquids for drinking, including water) which has side-only access for loading and unloading this commodity. Semitrailer has the same meaning as in 49 CFR 390.5.

Boat transporters. Any vehicle combination designed and used specifically to transport assembled boats and boat hulls. Boats may be partially disassembled to facilitate transporting.

Bridge gross weight formula. The standard specifying the relationship between axle (or groups of axles) spacing and the gross weight that (those) axle(s) may carry expressed by the formula:

$$W = 500 \left(\frac{LN}{N-1} + 12N + 36 \right)$$

where W=overall gross weight on any group of two or more consecutive axles to the nearest 500 pounds, L=distance in feet between the extreme of any group of two or more consecutive axles, and N=number of axles in the group under consideration.

Cargo-carrying unit. As used in this part, cargo-carrying unit means any portion of a commercial motor vehicle (CMV) combination (other than a truck tractor) used for the carrying of cargo, including a trailer, semitrailer, or the cargo-carrying section of a single-unit truck. The length of the cargo carrying units of a CMV with two or more such units is measured from the front of the first unit to the rear of the last [including the hitch(es) between the units].

Commercial motor vehicle. For purposes of this regulation, a motor vehicle designed or regularly used to carry

freight, merchandise, or more than ten passengers, whether loaded or empty, including buses, but not including vehicles used for vanpools, or vehicles built and operated as recreational vehicles.

Dromedary unit. A box, deck, or plate mounted behind the cab and forward of the fifth wheel on the frame of the power unit of a truck tractor-semitrailer combination.

Federal-aid Primary System. The Federal-aid Highway System of rural arterials and their extensions into or through urban areas in existence on June 1, 1991, as described in 23 U.S.C. 103(b) in effect at that time.

Fullmount. A fullmount is a smaller vehicle mounted completely on the frame of either the first or last vehicle in a saddlemount combination.

Interstate System. The National System of Interstate and Defense Highways described in sections 103(e) and 139(a) of Title 23, U.S.C. For the purpose of this regulation this system includes toll roads designated as Interstate.

Length exclusive devices. Devices excluded from the measurement of vehicle length. Such devices shall not be designed or used to carry cargo.

Longer combination vehicle (LCV). As used in this part, longer combination vehicle means any combination of a truck tractor and two or more trailers or semitrailers which operates on the Interstate System at a gross vehicle weight greater than 80,000 pounds.

Maxi-cube vehicle. A maxi-cube vehicle is a combination vehicle consisting of a power unit and a trailing unit, both of which are designed to carry cargo. The power unit is a nonarticulated truck with one or more drive axles that carries either a detachable or a permanently attached cargo box. The trailing unit is a trailer or semitrailer with a cargo box so designed that the power unit may be loaded and unloaded through the trailing unit. Neither cargo box shall exceed 34 feet in length, excluding drawbar or hitching device; the distance from the front of the first to the rear of the second cargo box shall not exceed 60 feet, including the space between the cargo boxes; and the overall length of

§ 658.5

the combination vehicle shall not exceed 65 feet, including the space between the cargo boxes.

Motor carrier of passengers. As used in this part, a motor carrier of passengers is a common, contract, or private carrier using a bus to provide commercial transportation of passengers. Bus has the same meaning as in 49 CFR 390.5.

National Network (NN). The composite of the individual network of highways from each State on which vehicles authorized by the provisions of the STAA are allowed to operate. The network in each State includes the Interstate System, exclusive of those portions excepted under §658.11(f) or deleted under §658.11(d), and those portions of the Federal-aid Primary System in existence on June 1, 1991, set out by the FHWA in appendix A to this part.

Nondivisible load or vehicle.

- (1) As used in this part, *nondivisible* means any load or vehicle exceeding applicable length or weight limits which, if separated into smaller loads or vehicles, would:
- (i) Compromise the intended use of the vehicle, *i.e.*, make it unable to perform the function for which it was intended:
- (ii) Destroy the value of the load or vehicle, *i.e.*, make it unusable for its intended purpose; or
- (iii) Require more than 8 workhours to dismantle using appropriate equipment. The applicant for a nondivisible load permit has the burden of proof as to the number of workhours required to dismantle the load.

(2) A State may treat emergency response vehicles, casks designed for the transport of spent nuclear materials, and military vehicles transporting marked military equipment or materiel as nondivisible vehicles or loads.

Saddlemount combination. A saddlemount combination is a combination of vehicles in which a truck or truck tractor tows one or more trucks or truck tractors, each connected by a saddle to the frame or fifth wheel of the vehicle in front of it. The saddle is a mechanism that connects the front axle of the towed vehicle to the frame or fifth wheel of the vehicle in front and functions like a fifth wheel kingpin connection. When two vehicles are towed in this manner the combination

is called a double saddlemount combination. When three vehicles are towed in this manner, the combination is called a triple saddlemount combination.

Single axle weight. The total weight transmitted to the road by all wheels whose centers may be included between two parallel transverse vertical planes 40 inches apart, extending across the full width of the vehicle. The Federal single axle weight limit on the Interstate System is 20,000 pounds.

Special mobile equipment. Every self-propelled vehicle not designed or used primarily for the transportation of persons or property and incidentally operated or moved over the highways, including military equipment, farm equipment, implements of husbandry, road construction or maintenance machinery, and emergency apparatus which includes fire and police emergency equipment. This list is partial and not exclusive of such other vehicles as may fall within the general terms of this definition.

Stinger-steered combination. A truck tractor semitrailer wherein the fifth wheel is located on a drop frame located behind and below the rear-most axle of the power unit.

Tandem axle weight. The total weight transmitted to the road by two or more consecutive axles whose centers may be included between parallel transverse vertical planes spaced more than 40 inches and not more than 96 inches apart, extending across the full width of the vehicle. The Federal tandem axle weight limit on the Interstate System is 34,000 pounds.

Terminal. The term *terminal* as used in this regulation means, at a minimum, any location where:

Freight either originates, terminates, or is handled in the transportation process; or

Commercial motor carriers maintain operating facilities.

Tractor or Truck tractor. The noncargo carrying power unit that operates in combination with a semitrailer or trailer, except that a truck tractor and semitrailer engaged in the transportation of automobiles may transport motor vehicles on part of the power unit, and a truck tractor equipped with

a dromedary unit operating in combination with a semitrailer transporting Class 1 explosives and/or any munitions related security material as specified by the U.S. Department of Defense in compliance with 49 CFR 177.835 may use the dromedary unit to carry a portion of the cargo.

Truck-tractor semitrailer-semitrailer. In a truck-tractor semitrailer-semitrailer combination vehicle, the two trailing units are connected with a "B-train" assembly. The B-train assembly is a rigid frame extension attached to the rear frame of a first semitrailer which allows for a fifth wheel connection point for the second semitrailer. This combination has one less articulation point than the conventional "A dolly" connected truck-tractor semitrailer-trailer combination.

Truck-trailer boat transporter. A boat transporter combination consisting of a straight truck towing a trailer using typically a ball and socket connection. The trailer axle(s) is located substantially at the trailer center of gravity (rather than the rear of the trailer) but so as to maintain a downward force on the trailer tongue.

Width exclusive devices. Devices excluded from the measurement of vehicle width. Such devices shall not be designed or used to carry cargo.

[49 FR 23315, June 5, 1984, as amended at 53 FR 2597, Jan. 29, 1988; 53 FR 12148, Apr. 13, 1988; 53 FR 25485, July 7, 1988; 53 FR 48636, Dec. 2, 1988; 55 FR 22762, June 1, 1990; 55 FR 32399, Aug. 9, 1990; 59 FR 30419, June 13, 1994; 63 FR 70652, Dec. 22, 1998; 64 FR 48959, Sept. 9, 1999; 67 FR 15109, Mar. 29, 2002; 68 FR 37968, June 26, 2003; 69 FR 11996, Mar. 12, 2004]

§658.7 Applicability.

Except as limited in §658.17(a) the provisions of this part are applicable to the National Network and reasonable access thereto. However, nothing in this regulation shall be construed to prevent any State from applying any weight and size limits to other highways, except when such limits would deny reasonable access to the National Network.

§658.9 National Network criteria.

(a) The National Network listed in the appendix to this part is available for use by commercial motor vehicles of the dimensions and configurations described in §§ 658.13 and 658.15.

- (b) For those States with detailed lists of individual routes in the appendix, the routes have been designated on the basis of their general adherence to the following criteria.
- (1) The route is a geometrically typical component of the Federal-Aid Primary System, serving to link principal cities and densely developed portions of the States.
- (2) The route is a high volume route utilized extensively by large vehicles for interstate commerce.
- (3) The route does not have any restrictions precluding use by conventional combination vehicles.
- (4) The route has adequate geometrics to support safe operations, considering sight distance, severity and length of grades, pavement width, horizontal curvature, shoulder width, bridge clearances and load limits, traffic volumes and vehicle mix, and intersection geometry.
- (5) The route consists of lanes designed to be a width of 12 feet or more or is otherwise consistent with highway safety.
- (6) The route does not have any unusual characteristics causing current or anticipated safety problems.
- (c) For those States where State law provides that STAA authorized vehicles may use all or most of the Federal-Aid Primary system, the National Network is no more restrictive than such law. The appendix contains a narrative summary of the National Network in those States.

[49 FR 23315, June 5, 1984, as amended at 53 FR 12148, Apr. 13, 1988]

§ 658.11 Additions, deletions, exceptions, and restrictions.

To ensure that the National Network remains substantially intact, FHWA retains the authority to rule upon all requested additions to and deletions from the National Network as well as requests for the imposition of certain restrictions. FHWA approval or disapproval will constitute the final decision of the U.S. Department of Transportation.

§ 658.11

- (a) Additions. (1) Requests for additions to the National Network, including justification, shall have the endorsement of the Governor or the Governor's authorized representative, and be submitted in writing to the appropriate FHWA Division Office. Proposals for addition of routes to the National Network shall be accompanied by an analysis of suitability based on the criteria in §658.9.
- (2) Proposals for additions that meet the criteria of §658.9 and have the endorsement of the Governor or the Governor's authorized representative will be published in the FEDERAL REGISTER for public comment as a notice of proposed rulemaking (NPRM), and if found acceptable, as a final rule.
- (b) Deletions—Federal-aid primary other than interstate. Changed conditions or additional information may require the deletion of a designated route or a portion thereof. The deletion of any route or route segment shall require FHWA approval. Requests for deletion of routes from the National Network, including the reason(s) for the deletion, shall be submitted in writing to the appropriate FHWA Division Office. These requests shall be assessed on the basis of the criteria of §658.9. FHWA proposed deletions will be published in the FEDERAL REGISTER as a Notice of Proposed Rulemaking (NPRM).
- (c) Requests for deletion—Federal-aid primary—other than interstate. Requests for deletion should include the following information, where appropriate:
- (1) Did the route segment prior to designation carry combination vehicles or 102-inch buses?
- (2) Were truck restrictions in effect on the segment on January 6, 1983? If so, what types of restrictions?
- (3) What is the safety record of the segment, including current or anticipated safety problems? Specifically, is the route experiencing above normal accident rates and/or accident severities? Does analysis of the accident problem indicate that the addition of larger trucks have aggravated existing accident problems?
- (4) What are the geometric, structural or traffic operations features that might preclude safe, efficient operation? Specifically describe lane

- widths, sight distance, severity and length of grades, horizontal curvature, shoulder width, narrow bridges, bridge clearances and load limits, traffic volumes and vehicle mix, intersection geometrics and vulnerability of road-side hardware.
- (5) Is there a reasonable alternate route available?
- (6) Are there operational restrictions that might be implemented in lieu of deletion?
- (d) Deletions and use restrictions-Federal-aid interstate. (1) The deletion of, or imposition of use restrictions on, any specific segment of the Interstate Highway System on the National Network, except as otherwise provided in this part, must be approved by the FHWA. Such action will be initiated on the FHWA's own initiative or on the request of the Governor or the Governor's authorized representative of the State in which the Interstate segment is located. Requests from the Governor or the Governor's authorized representative shall be submitted along with justification for the deletion or restriction, in writing, to the appropriate FHWA Division Office for to Washington Headtransmittal quarters.
- (2) The justification accompanying a request shall be based on the following:
- (i) Analysis of evidence of safety problems supporting the deletion or restriction as identified in §658.11(c).
- (ii) Analysis of the impact on interstate commerce.
- (iii) Analysis and recommendation of any alternative routes that can safely accommodate commercial motor vehicles of the dimensions and configurations described in §§ 658.13 and 658.15 and serve the area in which such segment is located.
- (iv) Evidence of consultation with the local governments in which the segment is located as well as the Governor or the Governor's authorized representative of any adjacent State that might be directly affected by such a deletion or restriction.
- (3) Actions to ban all commercial vehicles on portions of the Interstate System not excepted under §658.11(f) are considered deletions subject to the requirements of subsection (d) of this section.

- (4) Reasonable restrictions on the use of Interstate routes on the National Network by STAA-authorized vehicles related to specific travel lanes of multi-lane facilities, construction zones, adverse weather conditions or structural or clearance deficiencies are not subject to the requirements of paragraph (d) of this section.
- (5) Proposed deletions or restrictions will be published in the FEDERAL REG-ISTER as an NPRM, except in the case of an emergency deletion as prescribed in §658.11(e). The FHWA will consider the factors set out in paragraph (d)(2) of this section and the comments of interested parties. Any approval of deletion or restriction will be published as a final rule. A deletion of or restriction on a segment for reasons ascribable to dimensions of commercial motor vehicles described in either §658.13 or §658.15 shall result in a deletion or restriction for the purposes of both §§ 658.13 and 658.15.
- (e) Emergency deletions. FHWA has the authority to delete any route from the National Network, on an emergency basis, for safety considerations. Emergency deletions are not considered final, and will be published in the FEDERAL REGISTER for notice and comment.
- (f) Exceptions. Those portions of the Interstate System which were open to traffic and on which all commercial motor vehicles were banned on January 6, 1983, are not included in the National Network.
- (g) Restrictions—Federal-aid primary—other than interstate. (1) Reasonable restrictions on the use of non-Interstate Federal-aid Primary routes on the National Network by STAA-authorized vehicles may be imposed during certain peak hours of travel or on specific travel lanes of multi-lane facilities. Restrictions related to construction zones, seasonal operation, adverse weather conditions or structural or clearance deficiencies may be imposed.
- (2) All restrictions on the use of the National Network based on hours of use by vehicles authorized by the STAA require prior FHWA approval. Requests for such restrictions on the National Network shall be submitted in writing to the appropriate FHWA Division Office. Approval of requests

for restrictions will be contingent on the ability to justify significant negative impact on safety, the environment and/or operational efficiency.

 $[49\ FR\ 23315,\ June\ 5,\ 1984,\ as\ amended\ at\ 53\ FR\ 12148,\ Apr.\ 13,\ 1988]$

§ 658.13 Length.

- (a) The length provisions of the STAA apply only to the following types of vehicle combinations:
 - (1) Truck tractor-semitrailer
- (2) Truck tractor-semitrailer-trailer. The length provisions apply only when these combinations are in use on the National Network or in transit between these highways and terminals or service locations pursuant to §658.19.
- (b) The length provisions referred to in paragraph (a) of this section include the following:
- (1) No State shall impose a length limitation of less than 48 feet on a semitrailer operating in a truck tractor-semitrailer combination.
- (2) No State shall impose a length limitation of less than 28 feet on any semitrailer or trailer operating in a truck tractor-semitrailer-trailer combination.
- (3) No State shall impose an overall length limitation on commercial vehicles operating in truck tractor-semitrailer or truck tractor-semitrailer-trailer combinations.
- (4) No State shall prohibit commercial motor vehicles operating in truck tractor-semitrailer-trailer combinations.
- (5) No State shall prohibit the operation of semitrailers or trailers which are 28½ feet long when operating in a truck tractor-semitrailer-trailer combination if such a trailer or semitrailer was in actual and lawful operation on December 1, 1982, and such combination had an overall length not exceeding 65 feet.
- (c) State maximum length limits for semitrailers operating in a truck tractor-semitrailer combination and semitrailers and trailers operating in a truck tractor-semitrailer-trailer combination are subject to the following:
- (1) No State shall prohibit the use of trailers or semitrailers of such dimensions as those that were in actual and lawful use in such State on December

§ 658.13

1, 1982, as set out in appendix B of this part.

(2) If on December 1, 1982, State length limitations on a semitrailer were described in terms of the distance from the kingpin to rearmost axle, or end of semitrailer, the operation of any semitrailer that complies with that limitation must be allowed.

(d) No State shall impose a limit of less than 45 feet on the length of any bus on the NN.

(e) Specialized equipment—(1) Automobile transporters. (i) Automobile transporters are considered to be specialized equipment. As provided in §658.5, automobile transporters may carry vehicles on the power unit behind the cab and on an over-cab rack. No State shall impose an overall length limitation of less than 65 feet on traditional automobile transporters (5th wheel located on tractor frame over rear axle(s)), including "low boys," or less than 75 feet on stinger-steered automobile transporters. Paragraph (c) requires the States to allow operation of vehicles with the dimensions that were legal in the State on December 1, 1982.

(ii) All length provisions regarding automobile transporters are exclusive of front and rear cargo overhang. No State shall impose a front overhang limitation of less than 3 feet or a rear overhang limitation of less than 4 feet. Extendable ramps or "flippers" automobile transporters that are used to achieve the allowable 3-foot front and 4-foot rear cargo overhangs are excluded from the measurement of vehicle length, but must be retracted when not supporting vehicles.

(iii) Drive-away saddlemount vehicle combinations transporter driveaway saddlemount with fullmount vehicle transporter combinations are considered to be specialized equipment. No State shall impose an overall length limit of less than 75 feet on such combinations. This provision applies to saddlemount combinations with up to three saddlemounted vehicles. Such combinations mav include one fullmount. Saddlemount combinations must also comply with the applicable safety regulations at 49 CFR 393.71.

(2) Boat transporters. (i) Boat transporters are considered to be specialized equipment. As provided for automobile transporters in §658.5, boat transporters may carry boats on the power unit so long as the length and width restrictions of the vehicles and load are not exceeded. No State shall impose an overall length limitation of less than 65 feet on traditional boat transporters (fifth wheel located on tractor frame over rear axle(s), including "low boys," or less than 75 feet on stinger-steered boat transporters. In addition, no State shall impose an overall length limitation of less than 65 feet on truck-trailer boat transporters. Paragraph (c) of this section requires the States to allow operation of vehicles with the dimensions that were legal in the State on December 1, 1982.

(ii) All length provisions regarding boat transporters are exclusive of front and rear overhang. Further, no State shall impose a front overhang limitation of less than three (3) feet nor a rearmost overhang limitation of less than four (4) feet.

(3) Truck-tractor semitrailer-semitrailer. Truck-tractor semitrailersemitrailer combination vehicles are considered to be specialized equipment. No State shall impose a length limitation of less than 28 feet on any or 28½ feet semitrailer if semitrailer was in legal operation on December 1, 1982, operating in a trucktractor semitrailer-semitrailer combination. No State shall impose an overall length limitation on a trucktractor semitrailer-semitrailer combination when each semitrailer length is 28 feet, or 281/2 feet if grandfathered.

(ii) The B-train assembly is excluded from the measurement of trailer length when used between the first and second trailer of a truck-tractor semitrailersemitrailer combination vehicle. However, when there is no semitrailer mounted to the B-train assembly, it will be included in the length measurement of the semitrailer, the length limitation in this case being 48 feet, or

longer if grandfathered.

(4) Maxi-cube vehicle. No State shall impose a length limit on a maxi-cube vehicle, as defined in §658.5 of this part, of less than 34 feet on either cargo box, excluding drawbar or hitching device; 60 feet on the distance from the front of the first to the rear of the second cargo box, including the space between the cargo boxes; or 65 feet on the overall length of the combination, including the space between the cargo boxes. The measurement for compliance with the 60- and 65-foot distance shall include the actual distance between cargo boxes, measured along the centerline of the drawbar or hitching device. For maxi-cubes with an adjustable length drawbar or hitching device, the 60- and 65-foot distances shall be measured with a drawbar spacing of not more than 27 inches. The drawbar may be temporarily extended beyond that distance to maneuver or load the vehicle.

- (5) Beverage semitrailer. (i) A beverage semitrailer is specialized equipment if it has an upper coupler plate that extends beyond the front of the semitrailer, but not beyond its swing radius, as measured from the center line of the kingpin to a front corner of the semitrailer, which cannot be used for carrying cargo other than the structure of the semitrailer, and with the center line of the kingpin not more than 28 feet from the rear of the semitrailer (exclusive of rear-mounted devices not measured in determining semitrailer length). No State shall impose an overall length limit on such vehicles when operating in a truck tractor-beverage semitrailer or truck tractor-beverage semitrailer-beverage trailer combination on the NN.
- (ii) The beverage trailer referred to in paragraph (e)(5)(i) of this section means a beverage semitrailer and converter dolly. Converter dolly has the same meaning as in 49 CFR 393.5.
- (iii) Truck tractor-beverage semitrailer combinations shall have the same access to points of loading and unloading as 28-foot semitrailers (28.5-foot where allowed by §658.13) in 23 CFR 658.19.
- (6) Munitions carriers using dromedary equipment. A truck tractor equipped with a dromedary unit operating in combination with a semitrailer is considered to be specialized equipment, providing the combination is transporting Class 1 explosives and/or any munitions related security material as specified by the U.S. Department of Defense in compliance with 49 CFR 177.835. No State shall impose an over-

all length limitation of less than 75 feet on the combination while in operation.

- (f) A truck tractor containing a dromedary box, deck, or plate in legal operation on December 1, 1982, shall be permitted to continue to operate, notwithstanding its cargo carrying capacity, throughout its useful life. Proof of such legal operation on December 1, 1982, shall rest upon the operator of the equipment.
- (g) No State shall impose a limitation of less than 46 feet on the distance from the kingpin to the center of the rear axle on trailers or semitrailers used exclusively or primarily to transport vehicles in connection with motorsports competition events.

[49 FR 23315, June 5, 1984, as amended at 53 FR 2597, 2599, Jan. 29, 1988; 53 FR 25485, July 7, 1988; 53 FR 48636, Dec. 2, 1988; 55 FR 4998, Feb. 13, 1990; 55 FR 32399, Aug. 9, 1990; 59 FR 30419, June 13, 1994; 62 FR 10181, Mar. 5, 1997; 63 FR 70653, Dec. 22, 1998; 67 FR 15109, Mar. 29, 2002; 68 FR 37988, June 26, 2003]

§ 658.15 Width.

- (a) No State shall impose a width limitation of more or less than 102 inches, or its approximate metric equivalent, 2.6 meters (102.36 inches) on a vehicle operating on the National Network, except for the State of Hawaii, which is allowed to keep the State's 108-inch width maximum by virtue of section 416(a) of the STAA.
- (b) The provisions of paragraph (a) of this section do not apply to special mobile equipment as defined in §658.5.
- (c) Notwithstanding the provisions of this section or any other provision of law, the following are applicable:
- (1) A State may grant special use permits to motor vehicles, including manufactured housing, that exceed 102 inches in width; and
- (2) A State may allow recreational vehicles with safety and/or non-cargo carrying appurtenances extending beyond 3 inches from the side of the vehicle to operate without a special use over-width permit.

[49 FR 23315, June 5, 1984, as amended at 59 FR 30419, June 13, 1994; 67 FR 15110, Mar. 29, 2002; 69 FR 11996, Mar. 12, 2004]

§ 658.16

§658.16 Exclusions from length and width determinations.

- (a) Vehicle components not excluded by law or regulation shall be included in the measurement of the length and width of commercial motor vehicles.
- (b) The following shall be excluded from either the measured length or width of commercial motor vehicles, as applicable:
- (1) Rear view mirrors, turn signal lamps, handholds for cab entry/egress, splash and spray suppressant devices, load induced tire bulge;
- (2) All non-property-carrying devices, or components thereof—
- (i) At the front of a semitrailer or trailer, or
- (ii) That do not extend more than 3 inches beyond each side or the rear of the vehicle, or
- (iii) That do not extend more than 24 inches beyond the rear of the vehicle and are needed for loading or unloading, or
 - (vi) Listed in appendix D to this part;
- (3) Resilient bumpers that do not extend more than 6 inches beyond the front or rear of the vehicle;
- (4) Aerodynamic devices that extend a maximum of 5 feet beyond the rear of the vehicle, provided such devices have neither the strength, rigidity nor mass to damage a vehicle, or injure a passenger in a vehicle, that strikes a trailer so equipped from the rear, and provided also that they do not obscure tail lamps, turn signals, marker lamps, identification lamps, or any other required safety devices, such as hazardous materials placards or conspicuity markings; and
- (5) A fixed step up to 3 inches deep at the front of an existing automobile transporter until April 29, 2005. It will be the responsibility of the operator of the unit to prove that the step existed prior to April 29, 2002. Such proof can be in the form of a work order for equipment modification, a receipt for purchase and installation of the piece, or any similar type of documentation. However, after April 29, 2005, the step shall no longer be excluded from a vehicle's length.
- (c) Each exclusion allowance is specific and may not be combined with other excluded devices.

(d) Measurements are to be made from a point on one side or end of a commercial motor vehicle to the same point on the opposite side or end of the vehicle.

[67 FR 15110, Mar. 29, 2002]

§658.17 Weight.

- (a) The provisions of the section are applicable to the National System of Interstate and Defense Highways and reasonable access thereto.
- (b) The maximum gross vehicle weight shall be 80,000 pounds except where lower gross vehicle weight is dictated by the bridge formula.
- (c) The maximum gross weight upon any one axle, including any one axle of a group of axles, or a vehicle is 20,000 pounds.
- (d) The maximum gross weight on tandem axles is 34,000 pounds.
- (e) No vehicle or combination of vehicles shall be moved or operated on any Interstate highway when the gross weight on two or more consecutive axles exceeds the limitations prescribed by the following formula, referred to as the Bridge Gross Weight Formula:

$$W = 500 \left(\frac{LN}{N-1} + 12N + 36 \right)$$

except that two consecutive sets of tandem axles may carry a gross load of 34,000 pounds each if the overall distance between the first and last axle is 36 feet or more. In no case shall the total gross weight of a vehicle exceed 80,000 pounds.

(f) Except as provided herein, States may not enforce on the Interstate System vehicle weight limits of less than 20,000 pounds on a single axle, 34,000 pounds on a tandem axle, or the weights derived from the Bridge Formula, up to a maximum of 80,000 pounds, including all enforcement tolerances. States may not limit tire loads to less than 500 pounds per inch of tire or tread width, except that such limits may not be applied to tires on the steering axle. States may not limit steering axle weights to less than 20,000 pounds or the axle rating established by the manufacturer, whichever is lower.

- (g) The weights in paragraphs (b), (c), (d), and (e) of this section shall be inclusive of all tolerances, enforcement or otherwise, with the exception of a scale allowance factor when using portable scales (wheel-load weighers). The current accuracy of such scales is generally within 2 or 3 percent of actual weight, but in no case shall an allowance in excess of 5 percent be applied. Penalty or fine schedules which impose no fine up to a specified threshold, *i.e.*, 1,000 pounds, will be considered as tolerance provisions not authorized by 23 U.S.C. 127.
- (h) States may issue special permits without regard to the axle, gross, or Federal Bridge Formula requirements for nondivisible vehicles or loads.
- (i) The provisions of paragraphs (b), (c), and (d) of this section shall not apply to single-, or tandem-axle weights, or gross weights legally authorized under State law on July 1, 1956. The group of axles requirement established in this section shall not apply to vehicles legally grandfathered under State groups of axles tables or formulas on January 4, 1975. Grandfathered weight limits are vested on the date specified by Congress and remain available to a State even if it chooses to adopt a lower weight limit for a time.
- (j) The provisions of paragraphs (c) through (e) of this section shall not apply to the operation on Interstate Route 68 in Allegany and Garrett Counties, Maryland, of any specialized vehicle equipped with a steering axle and a tridem axle and used for hauling coal, logs, and pulpwood if such vehicle is of a type of vehicle as was operating in such counties on U.S. Routes 40 or 48 for such purposes on August 1, 1991.
- (k) Any vehicle which is regularly and exclusively used as an intrastate public agency transit passenger bus is excluded from the axle weight limits in paragraphs (c) through (e) of this section until October 1, 2003.
- (l) The provisions of paragraphs (b) through (e) of this section shall not apply to the operation, on the 104 mile portion of I-39 between I-90/94 near Portage, Wisconsin, and Wisconsin State Route 29 south of Wausau, Wisconsin, of any vehicle that could le-

gally operate on this highway section before November 28, 1995.

(m) The provisions of paragraphs (b) through (e) of this section shall not apply to the operation, on I–99 between Bedford and Bald Eagle, Pennsylvania, of any vehicle that could legally operate on this highway section before December 29, 1995.

[49 FR 23315, June 5, 1984, as amended at 59 FR 30420, June 13, 1994; 60 FR 15214, Mar. 22, 1995; 62 FR 10181, Mar. 5, 1997; 63 FR 70653, Dec. 22, 1998]

§658.19 Reasonable access.

- (a) No State may enact or enforce any law denying reasonable access to vehicles with dimensions authorized by the STAA between the NN and terminals and facilities for food, fuel, repairs, and rest. In addition, no State may enact or enforce any law denying reasonable access between the NN and points of loading and unloading to household goods carriers, motor carriers of passengers, and any truck tractor-semitrailer combination in which the semitrailer has a length not to exceed 28 feet (28.5 feet where allowed pursuant to §658.13(b)(5) of this part) and which generally operates as part of a vehicle combination described in §§ 658.13(b)(5) and 658.15(a) of this part.
- (b) All States shall make available to commercial motor vehicle operators information regarding their reasonable access provisions to and from the National Network.
- (c) Nothing in this section shall be construed as preventing any State or local government from imposing any reasonable restriction, based on safety considerations, on access to points of loading and unloading by any truck tractor-semitrailer combination in which the semitrailer has a length not to exceed 28½ feet and which generally operates as part of a vehicle combination described in §§658.13(b)(5) and 658.15(a).
- (d) No State may enact or enforce any law denying access within 1 roadmile from the National Network using the most reasonable and practicable route available except for specific safety reasons on individual routes.
- (e) Approval of access for specific vehicles on any individual route applies

§ 658.21

to all vehicles of the same type regardless of ownership. Distinctions between vehicle types shall be based only on significant, substantial differences in their operating characteristics.

- (f) Blanket restrictions on 102-inch wide vehicles may not be imposed.
- (g) Vehicle dimension limits shall not be more restrictive than Federal requirements.
- (h) States shall ensure compliance with the requirements of this section for roads under the jurisdiction of local units of government.
- (i)(1) Except in those States in which State law authorizes the operation of STAA-dimensioned vehicles on all public roads and highways, all States shall have an access review process that provides for the review of requests for access from the National Network.
- (2) State access review processes shall provide for:
 - (i) One or more of the following:
- (A) An analysis of the proposed access routes using observations or other data obtained from the operation of test vehicles over the routes;
- (B) An analysis of the proposed access routes by application of vehicle templates to plans of the routes;
- (C) A general provision for allowing access, without requiring a request, for commercial motor vehicles with semitrailers with a kingpin distance of 41 feet or less (measured from the kingpin to the center of the rear axle, if single, or the center of a group of rear axles). State safety analyses may be conducted on individual routes if warranted; and
 - (ii) All of the following:
- (A) The denial of access to terminals and services only on the basis of safety and engineering analysis of the access route.
- (B) The automatic approval of an access request if not acted upon within 90 days of receipt by the State. This provision shall become effective no later than 12 months following the effective date of this rule unless an extension is requested by the State and approved by FHWA.
- (C) The denial of access for any 102-inch wide vehicles only on the basis of the characteristics of specific routes, in particular significant deficiencies in lane width.

- (j)(1) Each State shall submit its access provisions to FHWA for approval within 6 months after June 1, 1990. In those States in which State law authorizes the operation of STAA-dimensioned vehicles on all public roads and highways, no submission or approval under this paragraph is required. If, in the future, such a State changes its authorizing legislation and restricts the operation of STAA-dimensioned vehicles, then compliance with these provisions will be necessary.
- (2) The FHWA will review the access provisions as submitted by each State subject to the provisions in paragraph (j)(1) and approve those that are in compliance with the requirements of this section. The FHWA may, at a State's request, approve State provisions that differ from the requirements of this section if FHWA determines that they provide reasonable access for STAA-dimensioned vehicles and do not impose an unreasonable burden on motor freight carriers, shippers and receivers and service facility operators.
- (3) Any State that does not have FHWA approved access provisions in effect within 1 year after June 1, 1990 shall follow the requirements and the criteria set forth in this section and section 658.5 and 658.19 for determining access for STAA-dimensioned vehicles to terminals and services. The FHWA may approve a State's request for a time extension if it is received by FHWA at least 1 month before the end of the 1 year period.

[53 FR 12149, Apr. 13, 1988, as amended at 55 FR 22763, June 1, 1990; 59 FR 30420, June 13, 1994]

§ 658.21 Identification of National Network.

- (a) To identify the National Network, a State may sign the routes or provide maps of lists of highways describing the National Network.
- (b) Exceptional local conditions on the National Network shall be signed. All signs shall conform to the Manual on Uniform Traffic Control Devices. Exceptional conditions shall include but not be limited to:
- (1) Operational restrictions designed to maximize the efficiency of the total traffic flow, such as time of day prohibitions, or lane use controls.

- (2) Geometric and structural restrictions, such as vertical clearances, posted weight limits on bridges, or restrictions caused by construction operations.
- (3) Detours from urban Interstate routes to bypass of circumferential routes for commercial motor vehicles not destined for the urban area to be bypassed.

§ 658.23 LCV freeze; cargo-carrying unit freeze.

- (a)(1) Except as otherwise provided in this section and except for tow trucks with vehicles in tow, a State may allow the operation of LCV's on the Interstate System only as listed in appendix C to this part.
- (2) Except as otherwise provided in this section, a State may not allow the operation on the NN of any CMV combination with two or more cargo-carrying units (not including the truck tractor) whose cargo-carrying units exceed:
- (i) The maximum combination trailer, semitrailer, or other type of length limitation authorized by State law or regulation of that State on or before June 1, 1991; or
- (ii) The length of the cargo-carrying units of those CMV combinations, by specific configuration, in actual, lawful operation on a regular or periodic basis (including continuing seasonal operation) in that State on or before June 1, 1991, as listed in appendix C to this part.
- (b) Notwithstanding paragraph (a)(2) of this section, the following CMV combinations with two or more cargo-carrying units may operate on the NN.
- (1) Truck tractor-semitrailer-trailer and truck tractor-semitrailer-semitrailer combinations with a maximum length of the individual cargo units of 28.5 feet or less.
- (2) Vehicles described in §658.13(e) and (g).
- (3) Truck-trailer and truck-semitrailer combinations with an overall length of 65 feet or less.
 - (4) Maxi-cubes.
 - (5) Tow trucks with vehicles in tow.
- (c) For specific safety purposes and road construction, a State may make minor adjustments of a temporary and emergency nature to route designa-

tions and vehicle operating restrictions applicable to combinations subject to 23 U.S.C. 127(d) and 49 U.S.C. 31112 and in effect on June 1, 1991 (July 6, 1991, for Alaska). Adjustments which last 30 days or less may be made without notifying the FHWA. Minor adjustments which exceed 30 days require approval of the FHWA. When such adjustments are needed, a State must submit to the Division Office of Motor Carriers, by the end of the 30th day, a written description of the emergency, the date on which it began, and the date on which it is expected to conclude. If the adjustment involves route designations, the State shall describe the new route on which vehicles otherwise subject to the freeze imposed by 23 U.S.C. 127(d) and 49 U.S.C. 31112 are allowed to operate. To the extent possible, the geometric and pavement design characteristics of the alternate route should be equivalent to those of the highway section which is temporarily unavailable. Approval or disapproval by Office of Motor Carriers officials of adjustments involving route designations shall be coordinated with the Division Administrator. If the adjustment involves vehicle operating restrictions, the State shall list the restrictions that have been removed or modified. Approval or disapproval of the adjustment by the Division Office of Motor Carriers shall take place only after consultation with the Regional Office of Motor Carriers. If the adjustment is approved, a copy of the approved submission shall be forwarded through the Regional Office of Motor Carriers, to the Associate Administrator for Motor Carriers at Headquarters, who will publish the notice of adjustment, with an expiration date, in the FEDERAL REGISTER. Requests for extensions of time beyond the originally established conclusion date shall be subject to the same approval and publication process as the original request. If upon consultation with the Regional Office of Motor Carriers, a decision is reached that minor adjustments made by a State are not legitimately attributable to road or bridge construction or safety, the Division Office of Motor Carriers will so inform the State, and the original conditions of the freeze must be reimposed

Pt. 658, App. A

immediately. Failure to do so may subject the State to a penalty pursuant to 23 U.S.C. 141.

- (d) A State may issue a permit authorizing a CMV to transport an overlength nondivisible load on two or more cargo-carrying units on the NN without regard to the restrictions in §658.23(a)(2).
- (e) States further restricting or prohibiting the operation of vehicles subject to 23 U.S.C. 127(d) and 49 U.S.C. 31112 after June 1, 1991, shall notify the FHWA Division Office of Motor Carriers within 30 days after the restriction is effective. The Division Office of Motor Carriers shall forward the information through the Regional Office of Motor Carriers to the Associate Administrator for Motor Carriers at Headquarters. The FHWA will publish the restriction in the FEDERAL REG- $\ensuremath{\mathsf{ISTER}}$ as an amendment to appendix Cto this part. Failure to provide such notification may subject the State to a penalty pursuant to 23 U.S.C. 141.
- (f) The Federal Highway Administrator, on his or her own motion or upon a request by any person (including a State), shall review the information set forth in appendix C to this part. If the Administrator determines there is cause to believe that a mistake was made in the accuracy of the information contained in appendix C to this part, the Administrator shall commence a proceeding to determine whether the information published should be corrected. If the Administrator determines that there is a mistake in the accuracy of the information contained in appendix C to this part, the Administrator shall publish in the FEDERAL REGISTER the appropriate corrections to reflect that determination.

[59 FR 30420, June 13, 1994, as amended at 60 FR 15214, Mar. 22, 1995; 62 FR 10181, Mar. 5, 1997]

APPENDIX A TO PART 658—NATIONAL NETWORK—FEDERALLY-DESIGNATED ROUTES

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

3		3 -7-1
Route	From	То
	Alabama	
US 43 US 43	I-65 N. of Mobile AL 5 near Russell-	Sunflower. TN State Line.
	ville.	
US 72 US 72 Alt	MS State Line US 72 Tuscumbia	CR 33 Hollywood. US 72/231/431
US 78	End of 4-lane W. of AL 5 Jasper.	Huntsville. I–59 Birmingham.
US 80	AL 14 W. Int. Selma	US 82 Montgomery.
US 82	Coker W. of I-59	Eoline W. of AL 5.
US 82	AL 206 Prattville	US 231 N. Int. Mont- gomery.
US 84	AL 92 E. of Daleville (via AL 210 Dothan Cir.).	End of 4-lane E. of Dothan.
US 98	I–10 Daphne	End of 4-lane near Fairhope.
US 231	FL State Line (via AL	End of 4-lane N. of
	210 Dothan Circle.).	Wetumpka.
US 231	Arab	TN State Line.
US 280	US 31 Mountain	AL 22 Alexander
	Brook.	City.
US 280	I-85 Opelika	GA State Line Phenix City.
US 431	AL 210 Dothan	AL 173 Headland.
US 431	I–20 Anniston	AL 79 N. Int. Columbus City (via I–59—AL 77 Gadsden).
US 431	CR 8 New Hope	TN State Line.
AL 21	US 31 Atmore	I-65 N. of Atmore.
AL 21	US 431 Anniston	Jacksonville.
AL 67	I–65 Priceville	US 72 Alt. W. of Decatur.
AL 79	I–59 Birmingham	Pinson.
AL 152	US 231 N. Int. Mont-	I-65 N. Int. Mont-
AL 210	gomery. Dothan Circle (Belt- way).	gomery.
AL 248	US 84 Enterprise	Ft. Rucker.
AL 249	Ft. Rucker	US 231.
	Alaska	•
AK 1	Potter Weigh Station Anchorage.	AK 3 Palmer.

	Potter Weigh Station Anchorage.	
AK 2	AK 3 Fairbanks	Milepost 1412 Delta Junction.
AK 3	AK 1 Palmer	

Note: Routes added to the Interstate System under 23 U.S.C. 139(c) are included only to the extent designated above.

Arizona

US 60	I-10 Brenda	I-17 Phoenix.
US 60	AZ 87 Mesa	AZ 70 Globe.
US 60	AZ 260 E. Int. Show	NM State Line.
	Low.	
US 64	US 160 Teec Nos	NM State Line.
	Pos.	
US 70	US 60 Globe	NM State Line.
US 80	AZ 92 Bisbee	NM State Line.
US 89	I-10 Tucson	US 60 Florence
		Junction

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
US 89	AZ 69 Prescott	I-40 Ash Fork.
US 89	I-40 Flagstaff	UT State Line.
US 95	Mexican Border	I-8 Yuma.
US 160	US 89 Tuba City	NM State Line.
US 163	US 160 Kayenta	UT State Line.
US 666	I-10 Bowie	US 70 Safford.
US 666	US 60 Springerville	I-40 Sanders.
US 666	Mexican Border	US 80 Douglas.
AZ 69	US 89 Prescott	I-17 Cordes Junc-
		tion.
AZ 77	US 60 Show Low	I-40 Holbrook.
AZ 84	I-10 Picacho	AZ 87 E. of Eloy.
AZ 85	I–8 Gila Bend (via I– 8B).	I-10 Buckeye (via AZ 85 Spur).
AZ 87	AZ 84 E. of Eloy	AZ 387 W. of Coo-
		lidge.
AZ 87	AZ 587 Chandler	US 60 Mesa.
AZ 90	I–10 Benson	AZ 92 Sierra Vista.
AZ 169	AZ 69 Dewey	I-17 S. of Camp
		Verde.
AZ 189	Mexican Border	I-19 Nogales.
AZ 287	AZ 87 Coolidge	US 89 Florence.
AZ 360	I-10 Phoenix	AZ 87 Mesa.
AZ 387	I-10 Exit 185	AZ 87 W. of Coo-
		lidge.
AZ 587 (Old AZ 93).	I–10 Exit 175	AZ 87 Chandler.

Arkansas

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

California		
I–80 Bus. Loop (US 50–CA 51).	I-80 W. Sacramento	I-80 near Watt Ave., Sacramento.
US 6 US 50	US 395 Bishop I-80 W. of Sac- ramento.	NV State Line. Sly Park Rd. Pollock Pines.
US 95 US 101 US 395 CA 2 CA 10 (San Bern. Fwy.).	I–40 near Needles I–5 Los Angeles I–15 S. of Victorville I–5 US 101	NV State Line. I–80 San Francisco. NV State Line. I–210 Los Angeles. I–5 Los Angeles.
CA 14	I-5 near San Fer- nando.	US 395 Ridgecrest.
CA 15	I-5	I-805 San Diego. CA 55 Orange. I-680 Walnut Creek. I-805 San Diego. CA 91 Anaheim. I-210 Pomona. I-15 Barstow. I-10 Beaumont. CA 60 Pomona. I-15 Escondido. CA 101 Mountain View.
CA 91 CA 92 CA 94 CA 99	I–110 Los Angeles I–280 San Mateo I–5 I–5 Wheeler Ridge	I–215/CA 60 Riverside. I–880 Hayward. CA 125 San Diego. I–80 Bus. Loop/US
CA 110 CA 118	I–10	50 Sacramento. US 101 Los Angeles. I–210 San Fernando.

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
CA 125 CA 133 CA 134 CA 163 CA 170	CA 94	I–8 La Mesa. I–5 near El Toro. I–210 Pasadena. I–15 San Diego. I–5 Los Angeles. CA 99 Visalia.
CA 215 CA 905 (Old CA 117)	I-15 N. of Temecula I-5	CA 60 Riverside. I-805 San Diego.

Note: I–580 Oakland—All vehicles over 4½ tons (except passenger buses and stages) are prohibited on MacArthur Freeway between Grand Avenue and the north city limits of San Leandro. (Excepted under 23 CFR 658.11(f)).

Colorado

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

Connecticut		
CT 2	Columbus Blvd. Hart- ford.	I-395 Norwich.
CT 8	I-95 Bridgeport	US 44 Winsted.
CT 9	I-95 Old Saybrook	I-91 Cromwell.
CT 20	CT 401 Bradley Intl. Airport, Windsor Locks.	I-91 Windsor.
CT 401	CT 20 Windsor Locks	Bradley Intl. Airport Access Rd., Wind- sor Lks.

Delaware		
US 13	MD State Line	I–495 S. Int. Wil- mington.
US 40	MD State Line	I–295/US 13 Wil- mington.
US 113	MD State Line	US 13 Dover.
US 301	MD State Line	I-295/US 13 Wil- mington.
District of Columbia		
Anacostia Fwy/Ken. Ave.	I–295	MD State Line Cheverly MD

Note: I-66—There is a 24 hour total truck ban on the Theodore Roosevelt Memorial Bridge and its approaches. (Excepted under 23 CFR 658.11(f).)

•	1,,,	
Florida		
US 27 US 27 US 301 FL 24 FL 85 FL 202	FL Turnpike Ext South Bay SR 24 Waldo SR 331 Gainesville FL 397 Valparaiso I–95 Jacksonville	FL 84 Andytown. I–75 Ocala. I–10. US 301 Waldo. I–10 near Crestview. FL A–1–A.
FL 263 FL 331 FL 397 FL 528–FL	US 90 W. of Talla- hassee. I–75 S. of Gainesville Entrance Eglin AFB I–4 Orlando	I-10. FL 24. FL 85 Valparaiso. Cape Canaveral.
407. 20th St. Expwy.	1-95 Jacksonville	Adams St. near Mat- thews Bridge.

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. A

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

·	,	0 , 1
Route	From	То
FL Turnpike	S. End of Homestead	I–75 Wildwood.

FL Turnpike	S. End of Homestead Extension.	I–75 Wildwood.	
Georgia			
US 19	FL State Line	US 82 Albany. US 441 near Cornelia. N. of Statesboro. US 278 Cedartown. GA 38 Bainbridge.	
US 27 Alter- nate GA 85. US 29	US 78 W. Inter-	US 129/441 E. Inter-	
US 41 US 41	change. I–75 W. of Morrow GA 5 Connector	change Athens. Near Barnesville. County Road 633 Emerson.	
US 76 US 78–US 29 US 78/GA	I–75 Dalton GA 138 Monroe Valleybrook Rd.	US 411 Chatsworth. US 29 W. Inter- change Athens. GA 10 Stone Moun-	
410. US 78/GA 10	Scottsdale. Stone Mountain Freeway.	tain. Monroe Bypass.	
US 80/GA 22 US 82/GA 520. US 84/GA 38	AL State Line Dawson	GA 85 Columbus. I–95 Exit 6 Bruns- wick. I–75.	
US 84/GA 38 US 129 US 129	GA 520 Waycross I–16 GA 247 Connector	GA 32 Patterson. Gray. I–75 Macon.	
US 129/GA 11.	Warner Robins.	I–985.	
US 280/GA 520.	Alabama State Line	Dawson.	
US 319/GA 35. US 411-US	US 19/GA 300 Thomasville. US 27 Rome	US 82/GA 520 Tifton. I-75 near Emerson.	
41. US 441/GA	US 82/GA 520 Pear-	GA 135 Douglas.	
31. US 441/GA 24.	son. I–20	GA 22 Milledgeville.	
24. US 441/GA 15.	Athens Bypass	I–85.	
GA 2	US 27 Fort Oglethorpe	I–75.	
GA 5 Con- nector.	I–75	US 41.	
GA 6	I–20	GA 6 Bypass near Dallas.	
GA 6 Bypass GA 10 Loop	E. of Dallas E. and S. Bypass in Athens.	W. of Dallas.	
GA 14 Spur	US 29/Welcome All Road.	I-85/285 S. Inter- change Atlanta.	
GA 21 GA 25 GA 25 Spur	I–95 Monteith GA 520 US 17 N. of Bruns- wick.	GA 204 Savannah. GA 25 Spur. I-95 Exit 8.	
GA 53 GA 61	Rome	I-75 Calhoun. GA 166 near Carrollton.	
GA 85 GA 138 GA 166	Fayetteville	I-75. US 78 Monroe. End of 4-lane section of W. GA 1 Carrollton.	

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
GA 247C	I–75	GA 247 Warner Rob- ins.
GA 300 GA 316 GA 400 GA 515 GA 520	I–75	I-75 near Cordele. US 29. GA 60. Blairsville. GA 25.

Note: Atlanta area—Interstate highways within the I-285 beltway are not available to through trucks with more than 6 wheels because of construction.

Hawaii	Kawainui Bridge Kailua. HI 83 (Kahekili Hwy.). HI 92 (Nimitz Hwy.). Ainakoa. HI 99 (Kamehameha Hwy.) Aiea.
levard). HI 63	Kailua. HI 83 (Kahekili Hwy.). HI 92 (Nimitz Hwy.). Ainakoa. HI 99 (Kamehameha
HI 64 Sand Island Park 61 Kailua/Waimanalo Junction. HI 78 H–1 Middle St	Hwy.). HI 92 (Nimitz Hwy.). Ainakoa. HI 99 (Kamehameha
HI 72 61 Kailua/Waimanalo Junction. HI 78 H–1 Middle St	Ainakoa. HI 99 (Kamehameha
HI 78 H–1 Middle St	
HI 83 HI 99 Weed Junction	
	HI 61 (Kalanianaole Hwy).
HI 92 Pearl Harbor/Main Gate.	Kalakaua Avenue.
HI 93 Beginning of H–1 HI 95 H–1	Makaha Bridge. Barbers Point Har- bor.
HI 99 Pearl Harbor Int	HI 83 Weed Junction
Idaho	
I–15B I–15/US 26 S. of Idaho Falls.	US 26 N. Int. Idaho Falls.
US 2 Dover	US 95 Sandpoint.
US 2 US 95 Bonners Ferry US 20/26 OR State Line	MT State Line. I–84 W. Caldwell Int
US 20/26 On State Line	Caldwell
US 20 I–84 Mountain Home	MT State Line.
US 26 I–84 Bliss US 30 US 95 Fruitland	I-15 Blackfoot. ID 72 New Plymouth
US 30 I–15 McCammon	WY State Line.
US 89 UT State Line	US 30 Montpelier.
US 91 UT State Line	I–15 Virginia.
US 93 NV State Line	Arco. OR State Line
Marsing.	Weiser (via US 95 Spur).
US 95 Grangeville	Moscow.
US 95 I–90 Coeur D'Alene	US 2 Bonners Ferry
ID 16 ID 44 Star ID 28 ID 33 Mud Lake	Emmett. US 93 Salmon.
ID 33 ID 28 Mud Lake	US 20 Rexburg
ID 44 I-84 Caldwe11	ID 55 Eagle.
ID 51 NV State Line	I–84 Mountain Home
ID 53 WA State Line ID 55 US 95 Marsing	US 95 Garwood. I-84 Nampa.
ID 55 US 20/26 S. of Eagle	ID 44 Eagle.
ID 75 US 93 Shoshone	Ketchum.
ID 87 US 20 N. of Macks Inn.	MT State Line.
Illinois	
US 20US 20 BR W. of Rockford.	I-39 Rockford.
US 36	I–55 Springfield.
US 50 BR E. of Lawrenceville.	IN State Line.

То

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

[The federally-designated routes on the National Netw	ork con-
sist of the Interstate System, except as noted, and	the fol-
lowing additional Federal-aid Primary highways]	

From

Route

Route	From	То
US 51	US 51 BR S. of Decatur.	I-72 Decatur.
US 67	IL 92 Rock Island	IA State Line.
IL 6	I-74/474 Peoria	IL 88 N. of Peoria.
IL 53	Army Trail Rd. Addison.	IL 68 Arlington Heights.
IL 92	I-280 Rock Island	US 67 Rock Island.
IL 336	IL 57 Fall Creek	US 24 NE. of Quincy.
IL 394	IL 1 Goodenow	I-80/94/294 S. Hol- land.
IL Toll Hwys	All Routes.	

Indiana

No additional routes have been federally designated; STAA—dimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

Iowa

Note: Iowa State law allows STAA-dimensioned vehicles to operate on all highways in the State. The routes shown below were incorporated into the NN by the FHWA in 1984.

US 6	NE State Line	I-80 Council Bluffs.
US 6	IA 48 Lewis	I-80 N. of Wilton.
US 6	IA 130 Davenport	I–74.
US 18	WCL Rock Valley	WI State Line.
US 20	I-29 Sioux City	IL State Line.
US 30	Missouri River Bridge (NE).	IL State Line Clinton.
US 34	Missouri River Bridge (NE).	IL State Line Bur- lington.
US 52	US 61 Dubuque	IA 386 N. Int. Sageville.
US 52	IA 3 Luxemburg	US 18 E. Int.
US 52	ECL Calmar	Burr Oak.
US 59	IA 2 Shenandoah	IA 184.
US 59	IA 92 Carson	US 6 N. Int.
US 59	IA 83 Avoca	US 30 Denison.
US 59	US 20 Holstein	IA 3.
US 59	IA 10 E. Int. W. of Sutherland.	US 18 Sanborn.
US 61	Des Moines River Bridge (MO) Keo- kuk.	WI State Line.
US 63	MO State Line	IA 146 New Sharon.
US 63	I–80 Malcom	NCL Chester.
US 65	US 34 N. Int. Lucas	IA 117/330.
US 65	US 30 Colo	Sheffield.
	SCL Mason City	IA 105 Northwood.
US 65	IL State Line Dav-	4.64 Miles N. of Clin-
US 67	enport.	ton.
US 69	SCL Lamoni	I–35.
US 69	US 6/65 Des Moines	IA 105 Lake Mills.
US 71	MO State Line	IA 196 Ulmer.
US 71	US 20 Early	MN State Line.
US 75	I–29 N. Int. Sioux City.	IA 9 E. Int.
US 77	NE State Line	I-29 Sioux City.
US 136	Des Moines River Bridge (MO).	Mississippi River Bridge Keokuk.
US 151	I–80 E. of Williams- burg.	US 61 S. Int.
US 169	SCL Arispe	IA 92 Winterset.
US 169	SCL Desoto	I–80.
US 169	US 6 Adel	IA 141 Perry.
US 169	US 30 Beaver	IA 3.
US 169	US 18 Algona	IA 9 W. Int. Swea
00 100	00 10 / ligolia	City.

110 010	110 400 14 1 1	14.00.41
US 218	US 136 Keokuk	IA 92 Ainsworth.
US 218	IA 22 Riverside	IA 227.
IA 1	IA 16 N. Int	IA 78 W. Int. Rich-
IA 1	IA 10 N. III	
		land.
IA 1	IA 92 N. Int	IA 22 Kalona.
IA 1	US 6/218 N. Int. Iowa	I-80 Iowa City.
	City.	
IA 1	SCL Martelle	US 151.
	SCL Waitelle	
IA 2	NE State Line	IA 25 W. of Mt. Ayr.
IA 2	Decatur Co. Line	Mississippi River
IA 2	Decatul Co. Lille	
		Bridge (IL) Ft.
		Madison.
14.0	00 00 1 11	
IA 3	SD State Line	IA 12 N. Int. Akron.
IA 3	US 75 Le Mars	IA 7.
	IA 17 E. Int. Goldfield	
IA 3	IA 17 E. Int. Goldileid	IA 13 W. Int.
IA 4	IA 3 Pocahontas	US 18 E. Int.
IA 4	SCL Wallingford	IA 9 Estherville.
IA 5	IA 2 Centerville	I-35.
IA 7	IA 3	US 71 N. Int. Storm
		Lake.
IA 7	Barnum	US 20 Fort Dodge.
IA 8	US 63 Traer	US 218.
IA 9	IA 60	IA 26 Lansing.
IA 10	US 59 E. Int	ECL Sutherland.
		NOL Cierro Cit
IA 12	US 20	NCL Sioux City.
IA 13	US 30 Bertram	US 52.
IA 14		NCL Newton.
	IA 92/5	
IA 14	US 30 Marshalltown	US 20 S. Int.
IA 15	US 18 Whittemore	IA 9 W. Int. IA 1 N. Int.
14 10		IA J VV. IIIL.
IA 16	NCL Eldon	IA 1 N. Int.
IA 16	Denmark	US 61 Wever.
IA 17	IA 141 Granger	IA 3 E. Int.
IA 17		IA 3 E. IIII.
IA 21	SCL What Cheer	IA 412 Waterloo.
IA 22	WCL Wellman	IA 70 W. Int.
IA 23	US 63 Ottumwa	IA 137 Eddyville.
IA 25	IA 2	IA 92 Greenfield.
IA 25	IA 925 W. Int	IA 44 Guthrie Center.
IA 26	IA 9 Lansing	New Albin.
IA 28	IA 92	US 6 Des Moines.
IA 21		US 59.
IA 31	SCL Correctionville	
IA 37	WCL Earling	US 59.
IA 38	US 61 Muscatine	I–80.
IA 38	SCL Tipton	US 30 E. Int.
IA 39	US 59 Denison	Deloit.
IA 44	US 71 Hamlin	IA 141.
IA 46	IA 5	IA 163 Des Moines.
IA 48	US 59 Shenandoah	NCL Essex.
IA 48	US 34 Red Oak	US 6.
IA 49		
IA 51	SCL Lenox	US 34.
		US 34. IA 9.
	US 18 Postville	IA 9.
IA 55	US 18 Postville Seymour	IA 9. IA 2.
	US 18 Postville	IA 9.
IA 55 IA 60	US 18 Postville Seymour US 75 Lemars	IA 9. IA 2. MN State Line.
IA 55 IA 60 IA 62	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa	IA 9. IA 2. MN State Line. US 52 Bellevue.
IA 55 IA 60 IA 62 IA 64	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61.
IA 55 IA 60 IA 62	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa	IA 9. IA 2. MN State Line. US 52 Bellevue.
IA 55 IA 60 IA 62 IA 64 IA 70	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int.
IA 55IA 60IA 62IA 64IA 70IA 77	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota.
IA 55IA 60IA 62IA 64IA 70IA 77IA 77IA 78IA 78	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int.
IA 55IA 60IA 62IA 64IA 70IA 77IA 77IA 78IA 78	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield.
IA 55	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61.
IA 55	US 18 Postville	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 61. US 61.
IA 55	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61.
IA 55	US 18 Postville Seymour	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92 IA 149 WCL Morning Sun S. of Walnut US 63 Montezuma US 71	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 61. US 61. IA 24. IA 9 Montgomery.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92 IA 149 WCL Morning Sun S. of Walnut US 63 Montezuma US 71 NE State Line	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 61. IA 249 Wonfield. US 61. IA 9 Montgomery. IA 9 Montgomery. IA 48 Griswold.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92 IA 149 WCL Morning Sun S. of Walnut US 63 Montezuma US 71 NE State Line	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 61. IA 249 Wonfield. US 61. IA 9 Montgomery. IA 9 Montgomery. IA 48 Griswold.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92	US 18 Postville Seymour	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92	US 18 Postville Seymour	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 93	US 18 Postville Seymour	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 93	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92 WCL Morning Sun S. of Walnut US 63 Montezuma US 71 NE State Line WCL Fontanelle IA 1 S. Int WCL Sumner	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 94	US 18 Postville	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette. Palo.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 93	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92 WCL Morning Sun S. of Walnut US 63 Montezuma US 71 NE State Line WCL Fontanelle IA 1 S. Int WCL Sumner	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 92 IA 94	US 18 Postville	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette. Palo.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 93 IA 94 IA 96 IA 99	US 18 Postville Seymour US 75 Lemars US 61 Maquoketa US 151 Anamosa Columbus City IA 92 IA 149 WCL Morning Sun S. of Walnut US 63 Montezuma US 71 NE State Line WCL Fontanelle IA 1 S. Int WCL Sumner I-380 Cedar Rapids Gladbrook Toolesboro	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette. Palo. US 63 Traer. US 61 Wapello.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 92 IA 92 IA 93 IA 94 IA 96 IA 99 IA 100	US 18 Postville	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 6 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette. Palo. US 63 Traer. US 61 Wapello. I–380.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 93 IA 94 IA 96 IA 99	US 18 Postville	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette. Palo. US 63 Traer. US 61 Wapello.
IA 55 IA 60 IA 62 IA 64 IA 70 IA 77 IA 78 IA 78 IA 83 IA 85 IA 86 IA 92 IA 92 IA 92 IA 92 IA 92 IA 93 IA 94 IA 96 IA 99 IA 100	US 18 Postville	IA 9. IA 2. MN State Line. US 52 Bellevue. US 61. IA 22 W. Int. Keota. IA 249 Winfield. US 6 61. US 6 Atlantic. IA 21. IA 9 Montgomery. IA 48 Griswold. IA 1 N. Int. Cotter. IA 150 Fayette. Palo. US 63 Traer. US 61 Wapello. I–380.

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. A

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То	Route	From	То
IA 105IA 107	US 69 Lake Mills SCL Thornton	US 218 St. Ansgar. US 18 Clear Lake.	University Ave.	US 20 SW. of Cedar Falls.	US 218 Cedar Falls.
IA 110IA 111	US 20 US 18 Britt	IA 7 Storm Lake. Woden.		Kansas	
IA 117	IA 163 Prairie City	US 65.	No odditional u	autaa haya baan fadaya	Illu decimated, CTAA
IA 127IA 130	IA 183 S. Int US 61/67 Davenport	US 30 Logan. I–80.		outes have been federa commercial vehicles m	
IA 133	US 30	Nevada.		d Primary highways und	
IA 136	ECL Delmar	WCL Lost Nation.		Kentucky	
IA 136	SCL Worthington	US 52/IA 3 Luxem- burg.		•	L 075/471 Inter
IA 137	IA 5 Albia	IA 23.	I–471 Con- nector.	US 27 Highland Heights.	I-275/471 Inter- change.
IA 141IA 141	I-29 WCL Manning	US 30/59 Denison. US 169.	US 23	Virginia State Line	US 119 near Jenkins.
IA 141	IA 210 Woodward	I-35 Urbandale.	US 23	US 119 N. of Pikeville.	S. end U.S. Grant Bridge South
IA 144	IA 141 Perry	US 30 Grand Junc- tion.			Portsmouth.
IA 145	I–29	ECL Thurman.	US 23 Spur	US 60 Ashland (via 13th St. Bridge).	Ohio State Line.
IA 146	US 63 New Sharon	Dunbar.	US 25/421	Int. US 25/US 421 S.	KY 876 Richmond.
IA 148IA 148	IA 2 BedfordIA 951 Carbon	US 34. I–80.	110.05/404	of Richmond.	Nameline Dhed Lee
IA 149	US 63	IA 78 Martinsburg.	US 25/421	KY 418 (via KY 4)	Nandino Blvd., Lex- ington.
IA 149 IA 150	SCL Williamsburg US 218 Vinton	I–80. IA 283.	US 25E	Virginia State Line	I-75 Exit 29 N. of
IA 150	US 20	US 18 West Union.	US 27	Tennessee State	Corbin. Ohio State Line.
IA 150 (Old)	I–380 Center Point	IA 150.		Line (via KY 4 Lex-	
IA 157IA 160	US 63 US 69/IA 415	Lime Springs. I–35 Ankeny.	US 31W	ington). Tennessee State	KY 255 Park City.
IA 163	US 65 Des Moines	IA 92 Oskaloosa.	00 0111	Line.	INT 255 Falk Oily.
IA 173IA 175	IA 83 Atlantic NE State Line	I–80. ECL Onawa.	US 31W	Byp US 31W N. of Elizabethtown.	I–264 Exit 8 Louis- ville.
IA 175	US 71 S. Int	ECL Lake City.	US 31W Byp	Western Kentucky	US 31W N. of Eliza-
IA 175IA 175	Gowrie WCL Stratford	ECL Dayton. ECL Radcliffe.		Parkway Exit 136.	bethtown.
IA 175	US 65 N. Int	US 63 Voorhies.	US 41	Pennyrile Parkway Henderson.	Indiana State Line.
IA 181	Melcher-Dallas	IA 5/92.	US 41	Tennessee State	Pennyrile Parkway
IA 183IA 184	IA 127 N. Int	NCL Pisgah. US 59.		Line.	near SCL Hopkins- ville.
IA 192	I–29/80	I-29 Council Bluffs.	US 45	Jackson Purchase	US 60 Paducah.
IA 196IA 210	US 71 IA 141	US 20 Sac City. NCL Woodward.		Parkway N. of Mayfield.	
IA 210	IA 17 N. Int	ECL Slater.	US 60	US 45 Paducah	Int. US 60/62 Padu-
IA 215	Union I–35	IA 175 Eldora. Roland.	110.00	LIC CO Dum W. of	cah.
IA 221IA 227	US 218	Stacyville.	US 60	US 60 Byp W. of Owensboro.	KY 69 Hawesville.
IA 244	I–80	IA 191 Neola.	US 60	KY 144 Garrett	US 31W S. of
IA 249IA 272	IA 78 Elma	Winfield. US 63.	US 60	Int. US 421/KY 676	Muldraugh. I–75 Exit 110 Lex-
IA 273	WCL Drakesville	US 63.		Frankfort (via KY 4	ington.
IA 276IA 279	US 71 US 30	IA 327 Orleans. Atkins.	US 60	Lexington). KY 180 Cannonsburg	US 23 Ashland.
IA 281	WCL Fairbank	IA 150.	US 60 Byp	US 60 W. of	US 60 E. of
IA 283	Brandon US 30	IA 150. Newhall.	US 62	Owensboro. I–24 Exit 7 Paducah	Owensboro. US 68.
IA 287IA 300	Modale	I–29.	03 62	(via US 60 Padu-	03 66.
IA 316	IA 5 Pleasantville	NCL Runnells.	110 00/00	cah).	01: 01: 1:
IA 330IA 363	US 65 IA 101	US 30 Marshalltown. Urbana.	US 62/68 US 68	WashingtonUS 62	Ohio State Line. I-24 Exit 16.
IA 401	US 6	Johnston.	US 68	I-24 Exit 65 E. of	Green River Parkway
IA 405IA 406	Lone Tree US 34	IA 22. US 61 Burlington.		Cadiz (via US 41 Hopkinsville).	Exit 5 Bowling Green.
IA 415	US 6 Des Moines	IA 160.	US 68	US 27 Paris (via	Int. US 62/68 Wash-
IA 927	IA 38 Wilton	1–280 Davenport.	US 119	Paris Byp). KY 15 E. of	ington. US 23 near Jenkins.
IA 928IA 930	US 20/IA 17 US 30	US 20 Williams. Ames.	03 118	Whitesburg.	03 23 Hear Jenkins.
IA 939	IA 150 Independence	IA 187.	US 119	US 25E S. of Pine-	US 421 Harlan.
IA 964IA 967	IA 5/92 US 20	IA 975/14 Knoxville. Farley.	US 119	ville. US 23 N. of Pikeville	KY 1441.
	IA 5/92			KY 22 Owenton	

Federal Highway Administration, DOT

Pt. 658, App. A

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	
US 127 Byp US 127 S. of Danville US 127 Byp US 127 S. of Danville US 127 S. of Danville US 127 S. of Lawrenceburg. US 150 US 62 Bardstown (via US 68 Perryville, the Danville Byp, and the Stanford Byp). US 150 Byp US 150 N. of Stanford. US 231 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 460 US 27 S. Lexington US 23 W. of Paintsville. KY 4 US 27 S. Lexington US 62/68 Maysvill. KY 11 KY 3170 Lewisburg KY 15 Spur KY 15/191 Campton Wountain Parkway	
US 127 Byp US 127 S. of Danville US 127 Byp US 127 S. of Lawrenceburg. US 150 US 62 Bardstown (via US 68 Perryville, the Danville Byp, and the Stanford Byp). US 150 Byp US 150 Byp US 150 Byp US 150 N. of Stanford. US 231 US 60 Byp Owensboro. US 421 US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 431 US 60 Byp Owensboro. US 460 US 60 Byp Owensboro. US 460 US 60 Byp Owensboro. US 460 US 60 Byp Owensboro. US 460 US 60 Byp Owensboro. US 460 E. end Mountain Pkwy. Extension. Tennessee State Line. KY 4 US 27 S. Lexington KY 3170 Lewisburg KY 315 Spur KY 15 Spur KY 15/191 Campton Mountain Parkway	ia
US 127 Byp US 127 S. of Lawrenceburg. US 62 Bardstown (via US 68 Perryville, the Danville Byp, and the Stanford Byp). US 150 Byp US 17 N. of Stanford US 27 N. of Stanford US 119. US 119. US 119. US 119. US 127 Wilkinson Blvd./Owenton F Interchange Frat fort. US 60 (4th St.) Owensboro. KY 686 Mt. Sterling US 23 W. of Paintsville. KY 34 Benton. Enttire Circle of Leington. KY 11 KY 3170 Lewisburg (VS 62/68 Maysvill. KY 15 Spur KY 15/191 Campton Mountain Parkway	
US 150 US 62 Bardstown (via US 68 Perryville, the Danville Byp, and the Stanford Byp). US 150 Byp US 127 S. of Danville US 150 Byp US 150 N. of Stanford. US 231 US 60 Byp Owensboro. US 421 0.1 mile S. of Harlan Appalachian Regional Hospital. US 421 Int. US 60/460 Frankfort. US 431 US 60 Byp Owensboro. US 460 164 Exit 110 N. of Mt. Sterling. US 460 164 Exit 110 N. of Mt. Sterling. US 460 E. end Mountain Pkwy. Extension. US 641 Tennessee State Line. KY 4 US 27 S. Lexington Entire Circle of Leington. KY 11 KY 3170 Lewisburg KY 15 Spur KY 15/191 Campton Mountain Parkway.	
US 150 Byp US 150 Byp US 150 N. of Stanford. US 231 US 60 Byp Owensboro. US 421 US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 421 US 60 Byp Owensboro. US 431 US 60 Byp Owensboro. US 460 US 60 Byp Owensboro. US 460 US 60 Byp Owensboro. US 460 E. end Mountain Pkwy. Extension. US 23 W. of Paintsville. KY 4 US 27 S. Lexington KY 3170 Lewisburg KY 15 KY 15 Spur KY 15 Spur KY 15 Spur US 150 E. of Danville. US 27 N. of Stanford. US 119. US 119. US 119. US 119. US 127 Wilkinson Blvd./Owenton F Interchange Frat fort. US 60 (4th St.) Owensboro. KY 686 Mt. Sterlin US 23 W. of Paintsville. KY 348 Benton. Enttre Circle of Leington. US 62/68 Maysvill. KY 15 Spur/KY 19 Campton. Mountain Parkway	ord.
US 150 Byp US 231 US 60 Byp Owensboro. US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 421 US 60/460 Frankfort. US 431 US 60 Byp Owensboro. US 460 US 60 Byp Owensboro. US 460 US 460 E. end Mountain Pkwy. Extension. Tennessee State Line. US 27 N. of Stanford. Indiana State Line US 127 Wilkinson Blvd./Owenton F Interchange Fra fort. US 66 (4th St.) Owensboro. KY 686 Mt. Sterling US 23 W. of Paintsville. KY 34 Benton. Entire Circle of Le ington. US 62/68 Maysvill. KY 15 US 62/68 Maysvill. KY 15 Spur KY 15/191 Campton Mountain Parkway Mountain Parkway	
US 231 US 60 Byp Owensboro. US 421 1nit US 60/460 Frankfort. US 421 US 60/460 Frankfort. US 431 US 60 Byp Owensboro. US 431 US 60 Byp Owensboro. US 460 I-64 Exit 110 N. of Mt. Sterling. US 460 E. end Mountain Pkwy. Extension. US 641 Tennessee State Line. KY 4 US 27 S. Lexington Entire Circle of Leington. KY 15 US 119 Whitesburg (via KY 7 Isom). KY 15 Spur KY 15/191 Campton Mountain Parkway	ord.
US 421	
US 421 Int. US 60/460 Frank- fort. US 431 US 60 Byp	
US 431 US 60 Byp Owensboro. US 460 I-64 Exit 110 N. of Mt. Sterling. US 460 E. end Mountain Pkwy. Extension. US 641 Tennessee State Line. KY 4 US 27 S. Lexington KY 11 KY 3170 Lewisburg KY 15 US 119 Whitesburg (via KY 7 Isom). KY 15 Spur KY 15/191 Campton Mountain Parkway	
US 460 I-64 Exit 110 N. of Mt. Sterling. US 460 E. end Mountain Pkwy. Extension. US 641 Tennessee State Line. KY 4 US 27 S. Lexington Entire Circle of Lexington. KY 11 KY 3170 Lewisburg US 62/68 Maysvill. KY 15 US 119 Whitesburg (via KY 7 Isom). KY 15 Spur KY 15/191 Campton Mountain Parkway	
US 460 E. end Mountain Pkwy. Extension. US 641 Tennessee State Line. KY 4 US 27 S. Lexington Entire Circle of Leington. KY 11 KY 3170 Lewisburg US 62/68 Maysville. KY 15 US 119 Whitesburg (via KY 7 Isom). KY 15 Spur KY 15/191 Campton Mountain Parkway	g.
US 641 Tennessee State Line. KY 348 Benton. KY 4 US 27 S. Lexington Entire Circle of Lexington. KY 11 KY 3170 Lewisburg US 62/68 Maysvill. KY 15 Whitesburg (via KY 7 Isom). KY 15 Spur Campton. KY 15 Spur KY 15/191 Campton Mountain Parkway	
KY 4	
KY 15	
	1
KY 21 I–75 Exit 76 W. of US 25 Berea. Berea.	
KY 35 US 127 Bromley I–71 Exit 57. KY 55 Cumberland Parkway Exit 49 Columbia. US 150 Springfield	i.
KY 61 Peytonsburg KY 90 Burkesville KY 69 US 60 Hawesville Indiana State Line KY 70/90 I-65 Exit 53 US 31E Glasgow KY 79 KY 1051 Branden- Indiana State Line	
KY 80	n.
KY 80	
KY 80 Byp Exit 20. US 27 Somerset KY 80 E. of Somerset.	
KY 90 KY 61 Burkesville US 27 Burnside. KY 114 US 460 E. of US 23/460 S. of Prestonburg.	
KY 118 Int. US 421/KY 80 Daniel Boone Park way Exit 44.	(-
KY 144 KY 448 US 60 Garrett. KY 151 US 127 N. of Lawrenceburg. L-64 Exit 48.	
KY 180 I-64 Exit 185 Int. US 60/KY 180	
KY 192 I–75 Exit 38 Cannonsburg. Daniel Boone Park way E. of Londo	

3		3 - 5 - 1
Route	From	То
KY 259	Western Kentucky Parkway Exit 107.	US 62 Leitchfield.
KY 418	US 25/421 Lexington	I-75 Exit 104.
KY 446	US 31W Bowling Green.	I-65 Exit 28.
KY 448	KY 144	KY 1051 Branden- burg.
KY 555	US 150 Springfield	Bluegrass Parkway Exit 42.
KY 676	US 127 Frankfort	US 60/421 Frankfort.
KY 686	US 460 Mt. Sterling	KY 11 S. of Mt. Ster- ling.
KY 876	I-75 Exit 87 Rich- mond.	KY 52.
KY 922	KY 4 Lexington	I-64/75 Exit 115.
KY 1051	KY 448 S. of Bran- denburg.	KY 79.
KY 1682	US 68 W. of Hop- kinsville.	Pennyrile Parkway Exit 12 NCL Hop- kinsville.
KY 1958	KY 627 S. of Win- chester.	I-64 Exit 94 Win- chester.
Audubon	Pennyrile Parkway	US 60 Byp
Parkway.	Exit 77 Henderson.	Owensboro.
Blue Grass	I-65 Exit 93 E. of	US 60 E. of
Parkway.	Elizabethtown.	Versailles.
Cumberland Parkway.	I-65 Exit 43 N. of Hays.	US 27 Somerset.
Daniel Boone Parkway.	US 25 N. of London	KY 15 N. of Hazard.
Green River	I-65 Exit 20 S.E. of	US 60 Byp
Parkway.	Bowling Green.	Owensboro.
Jackson Pur- chase	Tennessee State Line.	I-24 Exit 25 E. of Calvert City.
Parkway. Mountain	I-64 Exit 98 E. of	US 460 Salyersville.
Parkway and Moun- tain Park- way Exten-	Winchester.	03 400 Salyeisville.
sion.		
Pennyrile Parkway.	US 41 Alt. Hopkins- ville.	US 41 Henderson.
Western Ken- tucky Park- way.	I–24 Exit 42 S. of Eddyville.	I-65 Exit 91 S. of Elizabethtown.

tucky Parkway.

Note: US 23 crosses the Ohio River between South Portsmouth, KY and Portsmouth, OH via the U.S. Grant Bridge.

Although the state line is near the Ohio shoreline, putting
most of the bridge in Kentucky, the terminal point for US
23 is listed as the south end of the bridge because the
bridge is maintained by the Ohio DOT.

Louisiana

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

	Maine	
US 1	I-95 Brunswick	Old US 1 (Vicinity of Congress St.) Bath.
Scarboro Connector.	I-295 South Portland	US 1 Scarborough.
South Port- land Spur.	I-95 South Portland	US 1 South Portland.

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. A

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route From То Maryland US 13 US 15 DE State Line. MD 26 Frederick. I–70/270 Frederick. I–70 Hancock. VA State Line . US 40/340 Frederick US 15/340 Frederick US 40 US 48 WV State Line ... US 50 MD 201/Kenilworth US 13 Salisbury. Ave. Cheverly. VA State Line US 301 DE State Line. US 15/40 Frederick. I–695/MD 695 Glen US 340 MD 3 MD 67 Weverton US 50/301 Bowie ... Burnie. US 301 Upper Marl-MD 4 .. I-95 Forestville . boro. MD 695 Glen Burnie. MD 607 Jacobsville. US 50 Cheverly. MD 648 Glen Burnie MD 10 ... MD 100 ... MD 3 D.C. Line MD 201 (Kenilw. Ave.). I-695 Linthicum ... I-695/MD 3 Glen I-95 Baltimore. MD 695 I-95/695 Kenwood. Burnie. MD 702 Old Eastern Avenue MD 695 Essex.

Note: I-895 Baltimore-Widths over 96 inches and tandem trailers may be prohibited on the Harbor Tunnel Thruway because of construction.

Massachusetts

US 3 MA 2 MA 24	I-95 Burlington I-190 Leominister I-195 Fall River I-195 New Bedford	NH State Line. I–495 Littleton. I–93 Randolph.
MA 140	I-195 New Bedford	MA 24 Taunton.

Note: I-93 Boston-Restrictions may be applied, when necessary, to portions of I–93 affected by reconstruction of the Central Artery (I–93) and construction of the Third Harbor Tunnel (I-90).

Michigan

I-75 Conn	US 24BR Pontiac	I–75.
US 2	WI State Line Ironwood.	WI State Line S. of Crystal Falls.
US 2	WI State Line Iron Mountain.	I–75 St. Ignace.
US 8	US 2 Norway	WI State Line.
US 10	Ludington	I-75 Bay City.
US 12	IN State Line	I–94 W. Jct. Ypsi- lanti.
US 23	OH State Line	I-75 Mackinaw City.
US 24	OH State Line	MI 15 Waterford.
US 24BR	US 24 S. of Pontiac	MI 1 Pontiac.
US 27	IN State Line	I-75 S. of Grayling.
US 31	IN State Line	I-75 Mackinaw City.
US 33	IN State Line	US 12 Niles.
US 41	WI State Line	Houghton.
US 45	WI State Line	MI 26 Rockland.
US 127	OH State Line	I-69/US 27 N. of Lansing.
US 131	IN State Line	US 31 Petoskey.
US 141	WI State Line S. of Crystal Falls.	US 41/MI 28.
US 223	US 23	US 12/127 Somerset.
MI 10	I-375 Detroit	Orchard Lake Road.
MI 13	I-69 Lennon	I-75 Saginaw (via MI 81).
MI 13	I-75 Kawkawlin (via I-75 Conn.).	US 23 Standish.
MI 14	I-94 Ann Arbor	I-96/275 Plymouth.
MI 15	US 24 Clarkston	MI 25 Bay City.

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
MI 18	US 10	MI 61 Gladwin.
MI 20	US 31 New Era	MI 37 White Cloud.
MI 20 MI 20	US 27 Mt. Pleasant I-96 near Grand	US 10 Midland.
MI 21	I–96 near Grand Rapids.	I-69 Flint.
MI 24	I–75 Auburn Hills (via I–75 Conn.).	I-69 Lapeer.
MI 24	MI 46US 45 Rockland	MI 81 Caro.
MI 26		MI 38.
MI 27 MI 28	I-75 US 2 Wakefield	US 23 Cheboygan. I–75.
MI 20		Alpena.
MI 32 MI 33	Hillman Mio	Fairview.
MI 35	US 2/41 Escanaba	US 2/41 Gladstone.
MI 36	US 127 Mason	Dansville.
MI 37	MI 55	US 31/MI 72 Tra- verse City.
MI 37	I-96 Grand Rapids	MI 46 Kent City.
MI 37 MI 38	US 45 Ontonagon	US 41 Baraga.
MI 39	I–75 Lincoln Park	MI 10 Southfield.
MI 40	MI 89 Allegan	MI 10 Southfield. US 31BR/I–196BL
MI 43	MI 37 Hastings	Holland. US 127 Lansing.
MI 46	US 131 Howard City	MI 25 Port Sanilac.
MI 47	I-675 Saginaw (via	US 10.
MI 50	MI 58). MI 43/66 Woodbury	MI 99 Eaton Rapids.
MI 50	US 127 S. Jct	I–75 Monroe.
	US 12 Niles	1–94.
MI 51 MI 52	OH State Line	US 12 Clinton.
MI 52	I–96 Webberville	MI 46 W. of Saginaw
MI 53	MI 3 Detroit	MI 25 Port Austin.
MI 55	US 31 Manistee	I–75.
MI 55	MI 65	US 23 Tawas City.
MI 57	US 131 N. of Rock- ford.	US 27.
MI 57	MI 52 Chesaning	I-75 Clio.
MI 59	US 24 BR Pontiac	I–94.
MI 60	MI 62 Cassopolis	I-69/US 27.
MI 61	MI 115	US 27 Harrison.
MI 61	MI 18 Gladwin	US 23 Standish.
MI 63	US 31 Scottdale	I–196.
MI 65	US 23 Omer	MI 55.
MI 65	MI 72 Curran	MI 32.
MI 65	Posen	US 23 N. of Posen.
MI 66	IN State Line	US 12 Sturgis.
MI 66	Battle Creek	MI 78.
MI 66	MI 43/50 Woodbury	MI 46 Edmore.
MI 67	US 41 Trenary	MI 94 Chatham.
MI 68	US 31/131 Petoskey US 2/141 Crystal	US 23 Rogers City. MI 95 Sagola.
MI 72	Falls. US 31/MI 37 Tra-	US 23 Harrisville.
	verse City.	
MI 77	US 2	MI 28 Seney.
MI 78	MI 66	I–69 Olivet.
MI 81	MI 24 Caro MI 37 S. Jct. Newago	MI 53. US 131.
MI 82	Frankenmuth	US 131. I–75.
MI 83	I–75	I-75. MI 25 Bay City.
MI 89	MI 40 Allegan	US 131.
MI 94	US 41	MI 28 Munising.
MI 95	US 2 Iron Mountain	US 41/MI 28.
MI 104	US 31 Grand Haven	I–96.
	US 27	MI 22 Frankfort.
MI 115		
MI 115	US 2 Engadine	I MI 28.
MI 115 MI 117	US 2 Engadine	MI 28. MI 28.
MI 115 MI 117 MI 123	I–75 N. of St. Ignace MI 25 Bay Port	
MI 115 MI 117 MI 123 MI 142 MI 205	US 2 Engadine	MI 28.

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	To
	Minnesota	
US 2	ND State Line E. Grand Forks.	I-35 Duluth.
US 10	CH 11 E. of Moor- head.	I-694 Arden Hills.
US 12 US 14	US 59 Holloway US 75 Lake Benton	I–94 Minneapolis. US 52 Rochester.
US 52	I–90 S. of Rochester	MN 110 Inver Grove
US 53	I-35/535 Duluth	US 169 S. Int. Virginia.
US 59	I–90 Worthington	MN 30 S. Int. Slayton.
US 59 US 59	MN 7 Appleton I-94 N. Int. Fergus Falls.	US 12 Holloway. MN 175 Lake Bronson.
US 61 US 61	WI State Line	MN 60 Wabasha.
US 61	MN 55 Hastings I–35 Duluth	I-94 St. Paul. CH 2 Two Harbors.
US 63	I-90 Rochester	US 52 Rochester.
US 63	MN 58 Red Wing	WI State Line.
US 71	IA State Line	MN 34 Park Rapids.
US 75	I–90	US 2 Crookston.
US 75 US 169	MN 175 Hallock I–90 Blue Earth	Canadian Border. US 212 Chanhassen.
US 169	I-94 Brooklyn Park	MN 23 Milaca.
US 169	US 2 Grand Rapids	US 53 S. Int. Vir-
		ginia.
US 212	SD State Line	MN 62 Edina.
US 218	I-90 Austin	US 14 Owatonna.
MN 1	ND State Line	US 59/MN 32 Thief
MN 3	MN 110 Inver Grove Hts.	River Falls. I-94 St. Paul.
MN 5	MN 22 Gaylord	US 212.
MN 7	US 75 near Odessa	MN 100 St. Louis Park.
MN 9	US 12 Benson	US 59 Morris.
MN 11	MN 32 Greenbush	MN 72 Baudette.
MN 13 MN 15	I–90 I–90 Fairmont	MN 14 Waseca. MN 60.
MN 15	US 14 New Ulm	MN 19 Winthrop.
MN 19	US 59 Marshall	MN 22 Gaylord.
MN 22	MN 109 Wells	US 14/MN 60 Man- kato.
MN 22	US 212 Glencoe	US 12 Litchfield.
MN 23	US 75 Pipestone	I–35 near Hinckley.
MN 24	I–94 Clearwater	US 10 Clear Lake. US 10 Big Lake.
MN 25 MN 27	I-94 Monticello MN 29 Alexandria	MN 127 Osakis.
MN 27	US 71 N. Int. Long Prairie.	US 10 Little Falls.
MN 28	SD State Line Browns Valley.	I–94/US 71 Sauk Centre.
MN 29	I–94 Alexandria	MN 27 Alexandria.
MN 30	US 75 Pipestone	US 59 S. Int.
MN 32	US 59/MN 1 Thief River Falls.	Slayton. MN 11 Greenbush.
MN 33	I–35 Cloguet	US 53 Independ- ence.
MN 34	US 71 Park Rapids	MN 371 Walker.
MN 36	I-35W Roseville	MN 95 Oak Park Hts.
MN 43	I-90 Wilson	MN 95 Oak Park Hts. US 61 Winona.
MN 55	MN 28 Glenwood	7th St. N., W. Int. Minneapolis.
MN 55	I-94 E. Int. Min- neapolis.	MN 3 Inver Grove Hts.
MN 60	IA State Line Bigelow	US 14/169 Mankato.

Route	From	То
MN 62	US 212 Edina	MN 100 Edina.
MN 65	I-694 Fridley	MN 23 Mora.
MN 68	US 75 Canby	MN 19 Marshall.
MN 101	I-94 Rogers	US 10 Elk River.
MN 109	I-90 Alden	MN 22 Wells.
MN 175	US 75 Hallock	US 59.
MN 210	ND State Line	US 59 W. Int. Fergus
	Breckenridge.	Falls.
MN 210	US 10 Motley	I-35 Carlton.
MN 371	US 10 Little Falls	US 2 Cass Lake.

NOTE: I-35E St. Paul—The parkway segment of I-35E from 7th Street to I-94 is not available to trucks because of reduced design standards.

Mississippi

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

all Federal-aid Primary highways under State law.		
Missouri		
US 24	I-435 Kansas City	US 65 Waverly.
US 24	US 36 E. Jct. W. of Hannibal.	IL State Line.
US 36	KS State Line St. Joseph.	IL State Line Han- nibal.
US 40	I–70 Wentzville	I–270 W. of St. Louis.
US 50	I–470 Exit 7 Kansas City.	I–44 Exit 247 Union.
US 54	US 54BR Lake Ozark	IL State Line.
US 59	KS State Line	I-229 St. Joseph.
US 60	OK State Line	US 71 Neosho.
US 60	MO 37 Monett	US 63 Cabool.
US 60	2 Mi. E. of E. Jct. MO 21 Ellsinore.	I-55/57 Sikeston.
US 61	I-70 Wentzville	IA State Line.
US 63	AR State Line Thayer	IA State Line.
US 65	AR State Line Ridgedale.	IA State Line.
US 67	AR State Line	I-55 Exit 174 Crystal Citv.
US 67	MO 367 N. of St. Louis.	IL State Line.
US 71	AR State Line	I-435/470 Kansas City.
US 71	I-29 Exit 53 N. of St. Joseph.	US 136 Maryville.
US 71 Alt	I–44 E. of Joplin	US 71 Carthage.
US 136	NE State Line	I-29 Exit 110 Rock
US 166	KS State Line	Port. I–44 SW. of Joplin.
US 169	I-29 Kansas City	MO 152 Kansas City.
US 412	AR State Line	I-55 Exit 19 Hayti.
MO 5	AR State Line	US 60 Mansfield.
MO 7	US 71 Harrisonville	MO 13 Clinton.
MO 13	I-44 Springfield	US 24 Lexington.
MO 25	US 412 near Kennett	US 60 Dexter.
MO 37	MO 76 Cassville	US 60 Monett.
MO 47	US 50 Union	MO 100 Washington.
MO 84	AR State Line	US 412 near Ken- nett.
MO 100	MO 47 Washington	I–44 SE. of Wash- ington.
MO 171	KS State Line/KS 57	US 71 Webb City.
MO 367	I-270 N. of St. Louis	US 67 N. of St. Louis.

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. A

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
Montana		
No additional routes have been federally designated; STAA- dimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.		

Nebraska

No additional routes have been federally designated; STAA-dimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

Nevada

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law. **New Hampshire**

US 3 US 4/ Spaulding Tpk.	MA State Line I–95 Portsmouth	NH 101A Nashua. Exit 6 E. of Durham.
	New Jersey	_
US 130	US 322 Bridgeport	I–295 Logan Town- ship.
US 130	I-295/NJ 44 West Deptford.	I-295 West Deptford.
US 322	PA State Line	US 130 Bridgeport.
NJ 42	Atlantic City Expwy. Turnersville.	I-295 Bellmawr.
NJ 81	I-95 Elizabeth	US 1/9 Newark Intl. Airport.
NJ 440	I–287/I–95 Edison	NY State Line Outerbridge Crossing.

Note: I-95—The following two sections of the New Jersey Turnpike are available to STAA-dimensioned vehicles. They were added to the Interstate System on March 3, 1983, but are not signed as Interstate.

PA Tpk. Con-	PA State Line	Exit 6 Mansfield.
nector.	1 7 Glate Eine	Exit o Marionola.
NJ Tpk	Exit 6 Mansfield	Exit 10 Edison.
	New Mexico	
US 56	I-25 Springer	OK State Line.
US 60	AZ State Line	I-25 Socorro.
US 62	US 285 Carlsbad	TX State Line.
US 64	AZ State Line	US 550 Farmington.
US 70	AZ State Line	I–10 Lordsburg.
US 70	I-10 Las Cruces	US 54 Tularosa.
US 70	US 285 Roswell	US 84 Clovis.
US 80	AZ State Line	I-10 Road Forks.
US 84	TX State Line Clovis	CO State Line.
US 87	US 56 Clayton	TX State Line.
US 160	AZ State Line (Four Corners).	CO State Line.
US 285	TX State Line S. of Carlsbad.	CO State Line.
US 550	US 64 Farmington	CO State Line.
US 666	I-40 Gallup	CO State Line.
New York		
US 15	Presho Int	NY 17 Corning.

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
US 20	NY 75 Mt. Vernon	Howard Rd. Mt. Vernon.
US 219	NY 39 Springville	I-90 S. of Exit 55.
NY 5	NY 174 Camillus	NY 695 Fairmont.
NY 5	ECL Schenectady	I–87 Colonie.
NY 5	NY 179 Woodlawn Beach.	NY 75 Mt. Vernon.
NY 7	Schenectady/Albany Co. Line.	I–87 Colonie.
NY 8	CR 9/Main St. Sauquoit.	I-790 Utica.
NY 12	I-790 Útica	Putnam Road Trenton.
NY 17	Exit 24 Allegany	I-87 Exit 16 Har- riman.
NY 17	NJ State Line	I-87 Exit 15 Suffern
NY 33	Michigan Ave. Buf- falo.	Greater Buffalo Intl. Airport.
NY 49	NY 365 Rome	NY 291 near Oriskany.
NY 104	Maplewood Dr. Rochester.	Monroe/Wayne Co.
NY 179	NY 5 Woodlawn Beach.	I-90 Exit 56 Windon
NY 198	I–190 Exit N11	NY 33 Buffalo.
NY 254	I-87 Glens Falls	0.3 Miles E. of US 9
NY 365	I–90 Exit 33	NY 49 Rome.
NY 390	I-390/490 Rochester	NY 18 North Greece
NY 400	I–90 Exit 54	NY 16 South Wales
NY 481	I–81 North Syracuse	NY 3 Fulton.
NY 590	I–490/590 Rochester	NY 104 Irondequoit.
NY 690	I–90/690 Lakeland	NY 370 Baldwinsvill
NY 695	NY 5 Fairmont	I-690 Solvay.
Berkshire	I–87 Exit 21A S. of	1-90 Exit B1.
		I-90 EXIL D I.
Conn. (NY	Albany.	
912M).	l	<u>-</u> <u>-</u> .
Inner Loop	I-490 W. Int. Roch-	I-490 E. Int. Roch-
(NY 940T).	ester.	ester.
Walden Ave-	I-90 Exit 52	NY 277
nue (NY		Cheektowaga.
952Q).		

I–40 Conn I–95 BR	US 19/23/74 Clyde I-95 S. of Fayette-	I-40 W. of Clyde. I-95 N. of Fayette-
US 1	ville. US 74 Rockingham	ville. I–85 near Hender- son.
US 15	US 401 Laurinburg	US 1 Aberdeen.
US 15	US 1 Northview	US 64 Pittsboro.
US 17	SC State Line	US 74/76 W. of Wil- mington.
US 17	SR 1409 E. of Wil- mington.	VA State Line.
US 19/US 23	I-240 Asheville	N. Int. Mars Hill.
US 23	US 441 Franklin	US 74 Dillsboro.
US 25	SC State Line	I-26 East Flat Rock.
US 25/US 70	US 19/23 Weaverville	US 25/70 Bypass Marshall.
US 29	US 52 Lexington	VA State Line.
US 52	NC 24/27 Albemarle	VA State Line.
US 64	I-40 Morganton	US 321 Lenoir.
US 64	US 29 Lexington	US 15 Pittsboro.
US 64	US 1/70/401 Raleigh	US 17 Williamston.
US 70	I-77 Statesville	I-85 Salisbury (via US 601).
US 70	I-85 Durham	US 70A W. of Smith- field.
US 70A	US 70 W. of Smith- field.	US 70 Princeton.

ECL Sweet Home.

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
US 70	US 70A Princeton	Beaufort.
US 74	TN State Line	I-40 Conn. Clyde.
US 74	US 221 Ruther-	I–85 Kings Mountain.
03 /4	fordton.	1-05 Kings Wountain.
LIC 74 (Caa	I–277 Charlotte	US 17 W. Int. Wil-
US 74 (See	I-277 Chanotte	
Note		mington.
Below).		
US 74	I-26 EXIT 36	US 74 ALT: near
		Forest City.
US 76	US 17/74 W. Int. Wil-	SR 1409 E. of Wil-
	mington.	mington.
US 158	I-40 Winston-Salem	US 29 Reidsville.
US 158	I-85 Henderson	US 258
		Murfreesboro.
US 220	US 74 Rockingham	VA State Line.
US 221	US 74 Rutherfordton	I–40 Glenwood.
US 258	NC 24 N. Int. Rich-	US 64 Tarboro.
00 200	lands.	00 04 1810010.
US 258	US 158 Murfreesboro	VA State Line.
US 264	US 64 Zebulon	US 17 Washington.
US 301	I–95 Kenly	NC 4 Battleboro.
US 321	SC State Line	I–85 Gastonia.
US 321	I–40 Hickory	NC 18/90 Lenoir.
US 401	SC State Line	I–40 Raleigh.
US 401		
	Carolina Beach	I–95 Dunn.
US 421	US 1 Sanford	US 64 Siler City.
US 421	I–40 Winston-Salem	Wilkesboro.
US 521	SC State Line	I-77 Charlotte.
US 601	SC State Line	US 74 Monroe.
NC 4	I-95 Gold Rock	US 301 Battleboro.
NC 11	US 70 Kinston	US 264 Greenville.
NC 24	US 74 Charlotte	US 52 Albemarle.
NC 24	NC 87 Spout Springs	I-95 Fayetteville.
NC 24	US 421 Clinton	US 70 Mansfield.
NC 49	I-85 Charlotte	US 64 Asheboro.
NC 87	NC 24/27 Spout	US 1 Sanford.
	Springs.	
SR 1409	US 76 E. of Wil-	US 17.
	mington.	
SR 1728	I-40 W. of Raleigh	US 1/Wade Ave. Ra-
		leigh.
SR 1959-SR	US 70 Bethesda	I–40 S. of Durham.
2028.		
2020.	1	I .

Note: US 74 Charlotte—STAA-dimensioned vehicles are subject to State restrictions on US 74 in Charlotte because of narrow lane widths.

North Dakota		
US 2	MT State Line	MN State Line Grand Forks.
US 10	I-94 W. Fargo	MN State Line.
US 12	MT State Line Marmarth.	SD State Line.
US 52	I-94 Jamestown	Canadian Border.
US 81	I-29 Manvel	I-29 Joliette.
US 83	SD State Line	Canadian Border Westhope.
US 85	SD State Line	Canadian Border Fortuna.
US 281	SD State Line Ellendale.	Canadian Border.
ND 1	ND 11 Ludden	ND 13 S. Jct.
ND 5	MT State Line	US 85 Fortuna.
ND 11	US 281 Ellendale	ND 1 Ludden.
ND 13	ND 1 S. Jct	MN State Line.
ND 32	West Junction of ND Highway 13.	1–94.
ND 68	MT State Line	US 85 Alexander.
ND 200	MT State Line	US 85 Alexander.

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
Ohio		

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

Oklahoma

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

Oregon

US 20 OR 34 W. Int.

03 20	Distance Ale	LOL Sweet Home.
110.00	Philomath. OR 126 Sisters	ID Ctata Lina Nussa
US 20 US 26	US 101 Cannon	ID State Line Nyssa. OR 126 Prineville.
110.00	Beach Junction.	L 405 Deathered
US 30	US 101 Astoria	I–405 Portland.
US 30 BR	OR 201 Ontario	ID State Line.
US 95	NV State Line	ID State Line.
US 95 Spur	OR 201	ID State Line Weiser, ID.
US 97	CA State Line	WA State Line.
US 101	SCL Port Orford	OR 126 Florence.
US 101	US 20 Newport	OR 18 Otis.
US 101	OR 6 Tillamook	WA State Line.
US 197	I-84 The Dalles	WA State Line.
US 199	CA State Line	OR 99 Grants Pass.
US 395	CA State Line	US 26 John Day.
US 395	I–84 Stanfield	US 730 near
00 090	1-04 Starmerd	Umatilla.
110 700	L 04 Beardman	
US 730	I–84 Boardman	WA State Line.
OR 6	US 101 Tillamook	US 26 Near Banks.
OR 8	OR 47 Forest Grove	OR 217 Beaverton.
OR 11	I-84 Pendelton	WA State Line.
OR 18	US 101 Otis	OR 99W Dayton.
OR 19	OR 206 Condon	I–84 Arlington.
OR 22	OR 18 near	US 20 Santiam Junc-
	Willamina.	tion.
OR 31	US 97 La Pine	US 395 Valley Falls.
OR 34	OR 99W Corvallis	US 20 Lebanon.
OR 35	US 26 Government Camp.	I–84 Hood River.
OR 38	US 101 Reedsport	I-5 Anlauf.
OR 39	CA State Line	OR 140 E. of Klam-
		ath Falls.
OR 42	US 101 Coos Bay	OR 42S Coquille.
OR 47	OR 8 Forest Grove	US 26 N. of Banks.
OR 58	I-5 Eugene	US 97 near Chemult.
OR 62	Medford	OR 140 White City.
OR 78	Burns	US 95 Burns Junc-
00.00		tion.
OR 99	I-5 E. of Rogue	I-5 Grants Pass.
00.00	River.	00 0014/5 1 .:
OR 99	I-5 Eugene	OR 99W/E Junction
OD 00E	OD 00/00M/ 1	City.
OR 99E	OR 99/99W Junction	I-5 Albany.
00.005	City.	
OR 99E	I-5 Salem	I-5 Portland.
OR 99W	OR 99/99E Junction	I-5 Portland.
	City.	
OR 126	US 101 Florence	US 26 Prineville.
OR 138	OR 38 Elkton	I-5 near Sutherlin.
OR 140	OR 62 White City	OR 39 E. of Klamath
	·	Falls.
OR 201	US 26 Cairo	US 95 Spur near
		Weiser, ID.
OR 207	US 730 Cold Springs	OR 74 S. Int.
	Jct.	Heppner.
		·FF

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. A

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
OR 212	OR 224 E. Int. near Rock Ck. Corner.	US 26 near Boring.
OR 214	I-5 Woodburn	OR 213 Silverton.
OR 217	US 26 Beaverton	I-5 Tigard.
OR 223	Kings Valley Hwy. in Dallas.	OR 99W Rickreall.
OR 224	OR 99E Milwaukie	OR 212 E. Int. near Rock Ck. Corner

Pennsylvania			
US 1 US 6	US 13 Morrisville Conneaut Lake Bor- ough.	NJ State Line. End of 4-lane Bypass NE. of Meadville.	
US 11 US 13 US 15	Turnpike Int. 16 US 1 Morrisville Turnpike Int. 17	US 15 Harrisburg. Turnpike Int. 29. US 11 Harrisburg Expwy.	
US 15 US 15	PA 642 West Milton I–180/US 220 Wil- liamsport.	White Deer Int. End of lim. acc. Wil- liamsport.	
US 20 US 22	PA 89 North East WV State Line	I-90 Int. 12. I-79 Int. 15 Car- negie.	
US 22 US 30	I-78 Fogelsville End of lim. acc. W. of Greensburg.	NJ State Line. End of lim. acc. E. of Greensburg.	
US 30	PA 462 W. of York	PA 462 E. of Lan- caster.	
US 119	End of lim. acc. S. of Uniontown.	US 30 Greensburg.	
US 202	DE State Line	I-76 Int. 26 King of Prussia. I-80 Stroudsburg.	
US 209 US 219	PA 33 Snydersville PA 601 N. of Som- erset.	US 422 W. Int.	
US 219 US 220 US 220	South Bradford Int Turnpike Int. 11 End of lim. acc. Lin-	NY State Line. King. I–180/US 15 Wil-	
US 220 US 222	den. PA 199 S. of Athens US 422 N. Int. Read-	liamsport. NY State Line NY 17. PA 61 S. of	
US 222 US 322	ing. US 30 Lancaster NJ State Line (Comm. Barry Br.).	Tuckerton. Turnpike Int. 21. I–95 Chester.	
US 322	I–83/283	US 422/PA 39 Her- shey.	
US 422	US 322/PA 39 Her- shey.	Hockersville Rd. Her- shey.	
US 422	US 422 Bus. Reiffton	US 422 Bus. Wyomissing.	
PA 9	US 202 Turnpike Int. 25	Garrett Rd. Upper Darby. I-81 Int. 58 N. of	
PA 28	PA 8	Scranton. Creighton.	
PA 33	US 22 Easton	I–80.	
PA 42	I–80 Int. 34	US 11 Bloomsburg.	
PA 51	US 119 Uniontown I–80 Int. 33	Monongahela Riv. Elizabeth.	
PA 54 PA 60 PA 60-US	PA 51 Beaver Falls	US 11 Danville. US 22. 1 Mile E. of PA 65	
422.	1-00 IIIL 1	New Castle.	
PA 61	US 222 S. of Tuckerton.	I–78 Int. 9.	
PA 93	I–81 Int. 41	PA 924 Hazelton.	
PA 114	US 11 Hogestown	I–81 Int. 18.	
PA 132	I–95 Cornwells	Turnpike Int. 28 (via	
	Heights.	US 1 Connection).	

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
PA 283 PA 924 Airport Access (SR	I–283 Int. 2 I–81 Int. 40 PA 283	US 30 Lancaster. PA 93 Hazelton. Harrisburg Inter- national Airport.
3032). Harrisburg Exp. (Sr	US 11/15	I–83 Int. 20.
2022). Reading Outer Loop (SR 3055).	PA 183 Leinbachs	US 222.

Puerto Rico

PR 1 PR 2 PR 3	PR 2 Ponce PR 22 San Juan N. Ent. Roosevelt	PR 52 Ponce. PR 1 Ponce. PR 26 Carolina.
PR 18 PR 22	Roads Naval Sta PR 52 San Juan PR 26 San Juan	PR 22 San Juan. PR 165 Toa Baja.
PR 52	PR 22 San Juan PR 52 Caguas PR 1 Ponce PR 22 Toa Baja	PR 18 San Juan.

Note: Routes added to the Interstate System under 23 U.S.C. 139(c) are included only to the extent designated above.

Rhode Island

RI 10	RI 195 Providence I-295 Cranston	I-95 Cranston.
RI 37	I-295 Cranston	I-95 near Lincoln
		Park
RI 146	I-95 Providence	I-295 N. of Lime
		Rock.
RI 195	I-295 Johnston	RI 10 Providence.

South Carolina

US 15/401 US 17	NC State Line I-95 Pocotaligo	US 52 Society Hill. US 21 Gardens Cor- ner.
US 17 US 21	I–26 Charleston US 17 Gardens Cor- ner.	NC State Line. SC 170 Beaufort.
US 25	NC State Line	US 78 North Augusta (via Greenwood
US 52	US 15/401 Society Hill.	Bypass). End of 4-In. div. N. of urban limits of Kingstree.
US 52	US 17 A1t. S. Int. Moncks Corner.	I–26 Exit 208 N. Charleston connector.
US 76	US 52 Florence	SC 576 Marion.
US 76	SC 277 Columbia	I-126 Columbia.
US 78	GA State Line	I-95 St. George.
US 78	I–26 Exit 205 N. Charleston.	US 52 N. Charleston.
US 123	Bibb St. Westminister	US 25 Greenville.
US 21/178 Bypass.	US 601 Orangeburg	Orangeburg.
US276	I-385 Simpsonville	I-85 Greenville.
US 301	US 321 Ulmer	I-95 Santee.
US 321	I-26 S. of Columbia	I-95 Hardeeville.
US 378	SC 262 Columbia	US 501 Conway.
US 501	SC 576 Marion	US 17 Myrtle Beach.
US 601	NC State Line	SC 151 Pageland.
US 601	I-26 Jamison	US 21/178 Bypass
		Orangeburg.

Federal Highway Administration, DOT

Pt. 658, App. A

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
SC 72	US 25 Byp. Green- wood.	I-77 Exit 61 (via SC 72 BypUS 21 BR-
SC 121	SC 72 Whitmire	US 21 Rock Hill). US 25 Trenton.
SC 151	US 601 Pageland	
SC 2 77	I-77 Columbia	US 76 Columbia.
SC 576	US 76 Marion	US 501 Marion.

South Dakota

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

US 25E		Tennessee	
US 27	US 25E	I–81	
US 27	US 27		
Seph. Seph. Burg. US 45 Bypass S. Int. Jackson. US 45 Bypass-US 45W. US 51	US 27		
US 45	US 43		
US 45 By-pass-US 45W.	US 45		US 45 Bypass S. Int.
Son Purchase Pkwy. Son Purchase Pkwy. Son Alt	pass-US		
US 70 Alt US 79 Atwood TN 22 Huntingdon. TN 96 Dickson. US 70 TN 155 Nashville US 72 US 127 Crossville. US 70S TN 155 Nashville US 127 Crossville. US 70S TN 102 Smyrna US 127 Crossville. US 70/TN 111 Sparta. US 72 AL State Line I-24 Kimball. NC State Line Isabella. WS 79 I-40 Memphis WC State Line US 41 Guthrie. TN 28 Dunlap KY State Line US 41 Guthrie. US 231 AL State Line S of Fayetteville. US 412 I-40 Jackson US 51 Dyersburg. US 641 I-40 Jackson US 51 Dyersburg. KY State Line N. of Paris. I-40 State Park. TN 96 US 70 Dickson I-40 E. of Dickson. TN 153 I-75 Chattanooga I-65 N. of Nashville I-65 N. of Nashville I-65 N. of Nashville IVS 70 Sarvel IVS 70 Sarvel IVS 70 Nashville IVS 70 Nashvill	US 51	TN 300 Memphis	son Purchase
US 70	US 64	I-40 E. Int. Memphis	
US 70	US 70 Alt	US 79 Atwood	TN 22 Huntingdon.
US 70S TN 102 Smyrna US 70/TN 111 Sparta. US 72 AL State Line	US 70	TN 22 Huntingdon	TN 96 Dickson.
Tax	US 70	TN 155 Nashville	US 127 Crossville.
US 74 I-75 Cleveland NC State Line Isabella	US 70S	TN 102 Smyrna	'
US 79 I–40 Memphis Isabella. US 127 US 27 Chattanooga US 127 TN 28 Dunlap KY State Line Static. US 231 AL State Line S. of Fayetteville. US 412 I–40 Jackson US 51 Dyersburg. US 641 I–40 near Natchez Trace State Park. TN 96 US 70 Dickson I–40 E. of Dickson. TN 153 I–75 Chattanooga US 27 Chattanooga US 27 Chattanooga US 27 Chattanooga US 27 Chattanooga I–65 N. of Nashville I–65 N. of Nashville Isabella. KY State Line Static. KY State Line N. of Paris. I–40 E. of Dickson. US 27 Chattanooga US 27 Chattanooga I–40 E. of Dickson. I–65 N. of Nashville	US 72	AL State Line	I-24 Kimball.
US 127 US 27 Chattanooga	US 74	I-75 Cleveland	
US 127 TN 28 Dunlap KY State Line Static. US 231 AL State Line S. of Fayetteville. US 412 I-40 Jackson US 51 Dyersburg. US 641 I-40 near Natchez Trace State Park. TN 96 US 70 Dickson I-40 E. of Dickson. TN 153 I-75 Chattanooga US 27 Chattanooga. TN 155 I-40 Nashville I-65 N. of Nashville.	US 79	I-40 Memphis	
US 231 AL State Line S. of Fayetteville. US 412 I-40 Jackson US 51 Dyersburg. US 641 I-40 near Natchez Trace State Park. TN 96 US 70 Dickson I-40 E. of Dickson. TN 153 I-75 Chattanooga US 27 Chattanooga. TN 155 I-40 Nashville I-65 N. of Nashville.	US 127	US 27 Chattanooga	TN 27 W. Int.
Fayetteville. Westmoreland. US 412 I-40 Jackson	US 127	TN 28 Dunlap	KY State Line Static.
US 641 I-40 near Natchez Trace State Park. TN 96 US 70 Dickson I-40 E. of Dickson. TN 153 I-75 Chattanooga US 27 Chattanooga. TN 155 I-40 Nashville I-65 N. of Nashville.	US 231		
Trace State Park. Paris. TN 96	US 412	I-40 Jackson	US 51 Dyersburg.
TN 153 I–75 Chattanooga US 27 Chattanooga. TN 155 I–40 Nashville I–65 N. of Nashville.	US 641		
TN 153 I–75 Chattanooga US 27 Chattanooga. TN 155 I–40 Nashville I–65 N. of Nashville.	TN 96	US 70 Dickson	I-40 E. of Dickson.
TN 155 I-40 Nashville I-65 N. of Nashville.	TN 153	I-75 Chattanooga	
TN 300 I–40 Memphis US 51 Memphis.	TN 155		
	TN 300	I-40 Memphis	US 51 Memphis.

Texas

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

Utal

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

	Vermont	
US 4	NY State Line	ECL Rutland.

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

From

Route

US 7	End of 4-lane divided hwy. Wallingford.	US 4 N. Int. Rutland.
VT 9	I-91 Int. 3 N. of Brattleboro.	NH State Line.
	Virginia	
US 11	I-81 Exit 195	0.16 Mi. N. of VA 645 Rockbridge Co.
US 11	VA 220 Alt. N. Int	2.15 Mi. S. of VA 220 Alt. N. Int. Cloverdale.
US 11 US 11	VA 100 Dublin 1.52 Mi. N. of VA 75	VA 643 S. of Dublin. US 19 N. Int. Abington.
US 13 US 17	MD State Line US 29 Opal	I-64 Exit 282 Norfolk. VA 2/US 17 BR New Post.
US 17	VA 134 York County	I-64 Exit 258 New- port News.
US 17	BR/SCL Fredericks- burg.	US 17 New Post VA
US 19	I–81 Exit 14 (via VA 140) Abington.	US 460 N. Int./VA 720 Bluefield.
US 23	TN State Line	US 58 Alt. Big Stone Gap.
US 23	0.33 Mi. N. of US 23 BR Norton.	KY State Line.
US 25E US 29	TN State Line	KY State Line. I-66 Exit 43 Gaines- ville.
US 33	N. Carlton Street Harrisonburg.	US 340 Elkton.
US 33	I–295 Exit 49	0.96 Mi. W. of I–295 Hanover County.
US 50	VA 259 Gore	VA 37 Frederick County.
US 50	Apple Blossom Loop Road Winchester.	I–81 Exit 313 Win- chester.
US 58	VA 721 W. of Martinsville.	US 220 BR N. Int. Martinsville.
US 58	S. Fairy Street Martinsville.	WCL Emporia.
US 58	0.6 Mi. E. of ECL Emporia.	VA 35 S. Int. Courtland.
US 58	US 58 BR E. of Courtland.	US 13/I-264 Bowers Hill.
US 58 Alt US 58 Alt	US 23 Norton 0.4 Mi. W. of US 11	US 19 Hansonville. I-81 Exit 17 Abing-
US 58 BR	VA 35 Courtland	ton. US 58 E. of
US 58	W. Int. VA 337 Clare-	Courtland. US 460/St. Paul's
US 60	mont St. Norfolk. 0.03 Mi. West of VA 887 Chesterfield	Blvd. Norfolk. US 522 Powhatan.
US 220	County. NC State Line	I-581 Roanoke.
US 220 US 220 BR	I–81 Exit 150 US 220 S. Int	SCL Fincastle. 0.16 Mi. N. of VA 825 S. of
US 220 BR	US 58 N. Int.	Martinsville. US 220 N. Int. Bas-
US 250	Martinsville. US 340 E. Int.	sett Forks. VA 254 Waynesboro.
US 250	Waynesboro. I-81 Exit 222	VA 261 Statler Blvd.
US 258	NC State Line	Staunton. US 58 Franklin.

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. A

The federally-designated routes on the National Network con-	
sist of the Interstate System, except as noted, and the fol-	
lowing additional Federal-aid Primary highways]	

The tederally-designated routes on the National Network con-
sist of the Interstate System, except as noted, and the fol-
lowing additional Federal-aid Primary highways]

Route	From	То
VA 277	I–81 Exit 307 Ste- phens City.	1.6 MI. E. of I–81 Exit 307.
VA 419	I-81 Exit 141 Salem	Midland Ave. Salem.
VA 624	I-64 Exit 96	Old SCL Waynes- boro.
Common- wealth Blvd. in Martins- ville.	Market Street	N. Fairy Street.
Note 1: I-66	Washington DC area-	-There is a 24-hour

total truck ban on I-66 from I-495 Capital Beltway to the District of Columbia. (Excepted under 23 CFR 658.11(f)).

lote 2: I-264 Norfolk—Truck widths are limited to 96 inches for the westbound tube of the Elizabeth River Downtown Tunnel from Norfolk to Portsmouth because of clearance deficiencies.

Washington

lo additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

West Virginia JS 19 I-77 Bradley . I-79 Gassaway. JS 35 WV 34 Winfield I-79 Morgantown OH State Line JS 48 MD State Line. IS 50 I-77 Parkersburg ... VA State Line Blue-I–79 Clarksburg. VA State Line JS 460 field. I–64 Putnam Co Kelleysville. US 35 Winfield. VV 34

Wisconsin I-535/US 53 Superior MI State Line W. of JS 2 MI State Line Hurley. MI State Line E. of JS 2 Florence. Florence. IS 8 US 63 Turtle Lake MI State Line Norway MI. US 53 Osseo I-94/CH "EE" W. of I–43 Manitowoc. US 53 Eau Claire. JS 10 JS 12 Eau Claire. JS 12 I-90/94 Lake Delton End of 4-lane S. of W. Baraboo. JS 12 WI 67 S. Jct. Elkhorn IL State Line Genoa City. I–90 Janesville. US 51 N. of Janesville. WI 11/89 N. of I-43 Darien. JS 14 Darien. IA State Line Prairie Du Chien. JS 18 I-90 Madison. National Ave. Mil-Garfield Ave. Milwaukee. waukee. MI State Line 107th St. Milwaukee Marinette. JS 45 IL State Line Bristol . WI 28 Kewaskum. JS 45 WI 29 Wittenberg MI State Line Land O'Lakes. US 14 Janesville. JS 51 SCL Janesville ... JS 51 WI 78 N. of Portage US 2 Hurley. US 14/61 La Crosse JS 53 US 10 Osseo. JS 53 I-94 Eau Claire .. I-535/US 2 Superior. MN State Line La Crosse (via WI 129 Lancaster Byp.). JS 61 IA State Line Dubugue IA. MN State Line Red JS 63 US 2 W. of Ashland.

Wing MN.

Route	From	То
US 258	VA 10 Benns Church	VA 143 Jefferson
		Ave. Newport News.
US 301	VA 1250 S. of I–295	I–295 Exit 41 Han- over County.
US 301	US 301 BR N. Int. Bowling Green.	MD State Line.
US 340/522	I–66 Exit 6 Front Royal.	2.85 Mi. N. of I-66.
US 340 US 360	VA 7 Berryville US 58 South Boston	WV State Line. VA 150 Chesterfield
US 360	I-64 Exit 192 Rich- mond.	County. VA 617 Village.
US 460 US 460	VA 67 W. Int. Raven VA 720 Bluefield	US 19 Claypool Hill. WV State Line at
US 460	WV State Line at	Bluefield. I–81 Exit 118
US 460	Glen Lyn. I–581 Roanoke	Christiansburg. 0.08 Mi. E. of VA
US 460	US 29 Lynchburg	1512 Lynchburg. 1 Mi. W. of VA 24 Appomattox Coun- ty.
US 460	0.64 Mi. E. of VA 707 Appomattox Coun-	I–85 Exit 61 Peters- burg.
US 460	ty. I–95 Exit 50 Peters- burg.	US 58 Suffolk.
US 501 US 522	VA 360 S. Int. Halifax 0.6 Mi. S. of US 50	US 58 South Boston. US 50 Frederick
US 522	VA 37 Frederick County.	County. 1.07 Mi. N. of VA 705 Cross Junction.
VA 3 VA 7	US 1 Fredericksburg I–81 Exit 315 Win- chester.	VA 20 Wilderness. 0.68 Mi. W. of WCL Round Hill.
VA 10 VA 10	US 58 Suffolk ECL Hopewell	VA 666 Smithfield. 0.37 Mi. W. of W. Int.
VA 10	US 1 Chesterfield County.	VA 156 Hopewell. VA 827 W. of Hope- well.
VA 20	I-64 Exit 121	Carlton Rd. Char- lottesville.
VA 30 VA 33	I-95 Exit 98 Doswell I-64 Exit 220	US 1. VA 30 E. Int. West Point.
VA 36	I-95 Exit 52 Peters-	VA 156 Hopewell.
VA 37	burg. I–81 Exit 310 S. of Winchester.	I-81 Exit 317 (via US 11) N. of Win-
VA 42	VA 257 S. Int.	chester. VA 290 Dayton.
VA 57	Bridgewater. VA 753 Bassett	US 220 Bassett Forks.
VA 86	US 29 Danville	NC State Line.
VA 100 VA 105	I–81 Exit 98	US 11 Dublin.
VA 105 VA 114	US 60 Newport News US 460 Christians-	I-64 Exit 250. 0.09 Mi. E. of VA 750
VA 114	burg.	Montgomery Coun-
VA 156	VA 10 W. Int. Hope- well.	ty. VA 36 Hopewell.
VA 199	US 60 Williamsburg	I-64 Exit 242.
VA 207	I–95 Exit 104	0.2 Mi. S. of VA 619 Milford.
VA 220 Alt	US 11 N. Int. N. of	I-81 Exit 150/US

[The federally-designated routes on the National Network consist of the Interstate System, except as noted, and the following additional Federal-aid Primary highways]

Route	From	То
US 141	US 41 Abrams	US 8 Pembine.
US 151	IA State Line	US 18 E. of
	Dubugue IA.	Dodgeville.
US 151	I-90/94 Madison	US 41 Fond Du Lac.
WI 11	IA State Line Du-	US 51 Janesville.
WI 11	buque IA. I-90 Janesville	US 14/WI 89 N. of Darien.
WI 11	I–43 Elkhorn	WI 31 Racine.
WI 13	WI 21 Friendship	US 2 Ashland.
WI 16	WI 78 Portage	I-94 Waukesha.
WI 17	US 8 Rhinelander	US 45 Eagle River.
WI 20	I-94 Racine	WI 31 Racine.
WI 21	WI 27 Sparta	US 41 Oshkosh.
WI 23	WI 32 N. of She- boygan Falls.	Taylor Dr. She- boygan.
WI 26	I–94 Johnson Creek	WI 16 Watertown.
WI 26	US 151 Waupun	US 41 SW. of Osh- kosh.
WI 27	US 14/61 Westby	US 10 Fairchild.
WI 28	US 41 Theresa	US 45 Kewaskum.
WI 29	I–94 Elk Mound	US 53 Chippewa Falls.
WI 29	WI 124 S. of Chip- pewa Falls.	US 41 Green Bay.
WI 30	US 151 Madison	I-90/94 Madison.
WI 31	WI 11 Racine	WI 20 Racine.
WI 32	WI 29 W. of Green Bay.	Gillett.
WI 34	WI 13 Wisconsin Rapids.	US 51 Knowlton.
WI 42	I-43 Manitowoc	WI 57 SW. of Sturgeon Bay.
WI 47	US 10 Appleton	WI 29 Bonduel.
WI 50	I-94 Kenosha	45th Ave. Kenosha.
WI 54	WI 13 Wisconsin	US 51 Plover.
VA/I E-7	Rapids.	Churana Bau
WI 57	I-43 Green Bay	Sturgeon Bay.
WI 69	WI 11 Monroe	CH "PB" Paoli.
WI 73	US 51 Plainfield	WI 54 Wisconsin Rapids.
WI 78	I-90/94 S. of Portage	US 51 N. of portage
WI 80	WI 21 Necedah	WI 13 Pittsville.
WI 119	I-94 Milwaukee	WI 38 Milwaukee.
WI 124	US 53 N. of Eau Claire.	WI 29 S. of Chip- pewa Falls.
WI 139	US 8 Cavour, Forest Co.	Long Lake.
WI 145	Broadway Milwaukee	US 41/45 Milwaukee
WI 172	US 41 Ashwaubenon	CH "x" S. of Green Bay.
CH "PB"	WI 69 Paoli	US 18/151 E. of Verona.

Wyoming

No additional routes have been federally designated; STAAdimensioned commercial vehicles may legally operate on all Federal-aid Primary highways under State law.

Note: Information on additional highways on which STAA-dimensioned vehicles may legally operate may be obtained from the respective State highway agencies. [55 FR 17953, Apr. 30, 1990; 55 FR 19145, May 8, 1990, as amended at 59 FR 30421, June 13, 1994; 59 FR 36053, July 15, 1994; 60 FR 15214, Mar. 22, 1995; 60 FR 16571, Mar. 31, 1995; 62 FR 30758, June 5, 1997; 63 FR 70653, Dec. 22, 1998; 63 FR 71748, Dec. 30, 1998]

APPENDIX B TO PART 658— GRANDFATHERED SEMITRAILER LENGTHS

State	Feet and inches
Alabama	53–6
Alaska	48-0
Arizona	57–6
Arkansas	53–6
California	1 48-0
Colorado	57-4
Connecticut	48-0
Delaware	53-0
District of Columbia	48-0
Florida	48-0
Georgia	48-0
Hawaii	48-0
Idaho	48–0
Illinois	53-0
Indiana	2 48–6
lowa	53-0
Kansas	57–6
Kentucky	53-0
Louisiana	59-6
Maine	48–0
Maryland	48–0
Massachusetts	48–0
Michigan	48–0
Minnesota	48–0
Mississippi	53-0
Missouri	53-0
Montana	53-0
Nebraska	53–0
Nevada	53-0
New Hampshire	48–0
New Jersey	48–0
New Mexico	57–6
New York	48–0
North Carolina	48–0
North Dakota	53–0
Ohio	53–0
Oklahoma	59–6
Oregon	53–0
Pennsylvania	53-0
Puerto Rico	48–0
Rhode Island	48–6
South Carolina	48–0
South Dakota	53-0
Tennessee	50-0
Texas	59–0
Utah	48–0
Vermont	48–0
Virginia	48–0
Washington	48–0
West Virginia	48–0
Wisconsin	348-0
Wyoming	57-4

1 Semitrailers up to 53 feet may also operate without a permit by conforming to a kingpin-to-rearmost axle distance of 38 feet. Semitrailers that are consistent with 23 CFR 658.13(h) may operate without a permit provided the distance from the kingpin to the center of the rear axle is 46 feet or less. 2 Semitrailers up to 53 feet in length may operate without a permit by conforming to a kingpin-to-rearmost axle distance of 40 feet 6 inches. Semitrailers that are consistent with 23 CFR 658.13(h) may operate without a permit provided the distance from the kingpin to the center of the rear axle is 46 feet or less.

Pt. 658, App. C

³ Semitrailers up to 53 feet in length may operate without a permit by conforming to a kingpin-to-rear axle distance of 41 feet, measured to the center of the rear tandem assembly. Semitrailers that are consistent with 23 CFR 658.13(h) may operate without a permit provided the distance from the kingpin to the center of the rear axle is 46 feet or less.

[53 FR 2599, Jan. 29, 1988, as amended at 54 FR 1931, Jan. 18, 1989; 62 FR 10181, Mar. 5, 1997]

APPENDIX C TO PART 658—TRUCKS OVER 80,000 POUNDS ON THE INTERSTATE SYSTEM AND TRUCKS OVER STAA LENGTHS ON THE NATIONAL NET-WORK

This appendix contains the weight and size provisions that were in effect on or before June 1, 1991 (July 6, 1991 for Alaska), for vehicles covered by 23 U.S.C. 127(d) (LCV's) and 49 U.S.C. app. 2311(j) (commercial motor vehicles (CMV's) with 2 or more cargo-carrying units). Weights and dimensions are "frozen" at the values shown here, which were in effect on June 1, 1991 (Alaska, July 6, 1991). All vehicles are listed by configuration type.

Trucks Over 80,000 Pounds on the Interstate System

In the State-by-State descriptions, CMV combinations which can also be LCV's are identified with the letters "LCV" following the type of combination vehicle. The maximum allowable gross vehicle weight is given in this appendix (in thousands of pounds indicated by a "K"), as well as information summarizing the operational conditions, routes, and legal citations. The term "Interstate System" as used herein refers to the Dwight D. Eisenhower System of Interstate and Defense Highways.

Trucks Over STAA Lengths on the National Network

Listed for each State by combination type is either:

- 1. The maximum cargo-carrying length (shown in feet); or
- 2. A notation that such vehicle is not allowed (indicated by a "NO").

CMV's are categorized as follows:

- 1. A CMV combination consisting of a truck tractor and two trailing units.
- $2.\ A$ CMV combination consisting of a truck tractor and three trailing units.
- 3. CMV combinations with two or more cargo-carrying units not included in descriptions 1 or \hat{z} .

In the following table the left number is the maximum cargo-carrying length measured in feet from the front of the first cargo unit to the rear of the last cargo unit. This distance is not to include length exclusive devices which have been approved by the Secretary or by any State. Devices excluded from length determination shall only include

items whose function is related to the safe and efficient operation of the semitrailer or trailer. No device excluded from length determination shall be designed or used for carrying cargo. The right number is the maximum gross weight in thousands of pounds that the type of vehicle can carry when operating as an LCV on the Interstate System. For every State where there is a length or weight number in the table that follows, additional information is provided.

VEHICLE COMBINATIONS SUBJECT TO PUB. L. 102–240

State	1 Truck tractor and 2 trailing units	2 Truck tractor and 3 trailing units	3 Other
Alabama	NO	NO	NO
Alaska	95′	110′	83'
Arizona	95′ 129K	95′ 129K	(1)
Arkansas	NO	NO	NO
California	NO	NO	NO
Colorado	111′ 110K	115.5′ 110K	78′
Connecticut	NO	NO	NO
Delaware	NO	NO	NO
Dist. of Columbia	NO	NO	NO
Florida	106′ (2)	NO	NO
Georgia	NO	NO	NO
Hawaii	65′ (2)	NO	NO
Idaho	95′ 105.5K	95′ 105.5K	(1)
Illinois	NO	NO	NÓ
Indiana	106′ 127.4K	104.5′ 127.4K	58'
lowa	100′ 129K	100′ 129K	78′
Kansas	109′ 120K	109′ 120K	NO
Kentucky	NO	NO	NO
Louisiana	NO	NO	NO
Maine	NO	NO	NO
Maryland	NO	NO	NO
Massachusetts	104′ 127.4K	NO	NO
Michigan	58′ 164K	No	63′
Minnesota	NO	NO	NO
Mississippi	65′ (2)	NO	NO
Missouri	110' 120K(4)	109′ 120K	NO
Montana	93′ 137.8K	100′ 131.06K	(1)
Nebraska	95′ 95K	95' (2)	68′
Nevada	95′ 129K	95′ 129K	98'
New Hampshire	NO	NO	NO
New Jersey	NO	NO	NO
New Mexico	86.4K(3)	NO	NO
New York	102′ 143K	NO	NO
North Carolina	NO	NO	NO
North Dakota	103′ 105.5K	100′ 105.5K	103′
Ohio	102′ 127.4K	95′ 115K	NO
Oklahoma	110′ 90K	95′ 90K	NO
Oregon	68′ 105.5K	96′ 105.5K	70′ 5″
Pennsylvania	NO	NO	NO
Puerto Rico	NO	NO	NO
Rhode Island	NO	NO	NO
South Carolina	NO	NO	NO
South Dakota	100′ 129K	100′ 129K	(1)
Tennessee	NO	NO	NÓ
Texas	NO	NO	NO
Utah	95′ 129K	95′ 129K	(1)
Vermont	NO	NO	NO
Virginia	NO	NO	NO
Washington	68′ 105.5K	NO	68′
West Virginia	NO	NO	NO
Wisconsin	NO	NO	NO
Wyoming	81′ 117K	NO	(1)
,			,

(1)—State submission includes multiple vehicles in this category—see individual State listings.

(2)—No maximum weight is established as this vehicle combination is not considered an "LCV" per the ISTEA definition. Florida's combination is not allowed to operate on the Interstate System, and the combinations for Hawaii, Mississippi, and Nebraska are not allowed to exceed 80,000 pounds

pounds.
(3)—No maximum cargo-carrying length is established for this combination. Because State law limits each trailing unit to not more than 28.5 feet in length, this combination is allowed to operate on all NN routes under the authority of the STAA of 1982, regardless of actual cargo-carrying length. The maximum weight listed is New Mexico's maximum allowable gross weight on the Interstate System under the grandfather authority of 23 U.S.C. 127.

weight on the Interstate System under the grandlather authority of 23 U.S.C. 127.

(4)—These dimensions do not apply to the same combinations. The 110-foot length is limited to vehicles entering from Oklahoma, also limited to 90K gross weight. The 120K gross weight is limited to vehicles entering from Kansas, also limited to a cargo carrying length of 109 feet.

The following abbreviation convention is used throughout the narrative State-by-State descriptions for the captions OPER-ATIONAL CONDITIONS, ROUTES, and LEGAL CITATIONS: two letter State abbreviation, dash, "TT" for truck tractor, and 2 or 3 for two or three trailing units. For example, the phrase "Arizona truck tractor and 2 trailing units", would be noted as "AZ-TT2"; the phrase "Indiana truck tractor and 3 trailing units" would be noted as "IN-TT3", etc.

STATE: ALASKA

COMBINATION: Truck tractor and 2 trailing units

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

OPERATIONAL CONDITIONS:

WEIGHT: The combination must be in compliance with State laws and regulations. There are no highways in the State subject to Interstate System weight limits. Therefore, the ISTEA freeze as it applies to maximum weight is not applicable.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: Combinations with an overall length greater than 75 feet, measured bumper to bumper, must display an "OVER-SIZE## warning sign on the front and rear. In combinations where one cargo-carrying unit is more than 5,000 pounds heavier than the other, the heavier unit shall be placed immediately behind the power unit. Weather restrictions are imposed when hazardous conditions exist, as determined by the Alaska Department of Transportation and Public Facilities (DOT&PF) and the Alaska Department of Public Safety, Division of State Troopers. Time of day travel is not restricted.

PERMIT: None required.

ACCESS: Alaska allows reasonable access not to exceed 5 miles to reach or return from terminals and facilities for food, fuel, or rest. The most direct route must be used. The Commissioner of the Alaska DOT&PF

may allow access to specific routes if it can be shown that travel frequency, necessity, and route accommodation are required.

ROUTES

	From	То
AK-1	Anchorage (Potter Weigh Station).	Palmer (Palmer- Wasilla Highway Junction).
AK-2	Fairbanks (Gaffney Road Junction).	Delta Junction (MP 1412 Alaska High- way).
AK-3	Jct. AK-1	Fairbanks (Gaffney Road Junction).

LEGAL CITATIONS:

 $17\ AAC\ 25$, and 35; the Administrative Permit Manual.

STATE: ALASKA

COMBINATION: Truck tractor and 3 trailing units

LENGTH OF THE CARGO-CARRYING UNITS: 110 feet

OPERATIONAL CONDITIONS:

 $W\!E\!I\!G\!H\!T$ and ACCESS: Same as the AK-TT2 combination.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement. Drivers of this combination must have 10 years of experience in Alaska and certified training in operation of these combinations.

VEHICLE: Individual trailer length in a three trailing unit combination shall not exceed 28.5 feet. Engine horsepower rating shall not be less than 400 horsepower.

These combinations are allowed to operate only between May 1 and September 30 of each year. Weather restrictions are imposed when hazardous conditions exist, as determined by the Alaska DOT&PF and the Department of Public Safety, Division of State Troopers. No movement is permitted if visibility is less than 1,000 feet.

PERMIT: Permits are required with specified durations of not less than 3 months or more than 18 months. There is a fee.

ROUTES

	From	То
AK-1	Anchorage (Potter Weigh Station). Jct. AK-1	Jct. AK-3.
AK-3	Jct. AK-1	Fairbanks (Gaffney Road Junction)

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. C

LEGAL CITATIONS: Same as the AK-TT2 combination.

STATE: ALASKA

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 83 feet

OPERATIONAL CONDITIONS:

WEIGHT, DRIVER, PERMIT, and ACCESS: Same as the AK-TT2 combination.

 $\it VEHICLE:$ Same as the AK-TT2 combination, except that overall combination length may not exceed 90 feet.

ROUTES: Same as the AK-TT2 combination.

LEGAL CITATIONS: Same as the AK-TT2 combination.

STATE: ARIZONA

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Single-axle maximum weight limit is 20,000 pounds, tandem-axle maximum weight limit is 34,000 pounds, and the gross vehicle weight limit is 129,000 pounds, subject to the Federal Bridge Formula.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement. Drivers must comply with the Federal Motor Carrier Safety Regulations of the U.S. Department of Transportation and Title 28, Arizona Revised Statutes.

VEHICLE: This vehicle must be able to operate at speeds compatible with other traffic on level roads and maintain 20 miles per hour speed on grades where operated. A heavy-duty fifth wheel is required. The kingpin must be a solid type, not a screw-out or folding type. All hitch connectors must be of a no-slack type, preferably an air-actuated ram. Axles must be those designed for the width of the body. All braking systems must comply with State and Federal requirements. A brake force limiting valve, some-times called a "slippery road" valve, may be provided on the steering axle. Mud flaps or splash guards are required. When traveling on a smooth, paved surface, trailers must follow in the path of the towing vehicle without shifting or swerving more than 3 inches to either side when the towing vehicle is moving in a straight line.

PERMITS: Permits are required. Fees are charged. This vehicle is allowed continuous travel, however, the State may restrict or prohibit operations during periods when traf-

fic, weather, or other safety considerations make such operations unsafe or inadvisable. All multiple-trailer combinations shall be driven in the right-hand traffic lane.

Access: Access is allowed for 20 miles from I-15 Exits 8 and 27 or 20 miles from other authorized routes.

ROUTES

	From	То
I–15	Nevada	Utah
US 89	20 miles south of Utah.	Utah
US 160	US 163	New Mexico
US 163	US 160	Utah
	LEGAL CI	TATIONS
ARS 28-107	ARS 28-1009	ARS 28-1011.O
ARS 28-108.5	ARS 28-1009.01	ARS 28-1012
ARS 28-108.13	ARS 28-1011.A	ARS 28-1013
ARS 28-108.14	ARS 28-1011.C	ARS 28-1014
ARS 28-403	ARS 28-1011.F	ARS 28-1031
ARS 28-405	ARS 28-1011.K	ARS 28-1051
ARS 28-1001	ARS 28-1011.L	ARS 28-1052
ARS 28-1004.G	ARS 28-1011.M	R17-40-426
ARS 28-1008.		

STATE: ARIZONA

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 123,000 pounds (129,000 pounds on I-15).

OPERATIONAL CONDITIONS:

VEHICLE, and ACCESS: Same as the AZ-TT2 combination.

Weight: Single-axle maximum weight limit is 20,000 pounds, tandem-axle maximum weight limit is 34,000 pounds, and the gross vehicle weight is 123,500 pounds (129,000 on I-15), subject to the Federal Bridge Formula.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement. Drivers must comply with the Federal Motor Carrier Safety Regulations of the U.S. Department of Transportation and Title 28, Arizona Revised Statutes. Drivers must be trained by an experienced driver of a three trailing unit combination. Training should be through special instructions or by traveling with the new driver until such time as the new driver is deemed adequately qualified by the trainer on the use and operation of these combinations.

PERMIT: Permits are required. Fees are charged. This vehicle is allowed continuous travel, however, the State may restrict or prohibit operations during periods when traffic, weather, or other safety considerations make such operations unsafe or inadvisable. These combinations shall not be dispatched

during adverse weather conditions. All multiple-trailer combinations shall be driven in the right-hand traffic lane.

 $RO\bar{U}TES\colon$ Same as the AZ-TT2 combination.

LEGAL CITATIONS: Same as the AZ-TT2 combination.

STATE: ARIZONA

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 69 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, VEHICLE, PERMIT, and ACCESS: Same as the AZ-TT2 combination.

ROUTES: Same as the AZ-TT2 combination.

LEGAL CITATIONS: Same as the AZ-TT2 combination.

STATE: ARIZONA

COMBINATION: Truck-semitrailer-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 98 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, VEHICLE, PERMIT, and ACCESS: Same as the AZ-TT2 combination.

ROUTES: Same as the AZ-TT2 combination.

LEGAL CITATIONS: Same as the AZ-TT2 combination.

STATE: COLORADO

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 111 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 110,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: The maximum gross weight is 110,000 pounds, subject to the formula W=800(L+40) where "W" equals the gross weight in pounds and "L" equals the length in feet between the centers of the first and last axles, or the gross weight determined by the Federal Bridge Formula, whichever is least. A single axle shall not exceed 20,000

pounds and a tandem axle shall not exceed 36,000 pounds.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement. The driver cannot have had any suspension of driving privileges in any State during the past 3 years where such suspension arose out of the operation of a motor vehicle used as a contract or common carrier of persons or property.

The driver must be certified by the motor carrier permit holder's safety office. The certification shall demonstrate that the driver has complied with all written requirements, and that the driver has successfully completed a company-approved road test for each type of combination vehicle operated.

VEHICLE: Vehicles shall not have fewer than six axles or more than nine axles. They shall be configured such that the shorter trailer shall be operated as the rear trailer, and the trailer with the heavier gross weight shall be operated as the front trailer. In the event that the shorter trailer is also the heavier, the load must be adjusted so that the front trailer is the longer and heavier of the two.

Vehicles shall have adequate power to maintain a minimum speed of 20 miles per hour on any grade over which the combination operates and can resume a speed of 20 miles per hour after stopping on any such grade.

Tires must conform to the standards in the Department of Public Safety's (DPS) Rules and Regulations Concerning Minimum Standards for the Operation of Commercial Motor Vehicles, at 8 CCR 1507–1 and C.R.S. 42-4-225 and 42-2-406.

Vehicles are required to have a heavy-duty fifth wheel and equal strength pick-up plates that meet the standards in the DPS Commercial Vehicle Rules. This equipment must be properly lubricated and located in a position that provides stability during normal operation, including braking. The trailers shall follow in the path of the towing vehicle without shifting or swerving more than 3 inches to either side when the towing vehicle is moving in a straight line.

Kingpins must be of a solid type and permanently fastened. Screw-out or folding type kingpins are prohibited.

Hitch connections must be of a no-slack type, preferably air-actuated ram.

Drawbar lengths shall be adequate to provide for the clearances required between the towing vehicle and the trailer(s) for turning and backing maneuvers.

Axles must be those designed for the width of the body of the trailer(s).

Braking systems must comply with the DPS Commercial Vehicle Rules and C.R.S. 42-4-220. Fast air-transmission and release valves must be provided on all trailer(s) and converter dolly axles. A brake force limiting

valve, sometimes called a "slippery road" valve, may be provided on the steering axle.

PERMIT: An annual permit is required for which a fee is charged. Also, the vehicle must have an overweight permit pursuant to C.R.S. 42-4-409(11)(a)(II) (A), (B), or (C), and comply with Rule 4-15 in the rules pertaining to Extra-Legal Vehicles or Loads.

A truck tractor and two trailing units wherein at least one of the trailing units exceeds 28.5 feet in length shall not operate on the following designated highway segments during the hours of 6 a.m. to 9 a.m. and from 3 p.m. to 6 p.m., Monday through Friday, for Colorado Springs, Denver, and Pueblo. (A truck tractor with two trailing units wherein at least one of the trailing units exceeds 28.5 feet in length not operating at greater than the legal maximum weight of 80,000 pounds is subject to different hours-of-operation restrictions. Refer to rules pertaining to Extra-Legal Vehicles or Loads).

Colorado Springs: I-25 between Exit 135 (CO 83 Academy Blvd. So.) and Exit 150 (CO 83, Academy Blvd. No.).

Denver: I-25 between Exit 200 (Jct. I-225) and Exit 223 (CO 128, 120th Avenue),

Exit 223 (CO 128, 120th Avenue), I-70 between Exit 259 (CO 26/US 40) and Exit 282 (Jct. I-225),

I-76 between Exit 5 (Jct. I-25) and Exit 12 (US 85),

I-225 entire length,

I-270 entire length.

Pueblo: I-25 between Exit 94 (CO 45 Lake Ave.) and Exit 101 (US 50/CO 47).

The holder of a longer vehicle combination (LVC) permit must have an established safety program as provided in Chapter 9 of the "Colorado Department of Highways Rules and Regulations for Operation of Longer Vehicle Combinations on Designated State Highway Segments." Elements of the program include compliance with minimum safety standards at 8 CCR 1507–1, hazardous materials regulations at 8 CCR 1507–7, –8, and –9, Colorado Uniform Motor Vehicle Law, Articles 1 through 4 of Title 42, C.R.S. as amended, and Public Utility Commission regulations at 4 CCR 723–6, –8, –15, –22, and –23

ACCESS: A vehicle shall not be operated off the designated portions of the Interstate System except to access food, fuel, repairs, and rest or to access a facility. Access to a facility shall be subject to the following conditions:

- (1) The facility must:
- (a) Be either a manufacturing or a distribution center, a warehouse, or truck terminal located in an area where industrial uses are permitted;
 - (b) Be a construction site; and
 - (c) Meet the following criteria:

1 vehicles are formed for transport or broken down for delivery on the premises; 2 adequate off-roadway space exists on the premises to safely maneuver the vehicles; and

3 adequate equipment is available on the premises to handle, load, and unload the vehicle, its trailers, and cargo.

(2) The facility must be located within a maximum distance of 10 miles from the point where the vehicle enters or exits the designated portions of the Interstate System. Such 10-mile distance shall be measured by the actual route(s) to be traveled to the facility, rather than by a straight line radius from the designated Interstate System to the facility;

(3) The access route(s) between the designated Interstate System and the facility must be approved in advance by the public entity (Colorado DOT, municipality, or county) having jurisdiction for the roadway(s) that make up the route(s). Where the State of Colorado has jurisdiction over the access route(s), it will consider the following safety, engineering, and other criteria in determining whether to approve the route(s):

(a) Safety of the motoring public;

- (b) Geometrics of the street and roadway;
- (c) Traffic volumes and patterns;
- (d) Protection of State highways, roadways, and structures;
- (e) Zoning and general characteristics of the route(s) to be encountered; and
- (f) Other relevant criteria warranted by special circumstances of the proposed route(s).

Local entities, counties, and municipalities having jurisdiction over route(s), should consider similar criteria in determining whether to approve the proposed ingress and egress route(s); and

(4) A permit holder shall access only the facility or location authorized by the permit. If the permit authorizes more than one facility or location, then on any single trip by an LVC from the designated Interstate System the permit holder may access only one facility or location before returning to the designated Interstate System.

ROUTES

	From	То
	New Mexico Utah I–70 Exit 259 Golden.	
I–225	Jct. I–70 Jct. I–25 Jct. I–76	

LEGAL CITATIONS: Vehicles must comply with all applicable statutes, such as C.R.S. 42-4-402(1), 42-4-404(1), 42-4-407(1)(c)(III)(A), 42-4-409(11)(a)(II) (A), (B) or (C). All LVC's must comply with the Extra-Legal Vehicles and Loads Rules and the Longer Vehicle Combination Rules. However, when the rules

Federal Highway Administration, DOT

address the same subject, the LVC, since it is operating at greater than 80,000 pounds, must comply with the Extra-Legal Vehicles and Loads Rules. Such rules are: 4-1-2 and 4-1-3 concerning holiday travel restrictions, 4-1-5 concerning hours of operation restrictions, 4-8 concerning minimum distance between vehicles and 4-15 concerning maximum allowable gross weight.

STATE: COLORADO

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 115.5 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 110,000 pounds

OPERATIONAL CONDITIONS: Same as the CO-TT2 combination.

ROUTES: Same as the CO-TT2 combination.

LEGAL CITATIONS: Same as the CO-TT2 combination.

STATE: COLORADO

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 78 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, VEHICLE, PERMIT, and ACCESS: Same as the CO-TT2 combination.

ROUTES: Same as the CO-TT2 combination.

LEGAL CITATIONS: Same as the CO-TT2 combination.

STATE: FLORIDA

COMBINATION: Truck tractor and 2 trailing units

LENGTH OF THE CARGO-CARRYING UNITS: 106 feet

OPERATIONAL CONDITIONS: All overdimensional and weight regulations of the Florida Turnpike Authority shall apply to such units unless specifically excluded under the terms of the Tandem Trailer Permit or these regulations.

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER: The driver must have a commercial driver's license with the appropriate en-

dorsement. Proposed drivers of tandem-trailer units shall be registered by the Florida Turnpike Authority prior to driving such equipment on the turnpike system. For further information, see Rule 14-62.016 FAC.

VEHICLE: A complete tandem-trailer combination shall consist of a truck tractor. first semitrailer, fifth-wheel converter dolly, and a second semitrailer. The converter dolly may be either a separate unit or an integral component of the first semitrailer. The width shall not exceed 102 inches and the height shall not exceed 13 feet 6 inches. A tractor used in the tandem-trailer operations shall be capable of hauling the maximum gross load to be transported by a permittee at a speed of not less than 40 miles per hour on all portions of the turnpike system excepting that portion of the roadway, as posted in 1988, between mileposts 234 and 238 where a minimum speed of 30 miles per hour will be permitted.

Every tandem-trailer combination shall be equipped with full air brakes or air-activated hydraulic brakes on the tractor and either air or electric brakes on the dolly and trailers.

A tractor, which will be used to haul a complete tandem-trailer combination with a total gross weight of 110,000 pounds or more, shall be equipped with tandem rear axles and driving power shall be applied to all wheels on both axles. When the above tandem-axle tractor is required, a tandem-axle dolly converter must be used.

Every tandem-trailer combination shall be equipped with emergency equipment that equals or exceeds both the equipment requirements and the performance standards cited in Chapter 316, Florida Statutes and subpart H "Emergency Equipment" of 49 CFR 393 95

A converter (fifth-wheel) dolly used in the tandem-trailer operations may have either single or tandem axles, according to its total gross weight. In addition to the primary towbar(s), the dolly vehicle must be equipped with safety chains or cables for connecting the dolly to the lead semitrailer and must be adequate to prevent breakaway.

Lamps and Reflectors. Each tractor, trailer, and converter dolly in a tandem-trailer combination shall be equipped with electric lamps and reflectors mounted on the vehicle in accordance with Chapter 316, Florida Statutes, and subpart B "Lighting Devices, Reflectors and Electrical Equipment," of 49 CFR 393.9 through 49 CFR 393.33.

Coupling Devices. Coupling devices shall be so designed, constructed, and installed and the vehicles in a tandem-trailer combination shall equal or exceed both the equipment requirements and the performance standards established on 49 CFR 393.70, except that

such devices shall be so designed and constructed as to ensure that any such combination traveling on a level, smooth paved surface will follow in the path of the towing vehicle without shifting or swerving from side to side over 2 inches to each side of the path of the vehicle when it is moving in a straight line. (For further information see Rule 14-62.002; 14-62.005; 14-62.006; 14-62.007; 14-62.008; 14-62.019; 14-62.011; 14-62.012; 14-62.013; and 14-62.015, FAC)

PERMIT: Tandem-trailer units may operate on the turnpike system under a Tandem Trailer Permit issued by the Florida Turnpike Authority upon application, except as provided in subparagraph (2) below.

(1) The Florida Turnpike Authority shall provide a copy of each such permit to the Motor Carrier Compliance Office.

(2) Tandem-trailer trucks of the dimensions mandated by the STAA of 1982 and operating in compliance with Rule Chapter 14-54, FAC, and under the provisions of section 316.515, Florida Statutes shall be exempt from the provisions of this rule chapter to the extent provided in Rule 14-54.0011, FAC. (For further information see Rules 14-62.001; 14-62.022; 14-62.023; 14-62.024; 14-62.026; 14-62.027, FAC)

ACCESS: Staging. Tandem-trailer combinations shall be made up and broken up only in special assembly (staging) areas as designated for this purpose. For further information, see Rule 14-62.017, FAC. Make-up and break-up of tandem-trailer combinations shall not be allowed on a public right-of-way unless the area is designated for such use or unless an emergency exists.

ROUTES

	From	То
Florida's Turnpike	South end Home- stead Extension at US 1.	Exit 304 Wild- wood.

LEGAL CITATIONS: Chapter 14-62, "Regulations Governing Tandem Combinations of Florida's Turnpike," Florida Administrative Code.

STATE: HAWAII

COMBINATION: Truck tractor and 2 trailing units

LENGTH OF CARGO CARRYING UNITS: 65 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement

VEHICLE: No load may exceed the carrying capacity of the axles specified by the manufacturer and no combination vehicle shall have a total weight in excess of its designed gross combination weight limit.

PERMITS: No permits are required. ACCESS: Designated routes off the NN.

ROUTES: All NN routes except HI-95 from H-1 to Barbers Point Harbor.

LEGAL CITATIONS: Chapter 291, Section 34, Hawaii Revised Statutes and Chapter 104 of Title 19, Administrative Rules.

STATE: IDAHO

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 105,500 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Single axle: 20,000 pounds, tandem axle: 34,000 pounds, and gross vehicle weight up to 105,500 pounds.

Axle spacing: must comply with Idaho Code 49-1001.

Trailer weights: The respective loading of any trailer shall not be substantially greater than the weight of any trailer located ahead of it in the vehicle combination. Substantially greater shall be defined as more than 4,000 pounds heavier.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: The rules provide that all CMV's with two or more cargo-carrying units (except for truck-trailer combinations which are limited to an 85-foot combination length) are subject to calculated maximum off-tracking (CMOT) limits. The CMOT formula is:

$$CMOT = R \ - \ [R^2 \ - \ (A^2 + B^2 + C^2 + D^2 + E^2)]^{1/2} \\ R = 161$$

A, B, C, D, E, etc.= measurements between points of articulation or pivot. Squared dimensions to stinger steer points of articulation are negative.

The power unit of LCV's and extra-length combinations shall have adequate power and traction to maintain a speed of 15 miles per hour under normal operating conditions on any up-grade over which the combination is operated.

Fifth-wheel, drawbar, and other coupling devices shall be as specified by Federal Motor Carrier Safety Regulations, section 393 70

Every combination operated under special permit authority shall be covered by insurance meeting State and Federal requirements. Evidence of this insurance must be carried in the permitted vehicle.

Federal Highway Administration, DOT

PERMIT: Permits are required. Permit duration is for 1 year from the date of issuance.

ACCESS: Combinations with a CMOT limit of less than 6.5 feet may use any Interstate or designated highway system interchange for access. Combinations with a CMOT of 6.5 to 8.75 feet may use only the following Interstate System interchanges:

I-15 Exits 58 and 119.

I-84 Exits 3, 49, 50, 52, 54, 57, 95, 168, 173, 182, 208, and 211.

I-86 Exits 36, 40, 56, and 58.

ROUTES: All NN routes.

LEGAL CITATIONS: Other regulations and restrictions that must be complied with are: Idaho Code 49-1001, -1002, -1004, -1010, and

STATE: IDAHO

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 105,500 pounds

OPERATIONAL CONDITIONS: Same as the ID-TT2 combination.

ROUTES: Same as the ID-TT2 combination

LEGAL CITATIONS: Same as the ID-TT2 combination.

STATE: IDAHO

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 78 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, PERMIT, and ACCESS: Same as the ID-TT2 combination.

 $\ensuremath{\textit{VEHICLE:}}$ Overall combination length limited to 85 feet.

ROUTES: Same as the $\mbox{ID-TT2}$ combination.

LEGAL CITATIONS: Same as the $\hbox{ID-TT2}$ combination.

STATE: IDAHO

COMBINATION: Truck-trailer-trailer, and Truck-semitrailer-trailer.

LENGTH OF THE CARGO-CARRYING UNITS: 98 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, PERMIT, and ACCESS: Same as the ID-TT2 combination.

VEHICLE: Overall combination length limited to 105 feet.

ROUTES: Same as the ID-TT2 combination

LEGAL CITATIONS: Same as the ID-TT2 combination.

STATE: INDIANA

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 106 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 127,400 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Single axle=22,400 pounds. Axles spaced less than 40 inches between centers are considered to be single axles.

Tandem axle=36,000 pounds. Axles spaced more than 40 inches but less than 9 feet between centers are considered to be tandem axles.

Gross vehicle weight=90,000 pounds plus 1,070 pounds per foot for each foot of total vehicle length in excess of 60 feet with a maximum gross weight not to exceed 127,400 pounds.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement, and a Toll Road identification card. Drivers must be at least 26 years old, in good health, and with 5 years of experience driving tractor-semitrailers or tandem-trailer combinations. Experience must include driving in all four seasons.

VEHICLE: Lightest trailer to the rear. Distance between coupled trailers shall not exceed 9 feet. The combination vehicle, including coupling devices, shall be designed and constructed so as to ensure that while traveling on a level, smooth paved surface each trailing unit will follow in the path of the towing vehicle without shifting or swerving from side to side more than 3 inches. The combination vehicle must have at least five axles but not more than nine axles and except on ramps be able to achieve and maintain a speed of 45 miles per hour. Following

distance is 500 feet, and passing maneuvers must be completed within 1 mile. The truck tractor must be equipped at a minimum with emergency equipment including fire extinguisher, spare fuses, tire chains, tire tread minimums, and disabled vehicle warning devices. Every dolly must be coupled with safety chain directly to the frame of the semitrailer by which it is towed. Each unit in a multi-trailer combination must be equipped at a minimum with electric lights and reflectors mounted on the vehicle.

PERMIT: A free annual tandem-trailer permit must be obtained from the Indiana DOT for loads which exceed 90,000 pounds. A multiple-trip access permit, for which a fee is charged, must also be obtained for access to points of delivery or to breakdown locations. Permission to operate can be temporarily suspended by the Indiana DOT due to weather, road conditions, holiday traffic, or other emergency conditions. Any oversize vehicle whose length exceeds 80 feet shall not be operated at a speed in excess of 45 miles per hour. Oversize loads are not to be operated at any time when wind velocity exceeds 25 miles per hour.

ACCESS: 15 miles from toll gates.

ROUTES

	From	То
I-80/90 (IN Toll Road).	Toll Road Gate 21	Ohio.
I-90 (IN Toll Road)	Illinois	Toll Road Gate 21.

LEGAL CITATIONS:

Indiana Code 9-8-1-16 Indiana Code 8-15-2

135 Indiana Administrative Code 2

STATE: INDIANA

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 104.5 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 127,400 pounds

OPERATIONAL CONDITIONS:

 $\begin{tabular}{ll} \it WEIGHT, \ \it DRIVER, \ \it PERMIT, \ \it and \ \it ACCESS: \\ \it Same \ as \ the \ IN-TT2 \ combination. \\ \end{tabular}$

VEHICLE: Semitrailers and trailers shall not be longer than 28.5 feet, and the minimum number of axles for the combination is seven. Three trailing unit combinations must be equipped with adequate spray-suppressant mud flaps which are properly maintained.

ROUTES: Same as the IN-TT2 combination.

LEGAL CITATIONS: Same as the IN-TT2 combination.

23 CFR Ch. I (4-1-05 Edition)

STATE: INDIANA

COMBINATION: Combination of three or more vehicles coupled together

LENGTH OF THE CARGO CARRYING UNITS: 58 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

 $\it VEHICLE:$ The maximum width is 102 inches, and the maximum height is 13 feet 6 inches.

PERMIT: None required. ACCESS: Unlimited.

ROUTES: All roads within the State.

LEGAL CITATIONS: Indiana Code 9-8-1-2.

STATE: IOWA

COMBINATION: Truck tractor and 2 trailing units—LCV.

LENGTH OF THE CARGO-CARRYING UNITS: 100 feet when entering Sioux City from South Dakota or South Dakota from Sioux City; 65 feet when entering Sioux City from Nebraska or Nebraska from Sioux City.

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds when entering Sioux City from South Dakota or South Dakota from Sioux City; 95,000 pounds when entering Sioux City from Nebraska or Nebraska from Sioux City.

OPERATIONAL CONDITIONS:

Iowa allows vehicles from South Dakota and Nebraska access to terminals which are located within the corporate limits of Sioux City and its commercial zone as shown in 49 CFR 1048.101 on November 28, 1995. These vehicles must be legal in the State from which they enter Iowa.

WEIGHT, DRIVER, VEHICLE, AND PER-MIT: Same conditions which apply to a truck tractor and 2 trailing units legally operating in South Dakota or Nebraska.

ACCESS: These combinations may operate on any road within the corporate limits of Sioux City and its commercial zone as shown in 49 CFR 1048.101 on November 28, 1995, when authorized by appropriate State or local authority.

ROUTES: LCV combinations may operate on all Interstate System routes in Sioux City and its commercial zone as shown in 49 CFR 1048.101 on November 28, 1995. If subject

Federal Highway Administration, DOT

only to the ISTEA freeze on length, they may operate on all NN routes in Sioux City and its commercial zone, as above.

LEGAL CITATIONS: Iowa Code §321.457(2)(f) (1995).

STATE: IOWA

COMBINATION: Truck tractor and 3 trailing units—LCV.

LENGTH OF CARGO-CARRYING UNITS: 100 feet when entering Sioux City from South Dakota or South Dakota from Sioux City

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 POUNDS when entering Sioux City from South Dakota or South Dakota from Sioux City.

OPERATIONAL CONDITIONS:

WEIGHT, DRIVER, VEHICLE, AND PER-MIT: Same as the SD-TT3 combination.

ACCESS: Same as the IA-TT2 combination. ROUTES: Same as the IA-TT2 combination.

LEGAL CITATION: Same as the IA-TT2 combination.

STATE: IOWA

COMBINATION: Truck-trailer.

LENGTH OF THE CARGO-CARRYING UNITS: 78 feet when entering Sioux City from South Dakota or South Dakota from Sioux City; 68 feet when entering Sioux City from Nebraska or Nebraska from Sioux City.

OPERATIONAL CONDITIONS:

Iowa allows vehicles from South Dakota and Nebraska access to terminals which are located within the corporate limits of Sioux City and its commercial zone, as shown in 49 CFR 1048.101 on November 28, 1995. These vehicles must be legal in the State from which they enter Iowa.

WEIGHT, DRIVER, VEHICLE, AND PER-MIT: Same conditions which apply to a truck-trailer combination legally operating in Nebraska or South Dakota.

ACCESS: Same as the IA-TT2 combination. ROUTES: Same as IA-TT2 combination.

LEGAL CITATION: Same as the IA-TT2 combination.

STATE: KANSAS

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 109 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 120,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Combinations consisting of a truck tractor and two trailing units must comply with the Federal Bridge Formula, with maximum weights of 20,000 pounds on a single axle and 34,000 pounds on a tandem axle, and with a maximum gross weight of 120,000 pounds.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: Truck tractor and two trailing unit combinations must meet legal width and height with no time-of-day travel restrictions or other special requirements.

PERMIT: Permits are not required for operation on the Kansas Turnpike. A permit is required for access between the Turnpike and motor freight terminals located within a 10-mile radius of each toll booth, except at the northeastern end of the Turnpike where a 20-mile radius is allowed. Access permits are valid for 6 months.

ACCESS: Turnpike access routes include all routes between the Turnpike and a motor freight terminal located within a 10-mile radius of each toll booth, except at the northeastern end of the Turnpike where a 20-mile radius is allowed.

ROUTES

	From	То
I–35 Kansas Tpk. Authority (KTA).	Oklahoma	KTA Exit 127.
I-70 KTA	KTA Exit 182	KTA Exit 223.
I-335 KTA	KTA Exit 127	KTA Exit 177.
I-470 KTA	KTA Exit 177	KTA Exit 182.
LEGAL CITA- TIONS:		
Kansas Statutes Annotated (KSA)		
KSA 8-1911	KSA 68-2004	KSA 68-2019.
KSA 8-1914	KSA 68-2005	KSA 68-2048a.
KSA 68-2003.		

STATE: KANSAS

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 109 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 120,000 pounds

OPERATIONAL CONDITIONS: The operations of triple trailing unit combinations are governed by two sets of criteria: (1) The Turnpike and Turnpike access rules, and (2) the SVC rules which apply off of the Turnpike except in the case of vehicles operating under Turnpike access authority. The Turnpike and Turnpike access rules allow a maximum combination vehicle length of 119 feet overall. The SVC rules require "Triples" to have trailers of no more than 28.5 feet maximum length or a cargo-carrying length of approximately 95 feet.

The Turnpike and Turnpike access rules have no time-of-day travel restrictions or

other special requirements. The SVC rules have several operational conditions. SVC's cannot operate on holidays or during holiday weekends. SVC's cannot be dispatched or operated during adverse weather conditions. SVC's must travel in the right lane, except for passing, and the following distance is 100 feet for every 10 miles per hour. SVC permits can include any restrictions deemed necessary, including specific routes and hours, days, and/or seasons of operation. Rules and regulations can be promulgated regarding driver qualifications, vehicle equipment, and operational standards.

WEIGHT: All triple trailing unit combinations must comply with the Federal Bridge Formula with maximum axle weights of 20,000 pounds on a single axle and 34,000 pounds on a tandem axle. The maximum gross weight is 120,000 pounds on the Turnpike and Turnpike access routes, but the SVC's have a maximum weight of 110,000 pounds.

DRIVER: A commercial driver's license with the appropriate endorsement is required under both Turnpike and SVC rules. In addition, for SVC operation drivers must have completed SVC driver training and a company road test. Drivers must also have 2 years of experience driving tractorsemitrailers and 1 year driving doubles. VEHICLE: Vehicle requirements apply to

VEHICLE: Vehicle requirements apply to the SVC program only. All axles, except steering axles, must have dual wheels, and all vehicles must be able to achieve and maintain a speed of 40 miles per hour on all grades. Antispray mud flaps shall be attached to the rear of each axle except the steering axle. Mud flaps shall have a surface designed to absorb and deflect excess moisture to the road surface. Drop and lift axles are prohibited. Vehicles may have a min-

imum of six and a maximum of nine axles. The heaviest trailers are to be placed forward. Hazardous cargo is prohibited. Convex mirrors are required on both sides of the cab. Equipment must comply with the requirements of 49 CFR 390-399.

Any SVC shall be stable at all times during normal braking and normal operation. When traveling on a level, smooth paved surface, an SVC shall follow the towing vehicle without shifting or swerving beyond the restraints of the lane of travel.

PERMIT: Same as the KS-TT2 combination on the Turnpike and Turnpike access routes. A fee per company plus a permit fee for each power unit is required for the SVC program, and the SVC permits are valid for 1 year. SVC's operated pursuant to regulation 36-1-33 under an annual permit shall be covered by insurance.

*ACCESS: Turnpike access routes include all routes between the Turnpike and a motor freight terminal located within a 10-mile radius of each toll booth, except at the northeastern end of the Turnpike where a 20-mile radius is allowed. SVC access routes include all routes between the Interstate and a motor freight terminal located within 5 miles of the Interstate at Goodland.

ROUTES:

A. For vehicles subject to the Turnpike and Turnpike access rules:

	From	То
I–70 KTA I–335 KTA	Oklahoma KTA Exit 182 KTA Exit 127 KTA Exit 177	KTA Exit 223. KTA Exit 177.

B. For vehicles subject to the SVC rules:

	From	То
I–70	Colorado	I-70 Exit 19 Good- land.

LEGAL CITATIONS: Same as the KS-TT2 combination, plus KSA 8–1915.

STATE: MASSACHUSETTS

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF CARGO-CARRYING UNITS: 104 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 127,400 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Any combination of vehicles may not exceed a maximum gross weight of 127,400 pounds. The maximum gross weight of the tractor and first semitrailer shall not exceed 71,000 pounds. The maximum gross weight of each unit of dolly and semitrailer

shall not exceed 56,400 pounds. The maximum gross weight for the tractor and first semitrailer is governed by the formula 35,000 pounds plus 1,000 pounds per foot between the center of the foremost axle and the center of the rearmost axle of the semitrailer. The maximum gross weight on any one axle is 22,400 pounds, and on any tandem axle it is 36,000 pounds. Axles less than 46 inches between centers are considered to be one axle.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement and must be registered with the Massachusetts Turnpike Authority (MTA). Registration shall include all specified driving records, safety records, physical examinations, and minimum of 5 years of driving experience with tractor trailers.

VEHICLE:

- (1) Brake Regulation. The brakes on any vehicle, dolly converter, or combination of vehicles used in tandem-trailer operations as a minimum shall comply with Federal Motor Carrier Safety Regulations in 49 CFR part 393. In addition, any vehicle, dolly converter or combination of vehicles used in tandem-trailer operations shall meet the requirements of the provisions of the Massachusetts Motor Vehicle Law. Tandem-trailer combinations certified on or after June 1, 1968, shall be equipped with suitable devices to accelerate application and release of the brakes of the towed vehicle.
- (2) Axles. A tractor used to haul a tandem trailer combination with a gross weight of more than 110,000 pounds shall be equipped with tandem rear axles, each of which shall be engaged to bear its full share of the load on the roadway surface.
- (3) Tandem Assembly. When the gross weight of the trailers vary by more than 20 percent, they shall be coupled with the heaviest trailer attached to the tractor. Coupling devices and towing devices shall comply with the Federal regulations as stated in 49 CFR part 393. When the distance between the rear of the one semitrailer and the front of the following semitrailer is 10 feet or more, the dolly shall be equipped with a device, or the trailers shall be connected along the sides with suitable material, which will indicate to other Turnpike users that the trailers are connected and are in effect one unit. The MTA shall approve the devices or connections to be used on the semitrailers that would indicate it is one unit. Coupling devices shall be so designed, constructed, and installed, and the vehicles in a tandem trailer combination shall be so designed and constructed to ensure that when traveling on a level, smooth paved surface they will follow in the path of the towing vehicle without shifting or swerving over 3 inches to each side of the path of the towing vehicle when it is moving in a straight line. A tandem trailer unit may pass another vehicle traveling in the same direction only if the speed

differential will allow the tandem trailer unit to complete the maneuver and return to the normal driving lane within a distance of 1 mile.

Each truck tractor shall be equipped with at least one spare fuse or other overload protective device, if the devices are not of a reset type, for each kind and size used. The vehicle is to carry at least one set of tire chains for at least one driving wheel on each side between October 15 and May 1 of each year. Each truck tractor shall carry a fire extinguisher which shall have an aggregate rating of 20 BC.

PERMIT: A permittee must demonstrate to the MTA that it has insurance coverage of the type and amounts required by Turnpike regulation. Both the tractor manufacturer and the permittee shall certify to the MTA, prior to the approval of a tractor, that it is capable of hauling the maximum permissible gross load to be transported by the permittee at a speed not less than 20 miles per hour on all portions of the turnpike system. The MTA may revoke or temporarily suspend any permit at will and the instructions of the MTA or Massachusetts State Police shall be complied with immediately.

ACCESS: Makeup and breakup areas. Tandem trailer units shall not leave the Turnpike right-of-way and shall be assembled and disassembled only in designated areas.

ROUTES

	From	То
I-90 Mass Turn- pike.	New York State	Turnpike Exit 18 Boston.

LEGAL CITATIONS:

The MTA, Massachusetts Rules and Regulations 730, and CMR 4.00.

STATE: MICHIGAN

COMBINATION: Truck tractor and 2 trailing units—L.CV

LENGTH OF CARGO-CARRYING UNITS: 58 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 164,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: The single-axle weight limit for LCV's is 18,000 pounds for axles spaced 9 feet or more apart. For axles spaced more than 3.5 but less than 9 feet apart, the single-axle weight limit is 13,000 pounds. The tandem-axle weight limit is 16,000 pounds per axle for the first tandem and 13,000 pounds per axle for all other tandems. Axles spaced less than 3.5 feet apart are limited to 9,000 pounds per axle. Maximum load per inch width of tire is

700 pounds. Maximum gross weight is determined based on axle and axle group weight limits.

When restricted seasonal loadings are in effect, load per inch width of tire and maximum axle weights are reduced as follows: Rigid pavements—525 pounds per inch of tire width, 25 percent axle weight reduction; Flexible pavements—450 pounds per inch of tire width, 35 percent axle weight reduction.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: Truck height may not exceed 13.5 feet. There is no overall length for LCV's operating on the Interstate System when semitrailer and trailer lengths do not exceed 28.5 feet. If either the trailer or semitrailer is longer than 28.5 feet, the distance from the front of the first box to the rear of the second box may not exceed 58 feet. A combination of vehicles shall not have more than 11 axles, and the ratio of gross weight to net horsepower delivered to the clutch shall not exceed 400 to 1.

PERMIT: Permits for divisible loads of more than 80,000 pounds must conform to either Federal or grandfathered axle and bridge spacing requirements.

ACCESS: All designated State highways. ROUTES: All Interstate routes and designated State highways.

LEGAL CITATIONS:

Michigan Public Act 300, section 257.722 Michigan Public Act 300, section 257.719

STATE: MICHIGAN

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 63 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER: The driver must have a commercial driver's license with appropriate endorsement.

VEHICLE: The overall length of this combination is limited to 70 feet. The only cargo that may be carried is saw logs, pulpwood, and tree length poles.

PERMIT: None required.

ACCESS: All NN routes.

ROUTES: All NN routes.

LEGAL CITATIONS: Michigan Public Act 300, section 257.719.

23 CFR Ch. I (4-1-05 Edition)

STATE: MISSISSIPPI

COMBINATION: Truck tractor and 2 trailing units

LENGTH OF THE CARGO-CARRYING UNITS: 65 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: Each trailing unit may be a maximum of 30 feet long.

PERMIT: None required.

ACCESS: No restrictions, may operate Statewide.

ROUTES: All NN routes.

LEGAL CITATIONS: Section 63–5–19, Mississippi Code, Annotated, 1972.

STATE: MISSOURI

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 110 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 120,000 pounds when entering Missouri from Kansas; 95,000 pounds when entering from Nebraska; 90,000 pounds when entering from Oklahoma.

OPERATIONAL CONDITIONS: Missouri allows vehicles from neighboring States access to terminals in Missouri which are within 20 miles of the Missouri State Line. These vehicles must be legal in the State from which they are entering Missouri.

WEIGHT, DRIVER, VEHICLE: Same conditions which apply to a truck tractor and two trailing units legally operating in Kansas, Nebraska, or Oklahoma.

PERMIT: Annual blanket overdimension permits are issued to allow a truck tractor and two trailing units legally operating in Kansas, Nebraska, or Oklahoma to move to and from terminals in Missouri which are located within a 20-mile band of the State Line for these three States. There is a permit fee per power unit. The permits carry routine permit restrictions, but do not address driver qualifications or any other restrictions not included in the rules and regulations for all permitted movement.

ACCESS: Routes as necessary to reach terminals.

ROUTES: All NN routes within a 20-mile band from the Kansas, Nebraska, and Oklahoma borders.

LEGAL CITATIONS: §304.170 and §304.200 Revised Statutes of Missouri 1990.

STATE: MISSOURI

COMBINATION: Truck tractor and 3 trailing

LENGTH OF THE CARGO-CARRYING UNITS: 109 feet

MAXIMUM ALLOWABLE **GROSS** WEIGHT: 120,000 pounds when entering Missouri from Kansas; 90,000 pounds when entering from Oklahoma.

OPERATIONAL CONDITIONS: Missouri allows vehicles from neighboring States access to terminals in Missouri which are within 20 miles of the Missouri State Line. These vehicles must be legal in the State from which

they are entering Missouri.

WEIGHT, DRIVER, VEHICLE: Same conditions which apply to a truck tractor and three trailing units legally operating in Kansas or Oklahoma.

PERMIT: Annual blanket overdimension permits are issued to allow a truck tractor and three trailing units legally operating in Kansas or Oklahoma, to move to and from terminals in Missouri which are located within a 20-mile band of the State Line for these two States. There is a permit fee per power unit. The permits carry routine permit restrictions, but do not address driver qualifications or any other restrictions not included in the rules and regulations for all permitted movement.

ACCESS: Routes as necessary to reach terminals.

ROUTES: All NN routes within a 20-mile band from the Kansas and Oklahoma bor-

LEGAL CITATIONS: §304.170 & §304.200 Revised Statutes of Missouri 1990.

STATE: MONTANA

COMBINATION: Truck tractor and 2 trailing units-LCV

LENGTH OF CARGO-CARRYING UNITS: 93 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 137,800 pounds for vehicles operating under the Montana/Alberta Memorandum of Understanding (MOU). For other MT-TT2 combinations, the maximum allowable gross weight is 131,060 pounds.

OPERATIONAL CONDITIONS:

WEIGHT: Except for vehicles operating under the MOU, any vehicle carrying a divisible load over 80,000 pounds must comply with the Federal Bridge Formula found in 23 U.S.C. 127. Maximum single-axle limit: 20,000 pounds Maximum tandem-axle limit: 34,000 pounds Maximum gross weight limit: 131,060 pounds Maximum weight allowed per inch of tire width is 600 pounds. WEIGHT, MONTANA/ALBERTA MOU:

Maximum single-axle limit: 20,000 pounds

Maximum tandem-axle limit: 37,500 pounds Maximum tridem-axle limit:

Axles spaced from 94" to less than 118": 46,300 pounds

Axles spaced from 118" to less than 141": 50,700 pounds

Axles spaced from 141" to 146": 52,900 pounds Maximum gross weight:

A-Train: 118,000 pounds

B-Train (eight axle): 137,800 pounds B-Train (seven axle): 124,600 pounds

The designation of "A-Train" or "B-Train" refers to the manner in which the two trailing units are connected.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: No special requirements beyond compliance with Federal Motor Carrier Safety Regulations.

PERMIT: Special permit required for double trailer combinations if either trailer exceeds 28.5 feet. Permits are available on an annual or a trip basis and provide for continuous travel. Statutory reference: 61-10-124. MCA. For vehicles being operated under the Montana/Alberta MOU, operators must have paid gross vehicle weight fees for the total weight being carried. In addition, a term Restricted Route and Oversize Permit for which an annual fee is charged must be obtained. Finally, vehicle operators must secure a single-trip, overweight permit prior to each trip

ACCESS: Access must be authorized by the Montana DOT. For vehicles operated under the Montana/Alberta MOU, access routes from I-15 into Shelby are authorized when permits are issued. For vehicles with a cargo-carrying length greater than 88 feet, but not more than 93 feet, a 2-mile access from the Interstate System is automatically granted to terminals and service areas. Access outside the 2-mile provision may be granted on a case-by-case basis by the Administrator of the Motor Carrier Services Division.

ROUTES: Combinations with a cargo-carrying length greater than 88 feet, but not more than 93 feet, are limited to the Interstate System. Combinations with a cargocarrying length of 88 feet or less can use all NN routes except U.S. 87 from milepost 79.3 to 82.5. For vehicles being operated under the Montana/Alberta MOU, the only route available is I-15 from the border with Canada to Shelby

LEĞAL CITATION:

61-10-124	61-10-104	ARM
MCA.	MCA.	18.8.509(6)
61-10-107 (3)	61-10-121	ARM
MCA.	MCA.	18.8.517,
		518

Montana/Alberta Memorandum of Understanding

Administrative Rules of Montana

STATE: MONTANA

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 100 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 131,060 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Any vehicle carrying a divisible load over 80,000 pounds must comply with the Federal Bridge Formula found in 23 U.S.C. 127.

Maximum single-axle limit: 20,000 pounds Maximum tandem-axle limit: 34,000 pounds Maximum gross weight limit: 131,060 pounds Maximum weight allowed per inch of tire width is 600 pounds.

DRIVER: Drivers of three trailing unit combinations must be certified by the operating company. This certification includes an actual driving test and knowledge of Federal Motor Carrier Safety Regulations and State law pertaining to triple vehicle operations. Drivers are also required to have a commercial driver's license with the appropriate endorsement.

VEHICLE: The 100-foot cargo-carrying length is only with a conventional tractor within a 110-foot overall length limit. If a cabover tractor is used, the cargo length is 95 feet within a 105-foot overall length limit. Vehicles involved in three trailing unit operations must comply with the following regulations:

- 1. Shall maintain a minimum speed of 20 miles per hour on any grade;
- 2. Kingpins must be solid and permanently affixed;
- 3. Hitch connections must be no-slack type;
- 4. Drawbars shall be of minimum practical length;
- 5. Permanently affixed axles must be designed for the width of the trailer;
- 6. Anti-sail mudflaps or splash and spray suppression devices are required;
- 7. The heavier trailers shall be in front of lighter trailers;
- 8. A minimum distance of 100 feet per 10 miles per hour is required between other vehicles except when passing;
- 9. Operating at speeds greater than 55 miles per hour is prohibited; and 10. Vehicle and driver are subject to Fed-
- 10. Vehicle and driver are subject to Federal Motor Carrier Safety Regulations.

Reference: 18.8.517 Administrative Rules of Montana.

PERMIT: Special triple vehicle permits are required for the operation of these combinations. Permits are available on an annual or trip basis. Permits are good for travel on the

23 CFR Ch. I (4-1-05 Edition)

Interstate System only and are subject to the following conditions:

- 1. Travel is prohibited during adverse weather conditions;
- $2.\ Transportation of Class A explosives is prohibited; and$
- 3. Companies operating triple combinations must have an established safety program including driver certifications.

ACCESS: Access is for 2 miles beyond the Interstate System, or further if granted by the Administrator of the Motor Carrier Services Division.

ROUTES: Interstate System routes in the State.

LEGAL CITATION: 18.8.517 Administrative Rules of Montana.

STATE: MONTANA

COMBINATION: Truck-Trailer

LENGTH OF CARGO-CARRYING UNITS: 88 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, and ACCESS: Same as the MT-TT2 combination.

VEHICLE: Same as the MT-TT2 combination, except overall length limited to 95 feet.

PERMIT: Special permit required if overall length exceeds 75 feet. Special permits allow continuous travel and are available on an annual or trip basis.

ROUTES: Same as the MT-TT2 combination.

LEGAL CITATIONS: 61-10-121 and 61-10-124. MCA.

STATE: MONTANA

COMBINATION: Truck-trailer-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 103 feet

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, PERMIT, and ACCESS: Same as the MT-TT2 combination.

VEHICLE: The cargo-carrying unit length is 103 feet with a conventional truck within a 110-foot overall length limit, and 98 feet with a cab-over-engine truck within a 105-foot overall length limit. On two-lane highways the cargo-carrying unit length is 88 feet within a 95-foot overall length limit.

ROUTES: All NN routes except U.S. 87 between mileposts 79.3 and 82.5.

LEGAL CITATIONS:

61-10-124 MCA 61-10-121 MCA ARM 18-8-509

STATE: NEBRASKA

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet for combination units traveling empty. 65 feet for combination units carrying cargo, except those carrying seasonally harvested products from the field where they are harvested to storage, market, or stockpile in the field, or from stockpile to market, which may extend the length to 71.5 feet.

OPERATIONAL CONDITIONS:

WEIGHT:

Maximum weight:

Single axle = 20,000 pounds Tandem axle = 34,000 pounds

Gross = Determined by Federal Bridge Formula B, but not to exceed 95,000 pounds.

Truck tractor and 2 trailing unit combinations with a length of cargo-carrying units of over 65 feet are required to travel empty.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement. There are no additional special qualifications where the cargo-carrying unit lengths are 65 feet or less. For cargo-carrying unit lengths over 65 feet, the driver must comply with all State and Federal requirements and must not have had any accidents while operating such vehicles.

VEHICLE: For combinations with a cargocarrying length over 65 feet, but not over 85 feet, the semitrailer cannot exceed 48 feet in length and the full trailer cannot be less than 26 feet or more than 28 feet long. The shorter trailer must be placed to the rear. The wheel path of the trailer(s) cannot vary more than 3 inches from that of the towing vehicle.

For combinations with a cargo-carrying length greater than 85 feet, up to and including 95 feet, the trailers must be of approximately equal length.

PERMIT: A weight permit in accordance with Chapter 12 of the Nebraska Department of Roads (NDOR) Rules and Regulations is required for operating on the Interstate System with weight in excess of 80,000 pounds.

A length permit, in accordance with Chapters 8 or 11 of the NDOR Rules and Regulations, is required for two trailing unit combinations with a length of cargo-carrying units over 65 feet. Except for permits issued to carriers hauling seasonally harvested products in combinations with a cargo-carrying length greater than 65 feet but not more than 71.5 feet which may move as necessary to accommodate crop movement re-

quirements, holders of length permits are subject to the following conditions.

Movement is prohibited on Saturdays, Sundays, and holidays; when ground wind speed exceeds 25 miles per hour; when visibility is less than 800 feet; or when steady rain, snow, sleet, ice, or other conditions cause slippery pavement. Beginning November 15 until April 16 permission to move must be obtained from the NDOR Permit Office within 3 hours of movement. Beginning April 16 until November 15 permission to move must be obtained within 3 days of the movement.

Fees are charged for all permits. Length permits for combinations carrying seasonally harvested products are valid for 30 days and are renewable but may not authorize operation for more than 120 days per year.

All permits are subject to revocation if the terms are violated.

ACCESS: Access to NN routes is not restricted for two trailing unit combinations with a cargo-carrying length of 65 feet or less, or 71.5 feet or less if involved in carrying seasonally harvested products. For two trailing unit combinations with a cargo-carrying length greater than 65 feet and not involved in carrying seasonally harvested products, access to and from I-80 is limited to designated staging areas within six miles of the route between the Wyoming State Line and Exit 440 (Nebraska Highway 50); and except for weather, emergency, and repair, cannot reenter I-80 after exiting.

ROUTES: Except for length permits issued to carriers hauling seasonally harvested products in combinations with a cargo-carrying length greater than 65 feet but not more than 71.5 feet which may use all non-Interstate NN routes, vehicles requiring length permits are restricted to Interstate 80 between the Wyoming State Line and Exit 440 (Nebraska Highway 50). Combinations not requiring length permits may use all NN routes.

LEGAL CITATIONS:

Nebraska Revised Statutes Reissued 1988 § 39-6,179 (Double trailers under 65 feet) § 39-6,179.01 (Double trailers over 65 feet) § 39-6,180.01 (Authorized weight limits) § 39-6,181 (Vehicles; size; weight; load; overweight; special permits; etc.) Nebraska Department of Roads Rules and

Regulations, Title 408, Chapter 1 (Double trailers over 65 feet)

STATE: NEBRASKA

COMBINATION: Truck tractor and 3 trailing units

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

OPERATIONAL CONDITIONS:

WEIGHT: A truck tractor and three trailing unit combination is required to travel empty.

DRIVER: Same as the NE-TT2 combina-

PERMIT: A length permit, in accordance with Chapter 11 of the NDOR Rules and Regulations is required for a three trailing unit combination. Conditions of the length permit prohibit movements on Saturdays, Sundays, and holidays; when ground wind speed exceeds 25 miles per hour; and when visibility is less than 800 feet. Movement is also prohibited during steady rain, snow, sleet, ice, or other conditions causing slippery pavement. Beginning November 15 until April 16 permission to move must be obtained from the NDOR Permit Office within 3 hours of movement. Beginning April 16 until November 15 permission to move must be obtained within 3 days of the movement. A fee is charged for the annual length permit. These permits can be revoked if the terms are violated.

ACCESS: Access to and from I-80 is limited to designated staging areas within 6 miles of the route between Wyoming State Line and Exit 440 (Nebraska Route 50). Except for weather, emergency, and repair, three trailing unit combinations cannot reenter the Interstate after having exited.

VEHICLE: A three trailing unit combination must have trailers of approximately equal length and the overall vehicle length cannot exceed 105 feet.

ROUTES: I-80 from Wyoming to Exit 440 (Nebraska Highway 50).

LEGAL CITATIONS:

Neb. Rev. Stat. §39–6.179,01 (Reissue 1988) Nebraska Department of Roads Rules and Regulations, Title 408, Chapter 1

STATE: NEBRASKA

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 68 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

23 CFR Ch. I (4-1-05 Edition)

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: The overall vehicle length, including load, cannot exceed 75 feet.

PERMIT: No permit is required.

ACCESS: Statewide during daylight hours only.

ROUTES: All NN routes.

LEGAL CITATIONS: Neb. Rev. Stat. $\S 39-6,179$.

STATE: NEVADA

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: The single-axle weight limit is 20,000 pounds, the tandem-axle weight limit is 34,000 pounds, and the gross weight is subject to the Federal Bridge Formula limits, provided that two consecutive tandems with a distance of 36 feet or more between the first and last axle may carry 34,000 pounds on each tandem.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement, be at least 25 years old, and have had a medical exam within previous 24 months. Every operator must be covered by a liability insurance policy with personal injury and property damage limits meeting State requirements.

VEHICLE: No trailer may be longer than 48 feet. If one trailer is 48 feet long, the other trailer cannot exceed 42 feet. Towed vehicles must not shift or sway more than 3 inches to right or left and must track in a straight line on a level, smooth paved highway. Vehicles must be able to accelerate and operate on a level highway at speeds which are compatible with other traffic and with the speed limits and must be able to maintain a minimum of 20 miles per hour on any grade on which they may operate. All vehicles must have safety chains on converter dollies. Vehicles must carry snow chains for each drive wheel.

Vehicle operations may be suspended in adverse weather and high winds, as determined by police or the Nevada DOT.

The shortest trailer must be in the rear of a combination unless it is heavier than the longer trailer.

Brakes must comply with all State and Federal requirements for commercial vehicles including automatic braking for separation of vehicles, parking brakes, and working lights.

Vehicles must not exceed posted speed limits and cannot operate on any highway on

Federal Highway Administration, DOT

which they cannot at all times stay on the right side of the center line. All LCV's must keep a distance of at least 500 feet from each other

Every full-sized truck or truck tractor used in a combination of vehicles must be equipped with at least the following emergency and safety equipment:

- 1. One fire extinguisher which meets "Classification B" of the National Fire Protection Association.
- 2. One spare light bulb for every electrical lighting device used on the rear of the last vehicle in a combination of vehicles.
- 3. One spare fuse for each different kind and size of fuse used in every vehicle in the combination of vehicles. If the electrical system of any vehicle in the combination contains any devices for protection of electrical circuits from overloading, other than fuses and circuit breakers which can be reset, one spare of each such device must be kept as emergency and safety equipment.
- 4. Any flares, reflectors or red electrical lanterns which meet State or Federal law or regulation.

Before operating a combination of vehicles on a highway of this State, the owner or operator of the combination shall certify to the Nevada DOT, on a form provided by it, that all vehicles and equipment in the combination meet the requirements of and will be operated in compliance with NAC 484.300 to 484.440, inclusive.

All axles except for steering axles and axles that weigh less than 10,000 pounds must have at least four tires unless the tire width of each tire on the axles is 14 inches or greater.

PERMIT: Permits are required and a fee is charged. They may be revoked for violation of any of the provisions of the legal regulations. The State may suspend operation on roads deemed unsafe or impracticable. Permits must be carried in the vehicle along with identification devices issued by the Nevada Department of Motor Vehicles.

ACCESS: As authorized by the Nevada DOT.

ROUTES: All NN routes, except US 93 from Nevada State route 500 to Arizona.

LEGAL CITATIONS: NRS 484.400, .405(4), .425, .430, .739, 408.100-4, .100-6(a), and 706.531. Also, "Regulations for the Operation of 70 to 105 foot Combinations" (1990).

STATE: NEVADA

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds

OPERATIONAL CONDITIONS: Same as the NV-TT2 combination.

ROUTES: Same as the NV-TT2 combination

LEGAL CITATIONS: Same as the NV-TT2 combination.

STATE: NEVADA

COMBINATION: Truck-trailer, and Truck-trailer-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 98 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, VEHICLE, and ACCESS: Same as the NV-TT2 combination.

PERMITS: Same as the NV-TT2 combination, except permits for Truck-trailer, or Truck-trailer-trailer combinations are only required when the overall length is 70 feet or more.

ROUTES: Same as the NV-TT2 combination.

LEGAL CITATIONS: Same as the NV-TT2 combination.

STATE: NEW MEXICO

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: Not applicable

MAXIMUM ALLOWABLE GROSS WEIGHT: 86,400 pounds

OPERATIONAL CONDITIONS: The cargo-carrying length restriction does not apply to this combination. The length of each trailing unit is limited to 28.5 feet. This describes a two trailing unit vehicle whose operation is guaranteed by the STAA of 1982 regardless of inter-unit spacing. As long as each trailing unit is 28.5 feet long or less, cargo-carrying length is not restricted. This combination is listed as a LCV because it can exceed the 80,000-pound threshold established in the Congressional definition. The 86,400-pound gross weight limit is grandfathered for New Mexico.

WEIGHT: Single axle = 21,600 pounds. Tandem axle = 34,200 pounds. Load per inch of tire width = 600 pounds. The total gross weight with load imposed on the highway by any vehicle or combination of vehicles where the distance between the first and last axles is less than 19 feet shall not exceed that given for the respective distances in the following table:

Distance in feet between first and last axles of group	Allowed load in pounds on group of axles
4	34,320
5	35,100
6	35,880
7	36,660
8	37,440
9	38,220
10	39,000
11	39,780
12	40,560
13	41,340
14	42,120
15	42,900
16	43,680
17	44,460
18	45,240

The total gross weight with load imposed on the highway by any vehicle or combination of vehicles where the distance between the first and last axles is 19 feet or more shall not exceed that given for the respective distances in the following table:

Distance in feet between first and last axles of group	Allowed load in pounds on group of axles
19	53,100
20	54,000
21	54,900
22	55,800
23	56,700
24	57,600
25	58,500
26	59,400
27	60,300
28	61,200
29	62,100
30	63,000
31	63,900
32	64,800
33	65,700
34	66,600
35	67,500
36	68,400
37	69,300
38	70,200
39	71,100
40	72,000
41	72,900
42	73,800
43	74,700
44	75,600
45	76,500
46	77,400
47	78,300

Distance in feet between first and last axles of group	Allowed load in pounds on group of axles
48	79,200 80,100 81,000 81,900 82,800 83,700 84,600
55	85,500 86,400

The distance between the centers of the axles shall be measured to the nearest even foot. When a fraction is exactly one-half the next larger whole number shall be used.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: No special requirements beyond normal Federal Motor Carrier or State regulations. The maximum length of the trailing units is 28.5 feet.

PERMIT: None Required.

ACCESS: STAA vehicles must be allowed reasonable access in accordance with 23 CFR 658.19.

ROUTES: All Interstate highways.

LEGAL CITATIONS:

66-7-409 NMSA 1978 66-7-410 NMSA 1978

STATE: NEW YORK

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 102 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 143,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: The following information pertains to tandem trailer combinations with either trailer more than 28.5 feet long but not more than 48 feet long. A nine-axle combination vehicle may not exceed a total maximum gross weight of 143,000 pounds. An eight-axle combination vehicle may not exceed a total maximum gross weight of 138,400 pounds. The maximum gross weight that may be carried upon any combination of units is limited by the maximum gross weight that can be carried upon the axles as follows. For a nine-axle combination: Drive axles—36,000 pounds, axles four/five—36,000 pounds, axles six/seven—27,000 pounds, and axles eight/nine—36,000 pounds. A minimum 12-foot axle spacing between the fifth and sixth axles is also required on the nine-axle LCV. For an eight-axle combination: Drive axles—36,000 pounds, axles four/five—36,000

pounds, sixth axle—22,400 pounds, and axles seven/eight—36,000 pounds. The eight-axle LCV has no minimum axle-spacing requirements. For gross weights in excess of 138,400 pounds the combination must include a tandem-axle dolly to meet the nine-axle requirements. Maximum permissible gross weight for B-train combination is 127,000 pounds.

When the gross weight of the two trailers in a tandem combination vary more than 20 percent, the heaviest of the two must be placed in the lead position.

For tandem trailer combinations in which neither trailing unit exceeds 28.5 feet in length the following maximum allowable weights apply: for a single axle—28,000 pounds (except that steering axles may not exceed 22,400 pounds), for a tandem axle—42,500 pounds, for a tri-axle—52,500 pounds. The gross weight may not exceed 100,000 pounds or the manufacturers gross weight rating, whichever is lower.

DRIVER: For operation on highways under the jurisdiction of the New York State Thruway Authority (NYSTA), except for the full length of I-84 and that portion of I-287 from Thruway exit 8 to I-95, the driver must have a commercial driver's license with the appropriate endorsement, and hold a Tandem Trailer Driver's Permit issued by the NYSTA. In order to obtain an NYSTA driver's permit, an applicant must (1) hold a valid commercial driver's license with multiple-trailer endorsement; (2) be over 26 years old, in good health, and have at least 5 years of provable experience driving tractor-trailer combinations; and (3) meet all other application requirements with regard to driving history established by the NYSTA. Qualified drivers receive a Tandem Trailer Driver's Permit for Tandem Vehicle Operation which is valid only for the operation of the certified equipment owned by the company to which the permit is issued.

For operation on highways under the jurisdiction of the New York State DOT, cities not wholly included in one county, the full length of I–84 and that portion of I–287 from Thruway exit 8 to I–95, the driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: All vehicles must meet the requirements of applicable Federal and State statutes, rules, and regulations. Vehicles operating on highways under the jurisdiction of the NYSTA, except for the full length of I-84 and that portion of I-287 from Thruway exit 8 to I-95, must also meet the following additional requirements. The tractor manufacturer and the permittee shall certify to the NYSTA prior to the approval of the tractor that it is capable of hauling the maximum permissible gross load at a speed of not less than 20 miles per hour on all portions of the thruway system.

The brakes on any vehicle, dolly converter, or combination of vehicles shall comply with

49 CFR part 393 and, in addition, any vehicle or dolly converter shall meet the provisions of the New York State Traffic Law.

Tandem trailer operations shall be equipped, at a minimum, with emergency equipment as required by 49 CFR part 393, subpart H, as amended, tire chains from October 15 to May 1 of each year, a fire extinguisher with an aggregate rating of 20BC, and each trailer with specific lamps and reflectors.

All tractors certified by the NYSTA for use with tandem trailers will be assigned an identification number by the NYSTA which must be placed on the vehicle. The number must be at least 3 inches in height and visible to a person standing at ground level opposite the driver's position in the cab.

Axle Type. Tractors to be used for hauling 110,000 pounds or more shall be equipped with tandem rear axles, both with driving power. Tractors to be used for hauling 110,000 pounds or less may have a single drive axle. Tandem combinations using single wheel tires commonly referred to as "Super Singles" are required to use triple-axle tractors, dual-axle trailers, and dual-axle dollies.

Dollies. Every converter dolly certified on and after June 1, 1968, used to convert a semitrailer to a full trailer may have either single or tandem axles at the option of the permittee. Single-axle dollies may not utilize low profile tires. Combination vehicles with a gross weight in excess of 138,400 pounds must have a tandem-axle dolly to meet the nine-axle requirement. If the distance between two semitrailers is 10 feet or more, the dolly shall be equipped with a device or the trailers connected along the sides with suitable material to indicate they are in effect one unit. The devices or connection shall be approved by the NYSTA prior to use on a tandem trailer combination. NYSTA tandem-trailer provisions require that converter dollies shall be coupled with one or more safety chains or cables to the frame or an extension of the frame of the motor vehicle by which it is towed. Each dolly converter must also be equipped with mud flaps. Tandem combinations using a sliding fifth wheel attached to the lead trailer, known as a "B-Train" combination, will require a separate Thruway Engineer Service approval prior to the initial tandem run. Special provisions regarding B-Trains will be reviewed at the time of the application or request for use on the Thruway.

PERMIT: For operation on highways under the jurisdiction of the New York State DOT, cities not wholly included in one county, or the following highway sections under NYSTA jurisdiction; the full length of I-84 and that portion of I-287 from Thruway exit 8 to I-95, a permit to exceed the weight limits set forth in section 385(15) of the New York State Vehicle and Traffic Law must be obtained from the State DOT, city involved,

23 CFR Ch. I (4-1-05 Edition)

Pt. 658, App. C

or the NYSTA. A fee is charged for the permit.

For operation on highways under the jurisdiction of the NYSTA, except for the full length of I-84 and that portion of I-287 from Thruway exit 8 to I-95, companies must file an application for a Tandem Trailer Permit with the NYSTA. Permits are issued to such companies upon meeting qualifications, including insurance, for tandem combinations over 65 feet in length. No permit fee is charged; however, Thruway tolls are charged for each use of the Thruway, and the equipment must be certified by the NYSTA annually. The annual re-certification of equipment is handled by: New York State Thruway Authority, Manager of Traffic Safety Services, P.O. Box 189, Albany, New York 12201-0189

Transportation of hazardous materials is subject to special restrictions plus 49 CFR part 397 of the Federal Motor Carrier Safety Regulations.

ACCESS: For tandem trailer combinations with either trailer more than 28.5 feet long but not more than 48 feet long, the following access is available to authorized operating routes.

- I-87 (New York Thruway) Access provided at Thruway Exit 21B to or from a point 1,500 feet north of the Thruway on US 9W.
- I-90 (NYSTA-Berkshire Section) access provided at:
 - (1) Thruway Exit B-1 to or from a point 0.8 mile north of the southern most access ramp on US 9.
- (2) Thruway Exit B-3 within a 2,000-foot radius of the Thruway ramps to NY 22.
- I-90 (New York Thruway) access provided at: (1) Thruway Exit 28 within a radius of 1,500
 - feet of the toll booth at Fultonville, New York. (2) Thruway Exit 32 to or from a point 0.6
 - mile north of the Thruway along NY 233.
 (3) Thruway Exit 44 to or from a point 0.8
 - (3) Thruway Exit 44 to or from a point 0.8 mile from the Thruway along NY 332 and Collett Road.
 - (4) Thruway Exit 52 to or from:
 - (a) A point 1.7 miles west and south of the Thruway via Walden Avenue and NY 240 (Harlem Road);
 - (b) A point 0.85 mile east and south of the Thruway via Walden Avenue and a roadway purchased by the Town of Cheektowaga from Sorrento Cheese, Inc.
 - (5) Thruway Exit 54 to or from a point approximately 2.5 miles east and north of the Thruway via routes NY 400 and NY 277
 - (6) Thruway Exit 56 to or from a point approximately 2 miles west and south of the Thruway via NY 179 and Old Mile Strip Road.
- I-190 ($\stackrel{'}{ ext{NYSTA}}$ —Niagara Section) access provided at:
 - (1) Thruway Exit N1 to or from:

- (a) A point 0.8 mile west of the Thruway exit along Dingens Street.
- (b) A point 0.45 mile from the Thruway exit via Dingens Street and James E. Casey Drive.
- (2) Thruway Exit N5 to or from a point approximately 1.0 miles south of the Thruway via Louisiana Street and South Street.
- (3) Thruway Exit N15 to or from a point 0.5 mile southeast of the Thruway via NY 325 (Sheridan Drive) and Kenmore Avenue.
- (4) Thruway Exit N17 to or from:
- (a) A point 1.5 miles north of the Thruway on NY 266 (River Road).
- (b) A point approximately 0.4 mile south of the Thruway on NY 266 (River Road).

Tandem trailer combinations in which neither trailing unit exceeds 28.5 feet in length are restricted to the Designated Qualifying and Access Highway System.

ROUTES: For tandem trailer combinations with either trailer more than 28.5 feet long, but not more than 48 feet long, the following routes are available:

	From	То
I-87 (New York Thruway).	Bronx/Westchester County Line.	Thruway Exit 24.
I–90 (New York Thruway).	Pennsylvania	Thruway Exit 24.
I-90 (New York Thruway Berk- shire Section).	Thruway Exit B-1	Massachusetts.
I-190 (New York Thruway Niagara Section).	Thruway Exit 53	Int'l Border with Canada.
NY 912M (Berk- shire Connection of the New York Thruway).	Thruway Exit 21A	Thruway Exit B-1.

Tandem trailer combinations in which neither trailing unit exceeds 28.5 feet in length may operate on all NN Highways.

LEGAL CITATIONS:

Public Authorities Law—Title 9, sec. 350, et. seq. (section 361 is most relevant)

New York State Thruway Authority Rules & Regulations, sections 100.6, 100.8, and 103.13 New York State Vehicle & Traffic Law, sections 385 and 1630

STATE: NORTH DAKOTA

COMBINATION: Truck tractor and 2 trailing

LENGTH OF THE CARGO-CARRYING UNITS: 103 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 105,500 pounds

OPERATIONAL CONDITIONS:

WEIGHT: The Gross Vehicle Weight (GVW) of any vehicle or combination of vehicles is determined by the Federal Bridge Formula, including the exception for two sets of tandems spaced 36 feet apart.

No single axle shall carry a gross weight in excess of 20,000 pounds. Axles spaced 40 inches or less apart are considered one axle. Axles spaced 8 feet or more apart are considered as individual axles. The gross weight of two individual axles may be restricted by the weight formula. Spacing between axles shall be measured from axle center to axle center.

Axles spaced over 40 inches but less than 8 feet apart shall not carry a gross weight in excess of 17,000 pounds per axle. The gross weight of three or more axles in a grouping is determined by the measurement between the extreme axle centers. During the spring breakup season or on otherwise posted highways, reductions in the above axle weights may be specified.

The weight in pounds on any one wheel shall not exceed one-half the allowable axle weight. Dual tires are considered one wheel.

The weight per inch of tire width shall not exceed 550 pounds. The width of tire shall be the manufacturer's rating.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement

VEHICLE: The cargo length of a two trailing unit combination may not exceed 100 feet (when the power unit is a truck tractor) or 103 feet (when the power unit is a truck) when traveling on the NN or local highways designated by local authorities.

All hitches must be of a load-bearing capacity capable of bearing the weight of the towed vehicles. The towing vehicle must have a hitch commonly described as a fifth wheel or gooseneck design, or one that is attached to the frame.

The hitch on the rear of the vehicle connected to the towing vehicle must be attached to the frame of the towed vehicle. All hitches, other than a fifth wheel or gooseneck, must be of a ball and socket type with a locking device or a pintle hook.

The drawn vehicles shall be equipped with brakes and safety chains adequate to control the movement of, and to stop and hold, such vehicles. When the drawn vehicle is of a fifth wheel or gooseneck design, safety chains are not required.

In any truck or truck tractor and two trailer combination, the lighter trailer must always be operated as the rear trailer, except when the gross weight differential with the other trailer does not exceed 5.000 pounds.

The power unit shall have adequate power and traction to maintain a minimum speed of 15 miles per hour on all grades.

PERMIT: No permits are required for GVW of 80,000 pounds or less. Single-trip permits are required for GVW exceeding 80,000 pounds. Weather restrictions (37-06-04-06, NDAC), weight distribution on trailers (37-06-04, NDAC), and signing requirements (37-06-04-05, NDAC) are applicable.

Movements of LCV's are prohibited when:

- 1. Road surfaces, due to ice, snow, slush, or frost present a slippery condition which may be hazardous to the operation of the unit or to other highway users;
- 2. Wind or other conditions may cause the unit or any part thereof to swerve, whip, sway, or fail to follow substantially in the path of the towing vehicle; or
- 3. Visibility is reduced due to snow, ice, sleet, fog, mist, rain, dust, or smoke.

The North Dakota Highway Patrol may restrict or prohibit operations during periods when in its judgment traffic, weather, or other safety conditions make travel unsafe.

The last trailer in any combination must have a "LONG LOAD" sign mounted on the rear. It must be a minimum of 12 inches in height and 60 inches in length. The lettering must be 8 inches in height with 1-inch brush strokes. The letters must be black on a yellow background.

Legal width—8 feet 6 inches on all highways.

Legal height—13 feet 6 inches.

ACCESS: Access for vehicles with cargocarrying length of 68 feet or more is 10 miles off the NN. Vehicles with a cargo-carrying length less than 68 feet may travel on all highways in North Dakota.

ROUTES: All NN routes.

LEGAL CITATIONS: North Dakota Century Code, section 38–12–04; North Dakota Administrative Code, article 37–06.

STATE: NORTH DAKOTA

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 100 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 105,500 pounds

OPERATIONAL CONDITIONS:

WEIGHT, DRIVER, PERMIT, and ACCESS: Same as the ND-TT2 combination.

VEHICLE: Same as the ND-TT2 combination, and in addition, in any combination with three trailing units the lightest trailer must always be operated as the rear trailer.

For the first two trailing units the lighter trailer must always be second except when the gross weight differential with the other trailer does not exceed 5,000 pounds.

ROUTES: Same as the ND-TT2 combination.

LEGAL CITATIONS: Same as the ND-TT2 combination.

STATE: NORTH DAKOTA

COMBINATION: Truck-trailer, and Truck-trailer-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 103 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, VEHICLE, PERMIT, and ACCESS: Same as the ND-TT2 combination.

ROUTES: Same as the ND-TT2 combination.

LEGAL CITATIONS: Same as the ND-TT2 combination.

STATE: OHIO

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 102 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 127,400 pounds

OPERATIONAL CONDITIONS: Long double combination vehicles are only allowed on that portion of Ohio's Interstate System which is under the jurisdiction of the Ohio Turnpike Commission (OTC). These same vehicles are not allowed on any portion of the Interstate System under the jurisdiction of the Ohio DOT.

 $\ensuremath{\textit{WEIGHT:}}$ The OTC has established the following provisions for operation:

Maximum Weight: Single axle = 21,000 pounds; tandem axle spaced 4 feet or less apart = 24,000 pounds; tandem axle spaced more than 4 feet but less than 8 feet apart = 34,000 pounds; gross weight for doubles 90 feet or less in length = 90,000 pounds; gross weight for doubles over 90 feet but less than 112 feet in length = 127,400 pounds.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement, be over 26 years of age, in good health, and shall have not less than 5 years of experience driving tractor-trailer or tractor-short double trailer motor vehicles. Such driving experience shall include experience throughout the four seasons. Drivers must comply with the applicable current require-

ments of the Federal Motor Carrier Safety Regulations, Federal Hazardous Materials Regulations, and the Economic and Safety regulations of the Ohio Public Utility Commission

VEHICLE: Vehicles being operated under permit at night must be equipped with all lights and reflectors required by the Ohio Public Utilities Commission and the Federal Motor Carrier Safety Regulations, except that the trailer shall be equipped with two red tail lights and two red or amber stop lights mounted with one set on each side. Trailer and semitrailer length for doubles cannot exceed 48 feet, and mixed trailer length combinations are not allowed for combination vehicles over 90 feet in length. Combined cargo-carrying length, including the trailer hitch, cannot be less than 80 feet or more than 102 feet. The number of axles on a double shall be a minimum of five and a maximum of nine. A tractor used in the operation of a double shall be capable of hauling the maximum weight at a speed of not less than 40 miles per hour on all portions of the Turnpike.

PERMIT: A special permit is required if the vehicle is over 102 inches wide, 14 feet high, or 65 feet in length including overhang. Tractor-semitrailer-semitrailer combinations require a permit if over 75 feet in length, excluding an allowed 3-foot front overhang and a 4-foot rear overhang. For vehicles over 120 inches wide, 14 feet high, or 80 feet long or if any unit of the combination vehicle is over 60 feet in length, travel is restricted to daylight hours Monday through noon Saturday, except holidays and the day before and after holidays. Operators are restricted to daylight driving if the load overhang is more than 4 feet. A "Long Double Trailer Permit" issued by the OTC is required for operation of doubles in excess of 90 feet in length. Towing units and coupling devices shall have sufficient structural strength to ensure safe operation. Vehicles and coupling devices shall be so designed, constructed, and installed in a double as to ensure that any towed vehicles when traveling on a level, smooth paved surface will follow in the path of the towing vehicle without shifting or swerving more than 3 inches to either side of the path of the towing vehicle when the latter is moving in a straight line. Vehicle coupling devices and brakes shall meet the requirements of the Ohio Public Utilities Commission and Federal Motor Carrier Safety Regulations. The distance between the rearmost axle of a semitrailer and the front axle of the next semitrailer in a coupled double unit shall not exceed 12 feet 6 inches. In no event shall the distance between the semitrailers coupled in a double exceed 9 feet. Double and triple trailer combinations must be equipped with adequate, properly maintained spray-suppressant mud flaps on all axles except the steering axle. In the event that the gross

weights of the trailers vary by more than 20 percent, they shall be coupled according to their gross weights with the heavier trailer forward. A minimum distance of 500 feet shall be maintained between double units and/or triple units except when overtaking and passing another vehicle. A double shall remain in the right-hand, outside lane except when passing or when emergency or workzone conditions exist. When, in the opinion of the OTC, the weather conditions are such that operation of a double is inadvisable, the OTC will notify the permittee that travel is prohibited for a certain period of time.

Class A and B explosives; Class A poisons; and Class 1, 2, and 3 radioactive material cannot be transported in double trailer combinations. Other hazardous materials may be transported in one trailer of a double. The hazardous materials should be placed in the front trailer unless doing so will result in the second trailer weighing more than the first trailer.

first trailer.

ACCESS: Tandem trailer units shall not leave the Turnpike right-of-way and shall be assembled and disassembled only in designated areas located at Exits 4, 7, 10, 11, 13, 14, and 16.

ROUTES

	From	То
I-76 Ohio Turnpike	Turnpike Exit 15	Pennsylvania.
I-80 Ohio Turnpike	Turnpike Exit 8A	Turnpike Exit 15.
I-80/90 Ohio Turnpike.	Indiana	Turnpike Exit 8A.

LEGAL CITATIONS: Statutory authority, as contained in Chapter 5537 of the Ohio Revised Code, to regulate the dimensions and weights of vehicles using the Turnpike.

STATE: OHIO

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 115,000 pounds

OPERATIONAL CONDITIONS: Same as the OH-TT2 combination, except as follows:

WEIGHT: Gross weight for triples with an overall length greater than 90 feet but not over 105 feet in length = 115,000 pounds.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement, be over 26 years of age, in good health, and shall have not less than 5 years of experience driving double trailer combination units. Such driving experience shall include experience throughout the four seasons. Each driver must have special training on triple combinations to be provided by the Permittee

VEHICLE: Triple trailer combination vehicles are allowed to operate on the Turnpike provided the combination vehicle is at least 90 feet long but less than 105 feet long and each trailer is not more than 28.5 feet in length. The minimum number of axles on the triple shall be seven and the maximum is nine.

PERMIT: A triple trailer permit to operate on the Turnpike is required for triple trailer combinations in excess of 90 feet in length. There is an annual fee for the permit. Class A and B explosives; Class A poisons; and Class 1, 2, and 3 radioactive material cannot be transported in triple trailer combinations. Other hazardous materials may be transported in two trailers of a triple. The hazardous materials should be placed in the front two trailers unless doing so will result in the third trailer weighing more than either one of the lead trailers.

ACCESS: With two exceptions, triple trailer units shall not leave the Turnpike right-of-way and shall be assembled and disassembled only in designated areas located at Exits 4, 7, 10, 11, 13, 14, and 16. The first exception is that triple trailer combinations are allowed on State Route 21 from I–80 Exit 11 (Ohio Turnpike) to a terminal located approximately 500 feet to the north in the town of Richfield. The second exception is for a segment of State Route 7 from Ohio Turnpike Exit 16 to 1 mile south.

ROUTES

	From	То
I-76 Ohio Turnpike I-80 Ohio Turnpike I-80/90 Ohio Turnpike.	Turnpike Exit 15 Turnpike Exit 8A Indiana	Pennsylvania. Turnpike Exit 15. Turnpike Exit 8A.
OH–7	Turnpike Exit 16	Extending 1 mile south.

LEGAL CITATIONS: Same as the OH-TT2 combination.

STATE: OKLAHOMA

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 110 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 90,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Single axle = 20,000 pounds; tandem axle = 34,000 pounds; gross vehicle weight = 90,000 pounds. The total weight on any group of two or more consecutive axles shall not exceed the amounts shown in Table $^{\rm th}$

TABLE 1—OKLAHOMA ALLOWABLE AXLE GROUP WEIGHT

Axle Spac- Maximum load (lbs) by axle group				 ıp		
AX i	ing (ft)	2 Axles	3 Axles	4 Axles	5 Axles	6 Axles
4		34,000				
5		34,000				
6		34,000				
7		34,000				
8		34,000	42,000			
9		39,000	42,500			
10		40,000	43,500			
11			44,000			
12			45,000	50,000		
13			45,500	50,500		
14			46,500	51,500		
15			47,000	52,000		
16			48,000	52,500	58,000	
17			48,500	53,500	58,500	
18			49,500	54,000	59,000	
19			50,000	54,500	60,000	
20			51,000	55,500	60,500	66,000
21			51,500	56,000	61,000	66,500
22			52,500	56,500	61,500	67,000
23			53,000	57,500	62,500	68,000
24			54,000	58,000	63,000	68,500
25			54,500	58,500	63,500	69,000
26			56,000	59,500	64,000	69,500
27			57,500	60,000	65,000	70,000
28			59,000	60,500	65,500	71,000
29			60,500	61,500	66,000	71,500
30			62,000	62,000	66,500	72,000
31			63,500	63,500	67,000	72,500
32			64,000	64,000	68,000	73,500
33				64,500	68,500	74,000
34				65,000	69,000	74,500
35				66,000	70,000	75,000
36				68,000	70,500	75,500
37				68,000	71,000	76,000
38				69,000	72,000	77,000
39				70,000	72,500	77,500
40				71,000	73,000	78,000
41				72,000	73,500	78,500
42				73,000	74,000	79,000
43				73,280	75,000	80,000
44				73,280	75,500	80,500
45				73,280	76,000	81,000
46				73,280	76,500	81,500
47				73,500	77,500	82,000
48				74,000	78,000	82,000
49				74,500	78,500	83,500
50				75,500	79,000	84,000
51				76,000	80,000	84,500
52				76,500	80,500	85,000
53				77,500	81,000	86,000
54				78,000	81,500	86,500
55				78,500	82,500	87,000
56				79,500	83,000	87,500
57		l		80,000	83,500	88,000

TABLE 1—OKLAHOMA ALLOWABLE AXLE GROUP WEIGHT—Continued

Axle Spac-	Axle Spac- Maximum load (lbs			axle grou	ıp
ing (ft)	2 Axles	3 Axles	4 Axles	5 Axles	6 Axles
58 59				84,000 85,000	89,000 89,500
60				85,500	90,000

DRIVER: All drivers must have a commercial driver's license with the appropriate endorsement and must meet the requirements of the Federal Motor Carrier Safety Regulations (49 CFR parts 390–397). State requirements more stringent and not in conflict with Federal requirements take precedence.

VEHICLE: All vehicles must meet the requirements of applicable Federal and State statutes, rules, and regulations. Vehicles and load shall not exceed 102 inches in width on the Interstate System and four-lane divided highways. Maximum semitrailer length is 53 feet.

Multiple trailer combinations must be stable at all times during braking and normal operation. A multiple trailer combination when traveling on a level, smooth, paved surface must follow in the path of the towing vehicle without shifting or swerving more than 3 inches to either side when the towing vehicle is moving in a straight line. Heavier trailers are to be placed to the front in multiple trailer combinations.

PERMIT: An annual special authorization permit is required for tandem trailer vehicles operating on the Interstate System having a gross weight of more than 80,000 pounds. A fee is charged for the special authorization permit.

ACCESS: Access is allowed from legally available routes (listed below) to service facilities and terminals within a 5-mile radius. Access is also authorized on two-lane roadways which connect multi-lane divided highways when such connection does not exceed 15 miles.

ROUTES: Doubles with 29-foot trailers may use any route on the NN. Doubles with at least one trailer or semitrailer over 29 feet in length are limited to the Interstate and other multi-lane divided highways listed below.

-	From	То
I–35	Texas	Kansas.
I–40	Texas	Arkansas.
I-44	Texas	Missouri.
I-235	Entire length in Oklahoma City	
I-240	Entire length in Oklahoma City	
I-244	Entire length in Tulsa	
I-444	Entire length in Tulsa	
I-40 Bus	I–40 Exit 119	US 81 El Reno.
US 60	I-35 Exit 214	US 177 Ponca City.
US 62	US 69 Muskogee	OK 80 Ft. Gibson.
	I-44 Exit 39A Lawton	
US 64	Cimarron Turnpike	I-244 Tulsa.

	From	То
US 64	I-35 Exit 186 Perry	US 77 Perry.
US 64	I-40 Exit 325 Roland	Arkansas.
US 69	Texas	I-44 (Will Rogers Tpk.) Exit 282.
US 70	OK 76 Wilson	I-35 Exits 31A-B Ardmore.
US 75	I-40 Exits 240A-B Henryetta	I-244 Exit 2 Tulsa.
US 75	I-44 Exits 6A-B Tulsa	Dewey.
US 77	I-35 Exit 141 Edmond	3.5 mi. W of I–35.
US 81	I-44 (Bailey Tpk.) Exit 80	South Intersection OK 7 Duncan.
US 81	OK 51 Hennessey	11.5 mi. N of US 412.
US 169	OK 51 Tulsa	OK 20 Collinsville.
US 270	Indian Nation Tpk. Exit 4	US 69 McAlester.
US 270	OK 9 Tecumseh	I-40 Exit 181.
US 271	Texas	Indian Nation Tpk. Hugo.
US 412	I-44 Exit 241 Catoosa	US 69.
US 412	OK 58 Ringwood	I-35 Exits 194A-B.
US 412	US 69 Chouteau	OK 412 B.
OK 3	I–44 Exit 123	Oklahoma/Canadian County Line.
OK 3A	OK 3 Oklahoma City	I-44 Exit 125B Oklahoma City.
OK 7	I–44 Exits 36A-B	OK 65 Pumpkin Center.
OK 7	I–35 Exit 55	US 177 Sulphur.
OK 7		7.5 mi. E of US 81.
OK 9	I-35 Exit 108A	
OK 11	I–35 Exit 222	
OK 11		I–244 Exit 12B.
OK 33		I–35 Exit 157 Guthrie.
OK 51	I–35 Exit 174	US 177 Stillwater.
OK 51	I-44 Exit 231 Tulsa	Muskogee Tpk. Broken Arrow.
OK 165	Connecting two sections of the Muskogee Turnpike at Muskogee.	
OK 165	US 64/Bus. US 64 Muskogee	Muskogee Tpk.
Cimarron Tpk	I-35 Exit 194	US 64.
Cimarron Tpk Conn	US 177 Stillwater	Cimarron Tpk.
Indian Nation Turn- pike.	US 70/271 Hugo	I–40 Exits 240A-B Henryetta.
Muskogee Tpk	OK 51 Broken Arrow	US 62/OK 165 Muskogee.
Muskogee Tpk	OK 165 Muskogee	I-40 Exit 286 Webber's Falls.

LEGAL CITATIONS:

Title 47 1981 O.S. 14-101 Title 47 1990 O.S. 14-103, -109, and -116 DPS Size and Weight Permit Manual 595:30.

STATE: OKLAHOMA

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 90,000 pounds

OPERATIONAL CONDITIONS:

 $WEIGHT\ and\ ACCESS:$ Same as the OK-TT2 combination.

DRIVER: Same as the OK-TT2 combination except that in addition, a driver of a three trailing unit combination must have had at least 2 years of experience driving tractortrailer combinations.

VEHICLE: All vehicles must meet the requirements of applicable Federal and State statutes, rules, and regulations. Vehicle and load shall not exceed 102 inches in width on the Interstate System and other four-lane divided highways. Maximum unit length of tri-

ple trailers is 29 feet. Truck tractors pulling triple trailers must have sufficient horse-power to maintain a minimum speed of 40 miles per hour on the level and 20 miles per hour on grades under normal operation conditions. Heavy-duty fifth wheels, pick-up plates equal in strength to the fifth wheel, solid kingpins, no-slack hitch connections, mud flaps and splash guards, and full-width axles are required on triple trailer combinations. All braking systems must comply with State and Federal requirements.

Multiple trailer combinations must be stable at all times during braking and normal operation. A multiple trailer combination when traveling on a level, smooth paved surface must follow in the path of the towing vehicle without shifting or swerving more than 3 inches to either side when the towing vehicle is moving in a straight line. Heavier trailers are to be placed to the front in multiple trailer combinations.

PERMIT: An annual special combination permit is required for the operation of triple-trailer combinations on the Interstate System and other four-lane divided primary highways. This permit also authorizes such combinations to exceed 80,000 pounds on the Interstate System.

The permit holder must certify that the driver of a triple-trailer combination is qualified. Operators of triple-trailer combinations must maintain a 500-foot following distance and must drive in the right lane, except when passing or in an emergency.

Speed shall be reduced and extreme caution exercised when operating triple-trailer combinations under hazardous conditions, such as those caused by snow, wind, ice, sleet, fog, mist, rain, dust, or smoke. When conditions become sufficiently dangerous, as determined by the company or driver, operations shall be discontinued and shall not resume until the vehicle can be safely operated. The State may restrict or prohibit operations during periods when, in the State's judgment, traffic, weather, or other safety conditions make such operations unsafe or inadvisable.

Class A and B explosives; Class A poisons; Class 1, 2, and 3 radioactive material; and any other material deemed to be unduly hazardous by the U.S. Department of Transportation cannot be transported in triple-trailer combinations.

A fee is charged for the annual special authorization permit.

ROUTES: Same as the OK-TT2 combination.

LEGAL CITATIONS:

Title 47 1981 O.S. 14-101 Title 47 1990 O.S. 14-109, -116, -121 DPS Size and Weight Permit Manual 595:30.

STATE: OREGON

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 68 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 105.500 pounds

OPERATIONAL CONDITIONS:

<code>WEIGHT:</code> Maximum allowable weights are as follows: single wheel—10,000 pounds, single axle—20,000 pounds, tandem axle—34,000 pounds. Gross vehicle weights over 80,000 pounds must follow the Oregon extended weight table, with a maximum of 105,500 pounds. Weight is also limited to 600 pounds per inch of tire width.

EXTENDED WEIGHT TABLE

Gross weights over 80,000 pounds are authorized only when operating under the authority of a Special Transportation Permit.

MAXIMUM ALLOWABLE WEIGHTS

1. The maximum allowable weights for single axles and tandem axles shall not exceed those specified under ORS 818.010.

- 2. The maximum allowable weight for groups of axles spaced at 46 feet or less apart shall not exceed those specified under ORS 818 010
- 3. The maximum weights for groups of axles spaced at 47 feet or more and the gross combined weight for any combination of vehicles shall not exceed those set forth in the following table:

	Maximum gross weight in pounds on			
Axle spacing in feet	5 Axles	6 Axles	7 Axles	8 or More axles
47	77,500	81,000	81,000	81,000
48	78,000	82,000	82,000	82,000
49	78,500	83,000	83,000	83,000
50	79,000	84,000	84,000	84,000
51	80,000	84,500	85,000	85,000
52	80,500	85,000	86,000	86,000
53	81,000	86,000	87,000	87,000
54	81,500	86,500	88,000	91,000
55	82,500	87,000	89,000	92,000
56	83,000	87,500	90,000	93,000
57	83,500	88,000	91,000	94,000
58	84,000	89,000	92,000	95,000
59	85,000	89,500	93,000	96,000
60	85,500	90,000	94,000	97,000
61	86,000	90,500	95,000	98,000
62	87,000	91,000	96,000	99,000
63	87,500	92,000	97,000	100,000
64	88,000	92,500	97,500	101,000
65	88,500	93,000	98,000	102,000
66	89,000	93,500	98,500	103,000
67	90,000	94,000	99,000	104,000
68	90,000	95,000	99,500	105,000
69	90,000	95,500	100,000	105,500
70	90,000	96,000	101,000	105,500
71	90,000	96,500	101,500	105,000
72	90,000	96,500	102,000	105,500
73	90,000	96,500	102,500	105,500
74	90,000	96,500	103,000	105,500
75	90,000	96,500	104,000	105,500
76	90,000	96,500	104,500	105,500
77	90,000	96,500	105,000	105,500
78	90,000	96,500	105,500	105,500

Distance measured to nearest foot; when exactly one-half foot, take next larger number.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: For a combination which includes a truck tractor and two trailing units, the lead trailing unit (semitrailer) may be up to 40 feet long. The second trailing unit may be up to 35 feet long. However, the primary control is the total cargo-carrying distance which has a maximum length of 68 feet. Any towed vehicles in a combination must be equipped with safety chains or cables to prevent the towbar from dropping to the ground in the event the coupling fails. The chains or cables must have sufficient strength to control the towed vehicle in the event the coupling device fails and must be attached with no more slack than necessary to permit proper turning. However, this requirement does not apply to a fifth-wheel

Federal Highway Administration, DOT

coupling if the upper and lower halves of the fifth wheel must be manually released before

they can be separated. \overrightarrow{PERMIT} : A permit is required for operation if the gross combination weight exceeds 80,000 pounds. A fee is charged. Permitted movements must have the lighter trailing unit placed to the rear, and use splash and spray devices when operating in rainy weather. Movement is not allowed when road surfaces are hazardous due to ice or snow, or when other atmospheric conditions make travel unsafe.

ACCESS: As allowed by the Oregon DOT. ROUTES: All NN routes.

LEGAL CITATIONS: ORS 810.010, ORS 810.030 through 810.060, and ORS 818.010 through 818.235.

STATE: OREGON

COMBINATION: Truck tractor and 3 trailing units-LCV

LENGTH OF THE CARGO-CARRYING UNITS: 96 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 105,500 pounds

OPERATIONAL CONDITIONS:

WEIGHT. DRIVER. PERMIT. and ACCESS:

Same as the OR-TT2 combination.

VEHICLE: Trailing units must be of equal length. The overall length of the combina-tion is limited to 105 feet. Any towed vehi-cles in a combination must be equipped with safety chains or cables to prevent the towbar from dropping to the ground in the event the coupling fails. The chains or cables must have sufficient strength to control the towed vehicle in the event the coupling device fails and must be attached with no more slack than necessary to permit proper turning. However, this requirement does not apply to a fifth-wheel coupling if the upper and lower halves of the fifth wheel must be manually released before they can be separated.

ROUTES: The following NN routes are also open to truck tractor and three trailing unit combinations.

	From	То
I–5 I–105	California Entire length in the Eugene-Spring- field area.	Washington.
I-205	Jct. I-5	Washington.
I–405	Entire length in Portland.	-
I-82	Washington	Jct. I-84.
I–84	Jct. I-5	Idaho.
US 20	Jct OR 22/OR 126 Santiam Junc- tion.	US 26 Vale.
US 20	East Jct OR 99E Albany.	I-5 Exit 233.
US 26	US 101 Cannon Beach Junction.	OR 126 Prineville.

	From	То
US 20/26	Vale	Idaho.
US 30	US 101 Astoria	I-405 Exit 3 Port-
		land.
LIC OF	Nevedo	Idaho.
US 95	Nevada	
SPUR US 95	OR 201	Idaho.
US 97	California	Washington.
US 101	US 30 Astoria	US 26 Cannon
		Beach Jct.
US 101	OR 18 Otis	US 20 Newport.
US 101	Bandon	North city limit
03 101	Dandon	
		Coos Bay.
US 197	I-84 Exit 87 The	Washington.
	Dalles.	
US 395	I-82 Exit 1	I-84 Exit 188
	Umatilla.	Stanfield.
110 305	US 26 John Day	OR 140 Lakeview.
US 395	03 26 Joilli Day	
US 730	I-84 Exit 168	Washington.
OR 6	US 101 Tillamook	US 26 near Banks.
OR 8	OR 47 Forest	OR 217 Bea-
	Grove.	verton.
OR 11	Washington	Mission Cutoff
	· · · · · · · · · · · · · · · · · · ·	near Pendleton.
OD 10	LIC 101 Otio	
OR 18	US 101 Otis I–84 Exit 137	OR 99W Dayton.
OR 19	I-84 Exit 137	South 2.5 miles.
OR 22	OR 18 near	OR 99E Salem.
	Willamena.	
OR 22	I-5 Exit 253	Jct US 20/OR 126
		Santiam Jct.
OR 31	US 97 La Pine	US 395 Valley
01101	00 37 La 1 ille	Falls.
OB 04	1-4 LIO 00/0D	I–5 Exit 228.
OR 34	Jct US 20/OR	1-5 EXIL 228.
	99W Corvallis.	
OR 35	I-84 Exit 64	Mt. Hood Hood
		River.
OR 39	OR 140 East of	California.
	Klamath Falls.	
OR 58	I-5 Exit 188 Go-	US 97 near
	shen.	Chemult.
OR 62	OR 99 Medford	OR 140 White
011 02	Orr 33 Mediora	
OD 70	1-4 110 00/110 005	City.
OR 78	Jct US 20/ US 395	US 95 Burns Junc-
	Burns.	tion.
OR 99	I-5 Exit 58 Grants	I-5 Exit 48 Rogue
	Pass.	River.
OR 99	I-5 Exit 192 Eu-	Jct OR 99E/ OR
	gene.	99W Junction
] 9	City.
OR 99E	I-5 Exit 307 Port-	I–205 Exit 9 Or-
OH 99L		
	land.	_ egon City.
OR 99E	I-5 Exit 233 Al-	Tangent.
	bany.	
OR 99E	OR 228 Halsey	Harrisburg.
OR 99W	Jct US 20/OR 34	I-5 Exit 294 Port-
	Corvallis.	land.
OR 126	US 20 Sisters	US 26 Prineville.
OR 138	I-5 Exit 136	East 2 miles.
011 100	Sutherlin.	2401 2 11111001
OR 140	OR 62 White City	Jct US 97/OR 66
ON 140	On 62 White City	
OD 004	1-4 110 00 // 10 00	Klamath Falls.
OR 201	Jct US 20/US 26	SPUR US 95
		Cairo Junction.
OR 207	I-84 Exit 182	OR 74 Lexington.
OR 207/OR 74	Jct OR 207/OR 74	Jct OR 207/ OR
	Lexington.	74/OR 206
		Heppner.
OR 212	I-205 Exit 12	US 26 Boring.
OR 214	I–5 Exit 271	OR 99E
	Woodburn.	Woodburn.
OR 217	I-5 Exit 292 Tigard	US 26 Beaverton.
OR 224	OR 99E Milwaukie	I-205 Exit 13.
-	1	L

LEGAL CITATIONS: Same as the OR-TT2 combination.

STATE: OREGON

COMBINATION: Truck-trailer

LENGTH OF CARGO-CARRYING UNITS: 70 feet, 5 inches.

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, ACCESS, ROUTES, AND LEGAL CITATIONS: Same as OR-TT2 combination.

VEHICLE: The truck or trailer may be up to 40 feet long not to exceed 75 feet overall. The truck may have a built-in hoist to load cargo. Any towed vehicle in a combination must be equipped with safety chains or cables to prevent the towbar from dropping to the ground in the event the coupling fails. The chains or cables must have sufficient strength to control the towed vehicle in the event the coupling device fails and must be attached with no more slack than necessary to permit proper turning. However, this requirement does not apply to a fifth-wheel coupling if the upper and lower halves of the fifth wheel must be manually released before they can be separated.

PERMIT: No overlength permit required.

STATE: SOUTH DAKOTA

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF CARGO-CARRYING UNITS: 100 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: For all combinations, the maximum gross weight on two or more consecutive axles is limited by the Federal Bridge Formula but cannot exceed 129,000 pounds. The weight on single axles or tandem axles spaced 40 inches or less apart may not exceed 20,000 pounds. Tandem axles spaced more than 40 inches but 96 inches or less may not exceed 34,000 pounds. Two consecutive sets of tandem axles may carry a gross load of 34,000 pounds each, provided the overall distance between the first and last axles of the tandems is 36 feet or more. The weight on the steering axle may not exceed 600 pounds per inch of tire width.

For combinations with a cargo-carrying length greater than 81.5 feet the following additional regulations also apply. The weight on all axles (other than the steering axle) may not exceed 500 pounds per inch of tire width. Lift axles and belly axles are not considered load-carrying axles and will not

count when determining allowable vehicle weight.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: For all combinations, a semitrailer or trailer may neither be longer than nor weigh 3,000 pounds more than the trailer located immediately in front of it. Towbars longer than 19 feet must be flagged during daylight hours and lighted at night.

For combinations with a cargo-carrying length of 81.5 feet or less, neither trailer may exceed 45 feet, including load overhang. Vehicles may be 12 feet wide when hauling balled feed during daylight hours.

For combinations with a cargo-carrying length over 81.5 feet long, neither trailer may exceed 48 feet, including load overhang. Loading the rear of the trailer heavier than the front is not allowed. All axles except the steering axle require dual tires. Axles spaced $8\ {\rm feet}\ {\rm or}\ {\rm less}\ {\rm apart}\ {\rm must}\ {\rm weigh}\ {\rm within}\ 500$ pounds of each other. The trailer hitch offset may not exceed 6 feet. The maximum effective rear trailer overhang may not exceed 35 percent of the trailer's wheelbase. The power unit must have sufficient power to maintain 40 miles per hour. A "LONG LOAD" sign measuring 18 inches high by 7 feet long with black on yellow lettering 10 inches high is required on the rear. Offtracking is limited to 8.75 feet for a turning radius of 161 feet.

 $\begin{array}{l} Offtracking\ Formula = 161\ \ -\ [161^2\ \ -\ (L_1^2\ +\ L_2^2\ \ +\ L_3^2\ +\ L_4^2\ +\ L_5^2\ +\ L_6^2\ +\ L_7^2\ +\ L_8^2)]^{1\!/\!2} \end{array}$

NOTE: L_1 through L_8 are measurements between points of articulation or vehicle pivot points. Squared dimensions to stinger steer points of articulation are negative. For two trailing unit combinations where at least one trailer is 45 feet long or longer, all the dimensions used to calculate offtracking must be written in the "Permit Restriction" area of the permit along with the offtracking value derived from the calculation.

PERMIT: For combinations with a cargocarrying length of 81.5 feet or less, a singletrip permit is required for movement on the Interstate System if the gross vehicle weight exceeds 80,000 pounds. An annual or singletrip permit is required for hauling baled feed over 102 inches wide.

For combinations with a cargo-carrying length greater than 81.5 feet, a single-trip permit is required for all movements. Operations must be discontinued when roads are slippery due to moisture, visibility must be good, and wind conditions must not cause trailer whip or sway.

For all combinations, a fee is charged for any permit.

ACCESS: For combinations with a cargocarrying length of 81.5 feet or less, access is Statewide off the NN unless restricted by the South Dakota DOT.

Federal Highway Administration, DOT

For combinations with a cargo-carrying length greater than 81.5 feet, access to operating routes must be approved by the South Dakota DOT.

ROUTES: Combinations with a cargo-carrying length of 81.5 feet or less may use all NN routes. Combinations with a cargo-carrying length over 81.5 feet, are restricted to the Interstate System and:

	-	
	From	То
US 14	W. Jct. US 14 By- pass and US 14 Brookings.	So. Jct. US 14 and US 281.
Bypass US 14	I–29 Exit 133 Brookings.	W. Jct. US 14 By- pass and US 14 Brookings.
US 85	I-90 Exit 10 Spearfish.	North Dakota.
US 281	I-90 Exit 310	So. Jct. US 14 and US 281.
US 281 SD 50	8th Ave. Aberdeen Burleigh Street Yankton.	North Dakota. I-29 Exit 26.

LEGAL CITATIONS: SDCL 32-22-8.1, -38, -39, -41, -42, and -52; and Administrative Rules 70:03:01:37, :47, :48, and :60 through :70.

STATE: SOUTH DAKOTA

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF CARGO-CARRYING UNITS: 100 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds

OPERATIONAL CONDITIONS:

 $W\!EIGHT$, DRIVER, PERMIT, and ACCESS: Same as the SD-TT2 combination.

VEHICLE: Same as the SD-TT2 combination, except trailer lengths are limited to 28.5 feet, including load overhang, and the overall length cannot exceed 110 feet, including load overhang.

ROUTES: Same as the SD-TT2 combination with a cargo-carrying length over 81.5 feet.

LEGAL CITATIONS: SDCL 32-22-14.14, -38, -39, -42, and -52; and Administrative Rules 70:03:01:00 through :000.

STATE: SOUTH DAKOTA

COMBINATION: Truck-Trailer

LENGTH OF CARGO-CARRYING UNITS: 73 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight. DRIVER, and PERMIT: Same as the SD-TT2 combination.

VEHICLE: Same as the SD-TT2 combination except that in addition, the overall length including load overhang is limited to 80 feet. Trailer length is not limited.

ACCESS: Same as the access provisions for the SD-TT2 combination with a cargo-carrying length of 81.5 feet or less

rying length of 81.5 feet or less.

ROUTES: Same as the route provisions for the SD-TT2 combination with a cargo-carrying length of 81.5 feet or less.

STATE: SOUTH DAKOTA

COMBINATION: Truck-Trailer

LENGTH OF CARGO-CARRYING UNITS: 78 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

imum weight.

DRIVER, and PERMIT: Same as the SD-TT2 combination.

VEHICLE: Same as the SD-TT2 combination with a cargo-carrying length over 81.5 feet, except that in addition, the overall length is limited to 85 feet.

ACCESS: Same as the access provisions for the SD-TT2 combination with a cargo-carrying length greater than 81.5 feet.

ROUTES: Same as the route provisions for the SD-TT2 combination with a cargo-carrying length greater than 81.5 feet.

LEGAL CITATIONS: SDCL 32-22-38, -39, -42, and -52; and Administrative Rules 70:03:01:60 through :70.

STATE: UTAH

 $\begin{array}{c} \text{COMBINATION: Truck tractor and 2 trailing} \\ \text{units--LCV} \end{array}$

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Weight limits are as follows:

Single axle: 20,000 pounds Tandem axle: 34,000 pounds Gross weight: 129,000 pounds

Vehicles must comply with the Federal Bridge Formula

Tire loading on vehicles requiring an overweight or oversize permit shall not exceed 500 pounds per inch of tire width for tires 11 1 inches wide and greater, and 450 pounds per 1 inch of tire width for tires less than 11 inches

wide as designated by the tire manufacturer on the side wall of the tire. Tire loading on vehicles not requiring an overweight or oversize permit shall not exceed 600 pounds per inch of tire width as designated by the tire manufacturer on the sidewall.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement. Carriers must certify that their drivers have a safe driving record and have passed a road test administered by a quali-

fied safety supervisor.

VEHICLE: While in transit, no trailer shall be positioned ahead of another trailer which carries an appreciably heavier load. An empty trailer shall not precede a loaded trailer. Vehicles shall be powered to operate on level terrain at speeds compatible with other traffic. They must be able to maintain a minimum speed of 20 miles per hour under normal operating conditions on any grade of 5 percent or less over which the combination is operated and be able to resume a speed of 20 miles per hour after stopping on any such grade, except in extreme weather conditions.

Oversize signs are required on vehicles in excess of 75 feet in length on two-lane highways.

Å heavy-duty fifth wheel is required. All fifth wheels must be clean and lubricated with a light-duty grease prior to each trip. The fifth wheel must be located in a position which provides adequate stability. Pick-up plates must be of equal strength to the fifth wheel. The kingpin must be of a solid type and permanently fastened. Screw-out or folding-type kingpins are prohibited.

All hitch connections must be of a no-slack type, preferably a power-actuated ram. Airactuated hitches which are isolated from the primary air transmission system are rec-

ommended.

The drawbar length should be the practical minimum consistent with the clearances required between trailers for turning and backing maneuvers.

Axles must be those designed for the width of the body.

All braking systems must comply with State and Federal requirements. In addition, fast air transmission and release valves must be provided on all semitrailer and converter-dolly axles. A brake force limiting valve, sometimes called a "slippery road" valve, may be provided on the steering axle. Antisail type mud flaps are recommended.

The use of single tires on any combination vehicle requiring an overweight or oversize permit shall not be allowed on single axles. A single axle is defined as one having more than 8 feet between it and the nearest axle or group of axles on the vehicle.

When traveling on a level, smooth paved surface, the trailing units must follow in the path of the towing vehicle without shifting or swerving more than 3 inches to either side when the towing vehicle is moving in a

straight line. Each combination shall maintain a minimum distance of 500 feet from another commercial vehicle traveling in the same direction on the same highway. Loads shall be securely fastened to the transporter with material and devices of sufficient strength to prevent the load from becoming loose, detached, dangerously displaced, or in any manner a hazard to other highway users. The components of the load shall be reinforced or bound securely in advance of travel to prevent debris from being blown off the unit and endangering the safety of the traveling public. Any debris from the special permit vehicle deposited on the highway shall be removed by the permittee.

Bodily injury and property damage insurance is required before a special Transportation Permit will be issued.

In the event any claim arises against the State of Utah, Utah Department of Transportation, Utah Highway Patrol, or their employees from the operation granted under the permit, the permittee shall agree to indemnify and hold harmless each of them from such claim.

PERMIT: Permits must be purchased. The Utah DOT Motor Carrier Safety Division will, on submission of an LCV permit request, assign an investigator to perform an audit on the carrier, which must have an established safety program that is in compliance with the Federal Motor Carrier Safety Regulations (49 CFR parts 387-399), the Federal Hazardous Materials Regulations (49 CFR parts 171-178), and a "Satisfactory" safety rating. The request must show a travel plan for the operation of the vehicles. Permits are subject to Highway Patrol supervision and permitted vehicles may be subject to temporary delays or removed from the highways when necessary during hazardous road, weather, or traffic conditions. The permit will be cancelled without refund if violated. Expiration dates cannot be extended except for reasons beyond the control of the permittee, including adverse weather. Permits are void if defaced, modified, or obliterated. Lost or destroyed permits cannot be duplicated and are not transferable

ACCESS: Routes approved by the Utah DOT plus local delivery destination travel on two-lane roads.

ROUTES: For combinations with a cargocarrying length of 85 feet or less, all NN routes. Combinations with a cargo-carrying length over 85 feet are restricted to the following NN routes:

	From	То
I–70 I–80 I–84	Arizona Jct. I–15 Nevada Idaho Entire length in the Salt Lake City area.	Colorado. Wyoming.

Federal Highway Administration, DOT

Pt. 658, App. C

	From	То
UT-201	I–80 Exit 102 Lake Point Jct.	300 West Street, Salt Lake City.

LEGAL CITATIONS:

Utah Code 27-12-154 and -155; Utah Administrative Code, Section R-909-1.

STATE: UTAH

COMBINATION: Truck tractor and 3 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 95 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 129,000 pounds

OPERATIONAL CONDITIONS: Same as the UT-TT2 combination

ROUTES: Same as the UT-TT2 combination with a cargo-carrying length greater than 85 feet.

LEGAL CITATIONS: Same as the UT-TT2 combination.

STATE: UTAH

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 88 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, VEHICLE, PERMIT, and ACCESS: Same as the UT-TT2 combination. ROUTES:

- 1. Truck-trailer combinations hauling bulk gasoline or LP gas: cargo-carrying length less than or equal to 78 feet, all NN routes; cargo-carrying lengths over 78 feet up to and including 88 feet, same as UT-TT2 with cargo-carrying length over 85 feet.
- 2. All other truck-trailer combinations: cargo-carrying length less than or equal to 70 feet, all NN routes; cargo-carrying lengths over 70 feet up to and including 78 feet, same as UT-TT2 with cargo-carrying length over 85 feet.

LEGAL CITATIONS: Same as the UT-TT2 combination.

STATE: UTAH

COMBINATION: Truck-trailer-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 88 feet

OPERATIONAL CONDITIONS: Same as the Utah truck-trailer combination.

ROUTES: Same as the UT-TT2.

LEGAL CITATIONS: Same as the UT-TT2 combination.

STATE: UTAH

COMBINATION: Automobile transporter

LENGTH OF THE CARGO-CARRYING UNITS: 105 feet

OPERATIONAL CONDITIONS:

WEIGHT, DRIVER, PERMIT, and ACCESS: Same as the Utah truck-trailer combination.

VEHICLE: The cargo-carrying length of automobile transporters that carry vehicles on the power unit is the same as the overall length.

ROUTES: For automobile transporters with a cargo-carrying length of 92 feet or less, all NN routes. Automobile transporters with a cargo-carrying length over 92 feet up to and including 105 feet, same as UT-TT2 with cargo-carrying length over 85 feet.

LEGAL CITATIONS: Same as the UT-TT2 combination.

STATE: WASHINGTON

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 68 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 105,500 pounds

OPERATIONAL CONDITIONS:

WEIGHT: Single axle limit=20,000 pounds; tandem axle limit=34,000 pounds; gross weight must comply with the Federal Bridge Formula.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: Operating conditions are the same for permitted doubles as for STAA of 1982 doubles.

PERMIT: Combinations with a cargo-carrying length over 60 feet in length but not exceeding 68 feet must obtain an annual overlength permit to operate. A fee is charged.

ACCESS: All State routes except SR 410 and SR 123 in or adjacent to Mt. Rainier National Park. In addition, restrictions may be imposed by local governments having maintenance responsibilities for local highways.

ROUTES: All NN routes except SR 410 and SR 123 in the vicinity of Mt. Rainier National Park.

LEGAL CITATIONS:

RCW 46.37, 46.44.030, .037(3), .041, and .0941.

STATE: WASHINGTON

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 68 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, PERMIT, and ACCESS: Same as the WA-TT2 combination.

 $\ensuremath{\textit{VEHICLE}}$: Overall length limited to 75 feet. ROUTES: Same as the WA-TT2 combination.

LEGAL CITATIONS: Same as the WA-TT2 combination

STATE: WYOMING

COMBINATION: Truck tractor and 2 trailing units—LCV

LENGTH OF THE CARGO-CARRYING UNITS: 81 feet

MAXIMUM ALLOWABLE GROSS WEIGHT: 117,000 pounds

OPERATIONAL CONDITIONS:

WEIGHT: No single axle shall carry a load in excess of 20,000 pounds. No tandem axle shall carry a load in excess of 36,000 pounds. No triple axle, consisting of three consecutive load-bearing axles that articulate from an attachment to the vehicle including a connecting mechanism to equalize the load between axles having a spacing between the first and third axle of at least 96 inches and not more than 108 inches, shall carry a load in excess of 42,500 pounds. No vehicles operated on the Interstate System shall exceed the maximum weight allowed by application of Federal Bridge Weight Formula B.

No wheel shall carry a load in excess of 10,000 pounds. No tire on a steering axle shall carry a load in excess of 750 pounds per inch of tire width and no other tire on a vehicle shall carry a load in excess of 600 pounds per inch of tire width. "Tire width" means the width stamped on the tire by the manufacturer.

Dummy axles may not be considered in the determination of allowable weights.

DRIVER: The driver must have a commercial driver's license with the appropriate endorsement.

VEHICLE: The lead semitrailer can be up to 48 feet long with the trailing unit up to 40 feet long. In a truck tractor-semitrailer-trailer combination, the heavier towed vehicle shall be directly behind the truck-tractor and the lighter towed vehicle shall be last if the weight difference between consecutive towed vehicles exceeds 5,000 pounds.

23 CFR Ch. I (4-1-05 Edition)

PERMITS: No permits required.

ACCESS: Unlimited access off the NN to terminals.

ROUTES: All NN routes. LEGAL CITATIONS:

WS 31-5-1001, -1002, -1004, -1008, and WS 31-17-1-1 through 31-17-117.

STATE: WYOMING

COMBINATION: Truck-trailer

LENGTH OF THE CARGO-CARRYING UNITS: 78 feet

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, PERMIT, and ACCESS: Same as the WY-TT2 combination.

VEHICLE: No single vehicle shall exceed 60 feet in length within an overall limit of 85 feet.

ROUTES: Same as the WY-TT2 combination.

LEGAL CITATIONS: WS 31-5-1002

STATE: WYOMING

COMBINATION: Automobile/Boat Transporter

LENGTH OF CARGO CARRYING UNITS: 85

OPERATIONAL CONDITIONS:

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

DRIVER, PERMIT, and ACCESS: Same as the WY-TT2 combination.

VEHICLE: The cargo-carrying length of automobile transporters that carry vehicles on the power unit is the same as the overall length. No single vehicle shall exceed 60 feet in length within an overall limit of 85 feet.

ROUTES: Same as the WY-TT2 combination.

LEGAL CITATIONS: Same as the WY-TT2 combination.

STATE: WYOMING

COMBINATION: Saddlemount Combination

LENGTH OF CARGO CARRYING UNITS: 85 feet

WEIGHT: This combination must operate in compliance with State laws and regulations. Because it is not an LCV, it is not subject to the ISTEA freeze as it applies to maximum weight.

Federal Highway Administration, DOT

DRIVER, PERMIT, and ACCESS: Same as the WY-TT2 combination.

VEHICLE: The cargo-carrying length of saddlemount combinations that carry vehicles on the power unit is the same as the overall length. No single vehicle shall exceed 60 feet in length within an overall limit of 85 feet.

No more than three saddlemounts may be used in any combination, except additional vehicles may be transported when safely loaded upon the frame of a vehicle in a properly assembled saddlemount combination.

Towed vehicles in a triple saddlemount combination shall have brakes acting on all wheels which are in contact with the roadway.

All applicable State and Federal rules on coupling devices shall be observed and complied with.

ROUTES: Same as the WY-TT2 combina-

LEGAL CITATIONS: Same as the WY-TT2 combination.

[59 FR 30422, June 13, 1994, as amended at 60 FR 15215, Mar. 22, 1995; 60 FR 16571, Mar. 31, 1995; 62 FR 10181, Mar. 5, 1997; 63 FR 70653, Dec. 22, 1998; 67 FR 15110, Mar. 29, 2002]

APPENDIX D TO PART 658—DEVICES THAT ARE EXCLUDED FROM MEAS-UREMENT OF THE LENGTH OR WIDTH OF A COMMERCIAL MOTOR VEHICLE

The following devices are excluded from measurement of the length or width of a commercial motor vehicle, as long as they do not carry property and do not exceed the dimensional limitations included in §658.16. This list is not exhaustive.

- 1. All devices at the front of a semitrailer or trailer including, but not limited to, the following:
- (a) A device at the front of a trailer chassis to secure containers and prevent movement in transit:
- (b) A front coupler device on a semitrailer or trailer used in road and rail intermodal operations;
 - (c) Aerodynamic devices, air deflector;
 - (d) Air compressor;
 - (e) Certificate holder (manifest box);
 - (f) Door vent hardware;
 - (g) Electrical connector;
 - (h) Gladhand;
 - (i) Handhold;
- (j) Hazardous materials placards and holders;
 - (k) Heater;
- (l) Ladder;
- (m) Non-load carrying tie-down devices on automobile transporters;
 - (n) Pickup plate lip;
- (o) Pump offline on tank trailer;
- (p) Refrigeration unit;
- (q) Removable bulkhead;

- (r) Removable stakes:
- (s) Stabilizing jack (anti-nosedive device);
- (t) Stake pockets;
- (u) Step;
- (v) Tarp basket;
- (w) Tire carrier; and
- (x) Uppercoupler.
- 2. Devices excluded from length measurement at the rear of a semitrailer or trailer including, but not limited to, the following:
 - (a) Handhold;
- (b) Hazardous materials placards and holders;
- (c) Ladder;
- (d) Pintle hook;
- (e) Removable stakes;
- (f) Splash and spray suppression device;
- (g) Stake pockets; and
- (h) Step.
- 3. Devices excluded from width determination, not to exceed 3 inches from the side of the vehicle including, but not limited to, the following:
 - (a) Corner caps:
- (b) Hazardous materials placards and holders:
- (c) Lift pads for trailer on flatcar (piggyback) operation;
- (d) Rain gutters; (e) Rear and side door hinges and their protective hardware;
- (f) Side marker lamps;
- (g) Structural reinforcement for side doors or intermodal operation (limited to 1 inch from the side within the 3 inch maximum extension):
 - (h) Tarping systems for open-top trailers;
- (i) Movable devices to enclose the cargo area of flatbed semitrailers or trailers, usually called tarping systems, where no component part of the system extends more than 3 inches from the sides or back of the vehicle when the vehicle is in operation. This exclusion applies to all component parts of tarping systems, including the transverse structure at the front of the vehicle to which the sliding walls and roof of the tarp mechanism are attached, provided the structure is not also intended or designed to comply with 49 CFR 393.106, which requires a headerboard strong enough to prevent cargo from penetrating or crushing the cab; the transverse structure may be up to 108 inches wide if properly centered so that neither side extends more than 3 inches beyond the structural edge of the vehicle. Also excluded from measurement are side rails running the length of the vehicle and rear doors, provided the only function of the latter, like that of the transverse structure at the front of the vehicle, is to seal the cargo area and anchor the sliding walls and roof. On the other hand, a headerboard designed to comply with 49 CFR 393.106 is load bearing and thus limited to 102 inches in width. However, the "wings" designed to close the gap between such a headerboard and the movable walls and roof

Pt. 660

of a tarping system are width exclusive, provided they are add-on pieces designed to bear only the load of the tarping system itself and are not integral parts of the load-bearing headerboard structure:

- (j) Tie-down assembly on platform trailers;(k) Wall variation from true flat; and
- (l) Weevil pins and sockets on low-bed trailers.

[67 FR 15110, Mar. 29, 2002]

PART 660—SPECIAL PROGRAMS (DIRECT FEDERAL)

Subpart A—Forest Highways

Sec.	
660.101	Purpose.
660.103	Definitions.
660.105	Planning and route designation.
660.107	Allocations.
660.109	Program development.
660.111	Agreements.
660.112	Project development.
660.113	Construction.
660.115	Maintenance.
660.117	Funding, records and accounting.
	-

Subparts B-D [Reserved]

Subpart E—Defense Access Roads

000.000	Objectives.
660.505	Scope.
660.507	Definitions.
660.509	General principles.
660.511	Eligibility.
660.513	Standards.
660.515	Project administration.
660.517	Maneuver area roads.
660.519	Missile installations and facilities.

Subpart A—Forest Highways

AUTHORITY: 16 U.S.C. 1608–1610; 23 U.S.C. 101, 202, 204, and 315; 49 CFR 1.48.

SOURCE: 59 FR 30300, June 13, 1994, unless otherwise noted.

§660.101 Purpose.

660.501 Purpose.

The purpose of this subpart is to implement the Forest Highway (FH) Program which enhances local, regional, and national benefits of FHs funded under the public lands highway category of the coordinated Federal Lands Highway Program. As provided in 23 U.S.C. 202, 203, and 204, the program, developed in cooperation with State and local agencies, provides safe and adequate transportation access to and through National Forest System (NFS)

lands for visitors, recreationists, resource users, and others which is not met by other transportation programs. Forest highways assist rural and community economic development and promote tourism and travel.

§ 660.103 Definitions.

In addition to the definitions in 23 U.S.C. 101(a), the following apply to this subpart:

Cooperator means a non-Federal public authority which has jurisdiction and maintenance responsibility for a FH.

Forest highway means a forest road under the jurisdiction of, and maintained by, a public authority and open to public travel.

Forest road means a road wholly or partly within, or adjacent to, and serving the NFS and which is necessary for the protection, administration, and utilization of the NFS and the use and development of its resources.

Jurisdiction means the legal right or authority to control, operate, regulate use of, maintain, or cause to be maintained, a transportation facility, through ownership or delegated authority. The authority to construct or maintain such a facility may be derived from fee title, easement, written authorization, or permit from a Federal agency, or some similar method.

Metropolitan Planning Organization (MPO) means that organization designated as the forum for cooperative transportation decisionmaking pursuant to the provisions of part 450 of this title.

Metropolitan Transportation Plan means the official intermodal transportation plan that is developed and adopted through the metropolitan transportation planning process for the metropolitan planning area.

National Forest System means lands and facilities administered by the Forest Service (FS), U.S. Department of Agriculture, as set forth in the Forest and Rangeland Renewable Resource Planning Act of 1974, as amended (16 U.S.C. 1601 note, 1600–1614).

Open to public travel means except during scheduled periods, extreme weather conditions, or emergencies, open to the general public for use with

a standard passenger auto, without restrictive gates or prohibitive signs or regulations, other than for general traffic control or restrictions based on size, weight, or class of registration.

Public authority means a Federal, State, county, town, or township, Indian tribe, municipal or other local government or instrumentality with authority to finance, build, operate, or maintain toll or toll-free facilities.

Public lands highway means: (1) A forest road under the jurisdiction of and maintained by a public authority and open to public travel or (2) any highway through unappropriated or unreserved public lands, nontaxable Indian lands, or other Federal reservations under the jurisdiction of and maintained by a public authority and open to public travel.

Public road means any road or street under the jurisdiction of and maintained by a public authority and open to public travel.

Renewable resources means those elements within the scope of responsibilities and authorities of the FS as defined in the Forest and Rangeland Renewable Resource Planning Act of August 17, 1974 (88 Stat. 476) as amended by the National Forest Management Act of October 22, 1976 (90 Stat. 2949; 16 U.S.C. 1600–1614) such as recreation, wilderness, wildlife and fish, range, timber, land, water, and human and community development.

Resources means those renewable resources defined above, plus other non-renewable resources such as minerals, oil, and gas which are included in the FS's planning and land management processes.

Statewide transportation plan means the official transportation plan that is: (1) Intermodal in scope, including bicycle and pedestrian features, (2) addresses at least a 20-year planning horizon, and (3) covers the entire State pursuant to the provisions of part 450 of this title.

§ 660.105 Planning and route designation.

(a) The FS will provide resource planning and related transportation information to the appropriate MPO and/or State Highway Agency (SHA) for use in developing metropolitan and statewide

transportation plans pursuant to the provisions of part 450 of this title. Cooperators shall provide various planning (23 U.S.C. 134 and 135) information to the Federal Highway Administration (FHWA) for coordination with the FS.

- (b) The management systems required under 23 U.S.C. 303 shall fulfill the requirement in 23 U.S.C. 204(a) regarding the establishment and implementation of pavement, bridge, and safety management systems for FHs. The results of bridge management systems and safety management systems on all FHs and results of pavement management systems for FHs on Federal-aid highways are to be provided by the SHAs for consideration in the development of programs under §660.109 of this part. The FHWA will provide appropriate pavement management results for FHs which are not Federal-aid highways.
- (c) The FHWA, in consultation with the FS, the SHA, and other cooperators where appropriate, will designate FHs.
- (1) The SHA and the FS will nominate forest roads for FH designation.
- (2) The SHA will represent the interests of all cooperators. All other agencies shall send their proposals for FHs to the SHA.
- (d) A FH will meet the following criteria:
- (1) Generally, it is under the jurisdiction of a public authority and open to public travel, or a cooperator has agreed, in writing, to assume jurisdiction of the facility and to keep the road open to public travel once improvements are made.
- (2) It provides a connection between adequate and safe public roads and the resources of the NFS which are essential to the local, regional, or national economy, and/or the communities, shipping points, or markets which depend upon those resources.
 - (3) It serves:
- (i) Traffic of which a preponderance is generated by use of the NFS and its resources: or
- (ii) NFS-generated traffic volumes that have a substantial impact on roadway design and construction; or

§ 660.107

(iii) Other local needs such as schools, mail delivery, commercial supply, and access to private property within the NFS.

§ 660.107 Allocations.

On October 1 of each fiscal year, the FHWA will allocate 66 percent of Public Lands Highway funds, by FS Region, for FHs using values based on relative transportation needs of the NFS, after deducting such sums as deemed necessary for the administrative requirements of the FHWA and the FS; the necessary costs of FH planning studies; and the FH share of costs for approved Federal Lands Coordinated Technology Implementation Program studies.

§660.109 Program development.

- (a) The FHWA will arrange and conduct a conference with the FS and the SHA to jointly select the projects which will be included in the programs for the current fiscal year and at least the next 4 years. Projects included in each year's program will be selected considering the following criteria:
- (1) The development, utilization, protection, and administration of the NFS and its resources;
- (2) The enhancement of economic development at the local, regional, and national level, including tourism and recreational travel;
- (3) The continuity of the transportation network serving the NFS and its dependent communities;
- (4) The mobility of the users of the transportation network and the goods and services provided;
- (5) The improvement of the transportation network for economy of operation and maintenance and the safety of its users:
- (6) The protection and enhancement of the rural environment associated with the NFS and its resources; and
- (7) The results for FHs from the pavement, bridge, and safety management systems.
- (b) The recommended program will be prepared and approved by the FHWA with concurrence by the FS and the SHA. Following approval, the SHA shall advise any other cooperators in the State of the projects included in the final program and shall include the

approved program in the State's process for development of the Statewide Transportation Improvement Program. For projects located in metropolitan areas, the FHWA and the SHA will work with the MPO to incorporate the approved program into the MPO's Transportation Improvement Program.

§660.111 Agreements.

- (a) A statewide FH agreement shall be executed among the FHWA, the FS, and each SHA. This agreement shall set forth the responsibilities of each party, including that of adherence to the applicable provisions of Federal and State statutes and regulations.
- (b) The design and construction of FH projects will be administered by the FHWA unless otherwise provided for in an agreement approved under this subpart.
- (c) A project agreement shall be entered into between the FHWA and the cooperator involved under one or more of the following conditions:
- (1) A cooperator's funds are to be made available for the project or any portion of the project;
- (2) Federal funds are to be made available to a cooperator for any work;
- (3) Special circumstances exist which make a project agreement necessary for payment purposes or to clarify any aspect of the project; or
- (4) It is necessary to document jurisdiction and maintenance responsibility.

§660.112 Project development.

- (a) Projects to be administered by the FHWA or the FS will be developed in accordance with FHWA procedures for the Federal Lands Highway Program. Projects to be administered by a cooperator shall be developed in accordance with Federal-aid procedures and procedures documented in the statewide agreement.
- (b) The FH projects shall be designed in accordance with part 625 of this chapter or those criteria specifically approved by the FHWA for a particular project.

§ 660.113 Construction.

(a) No construction shall be undertaken on any FH project until plans, specifications, and estimates have been

concurred in by the cooperator(s) and the FS, and approved in accordance with procedures contained in the statewide FH agreement.

- (b) The construction of FHs will be performed by the contract method, unless construction by the FHWA, the FS, or a cooperator on its own account is warranted under 23 U.S.C. 204(e).
- (c) Prior to final construction acceptance by the contracting authority, the project shall be inspected by the cooperator, the FS, and the FHWA to identify and resolve any mutual concerns.

§ 660.115 Maintenance.

The cooperator having jurisdiction over a FH shall, upon acceptance of the project in accordance with §660.113(c), assume operation responsibilities and maintain, or cause to be maintained, any project constructed under this subpart.

§ 660.117 Funding, records and accounting.

- (a) The Federal share of funding for eligible FH projects may be any amount up to and including 100 percent. A cooperator may participate in the cost of project development and construction, but participation shall not be required.
 - (b) Funds for FHs may be used for:
 - (1) Planning;
 - (2) Federal Lands Highway research;
- (3) Preliminary and construction engineering; and
 - (4) Construction.
- (c) Funds for FHs may be made available for the following transportation-related improvement purposes which are generally part of a transportation construction project:
- (1) Transportation planning for tourism and recreational travel;
 - (2) Adjacent vehicular parking areas;
 - (3) Interpretive signage;
- (4) Acquisition of necessary scenic easements and scenic or historic sites;
- (5) Provisions for pedestrians and bicycles;
- (6) Construction and reconstruction of roadside rest areas including sanitary and water facilities; and
- (7) Other appropriate public road facilities as approved by the FHWA.

(d) Use of FH funds for right-of-way acquisition shall be subject to specific approval by the FHWA.

(e) Cooperators which administer construction of FH projects shall maintain their FH records according to 49 CFR part 18.

(f) Funds provided to the FHWA by a cooperator should be received in advance of construction procurement unless otherwise specified in a project agreement.

Subparts B-D [Reserved]

Subpart E—Defense Access Roads

AUTHORITY: 23 U.S.C. 210, 315; 49 CFR 1.48(b).

SOURCE: 49 FR 21924, May 24, 1984, unless otherwise noted.

§ 660.501 Purpose.

The purpose of this regulation is to prescribe policies and procedures governing evaluations of defense access road needs, and administration of projects financed under the defense access roads and other defense related special highway programs.

§ 660.503 Objectives.

The defense access roads program provides a means by which the Federal Government may pay its fair share of the cost of:

- (a) Highway improvements needed for adequate highway service to defense and defense related installations;
- (b) New highways to replace those which must be closed to permit establishment or expansion of defense installations;
- (c) Repair of damage to highways caused by major military maneuvers;
- (d) Repair of damages due to the activities of contractors engaged in the construction of missile sites; and
- (e) Missile routes to ensure their continued ability to support the missile transporter-erector (TE) vehicle.

§ 660.505 Scope.

This regulation focuses on procedures as they apply to the defense access roads and other special highway programs of the Department of Defense (DOD).

§ 660.507

§ 660.507 Definitions.

- (a) Defense installation. A military reservation or installation, or defense related industry or source of raw materials.
- (b) Military Traffic Management Command (MTMC). The military transportation agency with responsibilities assigned by the Secretary of Defense for maintaining liaison with the Federal Highway Administration (FHWA) and other agencies for the integration of defense needs into the Nation's highway program.
- (c) Certification. The statement to the Secretary of Transportation by the Secretary of Defense (or such other official as the President may designate) that certain roads are important to the national defense.
- (d) Access road. An existing or proposed public highway which is needed to provide essential highway transportation services to a defense installation. (This definition may include public highways through military installations only when right-of-way for such roads is dedicated to public use and the roads are maintained by civil authority.)
- (e) Replacement road. A public road constructed to replace one closed by establishment of a new, or the expansion of an old, defense installation.
- (f) Maneuver area road. A public road in an area delineated by official orders for field maneuvers or exercises of military forces.
- (g) *Transporter-erector route.* A public road specifically designated for use by the TE vehicle for access to missile sites.

$\S 660.509$ General principles.

(a) State and local highway agencies are expected to assume the same responsibility for developing and maintaining adequate highways to permanent defense installations as they do for highways serving private industrial establishments or any other permanent traffic generators. The Federal Government expects that highway improvements in the vicinity of defense installations will receive due priority consideration and treatment as State and local agencies develop their programs of improvement. The FHWA will provide assistance, as requested by MTMC,

to ascertain State program plans for improvements to roads serving as access to defense installations. Roads which serve permanent defense installations and which qualify under established critieria as Federal-aid routes should be included in the appropriate Federal-aid system.

(b) It is recognized that problems may arise in connection with the establishment, expansion, or operation of defense installations which create an unanticipated impact upon the longrange requirements for the development of highways in the vicinity. These problems can be resolved equitably only by Federal assistance from other than normal Federal-aid highway programs for part or all of the cost of highway improvements necessary for the functioning of the installation.

§ 660.511 Eligibility.

- (a) The MTMC has the responsibility for determining the eligibility of proposed improvements for financing with defense access roads funds. The evaluation report will be furnished to MTMC for its use in making the determination of eligibility and certification of importance to the national defense. The criteria upon which MTMC will base its determination of eligibility are included in the Federal-Aid Highway Program Manual, Volume 6, Chapter 9, Section 5, Attachment 2. ¹
- (b) If the project is determined to be eligible for financing either in whole or in part with defense access road funds, MTMC will certify the project as important to the national defense and will authorize expenditure of defense access road funds. The Commander, MTMC, is the only representative of the DOD officially authorized to make the certification required by section 210, title 23, U.S.C., in behalf of the Secretary of Defense.

§660.513 Standards.

(a) Access roads to permanent defense installations and all replacement roads shall be designed to conform to

¹This document is available for inspection and copying from the FHWA headquarters and field offices as prescribed by 49 CFR part 7, appendix D.

the same standards as the agency having jurisdiction is currently using for other comparable highways under similar conditions in the area. In general, where the agency having jurisdiction does not have established standards, the design shall conform to American Association of State Highway and Transportation Officials (AASHTO) standards. Should local agencies desire higher standards than are currently being used for other comparable highways under similar conditions in the area, they shall finance the increases in cost.

(b) Access roads to temporary military establishments or for service to workers temporarily engaged in construction of defense installations should be designed to the minimum standards necessary to provide service for a limited period without intolerable congestion and hazard. As a guide, widening to more than two lanes generally will not be undertaken to accommodate anticipated one-way, peak-hour traffic of less than 1.200 vehicles per hour and resurfacing or strengthening of existing pavements will be held to the minimum type having the structural integrity to carry traffic for the short period of anticipated use.

§ 660.515 Project administration.

- (a) Determination of the agency best able to accomplish the location, design, and construction of the projects covered by this regulation will be made by the FHWA Division Administrator after consultation with the State and/or local highway agency within whose jurisdiction the highway lies. When an agency other than the State or local highway agency is selected to administer the project, the Division Administrator will be responsible during the life of the project for any necessary coordination between the selected agency and the State or local highway agency.
- (b) Defense access road projects under the supervision of a State or local highway agency, whether on or off the Federal-aid system, shall be administered in accordance with Federal-aid procedures, as modified specifically herein or as limited by the delegations of authority to Regional and Division Administrators, unless approval of other procedures has been obtained

from Washington Headquarters Office of Direct Federal Programs (HDF-1).

- (c) The Division Administrator shall have a firm commitment from the State or local highway agency, within whose jurisdiction the access road lies, that it will accept the responsibility for maintenance of the completed facility before authorization of acquisition of right-of-way or construction of a project.
- (d) When defense access road funds are available for a pro-rata portion of the total project cost, the remaining portion of the project may be funded as a Federal-aid project if on a Federal-aid route. Defense access road funds shall not be substituted for the State's matching share of the Federal-aid portion of a project.

§660.517 Maneuver area roads.

- (a) Claims by a highway agency for costs incurred to restore, to their former condition, roads damaged by maneuvers involving a military force at least equal in strength to a ground division or an air wing will be paid from funds appropriated for the maneuver and transferred to FHWA by the DOD agency. Defense access road funds may be used to reimburse the highway authority pending transfer of funds by the DOD agency.
- (b) Costs incurred by State or local highway authorities while conducting a pre- or post-condition survey may be included in the claim to DOD for direct settlement or in the damage repair project as appropriate.

§ 660.519 Missile installations and facilities.

Should damage occur to public highways as a result of construction activities, the contractor would normally be held responsible for restoring the damages. However, should the contractor deny responsibility on the basis of contract terms, restoration is provided for under 23 U.S.C. 210(h).

(a) Restoration under the contract. (1) The highway agency having jurisdiction over the road shall take appropriate actions, such as load and speed restrictions, to protect the highway. When extensive damage is anticipated and the contractor under the terms of the contract is responsible, it may be

Pt. 661

necessary to require a performance bond to assure restoration.

- (2) If the contractor does not properly maintain the roads when requested in writing, the highway agency having jurisdiction over the road shall perform extraordinary maintenance as necessary to keep the roads serviceable and maintain adequate supporting records of the work performed. Claims shall be presented to the contractor for this extraordinary maintenance and any other work required to restore the roads. If the contractor denies responsibility on the basis of the contract terms, the claim with the required supporting documentation shall be presented to the contracting officer for disposition and arrangement for reimbursement.
- (b) Restoration under 23 U.S.C. 210(h). (1) To implement 23 U.S.C. 210(h), DOD must make the determination that a contractor for a missile installation or facility did not include in the bid the cost of repairing damage caused to public highways by the operation of the contractor's vehicles and equipment. The FHWA must then make the determination that the State highway agency is, or has been, unable to prevent such damage by restrictions upon the use of the highways without interference with, or delay in, the completion of the contract. If these determinations are made, the Division Administrator will be authorized by the Washington Headquarters to reimburse the highway agency for the cost of the work necessary to keep the roads in a $service able\ condition.$
- (2) Upon receipt of a damage claim, division office representatives accompanied by representatives of the agencies that made the original condition survey will inspect the roads on which damage is claimed. The Division Administrator shall then prepare an estimate of the cost of restoring the roads to original condition as well as any documented cost for extraordinary maintenance for which reimbursement has not been received. No allowance for upgrading the roads shall be included.

PART 661—INDIAN RESERVATION ROAD BRIDGE PROGRAM

Sec.

- 661.1 What is the purpose of this regulation?
 661.3 Who must comply with this regulation?
- $661.5\,$ What definitions apply to this regulation?
- 661.7 What is the Indian Reservation Road Bridge Program (IRRBP)?
- 661.9 How will the bridge project be funded/ programmed once eligibility has been determined?
- 661.11 After a bridge project has been completed what happens with the excess or surplus funding?
- 661.13 What restrictions are there on the use of the IRRBP funds?
- 661.15 What is the total funding available for the IRR Bridge Program?
- 661.17 When will these funds become available?
- 661.19 When does an eligible project receive funding?
- 661.21 How long will these funds be available?
- 661.23 What can these IRR bridge funds be used for?
- 661.25 What are the criteria for bridge eligibility?
- 661.27 When is a bridge eligible for replacement?
- 661.29 When is a bridge eligible for rehabilitation?
- 661.31 How does ownership impact project selection?
- 661.33 Do IRRBP projects have to be on a transportation improvement program (TIP)?
- 661.35 What percent of the funding in any fiscal year is available for use on BIA owned IRR bridges and non-BIA owned IRR bridges?
- 661.37 What percent of a specific project's construction costs is covered under this program?
- 661.39 When are IRR bridge projects eligible for funding?
- 661.41 What does a complete application package consist of?
- 661.43 How are the FY 1998 projects to be treated?
- 661.45 How is a list of deficient bridges to be generated?
- 661.47 In the event of project cost over runs, how would they be funded?
- 661.49 Could regular IRR funds be used to fund a bridge project?
- 661.51 Could bridge maintenance be performed with these funds?

AUTHORITY: 23 U.S.C. 120(j) and (k), 202, and 315: 49 CFR 1.48.

SOURCE: 64 FR 38572, July 19, 1999, unless otherwise noted.

§ 661.1 What is the purpose of this regulation?

The purpose of this regulation is to prescribe policies for project selection and fund allocation procedures for administering the Indian Reservation Road Bridge Program (IRRBP).

§ 661.3 Who must comply with this regulation?

Public authorities must comply to participate in the IRRBP by preparing plans, specification and estimates (PS&E) for deficient Indian Reservation Road (IRR) bridges and make application for construction funds for the replacement or rehabilitation of these bridges.

§661.5 What definitions apply to this regulation?

The following definitions apply to this regulation:

Construction engineering (CE) is the supervision and inspection of construction activities; additional staking functions considered necessary for effective control of the construction operations; testing materials incorporated into construction; checking shop drawings; and measurements needed for the preparation of pay estimates

Functional obsolescence (FO) is the state or process of being one in which the deck geometry, load carrying capacity (comparison of the original design load to the State legal load), clearance, or approach roadway alignment no longer meets the usual criteria for the system of which it is an integral part.

Indian reservation road means a public road that is located within or provides access to an Indian reservation or Indian trust land or restricted Indian land which is not subject to fee title alienation without the approval of the Federal Government, or Indian and Alaska Native villages, groups, or communities in which Indians and Alaskan Natives reside, whom the Secretary of the Interior has determined are eligible for services generally available to Indians under Federal laws specifically applicable to Indians.

Indian reservation road bridge means a structure located on an Indian reservation road (IRR), including supports,

erected over a depression or an obstruction, such as water, a highway, or a railway, and having a track or passageway for carrying traffic or other moving loads, and having an opening measured along the center of the roadway of more than 20 feet between undercopings of abutments or spring lines of arches, or extreme ends of the openings for multiple boxes; it may also include multiple pipes, where the clear distance between openings is less than half of the smaller contiguous opening.

Public authority means a Federal, State, county, town, or township, Indian tribe, municipal or other local government or instrumentality with authority to finance, build, operate, or maintain toll or toll-free facilities.

Public road means any road or street under the jurisdiction of and maintained by a public authority and open to public travel.

Structural deficient (SD) bridge means a bridge that has been restricted to light vehicles only, is closed or requires immediate rehabilitation to remain open.

Sufficiency rating (SR) means the numerical rating of a bridge based on its structural adequacy and safety, essentiality for public use, and its serviceability and functional obsolescence.

§ 661.7 What is the Indian Reservation Road Bridge Program (IRRBP)?

Section 202(d)(4) of title 23, U.S.C., establishes a nationwide priority program for improving deficient Indian reservation road (IRR) bridges and reserves not less than \$13 million of IRR funds per year to replace and rehabilitate bridges that are in poor condition. This program which addresses the replacement of deficient IRR bridges is referred to as the IRRBP.

§661.9 How will the bridge project be funded/programmed once eligibility has been determined?

(a) Funding and/or programming of construction projects for IRR bridges would be based on the order of receipt of a complete application package, *i.e.*, eligibility requirements met, PS&E package is complete, etc. All application packages would be placed in a queue upon submission to the BIADOT

§661.11

and date stamped. This submission queue would form the basis for prioritization during any fiscal year (FY). After the queue for the FY is filled up, that is, the IRRBP funding is used up, a queue for the following FY would be established.

- (b) In those cases where application packages have arrived at the same time, application packages would be ranked and prioritized based on the following criteria:
 - (1) Bridge sufficiency rating (SR);
- (2) Bridge status with structurally deficient (SD) having precedence over functionally obsolete (FO);
 - (3) Bridges on school bus routes;
 - (4) Detour length;
 - (5) Average daily traffic; and
 - (6) Truck average daily traffic.

§ 661.11 After a bridge project has been completed what happens with the excess or surplus funding?

Since the funding is project specific, once a bridge construction project has been completed under this program, any excess or surplus funding would be returned to BIADOT/FHWA for use on additional approved deficient IRR bridge projects.

§661.13 What restrictions are there on the use of the IRRBP funds?

The IRRBP funds can only be used for construction and construction engineering (CE) and may not be used for project development.

§ 661.15 What is the total funding available for the IRR Bridge Program?

The statute provides a total program funding of not less than \$13 million for each fiscal year.

§ 661.17 When will these funds become available?

These funds become available on October 1 of each fiscal year.

§ 661.19 When does an eligible project receive funding?

The statute provides that these funds are provided after the Secretary of Transportation (FHWA) approves a completed PS&E.

§661.21 How long will these funds be available?

The statute provides that the funds for each fiscal year are available for the year authorized plus three years (a total of four years).

§661.23 What can these IRR bridge funds be used for?

The statute provides that these funds can be used to replace, rehabilitate, seismically retrofit, paint, apply calcium magnesium acetate to, apply sodium acetate/formate or other environmentally acceptable, minimally corrosive anti-icing and deicing compositions, or install scour countermeasures for deficient IRR bridges, including multiple pipe culverts.

§661.25 What are the criteria for bridge eligibility?

- (a) Bridge eligibility requires the following:
- (1) Have an opening of 20 feet or more;
 - (2) Be on an IRR;
- (3) Be unsafe because of structural deficiencies, physical deterioration or functional obsolescence; and
- (4) Be recorded in the national bridge inventory (NBI) maintained by the FHWA.
- (b) Bridges that were constructed, rehabilitated or replaced in the last 10 years, will be eligible only for seismic retrofit or installation of scour countermeasures.

§661.27 When is a bridge eligible for replacement?

To be eligible for replacement, the bridge must be considered deficient for reasons of structural deficiency or functional obsolescence. Also, the bridge must have a sufficiency rating of less than 50 to be eligible for replacement.

§ 661.29 When is a bridge eligible for rehabilitation?

To be eligible for rehabilitation, the bridge must be considered deficient for reasons of structural deficiency or functional obsolescence. Also, the bridge must have a sufficiency rating of less than or equal to 80 to be eligible for rehabilitation. A bridge would be eligible for replacement if the total life

cycle cost for bridge rehabilitation exceeds the costs to replace.

§661.31 How does ownership impact project selection?

Since the Federal government has both a trust responsibility and owns the BIA bridges on Indian reservations, primary consideration would be given to funding construction projects for deficient BIA owned IRR bridges. We emphasize that consideration could also be given to the funding of construction projects for the deficient non-BIA, IRR bridges, however; these projects must be supported by a tribal resolution.

§ 661.33 Do IRRBP projects have to be on a transportation improvement program (TIP)?

Yes. All IRRBP projects have to be listed on an approved TIP. Under 23 U.S.C. 204(j), IRR bridges must appear on the BIA's IRRBP TIP and be forwarded to the State.

§ 661.35 What percent of the funding in any fiscal year is available for use on BIA owned IRR bridges and non-BIA owned IRR bridges?

Up to 80 percent (\$10.4 million) of funding in any fiscal year would be available for use on BIA owned IRR bridges. This would leave 20 percent (\$2.6 million) of funding in any fiscal year that would be available for use on non-BIA owned IRR bridges. A smaller percentage of available funds has been set aside for non-BIA IRR bridges, since States and counties have access to Federal-aid and other funding to replace and rehabilitate their bridges and that 23 U.S.C. 204(c) requires that IRR funds be supplemental to and not in lieu of other funds apportioned to the State. The program policy will be to maximize the number of IRR bridges participating in the IRRBP in a given fiscal year regardless of ownership.

§ 661.37 What percent of a specific project's construction costs is covered under this program?

The following funding provisions apply in administration of the IRRBP: (a) 100 percent IRRBP funding would be provided for a BIA owned IRR bridge;

(b) Up to 80 percent of the IRRBP funding would be provided for a State,

county, or locally owned non-BIA IRR bridge;

- (c) States, counties, local and tribal governments would be required to provide at least 20 percent of the funds for non-BIA owned IRR bridges;
- (d) The IRRBP funding ceiling for any single non-BIA owned IRR bridge project would be \$1.5 million.

§ 661.39 When are IRR bridge projects eligible for funding?

The statute provides that IRR funds to carry out IRRBP projects shall be made available only on approval of the PS&E by the Secretary (FHWA). Approval consists of having completed and approved bridge design, specifications and estimates. The project must be ready for construction, right of way must have been acquired, and the project contract must be awarded within 120 calendar days of funding. A copy of the FHWA or BIADOT PS&E approval letter, certification checklist and IRRBP TIP must be forwarded by the area office to the BIADOT/FLH for review and acceptance. For non-BIA IRR bridges, the application package must also include a tribal resolution supporting the project. Submittal of an incomplete application package would form the basis for project disapproval and the BIA area office would have to revise and resubmit the package.

§ 661.41 What does a complete application package consist of?

A complete application package would consist of the following: the FHWA or BIADOT PS&E approval letter, certification checklist and IRRBP TIP. In addition to the preceding items, for non-BIA IRR bridges, the application package must also include a tribal resolution supporting the project.

§661.43 How are the FY 1998 projects to be treated?

In order not to penalize any BIA area office which completed PS&E packages in FY 1998 that were not funded because the project selection/fund allocation procedures for distribution of funds for FY 1998 were not in place, the funds for approved projects would be made available to the BIA area offices

§661.45

on receipt and acceptance of their application packages.

§ 661.45 How is a list of deficient bridges to be generated?

- (a) In consultation with the BIA, a list of deficient BIA IRR bridges will be developed each fiscal year by the FHWA based on the annual April update of the NBI. The NBI is based on data from the inspection of all bridges. Likewise, a list of non-BIA IRR bridges will be obtained from the NBI. These lists would form the basis for identifying bridges that would be considered potentially eligible for participation in the IRRBP. Two separate master bridge lists (one each for BIA and non-BIA IRR bridges) will be developed and will include, at a minimum, the following:
 - (1) Sufficiency rating (SR);
- (2) Status (structurally deficient or functionally obsolete);
- (3) Average daily traffic (NBI item 29):
 - (4) Detour length (NBI item 19); and
- (5) Truck average daily traffic (NBI item 109).
- (b) These lists would be provided by the FHWA to the BIADOT for publication and notification of affected BIA area offices, Indian tribal governments (ITG)s, and State and local governments.
- (c) BIA area offices in consultation with ITGs, are encouraged to prioritize the design for bridges that are structurally deficient over bridges that are simply functionally obsolete, since the former is more critical structurally than the latter. Bridges that have higher average daily traffic (ADT) should be considered before those that have lower ADT. Detour length should also be a factor in selection and submittal of bridges, with those having a higher detour length being of greater concern. Lastly, bridges with higher truck ADT should take precedence over those which have lower truck ADT. Other items of note should be whether school buses use the bridge and the types of trucks that may cross the bridge and the loads imposed.

§ 661.47 In the event of project cost over runs, how would they be funded?

(a) Because of the critical nature of this program, BIA area road engineer (ARE) approved costs in excess of the project estimate could be funded out of this program depending on the availability of funds and subject to BIADOT/FLH project approval procedures. The ARE would request additional IRRBP funding for a specific bridge project and submit a request with appropriate justification along with an explanation as to why this additional IRRBP funding is necessary.

(b) In addition, project cost over runs may be funded out of regular IRR program funds.

§661.49 Could regular IRR funds be used to fund a bridge project?

Yes. Regular IRR construction funds can be used to fund a bridge project with the concurrence of the FHWA, BIADOT and the BIA ARE.

§ 661.51 Could bridge maintenance be performed with these funds?

No. Bridge maintenance repairs would not be within the scope of funding, e.g., guard rail repair, deck repairs, repair of traffic control devices, striping, cleaning scuppers, deck sweeping, snow and debris removal, etc. There are maintenance funds available through annual Department of the Interior appropriations for use on BIA owned bridges. The Department of the Interior maintenance funds would be the appropriate funding source for bridge maintenance.

PART 667 [RESERVED]

PART 668—EMERGENCY RELIEF PROGRAM

Subpart A—Procedures for Federal-Aid Highways

Sec.

668.101 Purpose.

668.103 Definitions.

668.105 Policy.

668.107 Federal share payable.

668.109 Eligibility.

668.111 Application procedures.

668.113 Program and project procedures.

Subpart B—Procedures for Federal Agencies for Federal Roads

668.201 Purpose.

668.203 Definitions.

668.205 Policy

668.207 Federal share payable from emergency fund.

668.209 Eligibility of work.

668.211 Notification, damage assessment, and finding.

668.213 Application procedures.

668.215 Programming and project procedures.

AUTHORITY: 23 U.S.C. 101, 120(e), 125 and 315; 49 CFR 1.48(b).

Subpart A—Procedures for Federal-Aid Highways

SOURCE: 52 FR 21948, June 10, 1987, unless otherwise noted.

§668.101 Purpose.

To establish policy and provide program guidance for the administration of emergency funds for the repair or reconstruction of Federal-aid highways, which are found to have suffered serious damage by natural diasters over a wide area or serious damage from catastrophic failures. Guidance for application by Federal agencies for reconstruction of Federal roads that are not part of the Federal-aid highways is contained in 23 CFR part 668, subpart B.

[52 FR 21948, June 10, 1987, as amended at 61 FR 67212, Dec. 20, 1996]

§ 668.103 Definitions.

In addition to others contained in 23 U.S.C. 101(a), the following definitions shall apply as used in this regulation:

Applicant. The State highway agency is the applicant for Federal assistance under 23 U.S.C. 125 for State highways and local roads and streets which are a part of the Federal-aid highways.

Betterments. Added protective features, such as rebuilding of roadways at a higher elevation or the lengthening of bridges, or changes which modify the function or character of a highway facility from what existed prior to the disaster or catastrophic failure, such as additional lanes or added access control.

Catastrophic failure. The sudden failure of a major element or segment of

the highway system due to an external cause. The failure must not be primarily attributable to gradual and progressive deterioration or lack of proper maintenance. The closure of a facility because of imminent danger of collapse is not in itself a sudden failure.

Emergency repairs. Those repairs including temporary traffic operations undertaken during or immediately following the disaster occurrence for the purpose of:

- (1) Minimizing the extent of the damage,
 - (2) Protecting remaining facilities, or
 - (3) Restoring essential traffic.

External cause. An outside force or phenomenon which is separate from the damaged element and not primarily the result of existing conditions.

Heavy maintenance. Work usually done by highway agencies in repairing damage normally expected from seasonal and occasionally unusual natural conditions or occurrences. It includes work at a site required as a direct result of a disaster which can reasonably be accommodated by a State or local road authority's maintenance, emergency or contingency program.

Natural disaster. A sudden and unusual natural occurrence, including but not limited to intense rainfall, floods, hurricanes, tornadoes, tidal waves, landslides, volcanoes or earthquakes which cause serious damage.

Proclamation. A declaration of emergency by the Governor of the affected State.

Serious damage. Heavy, major or unusual damage to a highway which severely impairs the safety or usefulness of the highway or results in road closure. Serious damage must be beyond the scope of heavy maintenance.

State. Any one of the United States, the District of Columbia, Puerto Rico or the Virgin Islands, Guam, American Samoa or Commonwealth of the Northern Mariana Islands.

[52 FR 21948, June 10, 1987, as amended at 61 FR 67212, Dec. 20, 1996; 65 FR 25444, May 2, 2000]

§ 668.105

§ 668.105 Policy.

(a) The Emergency Relief (ER) program is intended to aid States in repairing road facilities which have suffered widespread serious damage resulting from a natural disaster over a wide area or serious damage from a catastrophic failure.

(b) ER funds are not intended to supplant other funds for correction of preexisting, nondisaster related defi-

ciencies.

- (c) The expenditure of ER funds for emergency repair shall be in such a manner so as to reduce, to the greatest extent feasible, the cost of permanent restoration work.
- (d) The approval to use available ER funds to repair or restore highways damaged by a natural disaster shall be based on the combination of the extraordinary character of the natural disturbance and the wide area of impact as well as the seriousness of the damage. Storms of unusual intensity occurring over a small area may not meet the above conditions.
- (e) ER funds shall not duplicate assistance under another Federal program or compensation from insurance or any other source. Partial compensation for a loss by other sources will not preclude emergency fund assistance for the part of such loss not compensated otherwise. Any compensation for damages or insurance proceeds including interest recovered by the State or political subdivision or by a toll authority for repair of the highway facility must be used upon receipt to reduce ER fund liability on the project.
- (f) Prompt and diligent efforts shall be made by the State to recover repair costs from the legally responsible parties to reduce the project costs particularly where catastrophic damages are caused by ships, barge tows, highway vehicles, or vehicles with illegal loads or where damage is increased by improperly controlled objects or events.

(g) The processing of ER requests shall be given prompt attention and shall be given priority over non-emer-

gency work.

(h) ER projects shall be promptly constructed. Any project that has not advanced to the construction obligation stage by the end of the second fiscal year following the disaster occur-

rence will not be advanced unless suitable justification to warrant retention is furnished to the FHWA.

- (i) Permanent repair and reconstruction work, not accomplished as emergency repairs, shall be done by the contract method unless the State Highway agency adequately demonstrates that some other method is more cost effective as described in 23 CFR 635.204. Emergency repair work may be accomplished by the contract, negotiated contract or highway agency force account methods as determined by the Highway agency as best suited to protect the public health and safety.
- (j) ER program funding is only to be used to repair highways which have been seriously damaged and is not intended to fund heavy maintenance or routine emergency repair activities which should normally be funded as contingency items in the State and local road programs. An application for ER funds in the range of \$700,000 or less must be accompanied by a showing as to why the damage repair involved is considered to be beyond the scope of heavy maintenance or routine emergency repair. As a general rule, widespread nominal road damages in this range would not be considered to be of a significant nature justifying approval by the FHWA Division Administrator for ER funding.

[52 FR 21948, June 10, 1987, as amended at 61 FR 67212, Dec. 20, 1996; 65 FR 25444, May 2, 2000]

§668.107 Federal share payable.

(a) The Federal share payable on account of any repair or reconstruction provided for by funds made available under 23 U.S.C. 125 of this title on account of any project on a Federal-aid highway system, including the Interstate System, shall not exceed the Federal share payable on a project on such system as provided in 23 U.S.C. 120; except that the Federal share payable for eligible emergency repairs to minimize damage, protect facilities, or restore essential traffic accomplished within 180 days after the actual occurrence of the natural disaster or catastrophic failure may amount to 100 percent of the costs thereof.

(b) Total obligations of ER funds in any State, excluding the Virgin Islands, Guam, American Samoa or Commonwealth of the Northern Mariana Islands, for all projects (including projects on both the Federal-aid systems and those on Federal roads under 23 CFR part 668, subpart B), resulting from a single natural disaster or a single catastrophic failure, shall not exceed \$100 million per disaster or catastrophic failure. The total obligations for ER projects in any fiscal year in the Virgin Islands, Guam, American Samoa and the Commonwealth of the Northern Mariana Islands shall not exceed \$20 million.

[52 FR 21948, June 10, 1987, as amended at 52 FR 32540, Aug. 28, 1987; 61 FR 67212, Dec. 20, 1996; 65 FR 25444, May 2, 2000]

§ 668.109 Eligibility.

- (a) The eligibility of all work is contingent upon approval by the FHWA Division Administrator of an application for ER and inclusion of the work in an approved program of projects.
- (1) Prior FHWA approval or authorization is not required for emergency repairs and preliminary engineering (PE).
- (2) Permanent repairs or restoration must have prior FHWA program approval and authorization, unless done as part of the emergency repairs.

(b) ER funds may participate in:

- (1) Repair to or reconstruction of seriously damaged highway elements as necessary to restore the facility to predisaster conditions, including necessary clearance of debris and other deposits in drainage courses within the right-of way (ROW);
- (2) Restoration of stream channels outside the highway ROW when:
- (i) The public highway agency has responsibility for the maintenance and proper operation of the stream channel section, and
- (ii) The work is necessary for satisfactory operation of the highway system involved;
- (3) Actual PE and construction engineering costs on approved projects;

(4) Emergency repairs;

(5) Temporary operations, including emergency traffic services such as flagging traffic through inundated sections of highways, undertaken by the applicant during or immediately following the disaster:

- (6) Betterments, only where clearly economically justified to prevent future recurring damage. Economic justification must weigh the cost of betterment against the risk of eligible recurring damage and the cost of future repair;
- (7) Temporary work to maintain essential traffic, such as raising roadway grade during a period of flooding by placing fill and temporary surface material;
- (8) Raising the grades of critical Federal-aid highways faced with long-term loss of use due to basin flooding as defined by an unprecedented rise in basin water level both in magnitude and time frame. Such grade raises are not considered to be a betterment for the purpose of 23 CFR 668.109(b)(6); and
- (9) Repair of toll facilities when the provisions of 23 U.S.C. 129 are met. If a toll facility does not have an executed toll agreement with the FHWA at the time of the disaster, a toll agreement may be executed after the disaster to qualify for that disaster.

(c) ER funds may not participate in:

- (1) Heavy maintenance such as repair of minor damages consisting primarily of eroded shoulders, filled ditches and culverts, pavement settlement, mud and debris deposits off the traveled way, slope sloughing, slides, and slipouts in cut or fill slopes. In order to simplify the inspection and estimating process, heavy maintenance may be defined using dollar guidelines developed by the States and Divisions with Regional concurrence;
- (2) Repair of surface damage caused by traffic whether or not the damage was aggravated by saturated subgrade or inundation, except ER funds may participate in:

(i) Repair of surface damage to any public road caused by traffic making repairs to Federal-aid highways.

- (ii) Repair of surface damage to designated detours (which may lie on both Federal-aid and non-Federal-aid routes) caused by traffic that has been detoured from a damaged Federal-aid highway; and
- (iii) Repair of surface damage to Federal-aid highways caused by vehicles responding to a disaster; provided the

§668.111

surface damage has occurred during the first 60 days after a disaster occurrence, unless otherwise approved by the FHWA Division Administrator.

- (3) Repair of damage not directly related to, and isolated away from, the pattern of the disaster;
- (4) Routine maintenance of detour routes, not related to the increased traffic volumes, such as mowing, maintaining drainage, pavement signing, snow plowing, etc.;
- (5) Replacement of damaged or lost material not incorporated into the highway such as stockpiled materials or items awaiting installation;
- (6) Repair or reconstruction of facilities affected by long-term, pre-existing conditions or predictable developing situations, such as, gradual, long-term rises in water levels in basins or slow moving slides, except for raising grades as noted in §668.109(b)(8);
- (7) Permanent repair or replacement of deficient bridges scheduled for replacement with other funds. A project is considered scheduled if the construction phase is included in the FHWA approved Statewide Transportation Improvement Program (STIP);
- (8) Other normal maintenance and operation functions on the highway system including snow and ice removal; and
 - (9) Reimbursing loss of toll revenue.
- (d) Replacement of a highway facility at its existing location is appropriate when it is not technically and economically feasible to repair or restore a seriously damaged element to its predisaster condition and is limited in ER reimbursement to the cost of a new facility to current design standards of comparable capacity and character to the destroyed facility. With respect to a bridge, a comparable facility is one which meets current geometric and construction standards for the type and volume of traffic it will carry during its design life. Where it is neither practical nor feasible to replace a damaged highway facility in kind at its existing location, an alternative selected through the National Environmental Policy Act (NEPA) process, if of comparable function and character to the destroyed facility, is eligible for ER reimbursement.

(e) Except as otherwise provided in paragraph (b)(6) of this section, the total cost of a project eligible for ER funding may not exceed the cost of repair or reconstruction of a comparable facility. ER funds may participate to the extent of eligible repair costs when proposed projects contain unjustified betterments or other work not eligible for ER funds.

[52 FR 21948, June 10, 1987, as amended at 61 FR 67212, Dec. 20, 1996; 65 FR 25444, May 2, 2000]

§ 668.111 Application procedures.

- (a) *Notification*. As soon as possible after the disaster, the applicant shall notify the FHWA Division Administrator of its intent to apply for ER funds.
- (b) Damage survey. As soon as practical after occurrence, the State will make a preliminary field survey, working cooperatively with the FHWA Division Administrator and other governmental agencies with jurisdiction over eligible highways. The preliminary field survey should be coordinated with the Federal Emergency Management Agency work, if applicable, to eliminate duplication of effort. The purpose of this survey is to determine the general nature and extent of damage to eligible highways.
- (1) A damage survey summary report is to be prepared by the State. The purpose of the damage survey summary report is to provide a factual basis for the FHWA Division Administrator's finding that serious damage to Federalaid highways has been caused by a natural disaster over a wide area or a catastrophe. The damage survey summary report should include by political subdivision or other generally recognized administrative or geographic boundaries, a description of the types and extent of damage to highways and a preliminary estimate of cost of restoration or reconstruction for damaged Federal-aid highways in each jurisdiction. Pictures showing the kinds and extent of damage and sketch maps detailing the damaged areas should be included, as appropriate, in the damage survey summary report.
- (2) Unless very unusual circumstances prevail, the damage survey summary report should be prepared

within 6 weeks following the applicant's notification.

- (3) For large disasters where extensive damage to Federal-aid highways is readily evident, the FHWA Division Administrator may approve an application under §668.111(d) prior to submission of the damage survey summary report. In these cases, an abbreviated damage survey summary report, summarizing eligible repair costs by jurisdiction, is to be prepared and submitted to the FHWA Division Administrator after the damage inspections have been completed.
- (c) Application. Before funds can be made available, an application for ER must be made to, and approved by the FHWA Division Administrator. The application shall include:
- (1) A copy of the Governor's proclamation, request for a Presidential declaration, or a Presidential declaration; and

(2) A copy of the damage survey summary report, as appropriate.

(d) Approval of application. The FHWA Division Administrator's approval of the application constitutes the finding of eligibility under 23 U.S.C. 125 and shall constitute approval of the application.

[65 FR 25444, May 2, 2000]

§668.113 Program and project procedures.

(a) Immediately after approval of an application, the FHWA Division Administrator will notify the applicant to proceed with preparation of a program which defines the work needed to restore or replace the damaged facilities. It should be submitted to the FHWA Division Administrator within 3 months of receipt of this notification. The FHWA field office will assist the applicant and other affected agencies in preparation of the program. This work may involve joint site inspections to view damage and reach tentative agreement on type of permanent corrective work to be undertaken. Program data should be kept to a minimum, but should be sufficient to identify the approved disaster or catastrophe and to permit a determination of the eligibility and propriety of proposed work. If the damage survey summary report is determined by the

FHWA Division Administrator to be of sufficient detail to meet these criteria, additional program support data need not be submitted.

- (b) Project procedures. (1) Projects for permanent repairs shall be processed in accordance with regular Federal-aid procedures. In those cases where a regular Federal-aid project in a State similar to the ER project would be handled under the project oversight exceptions found in title 23, United States Code, the ER project can be handled in a similar fashion subject to the following two conditions:
- (i) Any betterment to be incorporated into the project and for which ER funding is requested must receive prior FHWA approval; and
- (ii) The FHWA reserves the right to conduct final inspections on all ER projects. The FHWA Division Administrator has the discretion to undertake final inspections on ER projects as deemed appropriate.
- (2) Simplified procedures, including abbreviated plans should be used where appropriate.
- (3) Emergency repair meets the criteria for categorical exclusions pursuant to 23 CFR 771.117 and normally does not require any further NEPA approvals.

[52 FR 21948, June 10, 1987, as amended at 61 FR 67212, Dec. 20, 1996; 65 FR 25445, May 2, 2000]

Subpart B—Procedures for Federal Agencies for Federal Roads

§ 668.201 Purpose.

To establish policy, procedures, and program guidance for the administration of emergency relief to Federal agencies for the repair or reconstruction of Federal roads which are found to have suffered serious damage by a natural disaster over a wide area or by catastrophic failure.

[43 FR 59485, Dec. 21, 1978]

§ 668.203 Definitions.

(a) *Applicant*. Any Federal agency which submits an application for emergency relief and which has authority to repair or reconstruct Federal roads.

§ 668.205

- (b) Betterments. Added protective features, such as, the relocation or rebuilding of roadways at a higher elevation or the extension, replacement or raising of bridges, and added facilities not existing prior to the natural disaster or catastrophic failure such as additional lanes, upgraded surfacing, or structures.
- (c) Catastrophic failure. The sudden failure of a major element or segment of a Federal road which is not primarily attributable to gradual and progressive deterioration or lack of proper maintenance. The closure of a facility because of imminent danger of collapse is not in itself a sudden failure.
- (d) Emergency repairs. Those repairs, including necessary preliminary engineering (PE), construction engineering (CE), and temporary traffic operations, undertaken during or immediately after a natural disaster or catastrophic failure (1) to restore essential travel, (2) to protect remaining facilities, or (3) to minimize the extent of damage.
- (e) Federal roads. Forest highways, forest development roads and trails, park roads and trails, parkways, public lands highways, public lands development roads and trails, and Indian reservation roads as defined under 23 U.S.C. 101(a).
- (f) Finding. A letter or other official correspondence issued by the Direct Federal Division Engineer (DFDE) to a Federal agency giving notification that pursuant to 23 U.S.C. 125, Federal roads have (Affirmative Finding) or have not (Negative Finding) been found to have suffered serious damage as the result of (1) a natural disaster over a wide area, or (2) a catastrophic failure.
- (g) Natural disaster. An unusual natural occurrence such as a flood, hurricane, severe storm, tidal wave, earthquake, or landslide which causes serious damage.
- (h) *Permanent work*. Repair or reconstruction to pre-disaster or other allowed geometric and construction standards and related PE and CE.
- (i) Direct Federal Division Engineer. Director of one of the Direct Federal field offices located in Vancouver, WA; Denver, CO; and Arlington, VA.
- [43 FR 59485, Dec. 21, 1978, as amended at 47 FR 10529, Mar. 11, 1982]

§ 668.205 Policy.

- (a) This emergency relief program is intended to pay the unusually heavy expenses in the repair and reconstruction of Federal roads resulting from damage caused by natural disasters over a wide area or catastrophic failures
- (b) Emergency relief work shall be given prompt attention and priority over non-emergency work.
- (c) Permanent work shall be done by contract awarded by competitive bidding through formal advertising, where feasible.
- (d) It is in the public interest to perform emergency repairs immediately and prior approval or authorization from the DFDE is not required. Emergency repairs may be performed by the method of contracting (advertised contract, negotiated contract, or force account) which the applicant or the Federal Highway Administration (FHWA) (where FHWA performs the work) determines to be most suited for this work.
- (e) Emergency relief projects shall be promptly constructed. Projects not under construction by the end of the second fiscal year following the year in which the disaster occurred will be reevaluated by the DFDE and will be withdrawn from the approved program of projects unless suitable justification is provided by the applicant to warrant retention.
- (f) The Finding for natural disasters will be based on both the extraordinary character of the natural disturbance and the wide area of impact. Storms of unusual intensity occurring over a small area do not meet these conditions.
- (g) Diligent efforts shall be made to recover repair costs from the legally responsible parties to reduce the project costs where highway damages are caused by ships, barge tows, highway vehicles, vehicles with illegal loads, and similar improperly controlled objects or events.
- (h) Emergency funds shall not duplicate assistance under another Federal program or compensation from insurance or any other source. Where other funding compensates for only part of

an eligible cost, emergency relief funding can be used to pay the remaining costs.

[43 FR 59485, Dec. 21, 1978, as amended at 47 FR 10529, Mar. 11, 1982]

§ 668.207 Federal share payable from emergency fund.

The Federal share payable under this program is 100 percent of the cost.

[43 FR 59485, Dec. 21, 1978]

§ 668.209 Eligibility of work.

- (a) Permanent work must have prior program approval in accordance with paragraph (a) of §668.215 unless such work is performed as emergency repairs.
- (b) Emergency repairs, including permanent work performed incidental to emergency repairs, and all PE may begin immediately and do not need prior program approval. Reimbursement shall be contingent upon the work ultimately being approved in accordance with the requirements of paragraph (a) of §668.215.
- (c) To qualify for emergency relief, the damaged or destroyed road or trail shall be designated as a Federal road.
- (d) Replacement highway facilities are appropriate when it is not practical and economically feasible to repair or restore a damaged element to its pre-existing condition. Emergency relief is limited to the cost of a new facility constructed to current design standards of comparable capacity and character to the destroyed facility. With respect to a bridge, a comparable facility is one which meets current geometric and construction standards for the type and volume of traffic it will carry during its design life.
- (e) Emergency relief funds may participate to the extent of eligible repair costs when proposed projects contain betterments or other work not eligible for emergency funds.
 - (f) Work may include:
- (1) Repair to, or reconstruction of, seriously damaged highway elements for a distance which would be within normal highway right-of-way limits, including necessary clearance of debris and other deposits in drainage courses, where such work would not be classed as heavy maintenance.

- (2) Restoration of stream channels when the work is necessary for the satisfactory operation of the Federal road. The applicant must have responsibility and authority for maintenance and proper operation of stream channels restored.
- (3) Betterments where clearly economically justified to prevent future recurring damage. Economic justification acceptable to the DFDE must weigh the cost of such betterments against the risk of eligible recurring damage and the cost of future repair.
- (4) Actual PE and CE costs on approved projects.
 - (5) Emergency repairs.

[43 FR 59485, Dec. 21, 1978, as amended at 47 FR 10529, Mar. 11, 1982]

§ 668.211 Notification, damage assessment, and finding.

- (a) *Notification*. During or as soon as possible after a natural disaster or catastrophic failure, each applicant will notify the DFDE of its tentative intent to apply for emergency relief and request that a Finding be made.
- (b) Acknowledgment. The DFDE will promptly acknowledge the notification and briefly describe subsequent damage assessment, Finding, and application procedures.
- (c) Field report. The applicant shall cooperate with the DFDE to promptly make a field survey of overall damage and in the preparation of a field report.
- (d) Finding. Using the field report and other information deemed appropriate, the DFDE will promptly issue a Finding and if an Affirmative Finding is made, establish the date after which repair or reconstruction will be considered for emergency relief, and note the dates of the extraordinary natural occurrence or catastrophic event responsible for the damage or destruction.
- (e) Detailed site inspections. (1) If an Affirmative Finding is made, the applicant shall cooperate with the DFDE to make a detailed inspection of each damage site.
- (2) If it appears certain an Affirmative Finding will be made, the DFDE may elect to make these site inspections at the time damage is initially assessed pursuant to paragraph (c) of this section.

§ 668.213

(f) The applicant shall make available to FHWA personnel conducting damage survey and estimate work maps depicting designated Federal roads in the affected area.

[43 FR 59485, Dec. 21, 1978, as amended at 47 FR 10529, Mar. 11, 1982]

§ 668.213 Application procedures.

(a) Based on the detailed site inspections and damage estimates prepared pursuant to paragraph (e) of §668.211, the applicant will submit an application in the form of a letter to the DFDE which shall include a list of projects for which emergency relief is requested. The application shall be submitted within 3 months after an Affirmative Finding.

(b) The list of projects shall include emergency repairs, PE, and permanent work, and provide for each project a location, length, project number, type of damage, description of work with a separate breakdown for betterments including a justification for those intended for emergency relief funding, proposed method of construction, estimated cost, and any other information requested by the DFDE.

(c) If the initial list of projects is incomplete, a subsequent list(s) of projects shall be forwarded to the DFDE for approval consideration as soon as possible.

[43 FR 59485, Dec. 21, 1978, as amended at 47 FR 10529, Mar. 11, 1982]

§668.215 Programming and project procedures

(a) The DFDE will advise the applicant in writing which projects in the application, or in any subsequent submittals pursuant to paragraph (c) of §668.213 are approved including any approval conditions. Approved projects shall constitute the approved program of projects (program).

(b) Plans, specifications, and estimates (PS&E) shall be developed based on work identified in the approved pro-

(c) The DFDE will approve PS&E's, concur in the award of contracts or the rejection of bids, determine that construction by the force account method is in the public interest, and accept completed work in accordance with

interagency procedures established by the DFDE.

(d) The applicant shall notify the DFDE in writing of the semi-annual status and completion of each emergency relief project constructed by applicant forces.

[43 FR 59485, Dec. 21, 1978, as amended at 47 FR 10529, Mar. 11, 1982]

PART 669—ENFORCEMENT OF **HEAVY VEHICLE USE TAX**

Sec.

669.1Scope and purpose.

669.3Policy.

669.5 Objective.

669.7 Certification requirement.

669.9 Certification content.

669.11 Certification submittal

669.13 Effect of failure to certify or to adequately obtain proof of payment.

669.15 Procedure for the reduction of funds.

Compliance finding.

669.19 Reservation and reapportionment of funds.

669.21 Procedure for evaluating state compliance.

AUTHORITY: 23 U.S.C. 141(d) and 315; 49 CFR 1.48(b).

SOURCE: 51 FR 25364, July 14, 1986, unless otherwise noted.

§ 669.1 Scope and purpose.

To prescribe requirements for certification by the states that evidence of proof of payment is obtained either before vehicles subject to the Federal heavy vehicle use tax are lawfully registered or within 4 months after being lawfully registered if a suspension registration system is implemented.

§ 669.3 Policy.

It is the policy of the FHWA that each state require registrants of heavy trucks as described in 26 CFR part 41 to provide proof of payment of the vehicle use tax either before lawfully registering or within 4 months after lawfully registering such vehicles as provided for under a suspension registration system.

§ 669.5 Objective.

The objective of this regulation is to establish realistic and workable procedures for an annual certification process to provide suitable evidence that an

effective program is being conducted by the states and to ensure that the states are not registering vehicles which have not been accounted for under the tax collection procedures instituted by the Internal Revenue Service (IRS).

§ 669.7 Certification requirement.

The Governor of each state, or his or her designee, shall certify to the FHWA before July 1 of each year that it is obtaining proof of payment of the heavy vehicle use tax as a condition of registration in accordance with 23 U.S.C. 141(d). The certification shall cover the 12-month period (8 months for the initial certification period) ending May 31

§ 669.9 Certification content.

The certification shall consist of the following elements:

(a) A statement by the Governor of the state or a state official designated by the Governor, that evidence of payment of the heavy vehicle use tax is being obtained as a condition of registration for all vehicles subject to such tax. The statement shall include the inclusive dates of the period during which payment of the heavy vehicle use tax was verified as a condition of registration.

(b) The certifying statement required by paragraph (a) of this section shall be worded as follows:

I (name of certifying official), (position, title), of the State of (), do hereby certify that evidence of payment of the heavy vehicle use tax pursuant to section 4481 of the Internal Revenue Code of 1954, as amended, is being obtained as a condition of registration for vehicles subject to such tax in accordance with 23 U.S.C. 141(d) and applicable IRS rules. This certification is for the period () to ().

(c) For the initial certification, submit a copy of any state law or regulation pertaining to the implementation of 23 U.S.C. 141(d); for subsequent certifications, submit a copy of any new or revised laws and regulations pertaining to the implementation of 23 U.S.C. 141(d).

§ 669.11 Certification submittal.

The Governor or an official designated by the Governor, shall each

year submit the certification, including the supporting material specified in §669.9 to the FHWA Division Administrator prior to July 1.

§ 669.13 Effect of failure to certify or to adequately obtain proof of payment.

Beginning July 1, 1986, if a state fails to certify as required by this regulation or if the Secretary of Transportation determines that a state is not adequately obtaining proof of payment of the heavy vehicle use tax as a condition of registration notwithstanding the state's certification, Federal-aid highway funds apportioned to the state under 23 U.S.C. 104(b)(5) for the next fiscal year shall be reduced in an amount up to 25 percent as determined by the Secretary.

§ 669.15 Procedure for the reduction of funds.

(a) If it appears to the Federal Highway Administrator that a state has not submitted a certification conforming to the requirements of this regulation or that the state is not adequately obtaining proof of payment of the heavy vehicle use tax under 23 U.S.C. 141(d), the Federal Highway Administrator shall make in writing a proposed determination of nonconformity, and shall notify the Governor of the state of the proposed determination by certified mail. The notice shall state the reasons for the proposed determination and inform the state that it may, within 30 days from the date of the notice, request a conference to show cause why it should not be found in nonconformity.

(b) The conference will be informal in nature and conducted by the Administrator, or his/her designee. In all instances where the state proceeds on this basis, a transcript will be made and furnished to the state by FHWA. The state may offer any information which it considers helpful to a resolution of the matter, and the scope of review at the conference shall include, but not be limited to, state legislative actions (including those proposed to remedy deficiencies), budgetary considerations, judicial actions, and proposals for specific actions which will be

§ 669.17

implemented to bring the state into compliance.

(c) The state has the option to request such a conference, or it may submit such information in writing to the Administrator, who will make a determination on the basis of such materials and other available information.

§ 669.17 Compliance finding.

(a) If, following the conference or review of submitted materials described in §669.15, the Administrator concludes that the state is in compliance, the Administrator shall issue a decision which is the final decision, and the matter shall be concluded.

(b) If, following the conference or review of information submitted under §669.15, the Administrator, with the concurrence of the Secretary, concludes that the state is in noncompliance, the Administrator shall issue a decision, which is the final decision, and the matter be concluded. The decision will be served on the Governor, or his/her designee.

§ 669.19 Reservation and reapportionment of funds.

(a) The Administrator may reserve from obligation up to 25 percent of a state's apportionment of funds under 23 U.S.C. 104(b)(5), pending a final determination.

(b) Funds withheld pursuant to a final administrative determination under this regulation shall be reapportioned to all other eligible states pursuant to the formulas of 23 U.S.C. 104(b)(5) and the apportionment factors

in effect at the time of the original apportionments, unless the Secretary determines, on the basis of information submitted by the state, that the state has come into conformity with this regulation prior to the final determination. If the Secretary determines that the state has come into conformity, the withheld funds shall be released to the state subject to the availability of such funds under 23 U.S.C. 118(b).

(c) The reapportionment of funds under paragraph (b) of this section shall be stayed during the pendency of any judicial review of the Secretary's final determination of nonconformity.

§ 669.21 Procedure for evaluating state compliance.

The FHWA shall periodically review the state's procedures for complying with 23 U.S.C. 141(d), including an inspection of supporting documentation and records. The state shall retain a copy of the receipted IRS Schedule 1 (Form 2290), or an acceptable substitute prescribed by 26 CFR part 41, §41.6001-2, for a period of 1 year for purposes of evaluating state compliance with 23 U.S.C. 141(d) by the FHWA. In lieu of retention of Schedule 1, states may make an appropriate entry in an automated file or on registration documents retained by the state or retain a microfilm or microfiche copy of Schedule 1 or of the automated file as evidence that proof of payment has been received before vehicles subject to the Federal heavy vehicle use tax are reg-

SUBCHAPTER H—RIGHT-OF-WAY AND ENVIRONMENT

PART 710—RIGHT-OF-WAY AND REAL ESTATE

Subpart A—General

Sec.

710.101 Purpose.

710.103 Applicability.

710.105 Definitions.

Subpart B—Program Administration

710.201 State responsibilities.

710.203 Funding and reimbursement.

Subpart C—Project Development

710.301 General.

710.303 Planning.

710.305 Environmental analysis.

710.307 Project agreement.

710.309 Acquisition.

710.311 Construction advertising.

710.313 Design-build projects.

Subpart D—Real Property Management

710.401 General.

710.403 Management.

710.405 Air rights on the Interstate.

710.407 Leasing.

710.409 Disposals.

Subpart E—Property Acquisition Alternatives

710.501 Early acquisition.

710.503 Protective buying and hardship acquisition.

710.505 Real property donations.

710.507 State and local contributions.

710.509 Functional replacement of real property in public ownership.

710.511 Transportation enhancements.

710.513 Environmental mitigation.

Subpart F—Federal Assistance Programs

710.601 Federal land transfer.

710.603 Direct Federal acquisition.

AUTHORITY: Sec. 1307, Pub. L. 105-178, 112 Stat. 107; 23 U.S.C. 101(a), 107, 108, 111, 114, 133, 142(f), 156, 204, 210, 308, 315, 317, and 323; 42 U.S.C. 2000d *et seq.*, 4633, 4651-4655; 49 CFR 1.48(b) and (cc), 18.31, and parts 21 and 24; 23 CFR 1.32.

Source: $64\ FR\ 71290$, Dec. 21, 1999, unless otherwise noted.

Subpart A—General

§710.101 Purpose.

The primary purpose of the requirements in this part is to ensure the prudent use of Federal funds under title 23 of the United States Code in the acquisition, management, and disposal of real property. In addition to the requirements of this part, other real property related provisions apply and are found at 49 CFR part 24.

§710.103 Applicability.

This part applies whenever Federal assistance under title 23 of the United States Code is used. The part applies to programs administered by the Federal Highway Administration. Where Federal funds are transferred to other Federal agencies to administer, those agencies' procedures may be utilized. Additional guidance is available electronically at the FHWA Real Estate services website: http://www.fhwa.dot.gov/realestate/index.htm

§ 710.105 Definitions.

(a) Terms defined in 49 CFR part 24, and 23 CFR part 1 have the same meaning where used in this part, except as modified in this section.

(b) The following terms where used in this part have the following meaning:

Access rights means the right of ingress to and egress from a property that abuts a street or highway.

Acquiring agency means a State agency, other entity, or person acquiring real property for title 23 of the United States Code purposes.

Acquisition means activities to obtain an interest in, and possession of, real property.

Air rights means real property interests defined by agreement, and conveyed by deed, lease, or permit for the use of airspace.

Airspace means that space located above and/or below a highway or other transportation facility's established grade line, lying within the horizontal limits of the approved right-of-way or project boundaries.

§710.201

Damages means the loss in value attributable to remainder property due to severance or consequential damages, as limited by State law, that arise when only part of an owner's property is acquired.

Disposal means the sale of real property or rights therein, including access or air rights, when no longer needed for highway right-of-way or other uses eligible for funding under title 23 of the United States Code.

Donation means the voluntary transfer of privately owned real property for the benefit of a public transportation project without compensation or with compensation at less than fair market value.

Early acquisition means acquisition of real property by State or local governments in advance of Federal authorization or agreement.

Easement means an interest in real property that conveys a right to use a portion of an owner's property or a portion of an owner's rights in the property

NHS means the National Highway System as defined in 23 U.S.C. 103(b).

Oversight agreement means the project approval and agreement concluded between the State and the FHWA to outline which projects will be monitored at the plans, specifications, and estimate stage by FHWA as required by 23 U.S.C. 106(c)(3).

Real property means land and any improvements thereto, including but not limited to, fee interests, easements, air or access rights, and the rights to control use, leasehold, and leased fee interests

Relinquishment means the conveyance of a portion of a highway right-of-way or facility by a State highway department to another government agency for continued transportation use. (See 23 CFR part 620, subpart B.)

Right-of-way means real property and rights therein used for the construction, operation, or maintenance of a transportation or related facility funded under title 23 of the United States Code.

Settlement means the result of negotiations based on fair market value in which the amount of just compensation is agreed upon for the purchase of real

property or an interest therein. This term includes the following:

- (1) An administrative settlement is a settlement reached prior to filing a condemnation proceeding based on value related evidence, administrative consideration, or other factors approved by an authorized agency official.
- (2) A legal settlement is a settlement reached by a responsible State legal representative after filing a condemnation proceeding, including stipulated settlements approved by the court in which the condemnation action had been filed.
- (3) A court settlement or court award is any decision by a court that follows a contested trial or hearing before a jury, commission, judge, or other legal entity having the authority to establish the amount of compensation for a taking under the laws of eminent domain.

State agency means a department, agency, or instrumentality of a State or of a political subdivision of a State; any department, agency, or instrumentality of two or more States or of two or more political subdivisions of a State or States; or any person who has the authority to acquire property by eminent domain, for public purposes, under State law.

State transportation department (STD) means the State highway department, transportation department, or other State transportation agency or commission to which title 23 of the United States Code funds are apportioned.

Uneconomic remnant means a remainder property which the acquiring agency has determined has little or no utility or value to the owner.

Uniform Act means the Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, as amended (Public Law 91-646, 84 Stat. 1894), and the implementing regulations at 49 CFR part 24.

Subpart B—Program Administration

§ 710.201 State responsibilities.

(a) *Organization.* Each STD shall be adequately staffed, equipped, and organized to discharge its real property-related responsibilities.

- (b) Program oversight. The STD shall have overall responsibility for the acquisition, management, and disposal of real property on Federal-aid projects. This responsibility shall include assuring that acquisitions and disposals by a State agency are made in compliance with legal requirements of State and Federal laws and regulations.
- (c) Right-of-way (ROW) operations manual. Each STD which receives funding from the highway trust fund shall maintain a manual describing its rightof-way organization, policies, and procedures. The manual shall describe functions and procedures for all phases of the real estate program, including appraisal and appraisal review, negotiation and eminent domain, property management, and relocation assistance. The manual shall also specify procedures to prevent conflict of interest and avoid fraud, waste, and abuse. The manual shall be in sufficient detail and depth to guide State employees and others involved in acquiring and managing real property. The State manuals should be developed and updated, as a minimum, to meet the following schedule:
- (1) The STD shall prepare and submit for approval by FHWA an up-to-date Right-of-Way Operations Manual by no later than January 1, 2001.
- (2) Every five years thereafter, the chief administrative officer of the STD shall certify to the FHWA that the current ROW operations manual conforms to existing practices and contains necessary procedures to ensure compliance with Federal and State real estate law and regulation.
- (3) The STD shall update the manual periodically to reflect changes in operations and submit the updated materials for approval by the FHWA.
- (d) *Compliance responsibility.* The STD is responsible for complying with current FHWA requirements whether or not its manual reflects those requirements.
- (e) Adequacy of real property interest. The real property interest acquired for all Federal-aid projects funded pursuant to title 23 of the United States Code shall be adequate for the construction, operation, and maintenance of the resulting facility and for the

protection of both the facility and the traveling public.

- (f) *Recordkeeping*. The acquiring agency shall maintain adequate records of its acquisition and property management activities.
- (1) Acquisition records, including records related to owner or tenant displacements, and property inventories of improvements acquired shall be in sufficient detail to demonstrate compliance with this part and 49 CFR part 24. These records shall be retained at least 3 years from either:
- (i) The date the State receives Federal reimbursement of the final payment made to each owner of a property and to each person displaced from a property, or
- (ii) The date a credit toward the Federal share of a project is approved based on early acquisition activities of the State.
- (2) Property management records shall include inventories of real property considered excess to project needs, all authorized uses of airspace, and other leases or agreements for use of real property managed by the STD.
- (g) *Procurement.* Contracting for all activities required in support of State right-of-way programs through use of private consultants and other services shall conform to 49 CFR 18.36.
- (h) Use of other public land acquisition organizations or private consultants. The STD may enter into written agreements with other State, county, municipal, or local public land acquisition organizations or with private consultants to carry out its authorities under paragraph (b) of this section. Such organizations, firms, or individuals must comply with the policies and practices of the STD. The STD shall monitor any such real property acquisition activities to assure compliance with State and Federal law and requirements and is responsible for informing such organizations of all such requirements and for imposing sanctions in cases of material non-compliance.
- (i) Approval actions. Except for the Interstate system, the STD and the FHWA will agree on the scope of property related oversight and approval actions that the FHWA will be responsible for under this part. The content of the most recent oversight agreement

§710.203

shall be reflected in the State right-ofway operations manual. The oversight agreement, and thus the manual, will indicate for which non-Interstate Federal-aid project submission of materials for review and approval are required.

- (j) Approval of just compensation. The amount determined to be just compensation shall be approved by a responsible official of the acquiring agency.
- (k) Description of acquisition process. The STD shall provide persons affected by projects or acquisitions advanced under title 23 of the United States Code with a written description of its real property acquisition process under State law and of the owner's rights, privileges, and obligations. The description shall be written in clear, nontechnical language and, where appropriate, be available in a language other than English.

$\S\,710.203$ Funding and reimbursement.

- (a) *General conditions.* The following conditions are a prerequisite to Federal participation in the costs of acquiring real property except as provided in §710.501 for early acquisition:
- (1) The project for which the real property is acquired is included in an approved Statewide Transportation Improvement Program (STIP);
- (2) The State has executed a project agreement;
- (3) Preliminary acquisition activities, including a title search and preliminary property map preparation necessary for the completion of the environmental process, can be advanced under preliminary engineering prior to National Environmental Policy Act (NEPA) (42 U.S.C. 4321 et seq.) clearance, while other work involving contact with affected property owners must normally be deferred until after NEPA approval, except as provided in 23 CFR 710.503 for protective buying and hardship acquisition; and in 23 CFR 710.501, early acquisition. Appraisal completion may be authorized as preliminary right-of-way activity prior to completion of the environmental document; and
- (4) Costs have been incurred in conformance with State and Federal law requirements.

- (b) Direct eligible costs. Federal participation in real property costs is limited to the costs of property incorporated into the final project and the associated direct costs of acquisition, unless provided otherwise. Participation is provided for:
- (1) Real property acquisition. Usual costs and disbursements associated with real property acquisition required under the laws of the State, including the following:
- (i) The cost of contracting for private acquisition services or the cost associated with the use of local public agencies.
- (ii) The cost of acquisition activities, such as, appraisal, appraisal review, cost estimates, relocation planning, right-of-way plan preparation, title work, and similar necessary right-of-way related work.
- (iii) The cost to acquire real property, including incidental expenses.
- (iv) The cost of administrative settlements in accordance with 49 CFR 24.102(i), legal settlements, court awards, and costs incidental to the condemnation process.
- (v) The cost of minimum payments and appraisal waiver amounts included in the State approved manual.
- (2) Relocation assistance and payments. Usual costs and disbursements associated with the following:
- (i) Relocation assistance and payments required under 49 CFR part 24, and
- (ii) Relocation assistance and payments provided under the laws of the State that may exceed the requirements of 49 CFR part 24, except for relocation assistance and payments provided to aliens not lawfully present in the United States.
- (3) Damages. The cost of severance and/or consequential damages to remaining real property resulting from a partial acquisition, actual or constructive, of real property for a project based on elements compensable under applicable State law.
- (4) Property management. The net cost of managing real property prior to and during construction to provide for maintenance, protection, and the clearance and disposal of improvements until final project acceptance.

- (5) Payroll-related expenses and technical guidance. Salary and related expenses of employees of an acquiring agency are eligible costs in accordance with OMB Circular A-87 (available at http://www.whitehouse.gov/omb/circulars). This includes State costs incurred for managing or providing technical guidance, consultation or oversight on projects where right-of-way services are performed by a political subdivision or others.
- (6) Property not incorporated into a project funded under title 23 of the United States Code. The cost of property not incorporated into a project may be eligible for reimbursement in the following circumstances:
- (i) General. Costs for construction material sites, property acquisitions to a logical boundary, or for eligible transportation enhancement, sites for disposal of hazardous materials, environmental mitigation, environmental banking activities, or last resort housing.
- (ii) Easements not incorporated into the right-of-way. The cost of acquiring easements outside the right-of-way for permanent or temporary use.
- (7) *Uneconomic remnants.* The cost of uneconomic remnants purchased in connection with the acquisition of a partial taking for the project as required by the Uniform Act.
- (8) Access rights. Payment for full or partial control of access on an existing highway (i.e., one not on a new location), based on elements compensable under applicable State law. Participation does not depend on another real property interest being acquired or on further construction of the highway facility.
- (9) Utility and railroad property. (i) The cost to replace operating real property owned by a displaced utility or railroad and conveyed to an STD for a highway project, as provided in 23 CFR part 140, subpart I, Reimbursement for Railroad Work, and 23 CFR part 645, Subpart A, Utility Relocations, Adjustments and Reimbursement, and 23 CFR part 646, Subpart B, Railroad-Highway Projects.
- (ii) Participation in the cost of acquiring non-operating utility or railroad real property shall be in the same

- manner as that used in the acquisition of other privately owned property.
- (c) Withholding payment. The FHWA may withhold payment under the conditions in 23 CFR 1.36 where the State fails to comply with Federal law or regulation, State law, or under circumstances of waste, fraud, and abuse.
- (d) *Indirect costs*. Indirect costs may be claimed under the provisions of OMB Circular A-87. Indirect costs may be included on Federal-aid billings after the indirect cost rate has been approved by FHWA.

[64 FR 71290, Dec. 21, 1999, as amended at 67 FR 12863, Mar. 20, 2002]

Subpart C—Project Development

§710.301 General.

The project development process typically follows a sequence of actions and approvals in order to qualify for funding. The key steps in this process are provided in this subpart.

§710.303 Planning.

State and local governments conduct metropolitan and statewide planning to develop coordinated, financially constrained system plans to meet transportation needs for local and statewide systems, under FHWA's planning regulations contained in 23 CFR part 450. In addition, air quality nonattainment areas must meet the requirements of the U.S. EPA Transportation conformity regulations (40 CFR parts 51 and 93). Projects must be included in an approved State Transportation Improvement Program (STIP) in order to be eligible for Federal-aid funding.

§710.305 Environmental analysis.

The National Environmental Policy Act (NEPA) process, as described in FHWA's NEPA regulations in 23 CFR part 771, normally must be conducted and concluded with a record of decision (ROD) or equivalent before Federal funds can be placed under agreement for acquisition of right-of-way. Where applicable, a State also must complete Clean Air Act (42 U.S.C. 7401 et seq.) project level conformity analysis. In

§710.307

areas in which the Clean Air Act conformity determination has lapsed, acquiring agencies must coordinate with Federal Highway Administration for special instructions prior to initiating new projects or continuing activity on existing projects. At the time of processing an environmental document, a State may request reimbursement of costs incurred for early acquisition, provided conditions prescribed in 23 U.S.C. 108(c) and 23 CFR 710.501, are satisfied.

§710.307 Project agreement.

As a condition of Federal-aid, the STD shall obtain FHWA authorization in writing or electronically before proceeding with any real property acquisitions, including hardship acquisition and protective buying (see 23 CFR 710.503). The STD must prepare a project agreement in accordance with 23 CFR part 630, subpart C. The agreement shall be based on an acceptable estimate for the cost of acquisition. On projects where the initial project agreement was executed after June 9, 1998, a State may request credit toward the non-Federal share, for early acquisitions, donations, or other contributions applied to the project provided conditions in 23 U.S.C. 323 and 23 CFR 710.501, are satisfied.

§710.309 Acquisition.

The process of acquiring real property includes appraisal, appraisal review, establishing just compensation, negotiations, administrative and legal settlements, and condemnation. The State shall conduct acquisition and related relocation activities in accordance with 49 CFR part 24.

§710.311 Construction advertising.

The State must manage real property acquired for a project until it is required for construction. Clearance of improvements can be scheduled during the acquisition phase of the project using sale/removal agreements, separate demolition contracts, or be included as a work item in the construction contract. On Interstate projects, prior to advertising for construction, the State shall develop ROW availability statements and certifications related to project acquisitions as re-

quired by 23 CFR 635.309. For non-Interstate projects, the oversight agreement must specify responsibility for the review and approval of the ROW availability statements and certifications. Generally, for non-NHS projects, the State has full responsibility for determining that right-of-way is available for construction.

§710.313 Design-build projects.

(a) In the case of a design-build project, right-of-way must be acquired and cleared in accordance with the Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, as amended, and STD right-of-way procedures. The STD shall submit a right-of-way certification in accordance with 23 CFR 635.309(p) when requesting FHWA's authorization. If the right-of-way services are included in the Request for Proposal document, the STD shall ensure that right-of-way is available prior to the start of physical construction on individual properties

(b) The decision to advance a right-of-way segment to the construction stage shall not impair the safety or in anyway be coercive in the context of 49 CFR 24.102(h) with respect to unacquired or occupied properties on the same or adjacent segments of project right-of-way.

(c) Certain right-of-way acquisition and clearance services may be incorporated into the design-build contract if allowed under State law. The contract may include language that provides that construction will not commence until all property is acquired and relocations have been completed; or, the construction could be phased or segmented to allow right-of-way activities to be completed on individual properties or a group of properties, thereby allowing certification in a manner satisfactory to the STD for each phase or segment.

(d) If the STD elects to include rightof-way services in the design-build contract, the following provisions must be addressed in the request for proposals document:

(1)(i) The design-builder must submit written acquisition and relocation procedures to the STD for approval prior to commencing right-of-way activities.

These procedures should contain a prioritized appraisal, acquisition, and relocation strategy as well as check points for STD approval, such as approval of just compensation, replacement housing payment calculations, replacement housing payment and moving cost claims, appraisals, administrative and stipulated settlements that exceed determined thresholds based on a risk management analysis, etc. STD's which have an FHWA approved procedures manual, in accordance with 23 CFR 710.201(c), may comply with this section by requiring the design-builder to execute a certification in its proposal that it has received the approved right-of-way manual and will comply with the proce-

- (ii) The written relocation plan must provide reasonable time frames for the orderly relocation of residents and businesses on the project as provided at 49 CFR 24.205. It should be understood that these time frames will be based on best estimates of the time it will take to acquire the right-of-way and relocate families in accordance with certain legal requirements and time frames which may not be violated. Accordingly, the time frames estimated for right-of-way acquisition will not be compressed in the event other necessary actions preceding right-of-way acquisition miss their assigned due dates.
- (2)(i) The design-builder must establish a project tracking system and quality control system. This system must show the appraisal, acquisition and relocation status of all parcels.
- (ii) The quality control system may be administered by an independent consultant with the necessary expertise in appraisal, acquisition and relocation policies and procedures, who can make periodic reviews and reports to the design-builder and the STD.
- (3) The STD may consider the establishment of a hold off zone around all occupied properties to ensure compliance with right-of-way procedures prior to starting construction activities in affected areas. The limits of this zone should be established by the STD prior to the design-builder entering on the property. There should be no construction related activity within the

hold off zone until the property is vacated. The design-builder must have written notification of vacancy from the right-of-way quality control consultant or STD prior to entering the hold off zone.

- (4) Adequate access shall be provided to all occupied properties to insure emergency and personal vehicle access.
- (5) Utility service must be available to all occupied properties at all times prior to and until relocation is completed.
- (6) Open burning should not occur within 305 meters (1,000 feet) of an occupied dwelling.
- (7) The STD will provide a right-ofway project manager who will serve as the first point of contact for all rightof-way issues.
- (e) If the STD elects to perform all right-of-way services relating to the design-build contract, the provisions in §710.311 will apply. The STD will notify potential offerors of the status of all right-of-way issues in the request for proposal document.

[67 FR 75935, Dec. 10, 2002]

Subpart D—Real Property Management

§ 710.401 General.

This subpart describes the acquiring agency's responsibilities to control the use of real property required for a project in which Federal funds participated in any phase of the project. Prior to allowing any change in access control or other use or occupancy of acquired property along the Interstate, the STD shall secure an approval from the FHWA for such change or use. The STD shall specify in the State's ROW operations manual, procedures for the rental, leasing, maintenance, and disposal of real property acquired with title 23 of the United States Code funds. The State shall assure that local agencies follow the State's approved procedures, or the local agencies own procedures if approved for use by the

§710.403 Management.

(a) The STD must assure that all real property within the boundaries of a

§710.405

federally-aided facility is devoted exclusively to the purposes of that facility and is preserved free of all other public or private alternative uses, unless such alternative uses are permitted by Federal regulation or the FHWA. An alternative use must be consistent with the continued operation, maintenance, and safety of the facility, and such use shall not result in the exposure of the facility's users or others to hazards.

- (b) The STD shall specify procedures in the State manual for determining when a real property interest is no longer needed. These procedures must provide for coordination among relevant STD organizational units, including maintenance, safety, design, planning, right-of-way, environment, access management, and traffic operations
- (c) The STD shall evaluate the environmental effects of disposal and leasing actions requiring FHWA approval as provided in 23 CFR part 771.
- (d) Acquiring agencies shall charge current fair market value or rent for the use or disposal of real property interests, including access control, if those real property interests were obtained with title 23 of the United States Code funding, except as provided in paragraphs (d) (1) through (5) of this section. Since property no longer needed for a project was acquired with public funding, the principle guiding disposal would normally be to sell the property at fair market value and use the funds for transportation purposes. The term fair market value as used for acquisition and disposal purposes is as defined by State statute and/or State court decisions. Exceptions to the general requirement for charging fair market value may be approved in the following situations:
- (1) With FHWA approval, when the STD clearly shows that an exception is in the overall public interest for social, environmental, or economic purposes; nonproprietary governmental use; or uses under 23 U.S.C. 142(f), Public Transportation. The STD manual may include criteria for evaluating disposals at less than fair market value. Disposal for public purposes may also be at fair market value. The STD shall

submit requests for such exceptions to the FHWA in writing.

- (2) Use by public utilities in accordance with 23 CFR part 645.
- (3) Use by Railroads in accordance with 23 CFR part 646.
- (4) Use for Bikeways and pedestrian walkways in accordance with 23 CFR part 652.
- (5) Use for transportation projects eligible for assistance under title 23 of the United States Code.
- (e) The Federal share of net income from the sale or lease of excess real property shall be used by the STD for activities eligible for funding under title 23 of the United States Code. Where project income derived from the sale or lease of excess property is used for subsequent title 23 projects, use of the income does not create a Federal-aid project.
- (f) No FHWA approval is required for disposal of property which is located outside of the limits of the right-of-way if Federal funds did not participate in the acquisition cost of the property.
- (g) Highway facilities in which Federal funds participated in either the right-of-way or construction may be relinquished to another governmental agency for continued highway use under the provisions of 23 CFR 620, subpart B.

§710.405 Air rights on the Interstate.

- (a) The FHWA policies relating to management of airspace on the Interstate for non-highway purposes are included in this section. Although this section deals specifically with approval actions on the Interstate, any use of airspace contemplated by a STD must assure that such occupancy, use, or reservation is in the public interest and does not impair the highway or interfere with the free and safe flow of traffic as provided in 23 CFR 1.23.
- (1) This subpart applies to Interstate facilities which received title 23 of the United States Code assistance in any
- (2) This subpart does not apply to the following:
- (i) Non-Interstate highways.
- (ii) Railroads and public utilities which cross or otherwise occupy Federal-aid highway right-of-way.

- (iii) Relocations of railroads or utilities for which reimbursement is claimed under 23 CFR part 140, subparts E and H.
- (iv) Bikeways and pedestrian walkways as covered in 23 CFR part 652.
- (b) A STD may grant rights for temporary or permanent occupancy or use of Interstate system airspace if the STD has acquired sufficient legal right, title, and interest in the right-of-way of a federally assisted highway to permit the use of certain airspace for non-highway purposes; and where such airspace is not required presently or in the foreseeable future for the safe and proper operation and maintenance of the highway facility. The STD must obtain prior FHWA approval, except for paragraph (c) of this section.

(c) An STD may make lands and rights-of-way available without charge to a publicly owned mass transit authority for public transit purposes whenever the public interest will be served, and where this can be accomplished without impairing automotive safety or future highway improvements

(d) An individual, company, organization, or public agency desiring to use airspace shall submit a written request to the STD. If the STD recommends approval, it shall forward an application together with its recommendation and any necessary supplemental information including the proposed airspace agreement to the FHWA. The submission shall affirmatively provide for adherence to all policy requirements contained in this subpart and conform to the provisions in the FHWA's Airspace Guidelines at: http://www.fhwa.dot.gov/realestate/index.htm.

§710.407 Leasing.

(a) Leasing of real property acquired with title 23 of the United States Code, funds shall be covered by an agreement between the STD and lessee which contains provisions to insure the safety and integrity of the federally funded facility. It shall also include provisions governing lease revocation, removal of improvements at no cost to the FHWA, adequate insurance to hold the State FHWA harmless, and the nondiscrimination, access by the STD and the FHWA for inspection, maintenance, and reconstruction of the facility.

- (b) Where a proposed use requires changes in the existing transportation facility, such changes shall be provided without cost to Federal funds unless otherwise specifically agreed to by the STD and the FHWA.
- (c) Proposed uses of real property shall conform to the current design standards and safety criteria of the Federal Highway Administration for the functional classification of the highway facility in which the property is located.

§ 710.409 Disposals.

- (a) Real property interests determined to be excess to transportation needs may be sold or conveyed to a public entity or to a private party in accordance with §710.403(d).
- (b) Federal, State, and local agencies shall be afforded the opportunity to acquire real property interests considered for disposal when such real property interests have potential use for parks, conservation, recreation, or related purposes, and when such a transfer is allowed by State law. When this potential exists, the STD shall notify the appropriate resource agencies of its intentions to dispose of the real property interests. The notifications can be accomplished by placing the appropriate agencies on the States' disposal notification listing.
- (c) Real property interests may be retained by the STD to restore, preserve, or improve the scenic beauty and environmental quality adjacent to the transportation facility.
- (d) Where the transfer of properties to other agencies at less than fair market value for continued public use is clearly justified as in the public interest and approved by the FHWA, the deed shall provide for reversion of the property for failure to continue public ownership and use. Where property is sold at fair market value no reversion clause is required. Disposal actions described in 23 CFR 710.403(d)(1) for less than fair market value require a public interest determination and FHWA approval, consistent with that section.

[64 FR 71290, Dec. 21, 1999, as amended at 67 FR 12863, Mar. 20, 2002]

§710.501

Subpart E—Property Acquisition Alternatives

§710.501 Early acquisition.

- (a) Real property acquisition. The State may initiate acquisition of real property at any time it has the legal authority to do so based on program or project considerations. The State may undertake early acquisition for corridor preservation, access management, or other purposes.
- (b) Eligible costs. Acquisition costs incurred by a State agency prior to executing a project agreement with the FHWA are not eligible for Federal-aid reimbursement. However, such costs may become eligible for use as a credit towards the State's share of a Federal-aid project if the following conditions are met:
- (1) The property was lawfully obtained by the State;
- (2) The property was not land described in 23 U.S.C. 138;
- (3) The property was acquired in accordance with the provisions of 49 CFR part 24;
- (4) The State complied with the requirements of title VI of the Civil Rights Act of 1964 (42 U.S.C. 2000d-2000d-4);
- (5) The State determined and the FHWA concurs that the action taken did not influence the environmental assessment for the project, including:
- (i) The decision on need to construct the project:
- (ii) The consideration of alternatives; and
- (iii) The selection of the design or location; and
- (6) The property will be incorporated into a Federal-aid project.
- (7) The original project agreement covering the project was executed on or after June 9, 1998.
- (c) Reimbursement. In addition to meeting all provisions in paragraph (b) of this section, the FHWA approval for reimbursement for early acquisition costs, including costs associated with displacement of owners or tenants, requires the STD to demonstrate that:
- (1) Prior to acquisition, the STD made the certifications and determinations required by 23 U.S.C. 108(c)(2)(C) and (D); and

(2) The STD obtained concurrence from the Environmental Protection Agency in the findings made under paragraph (b)(5) of this section regarding the NEPA process.

§710.503 Protective buying and hardship acquisition.

- (a) General conditions. Prior to the STD obtaining final environmental approval, the STD may request FHWA agreement to provide reimbursement for advance acquisition of a particular parcel or a limited number of parcels, to prevent imminent development and increased costs on the preferred location (Protective Buying), or to alleviate hardship to a property owner or owners on the preferred location (Hardship Acquisition), provided the following conditions are met:
- (1) The project is included in the currently approved STIP;
- (2) The STD has complied with applicable public involvement requirements in 23 CFR parts 450 and 771;
- (3) A determination has been completed for any property subject to the provisions of 23 U.S.C. 138; and
- (4) Procedures of the Advisory Council on Historic Preservation are completed for properties subject to 16 U.S.C. 470(f) (historic properties).
- (b) Protective buying. The STD must clearly demonstrate that development of the property is imminent and such development would limit future transportation choices. A significant increase in cost may be considered as an element justifying a protective purchase
- (c) *Hardship acquisitions*. The STD must accept and concur in a request for a hardship acquisition based on a property owner's written submission that:
- (i) Supports the hardship acquisition by providing justification, on the basis of health, safety or financial reasons, that remaining in the property poses an undue hardship compared to others; and
- (2) Documents an inability to sell the property because of the impending project, at fair market value, within a time period that is typical for properties not impacted by the impending project.
- (d) Environmental decisions. Acquisition of property under this section

shall not influence the environmental assessment of a project, including the decision relative to the need to construct the project or the selection of a specific location.

§710.505 Real property donations.

- (a) Donations of property being acquired. A non-governmental owner whose real property is required for a Federal-aid project may donate the property to the STD. Prior to accepting the property, the owner must be informed by the agency of his/her right to receive just compensation for the property. The owner shall also be informed of his/her right to an appraisal of the property by a qualified appraiser, unless the STD determines that an appraisal is unnecessary because the valuation problem is uncomplicated and the fair market value is estimated at no more than \$2500, or the State appraisal waiver limit approved by the FHWA, whichever is greater. All donations of property received prior to the approval of the NEPA document must meet environmental requirements as specified in 23 U.S.C. 323(d).
- (b) Credit for donations. Donations of real property may be credited to the State's matching share of the project. Credit to the State's matching share for donated property shall be based on fair market value established on the earlier of the following: either the date on which the donation becomes effective, or the date on which equitable title to the property vests in the State. The fair market value shall not include increases or decreases in value caused by the project. Donations may be made at anytime during the development of a project. The STD shall develop sufficient documentation to indicate compliance with paragraph (a) of this section and to support the amount of credit applied. The total credit cannot exceed the State's pro-rata share under the project agreement to which it is applied.
- (c) Donations and conveyances in exchange for construction features or services. A property owner may donate property in exchange for construction features or services. The value of the donation is limited to the fair market value of property donated less the cost of the construction features or serv-

ices. If the value of the donated property exceeds the cost of the construction features or services, the difference may be eligible for a credit to the State's share of project costs.

§710.507 State and local contributions.

- (a) General. Real property owned by State and local governments incorporated within a federally funded project can be used as a credit toward the State matching share of total project cost. A credit cannot exceed the State's matching share required by the project agreement.
- (b) Effective date. Credits can be applied to projects where the initial project agreement is executed after June 9, 1998.
- (c) *Exemptions*. Credits are not available for lands acquired with any form of Federal financial assistance, or for lands already incorporated and used for transportation purposes.
- (d) State contributions. Real property acquired with State funds and required for federally-assisted projects may support a credit toward the non-Federal share of project costs. The STD must prepare documentation supporting all credits including:
- (1) A certification that the acquisition satisfied the conditions in $23\ CFR\ 710.501(b)$; and
- (2) Justification of the value of credit applied. Acquisition costs incurred by the State to acquire title can be used as justification for the value of the real property.
- (e) Credit for local government contributions. A contribution by a unit of local government of real property which is offered for credit, in connection with a project eligible for assistance under this title, shall be credited against the State share of the project at fair market value of the real property. Property may also be presented for project use with the understanding that no credit for its use is sought. The STD shall assure that the acquisition satisfied the conditions in 23 CFR 710.501(b), and that documentation justifies the amount of the credit.

§710.509

§ 710.509 Functional replacement of real property in public ownership.

- (a) General. When publicly owned real property, including land and/or facilities, is to be acquired for a Federal-aid highway project, in lieu of paying the fair market value for the real property, the State may provide compensation by functionally replacing the publicly owned real property with another facility which will provide equivalent utility.
- (b) Federal participation. Federal-aid funds may participate in functional replacement costs only if:
- (1) Functional replacement is permitted under State law and the STD elects to provide it.
- (2) The property in question is in public ownership and use.
- (3) The replacement facility will be in public ownership and will continue the public use function of the acquired facility.
- (4) The State has informed the agency owning the property of its right to an estimate of just compensation based on an appraisal of fair market value and of the option to choose either just compensation or functional replacement
- (5) The FHWA concurs in the STD determination that functional replacement is in the public interest.
- (6) The real property is not owned by a utility or railroad.
- (c) Federal land transfers. Use of this section for functional replacement of real property in Federal ownership shall be in accordance with Federal land transfer provisions in subpart F of this part.
- (d) Limits upon participation. Federalaid participation in the costs of functional replacement are limited to costs which are actually incurred in the replacement of the acquired land and/or facility and are:
- (1) Costs for facilities which do not represent increases in capacity or betterments, except for those necessary to replace utilities, to meet legal, regulatory, or similar requirements, or to meet reasonable prevailing standards; and
- (2) Costs for land to provide a site for the replacement facility.
- (e) Procedures. When a State determines that payments providing for

functional replacement of public facilities are allowable under State law, the State will incorporate within the State's ROW operating manual full procedures covering review and oversight that will be applied to such cases.

§ 710.511 Transportation enhancements.

- (a) General. Section 133(b) (8) of title 23 of the United States Code authorizes the expenditure of surface transportation funds for transportation enhancement activities (TEA). Transportation enhancement activities which involve the acquisition, management, and disposition of real property, and the relocation of families, individuals, and businesses, are governed by the general requirements of the Federal-aid program found in titles 23 and 49 of the Code of Federal Regulations (CFR), except as specified in paragraph (b)(3) of this section.
- (b) Requirements. (1) Displacements for TEA are subject to the Uniform Act.
- (2) Acquisitions for TEA are subject to the Uniform Act except as provided in paragraphs (b)(3), (b)(4), and (b)(5) of this section.
- (3) Entities acquiring real property for TEA who lack the power of eminent domain may comply with the Uniform Act by meeting the limited requirements under 49 CFR 24.101(a)(2).
- (4) The requirements of the Uniform Act do not apply when real property acquired for a TEA was purchased from a third party by a qualified conservation organization, and—
- (i) The conservation organization is not acting on behalf of the agency receiving TEA or other Federal-aid funds, and
- (ii) There was no Federal approval of property acquisition prior to the involvement of the conservation organization. ['Federal approval of property acquisition' means the date of the approval of the environmental document or project authorization/agreement, whichever is earlier. "Involvement of the conservation organization' means the date the organization makes a legally binding offer to acquire a real property interest, including an option to purchase, in the property.]

Federal Highway Administration, DOT

- (5) When a qualified conservation organization acquires real property for a project receiving Federal-aid highway funds on behalf of an agency with eminent domain authority, the requirements of the Uniform Act apply as if the agency had acquired the property itself.
- (6) When, subsequent to Federal approval of property acquisition, a qualified conservation organization acquires real property for a project receiving Federal-aid highway funds, and there will be no use or recourse to the power of eminent domain, the limited requirements of 49 CFR 24.101(a)(2) apply.
- (c) Property management. Real property acquired with TEA funds shall be managed in accordance with the property management requirements provided in subpart D of this part. Any use of the property for purposes other than that for which the TEA funds were provided must be consistent with the continuation of the original use. When the original use of the real property is converted by sale or lease to another use inconsistent with the original use, the STD shall assure that the fair market value or rent is charged and the proceeds reapplied to projects eligible under title 23 of the United States Code.

§710.513 Environmental mitigation.

- (a) The acquisition and maintenance of land for wetlands mitigation, wetlands banking, natural habitat, or other appropriate environmental mitigation is an eligible cost under the Federal-aid program. FHWA participation in wetland mitigation sites and other mitigation banks is governed by 23 CFR part 777.
- (b) Environmental acquisitions or displacements by both public agencies and private parties are covered by the Uniform Act when they are the result of a program or project undertaken by a Federal agency or one that receives Federal financial assistance. This includes real property acquired for a wetland bank, or other environmentally related purpose, if it is to be used to mitigate impacts created by a Federal-aid highway project.

Subpart F—Federal Assistance Programs

§710.601 Federal land transfer.

- (a) The provisions of this subpart apply to any project undertaken with funds for the National Highway System. When the FHWA determines that a strong Federal transportation interest exists, these provisions may also be applied to highway projects that are eligible for Federal-aid under Chapters 1 and 2 of title 23, of the United States Code, and to highway-related transfers that are requested by a State in conjunction with a military base closure under the Defense Base Closure and Realignment Act of 1990 (Public Law 101–510, 104 Stat. 1808, as amended).
- (b) Sections 107(d) and 317 of title 23, of the United States Code provide for the transfer of lands or interests in lands owned by the United States to an STD or its nominee for highway purposes.
- (c) The STD may file an application with the FHWA, or can make application directly to the land-owning agency if the land-owning agency has its own authority for granting interests in land.
- (d) Applications under this section shall include the following information:
- (1) The purpose for which the lands are to be used;
- (2) The estate or interest in the land required for the project;
- (3) The Federal-aid project number or other appropriate references;
- (4) The name of the Federal agency exercising jurisdiction over the land and identity of the installation or activity in possession of the land;
- (5) A map showing the survey of the lands to be acquired;
- (6) A legal description of the lands desired; and
- (7) A statement of compliance with the National Environmental Policy Act of 1969 (42 U.S.C. 4332, *et seq.*) and any other applicable Federal environmental laws, including the National Historic Preservation Act (16 U.S.C. 470(f)), and 23 U.S.C. 138.
- (e) If the FHWA concurs in the need for the transfer, the land-owning agency will be notified and a right-of-entry requested. The land-owning agency

§710.603

shall have a period of four months in which to designate conditions necessary for the adequate protection and utilization of the reserve or to certify that the proposed appropriation is contrary to the public interest or inconsistent with the purposes for which such land or materials have been reserved. The FHWA may extend the four-month reply period at the timely request of the land-owning agency for good cause.

(f) Deeds for conveyance of lands or interests in lands owned by the United States shall be prepared by the STD and certified by an attorney licensed within the State as being legally sufficient. Such deeds shall contain the clauses required by the FHWA and 49 CFR 21.7(a)(2). After the STD prepares the deed, it will submit the proposed deed with the certification to the FHWA for review and execution.

(g) Following execution, the STD shall record the deed in the appropriate land record office and so advise the FHWA and the concerned agency.

(h) When the need for the interest acquired under this subpart no longer exists, the STD must restore the land to the condition which existed prior to the transfer and must give notice to the FHWA and to the concerned Federal agency that such interest will immediately revert to the control of the Federal agency from which it was appropriated or to its assigns. Alternative arrangements may be made for the sale or reversion or restoration of the lands no longer required as part of a memorandum of understanding or separate agreement.

§710.603 Direct Federal acquisition.

(a) The provisions of this section apply to any land and or improvements needed in connection with any project on the Interstate System, defense access roads, public lands highways, park roads, parkways, Indian reservation roads, and projects performed by the FHWA in cooperation with Federal and State agencies. For projects on the Interstate System and defense access roads, the provisions of this part are applicable only where the State is unable to acquire the required right-of-way or is unable to obtain possession with sufficient promptness.

- (b) To enable the FHWA to make the necessary finding to proceed with the acquisition of the rights-of-way, the STDs written application for Federal acquisition shall include:
- Justification for the Federal acquisition of the lands or interests in lands:
- (2) The date the FHWA authorized the STD to commence right-of-way acquisition, the date of the project agreement and a statement that the agreement contains the provisions required by 25 U.S.C. 111;
- (3) The necessity for acquisition of the particular lands under request;
- (4) A statement of the specific interests in lands to be acquired, including the proposed treatment of control of access;
- (5) The STDs intentions with respect to the acquisition, subordination, or exclusion of outstanding interests, such as minerals and utility easements, in connection with the proposed acquisition;
- (6) A statement on compliance with the provisions of part 771 of this chapter:
- (7) Adequate legal descriptions, plats, appraisals, and title data;
- (8) An outline of the negotiations which have been conducted by the STD with landowners;
- (9) An agreement that the STD will pay its pro rata share of costs incurred in the acquisition of, or the attempt to acquire rights-of-way; and
- (10) A statement that assures compliance with the applicable provisions of the Uniform Act. (42 U.S.C. 4601, et seq.)
- (c) If the landowner tenders a rightof-entry or other right of possession document required by State law any time before the FHWA makes a determination that the STD is unable to acquire the rights-of-way with sufficient promptness, the STD is legally obligated to accept such tender and the FHWA may not proceed with Federal acquisition.
- (d) If the STD obtains title to a parcel prior to the filing of the Declaration of Taking, it shall notify the FHWA and immediately furnish the appropriate U.S. Attorney with a disclaimer together with a request that the action against the landowner be

dismissed (ex parte) from the proceeding and the estimated just compensation deposited into the registry of the court for the affected parcel be withdrawn after the appropriate motions are approved by the court.

(e) When the United States obtains a court order granting possession of the real property, the FHWA shall authorize the STD to take over supervision of the property. The authorization shall include, but need not be limited to, the following:

(1) The right to take possession of unoccupied properties;

(2) The right to give 90 days notice to owners to vacate occupied properties and the right to take possession of such properties when vacated;

- (3) The right to permit continued occupancy of a property until it is required for construction and, in those instances where such occupancy is to be for a substantial period of time, the right to enter into rental agreements, as appropriate, to protect the public interest:
- (4) The right to request assistance from the U.S. Attorney in obtaining physical possession where an owner declines to comply with the court order of possession;
- (5) The right to clear improvements and other obstructions:
- (6) Instructions that the U.S. Attorney be notified prior to actual clearing, so as to afford him an opportunity to view the lands and improvements, to obtain appropriate photographs, and to secure appraisals in connection with the preparation of the case for trial;

(7) The requirement for appropriate credits to the United States for any net salvage or net rentals obtained by the State, as in the case of right-of-way acquired by the State for Federal-aid projects; and

(8) Instructions that the authority granted to the STD is not intended to preclude the U.S. Attorney from taking action, before the STD has made arrangements for removal, to reach a settlement with the former owner which would include provision for removal.

(f) If the Federal Government initiates condemnation proceedings against the owner of real property in a Federal court and the final judgment is that the Federal agency cannot acquire the

real property by condemnation, or the proceeding is abandoned, the court is required by law to award such a sum to the owner of the real property that in the opinion of the court provides reimbursement for the owner's reasonable costs, disbursements, and expenses, including reasonable attorney, appraisal, and engineering fees, actually incurred because of the condemnation proceedings.

- (g) As soon as practicable after the date of payment of the purchase price or the date of deposit in court of funds to satisfy the award of the compensation in a Federal condemnation, the FHWA shall reimburse the owner to the extent deemed fair and reasonable, the following costs:
- (1) Recording fees, transfer taxes, and similar expenses incidental to conveying such real property to the United States;
- (2) Penalty costs for prepayment of any preexisting recorded mortgage entered into in good faith encumbering such real property; and
- (3) The pro rata portion of real property taxes paid which are allocable to a period subsequent to the date of vesting title in the United States or the effective date of possession, whichever is the earlier.
- (h) The lands or interests in lands, acquired under this section, will be conveyed to the State or the appropriate political subdivision thereof, upon agreement by the STD, or said subdivision to:
- (1) Maintain control of access where applicable;
 - (2) Accept title thereto;
- (3) Maintain the project constructed thereon;
- (4) Abide by any conditions which may set forth in the deed; and
- (5) Notify the FHWA at the appropriate time that all the conditions have been performed by the State.
- (i) The deed from the United States to the State, or to the appropriate political subdivision thereof, shall include the conditions required by 49 CFR part 21. The deed shall be recorded by the grantee in the appropriate land record office, and the FHWA shall be advised of the recording date.

PART 750—HIGHWAY **BEAUTIFICATION**

Subpart A—National Standards for Regulation by States of Outdoor Advertising Adjacent to the Interstate System Under the 1958 Bonus Program

Sec.

750.101 Purpose.

750.102 Definitions.

750.103 Measurements of distance.

750.104 Signs that may not be permitted in protected areas.

750.105 Signs that may be permitted in protected areas.

750.106 Class 3 and 4 signs within informational sites.

750.107 Class 3 and 4 signs outside informational sites.

750.108 General provisions.

750.109 Exclusions.

750.110 State regulations.

Subpart B—National Standards for **Directional and Official Signs**

750.151 Purpose.

750.152 Application.

750.153 Definitions.

750.154 Standards for directional signs.

750.155 State standards.

Subpart C [Reserved]

Subpart D—Outdoor Advertising (Acquisition of Rights of Sign and Sign Site Owners)

750.301 Purpose.

750.302 Policy.

750.303 Definitions.

750.304 State policies and procedures.

750.305 Federal participation.

750.306 Documentation for Federal participation

750.307 FHWA project approval.

750.308 Reports.

Subpart E—Signs Exempt From Removal in **Defined Areas**

750.501 Purpose.

750.502 Applicability.

750.503 Exemptions.

Subpart F [Reserved]

Subpart G—Outdoor Advertising Control

750.701 Purpose.

750.702 Applicability. Definitions.

750.703

Statutory requirements. 750.704

750.705 Effective control.

750.706 Sign control in zoned and unzoned commercial and industrial areas.

750.707 Nonconforming signs.

750.708 Acceptance of state zoning.

750.709 On-property or on-premise advertising.

750.710 Landmark signs.

750.711 Structures which have never displayed advertising material.

750.712 Reclassification of signs.

750.713 Bonus provisions.

SOURCE: 38 FR 16044, June 20, 1973, unless otherwise noted.

Subpart A—National Standards for Regulation by States of Outdoor Advertising Adjacent to the Interstate System Under the 1958 Bonus Program

AUTHORITY: Sec. 12, Pub. L. 85-381, 72 Stat. 95, as amended; 23 U.S.C. 131; delegation of authority in 49 CFR 1.48(b).

§ 750.101 Purpose.

(a) In section 12 of the Federal-Aid Highway Act of 1958, Pub. L. 85-381, 72 Stat. 95, hereinafter called the act, the Congress declared that:

(1) To promote the safety, convenience, and enjoyment of public travel and the free flow of interstate commerce and to protect the public investment in the National System of Interstate and Defense Highways, hereinafter called the Interstate System, it is in the public interest to encourage and assist the States to control the use of and to improve areas adjacent to such system by controlling the erection and maintenance of outdoor advertising signs, displays, and devices adjacent to that system.

(2) It is a national policy that the erection and maintenance of outdoor advertising signs, displays, or devices within 660 feet of the edge of the rightof-way and visible from the main-traveled way of all portions of the Interstate System constructed upon any part of right-of-way, the entire width of which is acquired subsequent to July 1, 1956, should be regulated, consistent with national standards to be prepared and promulgated by the Secretary of Transportation.

(b) The standards in this part are hereby promulgated as provided in the

 $[38\ FR\ 16044,\ June\ 20,\ 1973,\ as\ amended\ at\ 39\ FR\ 28629,\ Aug.\ 9,\ 1974]$

§ 750.102 Definitions.

The following terms when used in the standards in this part have the following meanings:

- (a) Acquired for right-of-way means acquired for right-of-way for any public road by the Federal Government, a State, or a county, city, or other political subdivision of a State, by donation, dedication, purchase, condemnation, use, or otherwise. The date of acquisition shall be the date upon which title (whether fee title or a lesser interest) vested in the public for right-of-way purposes under applicable Federal or State law.
- (b) Centerline of the highway means a line equidistant from the edges of the median separating the main-traveled ways of a divided Interstate Highway, or the centerline of the main-traveled way of a nondivided Interstate Highway.
- (c) Controlled portion of the Interstate System means any portion which:
- (1) Is constructed upon any part of right-of-way, the entire width of which is acquired for right-of-way subsequent to July 1, 1956 (a portion shall be deemed so constructed if, within such portion, no line normal or perpendicular to the centerline of the highway and extending to both edges of the right-of-way will intersect any right-of-way acquired for right-of-way on or before July 1, 1956);
- (2) Lies within a State, the highway department of which has entered into an agreement with the Secretary of Transportation as provided in the act; and
- (3) Is not excluded under the terms of the act which provide that agreements entered into between the Secretary of Transportation and the State highway department shall not apply to those segments of the Interstate System which traverse commercial or industrial zones within the boundaries of incorporated municipalities, as such boundaries existed on September 21, 1959, wherein the use of real property adjacent to the Interstate System is

subject to municipal regulation or control, or which traverse other areas where the land use as of September 21, 1959, was clearly established by State law as industrial or commercial.

- (d) Entrance roadway means any public road or turning roadway, including acceleration lanes, by which traffic may enter the main-traveled way of an Interstate Highway from the general road system within a State, irrespective of whether traffic may also leave the main-traveled way by such road or turning roadway.
- (e) *Erect* means to construct, build, raise, assemble, place, affix, attach, create, paint, draw, or in any other way bring into being or establish.
- (f) Exit roadway means any public road or turning roadway including deceleration lanes, by which traffic may leave the main-traveled way of an Interstate Highway to reach the general road system within a State, irrespective of whether traffic may also enter the main-traveled way by such road or turning roadway.
- (g) Informational site means an area or site established and maintained within or adjacent to the right-of-way of a highway on the Interstate System by or under the supervision or control of a State highway department, wherein panels for the display of advertising and informational signs may be erected and maintained.
- (h) *Legible* means capable of being read without visual aid by a person of normal visual acuity.
- (i) Maintain means to allow to exist.
- (j) Main-traveled way means the traveled way of an Interstate Highway on which through traffic is carried. In the case of a divided highway, the traveled way of each of the separated roadways for traffic in opposite directions is a main-traveled way. It does not include such facilities as frontage roads, turning roadways, or parking areas.
- (k) Protected areas means all areas inside the boundaries of a State which are adjacent to and within 660 feet of the edge of the right-of-way of all controlled portions of the Interstate System within that State. Where a controlled portion of the Interstate System terminates at a State boundary which is not perpendicular or normal

§ 750.103

to the centerline of the highway, protected areas also means all areas inside the boundary of such State which are within 660 feet of the edge of the right-of-way of the Interstate Highway in the adjoining State.

- (l) *Scenic area* means any public park or area of particular scenic beauty or historical significance designated by or pursuant to State law as a scenic area.
- (m) Sign means any outdoor sign, display, device, figure, painting, drawing, message, placard, poster, billboard, or other thing which is designed, intended, or used to advertise or informany part of the advertising or informative contents of which is visible from any place on the main-traveled way of a controlled portion of the Interstate System.
- (n) *State* means the District of Columbia and any State of the United States within the boundaries of which a portion of the Interstate System is located.
- (o) State law means a State constitutional provision or statute, or an ordinance, rule, or regulation enacted or adopted by a State agency or political subdivision of a State pursuant to State constitution or statute.
- (p) *Trade name* shall include brand name, trademark, distinctive symbol, or other similar device or thing used to identify particular products or services.
- (q) *Traveled way* means the portion of a roadway for the movement of vehicles, exclusive of shoulders.
- (r) *Turning roadway* means a connecting roadway for traffic turning between two intersection legs of an interchange.
- (s) Visible means capable of being seen (whether or not legible) without visual aid by a person of normal visual acuity.

§ 750.103 Measurements of distance.

- (a) Distance from the edge of a rightof-way shall be measured horizontally along a line normal or perpendicular to the centerline of the highway.
- (b) All distances under §750.107 (a)(2) and (b) shall be measured along the centerline of the highway between two vertical planes which are normal or perpendicular to and intersect the centerline of the highway, and which pass

through the termini of the measured distance.

[38 FR 16044, June 20, 1973, as amended at 41 FR 9321, Mar. 4, 1976]

§ 750.104 Signs that may not be permitted in protected areas.

Erection or maintenance of the following signs may not be permitted in protected areas:

- (a) Signs advertising activities that are illegal under State or Federal laws or regulations in effect at the location of such signs or at the location of such activities.
 - (b) Obsolete signs.
- (c) Signs that are not clean and in good repair.
- (d) Signs that are not securely affixed to a substantial structure, and
- (e) Signs that are not consistent with the standards in this part.

§ 750.105 Signs that may be permitted in protected areas.

(a) Erection or maintenance of the following signs may be permitted in protected areas:

Class 1—Official signs. Directional or other official signs or notices erected and maintained by public officers or agencies pursuant to and in accordance with direction or authorization contained in State of Federal law, for the purpose of carrying out an official duty or responsibility.

Class 2—On-premise signs. Signs not prohibited by State law which are consistent with the applicable provisions of this section and \$750.108\$ and which advertise the sale or lease of, or activities being conducted upon, the real property where the signs are located.

Not more than one such sign advertising the sale or lease of the same property may be permitted under this class in such manner as to be visible to traffic proceeding in any one direction on any one Interstate Highway.

Not more than one such sign, visible to traffic proceeding in any one direction on any one Interstate Highway and advertising activities being conducted upon the real property where the sign is located, may be permitted under this class more than 50 feet from the advertised activity.

Class 3—Signs within 12 miles of advertised activities. Signs not prohibited by State law which are consistent with the applicable provisions of this section and §§ 750.106, 750.107, and 750.108 and which advertise activities being conducted within 12 air miles of such signs.

Class 4-Signs in the specific interest of the traveling public. Signs authorized to be erected or maintained by State law which are consistent with the applicable provisions of this section and §§ 750.106, 750.107, and 750.108 and which are designed to give information in the specific interest of the traveling pub-

(b) A Class 2 or 3 sign, except a Class 2 sign not more than 50 feet from the advertised activity, that displays any trade name which refers to or identifies any service rendered or product sold, used, or otherwise handled more than 12 air miles from such sign may not be permitted unless the name of the advertised activity which is within 12 air miles of such sign is displayed as con-

spicuously as such trade name.

(c) Only information about public places operated by Federal, State, or local governments, natural phenomena, historic sites, areas of natural scenic beauty or naturally suited for outdoor recreation and places for camping, lodging, eating, and vehicle service and repair is deemed to be in the specific interest of the traveling public. For the purposes of the standards in this part, a trade name is deemed to be information in the specific interest of the traveling public only if it identifies or characterizes such a place or identifies vehicle service, equipment, parts, accessories, fuels, oils, or lubricants being offered for sale at such a place. Signs displaying any other trade name may not be permitted under Class 4.

(d) Notwithstanding the provisions of paragraph (b) of this section, Class 2 or Class 3 signs which also qualify as Class 4 signs may display trade names in accordance with the provisions of

paragraph (c) of this section.

§750.106 Class 3 and 4 signs within informational sites.

(a) Informational sites for the erection and maintenance of Class 3 and 4 advertising and informational signs may be established in accordance with §1.35 of this chapter. The location and frequency of such sites shall be as determined by agreements between the Secretary of Transportation and the State highway departments.

(b) Class 3 and 4 signs may be permitted within such informational sites in protected areas in a manner consistent with the following provisions:

(1) No sign may be permitted which is not placed upon a panel.

(2) No panel may be permitted to exceed 13 feet in height or 25 feet in length, including border and trim, but excluding supports.

- (3) No sign may be permitted to exceed 12 square feet in area, and nothing on such sign may be permitted to be legible from any place on the maintraveled way or a turning roadway.
- (4) Not more than one sign concerning a single activity or place may be permitted within any one informational site.
- (5) Signs concerning a single activity or place may be permitted within more than one informational site, but no Class 3 sign which does not also qualify as a Class 4 sign may be permitted within any informational site more than 12 air miles from the advertised activity.

(6) No sign may be permitted which moves or has any animated or moving parts

- (7) Illumination of panels by other than white lights may not be permitted, and no sign placed on any panel may be permitted to contain, include, or be illuminated by any other lights, or any flashing, intermittent, or moving lights.
- (8) No lighting may be permitted to be used in any way in connection with any panel unless it is so effectively shielded as to prevent beams or rays of light from being directed at any portion of the main-traveled way of the Interstate System, or is of such low intensity or brilliance as not to cause glare or to impair the vision of the driver of any motor vehicle, or to otherwise interfere with any driver's operation of a motor vehicle.

[23 FR 8793, Nov. 13, 1958, as amended at 35 FR 18719, Dec. 10, 1970; 41 FR 9321, Mar. 4, 1976]

§750.107 Class 3 and 4 signs outside informational sites.

- (a) The erection or maintenance of the following signs may be permitted within protected areas, outside informational sites:
- (1) Class 3 signs which are visible only to Interstate highway traffic not served by an informational site within 12 air miles of the advertised activity;

§ 750.108

- (2) Class 4 signs which are more than 12 miles from the nearest panel within an informational site serving Interstate highway traffic to which such signs are visible.
- (3) Signs that qualify both as Class 3 and 4 signs may be permitted in accordance with either paragraph (a)(1) or (2) of this section.
- (b) The erection or maintenance of signs permitted under paragraph (a) of this section may not be permitted in any manner inconsistent with the following:
- (1) In protected areas in advance of an intersection of the main-traveled way of an Interstate highway and an exit roadway, such signs visible to Interstate highway traffic approaching such intersection may not be permitted to exceed the following number:

Distance from intersection	Number of signs
0–2 miles	0.
2–5 miles	6.
More than 5 miles	Average of one sign per mile.

The specified distances shall be measured to the nearest point of the intersection of the traveled way of the exit roadway and the main-traveled way of the Interstate highway.

- (2) Subject to the other provisions of this paragraph, not more than two such signs may be permitted within any mile distance measured from any point, and no such signs may be permitted to be less than 1,000 feet apart.
- (3) Such signs may not be permitted in protected areas adjacent to any Interstate highway right-of-way upon any part of the width of which is constructed an entrance or exit roadway.
- (4) Such signs visible to Interstate highway traffic which is approaching or has passed an entrance roadway may not be permitted in protected areas for 1,000 feet beyond the furthest point of the intersection between the traveled way of such entrance roadway and the main-traveled way of the Interstate highway.
- (5) No such signs may be permitted in scenic areas.
- (6) Not more than one such sign advertising activities being conducted as a single enterprise or giving information about a single place may be permitted to be erected or maintained in such manner as to be visible to traffic

moving in any one direction on any one Interstate highway.

(c) No Class 3 or 4 signs other than those permitted by this section may be permitted to be erected or maintained within protected areas, outside informational sites.

§ 750.108 General provisions.

No Class 3 or 4 signs may be permitted to be erected or maintained pursuant to §750.107, and no Class 2 sign may be permitted to be erected or maintained, in any manner inconsistent with the following:

- (a) No sign may be permitted which attempts or appears to attempt to direct the movement of traffic or which interferes with, imitates or resembles any official traffic sign, signal or device.
- (b) No sign may be permitted which prevents the driver of a vehicle from having a clear and unobstructed view of official signs and approaching or merging traffic.
- (c) No sign may be permitted which contains, includes, or is illuminated by any flashing, intermittent or moving light or lights.
- (d) No lighting may be permitted to be used in any way in connection with any sign unless it is so effectively shielded as to prevent beams or rays of light from being directed at any portion of the main-traveled way of the Interstate System, or is of such low intensity or brilliance as not to cause glare or to impair the vision of the driver of any motor vehicle, or to otherwise interfere with any driver's operation of a motor vehicle.
- (e) No sign may be permitted which moves or has any animated or moving parts.
- (f) No sign may be permitted to be erected or maintained upon trees or painted or drawn upon rocks or other natural features.
- (g) No sign may be permitted to exceed 20 feet in length, width or height, or 150 square feet in area, including border and trim but excluding supports, except Class 2 signs not more than 50 feet from, and advertising activities being conducted upon, the real property where the sign is located.

§750.109 Exclusions.

The standards in this part shall not apply to markers, signs and plaques in appreciation of sites of historical significance for the erection of which provisions are made in an agreement between a State and the Secretary of Transportation, as provided in the Act, unless such agreement expressly makes all or any part of the standards applicable.

§750.110 State regulations.

A State may elect to prohibit signs permissible under the standards in this part without forfeiting its rights to any benefits provided for in the act.

Subpart B—National Standards for Directional and Official Signs

AUTHORITY: 23 U.S.C. 131, 315, 49 U.S.C. 1651; 49 CFR 1.48(b).

§ 750.151 Purpose.

- (a) In section 131 of title 23 U.S.C., Congress has declared that:
- (1) The erection and maintenance of outdoor advertising signs, displays, and devices in areas adjacent to the Interstate System and the primary system should be controlled in order to protect the public investment in such highways, to promote safety and recreational value of public travel, and to preserve natural beauty.
- (2) Directional and official signs and notices, which signs and notices shall include, but not be limited to, signs and notices pertaining to natural wonders, scenic and historical attractions, which are required or authorized by law, shall conform to national standards authorized to be promulgated by the Secretary, which standards shall contain provisions concerning the lighting, size, number and spacing of signs, and such other requirements as may be appropriate to implement the section.
- (b) The standards in this part are issued as provided in section 131 of title 23 U.S.C.

[38 FR 16044, June 30, 1973, as amended at 40 FR 21934, May 20, 1975]

§ 750.152 Application.

The following standards apply to directional and official signs and notices located within six hundred and sixty (660) feet of the right-of-way of the Interstate and Federal-aid primary systems and to those located beyond six hundred and sixty (660) feet of the right-of-way of such systems, outside of urban areas, visible from the main traveled way of such systems and erected with the purpose of their message being read from such main traveled way. These standards do not apply to directional and official signs erected on the highway right-of-way.

[40 FR 21934, May 20, 1975]

§ 750.153 Definitions.

For the purpose of this part:

- (a) Sign means an outdoor sign, light, display, device, figure, painting, drawing, message, placard, poster, billboard, or other thing which is designed, intended, or used to advertise or informany part of the advertising or informative contents of which is visible from any place on the main traveled way of the Interstate or Federal-aid primary highway.
- (b) Main traveled way means the through traffic lanes of the highway, exclusive of frontage roads, auxiliary lanes, and ramps.
- (c) Interstate System means the National System of Interstate and Defence Highways described in section 103(d) of title 23 U.S.C.
- (d) *Primary system* means the Federalaid highway system described in section 103(b) of title 23 U.S.C.
- (e) *Erect* means to construct, build, raise, assemble, place, affix, attach, create, paint, draw, or in any other way bring into being or establish.
- (f) Maintain means to allow to exist. (g) Scenic area means any area of par-
- ticular scenic beauty or historical significance as determined by the Federal, State, or local officials having jurisdiction thereof, and includes interests in land which have been acquired for the restoration, preservation, and enhancement of scenic beauty.
- (h) Parkland means any publicly owned land which is designated or used as a public park, recreation area, wildlife or waterfowl refuge or historic site.

§ 750.154

- (i) Federal or State law means a Federal or State constitutional provision or statute, or an ordinance, rule, or regulation enacted or adopted by a State or Federal agency or a political subdivision of a State pursuant to a Federal or State constitution or statute.
- (j) *Visible* means capable of being seen (whether or not legible) without visual aid by a person of normal visual acuity.
- (k) Freeway means a divided arterial highway for through traffic with full control of access.
- (l) Rest area means an area or site established and maintained within or adjacent to the highway right-of-way by or under public supervision or control for the convenience of the traveling public.
- (m) Directional and official signs and notices includes only official signs and notices, public utility signs, service club and religious notices, public service signs, and directional signs.
- (n) Official signs and notices means signs and notices erected and maintained by public officers or public agencies within their territorial or zoning jurisdiction and pursuant to and in accordance with direction or authorization contained in Federal, State, or local law for the purposes of carrying out an official duty or responsibility. Historical markers authorized by State law and erected by State or local government agencies or nonprofit historical societies may be considered official signs.
- (o) Public utility signs means warning signs, informational signs, notices, or markers which are customarily erected and maintained by publicly or privately owned public utilities, as essential to their operations.
- (p) Service club and religious notices means signs and notices, whose erection is authorized by law, relating to meetings of nonprofit service clubs or charitable associations, or religious services, which signs do not exceed 8 square feet in area.
- (q) *Public service signs* means signs located on school bus stop shelters, which signs:
- (1) Identify the donor, sponsor, or contributor of said shelters;

- (2) Contain public service messages, which shall occupy not less than 50 percent of the area of the sign;
 - (3) Contain no other message;
- (4) Are located on schoolbus shelters which are authorized or approved by city, county, or State law, regulation, or ordinance, and at places approved by the city, county, or State agency controlling the highway involved; and
- (5) May not exceed 32 square feet in area. Not more than one sign on each shelter shall face in any one direction.
- (r) Directional signs means signs containing directional information about public places owned or operated by Federal, State, or local governments or their agencies; publicly or privately owned natural phenomena, historic, cultural, scientific, educational, and religious sites; and areas of natural scenic beauty or naturally suited for outdoor recreation, deemed to be in the interest of the traveling public.
- (s) State means any one of the 50 States, the District of Columbia, or Puerto Rico.
- (t) Urban area means an urbanized area or, in the case of an urbanized area encompassing more than one State, that part of the urbanized areas in each such State, or an urban place as designated by the Bureau of the Census having a population of five thousand or more and not within any urbanized area, within boundaries to be fixed by responsible State and local officials in cooperation with each other, subject to approval by the Secretary. Such boundaries shall, as a minimum, encompass the entire urban place designated by the Bureau of the Census.

[38 FR 16044, June 30, 1973, as amended at 40 FR 21934, May 20, 1975]

§ 750.154 Standards for directional signs.

The following apply only to directional signs:

- (a) *General*. The following signs are prohibited:
- (1) Signs advertising activities that are illegal under Federal or State laws or regulations in effect at the location of those signs or at the location of those activities.
- (2) Signs located in such a manner as to obscure or otherwise interfere with the effectiveness of an official traffic

sign, signal, or device, or obstruct or interfere with the driver's view of approaching, merging, or intersecting traffic.

- (3) Signs which are erected or maintained upon trees or painted or drawn upon rocks or other natural features.
 - (4) Obsolete signs.
- (5) Signs which are structurally unsafe or in disrepair.
- (6) Signs which move or have any animated or moving parts.
- (7) Signs located in rest areas, parklands or scenic areas.
- (b) Size. (1) No sign shall exceed the following limits:
 - (i) Maximum area—150 square feet.
 - (ii) Maximum height—20 feet.
 - (iii) Maximum length—20 feet.
- (2) All dimensions include border and trim, but exclude supports.
- (c) *Lighting*. Signs may be illuminated, subject to the following:
- (1) Signs which contain, include, or are illuminated by any flashing, intermittent, or moving light or lights are prohibited.
- (2) Signs which are not effectively shielded so as to prevent beams or rays of light from being directed at any portion of the traveled way of an Interstate or primary highway or which are of such intensity or brilliance as to cause glare or to impair the vision of the driver of any motor vehicle, or which otherwise interfere with any driver's operation of a motor vehicle are prohibited.
- (3) No sign may be so illuminated as to interfere with the effectiveness of or obscure an official traffic sign, device, or signal.
- (d) *Spacing.* (1) Each location of a directional sign must be approved by the State highway department.
- (2) No directional sign may be located within 2,000 feet of an interchange, or intersection at grade along the Interstate System or other freeways (measured along the Interstate or freeway from the nearest point of the beginning or ending of pavement widening at the exit from or entrance to the main traveled way).
- (3) No directional sign may be located within 2,000 feet of a rest area, parkland, or scenic area.

- (4)(i) No two directional signs facing the same direction of travel shall be spaced less than 1 mile apart;
- (ii) Not more than three directional signs pertaining to the same activity and facing the same direction of travel may be erected along a single route approaching the activity;
- (iii) Signs located adjacent to the Interstate System shall be within 75 air miles of the activity; and
- (iv) Signs located adjacent to the primary system shall be within 50 air miles of the activity.
- (e) Message content. The message on directional signs shall be limited to the identification of the attraction or activity and directional information useful to the traveler in locating the attraction, such as mileage, route numbers, or exit numbers. Descriptive words or phrases, and pictorial or photographic representations of the activity or its environs are prohibited.
- (f) Selection method and criteria. (1) Privately owned activities or attractions eligible for directional signing are limited to the following: natural phenomena; scenic attractions; historic, educational, cultural, scientific, and religious sites; and outdoor recreational areas.
- (2) To be eligible, privately owned attractions or activities must be nationally or regionally known, and of outstanding interest to the traveling public.
- (3) Each State shall develop specific selection methods and criteria to be used in determining whether or not an activity qualifies for this type of signing. A statement as to selection methods and criteria shall be furnished to the Secretary of Transportation before the State permits the erection of any such signs under section 131(c) of title 23 U.S.C., and this part.

§750.155 State standards.

This part does not prohibit a State from establishing and maintaining standards which are more restrictive with respect to directional and official signs and notices along the Federal-aid highway systems than these national standards.

[38 FR 16044, June 20, 1973, as amended at 40 FR 21934, May 20, 1975]

§ 750.301

Subpart C [Reserved]

Subpart D—Outdoor Advertising (Acquisition of Rights of Sign and Sign Site Owners)

AUTHORITY: 23 U.S.C. 131 and 315; 23 CFR 1.32 and 1.48(b).

SOURCE: 39 FR 27436, July 29, 1974, unless otherwise noted.

§ 750.301 Purpose.

To prescribe the Federal Highway Administration (FHWA) policies relating to Federal participation in the costs of acquiring the property interests necessary for removal of nonconforming advertising signs, displays and devices on the Federal-aid Primary and Interstate Systems, including toll sections on such systems, regardless of whether Federal funds participated in the construction thereof. This regulation should not be construed to authorize any additional rights in eminent domain not already existing under State law or under 23 U.S.C. 131(g).

§ 750.302 Policy.

- (a) Just compensation shall be paid for the rights and interests of the sign and site owner in those outdoor advertising signs, displays, or devices which are lawfully existing under State law, in conformance with the terms of 23 U.S.C. 131.
- (b)(1) Federal reimbursement will be made on the basis of 75 percent of the acquisition, removal and incidental costs legally incurred or obligated by the State.
- (2) Federal funds will participate in 100 percent of the costs of removal of those signs which were removed prior to January 4, 1975, by relocation, pursuant to the provisions of 23 CFR §750.305(a)(2), and which are required to be removed as a result of the amendments made to 23 U.S.C. 131 by the Federal-Aid Highway Amendments of 1974, Pub. L. 93-643, section 109, January 4, 1975. Such signs must have been relocated to a legal site, must have been legally maintained since the relocation, and must not have been substantially changed, as defined by the State maintenance standards, issued pursuant to 23 CFR 750.707(b).

(c) Title III of the Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970 (42 U.S.C. 4651, et seq.) applies except where complete conformity would defeat the purposes set forth in 42 U.S.C. 4651, would impede the expeditious implementation of the sign removal program or would increase administrative costs out of proportion to the cost of the interests being acquired or extinguished.

(d) Projects for the removal of outdoor advertising signs including hardship acquisitions should be programed and authorized in accordance with normal program procedures for right-ofway projects.

[39 FR 27436, July 29, 1974; 39 FR 30349, Aug. 22, 1974, as amended at 41 FR 31198, July 27,

§ 750.303 Definitions.

- (a) Sign. An outdoor sign, light, display, device, figure, painting, drawing, message, placard, poster, billboard or other thing which is designed, intended of the advertising or informative contents of which is visible from any place on the main-traveled way of the Interstate or Primary Systems, whether the same be permanent or portable installation.
- (b) Lease (license, permit, agreement, contract or easement). An agreement, oral or in writing, by which possession or use of land or interests therein is given by the owner or other person to another person for a specified purpose.
- (c) Leasehold value. The leasehold value is the present worth of the difference between the contractual rent and the current market rent at the time of the appraisal.
- (d) Illegal sign. One which was erected and/or maintained in violation of State
- (e) *Nonconforming sign*. One which was lawfully erected, but which does not comply with the provisions of State law or State regulations passed at a later date or which later fails to comply with State law or State regulations due to changed conditions. Illegally erected or maintained signs are not nonconforming signs.
- (f) 1966 inventory. The record of the survey of advertising signs and junkyards compiled by the State highway department.

(g) Abandoned sign. One in which no one has an interest, or as defined by State law.

§ 750.304 State policies and procedures.

The State's written policies and operating procedures for implementing its sign removal program under State law and complying with 23 U.S.C. 131 and its proposed time schedule for sign removal and procedure for reporting its accomplishments shall be submitted to the FHWA for approval within 90 days of the date of this regulation. This statement should be supported by the State's regulations implementing its program. Revisions to the State's policies and procedures shall be submitted to the FHWA for approval. The statement should contain provisions for the review of its policies and procedure to meet changing conditions, adoption of improved procedures, and for internal review to assure compliance. The statement shall include as a minimum the following:

- (a) *Project priorities.* The following order of priorities is recommended.
 - (1) Illegal and abandoned signs.
 - (2) Hardship situations.
 - (3) Nominal value signs.
- (4) Signs in areas which have been designated as scenic under authority of State law.
 - (5) Product advertising on:
 - (i) Rural interstate highway.
 - (ii) Rural primary highway.
 - (iii) Urban areas.
- (6) Nontourist-oriented directional advertising.
- (7) Tourist-oriented directional advertising.
- (b) Programing. (1) A sign removal project may consist of any group of proposed sign removals. The signs may be those belonging to one company or those located along a single route, all of the signs in a single county or other locality, hardship situations, individually or grouped, such as those involving vandalized signs, or all of a sign owner's signs in a given State or area, or any similar grouping.
- (2) A project for sign removal on other than a Federal-aid primary route basis e.g., a countywide project or a project involving only signs owned by one company, should be identified as

CAF-000B(), continuing the numbering sequence which began with the sign inventory project in 1966.

(3) Where it would not interfere with the State's operations, the State should program sign removal projects to minimize disruption of business.

- (c) Valuation and review methods—(1) Schedules—formulas. Schedules, formulas or other methods to simplify valuation of signs and sites are recommended for the purpose of minimizing administrative and legal expenses necessarily involved in determining just compensation by individual appraisals and litigation. They do not purport to be a basis for the determination of just compensation under eminent domain.
- (2) Appraisals. Where appropriate, the State may use its approved appraisal report forms including those for abbreviated or short form appraisals. Where a sign or site owner does not accept the amount computed under an approved schedule, formula, or other simplified method, an appraisal shall be utilized.
- (3) Leaseholds. When outdoor advertising signs and sign sites involve a leasehold value, the State's procedures should provide for determining value in the same manner as any other real estate leasehold that has value to the lessee.
- (4) Severance damages. The State has the responsibility of justifying the recognition of severance damages pursuant to 23 CFR 710.304(h), and the law of the State before Federal participation will be allowed. Generally, Federal participation will not be allowed in the payment of severance damages to remaining signs, or other property of a sign company alleged to be due to the taking of certain of the company's signs. Unity of use of the separate properties, as required by applicable principles of eminent domain law, must be shown to exist before participation in severance damages will be allowed. Moreover, the value of the remaining signs or other real property must be diminished by virtue of the taking of such signs. Payments for severance damages to economic plants or loss of business profits are not compensable. Severance damage cases must be submitted to the FHWA for prior concurrence, together with complete legal

§ 750.305

and appraisal justification for payment of these damages. To assist the FHWA in its evaluation, the following data will accompany any submission regarding severance:

- (i) One copy of each appraisal in which this was analyzed. One copy of the State's review appraiser analysis and determination of market value.
- (ii) A plan or map showing the location of each sign.
- (iii) An opinion by the State highway department's chief legal officer that severance is appropriate in accordance with State law together with a legal opinion that, in the instant case, the damages constitute severance as opposed to consequential damage as a matter of law. The opinion shall include a determination, and the basis therefor, that the specific taking of some of an outdoor advertiser's signs constitutes a distinct economic unit, and that unity of use of the separate properties in conformity with applicable principles of eminent domain law had been satisfactorily established. A legal memorandum must be furnished citing and discussing cases and other authorities supporting the State's position.
- (5) Review of value estimates. All estimates of value shall be reviewed by a person other than the one who made the estimate. Appraisal reports shall be reviewed and approved prior to initiation of negotiations. All other estimates shall be reviewed before the agreement becomes final.
- (d) Nominal value plan. (1) This plan may provide for the removal costs of eligible nominal value signs and for payments up to \$250 for each nonconforming sign, and up to \$100 for each nonconforming sign site.
- (2) The State's procedures may provide for negotiations for sign sites and sign removals to be accomplished simultaneously without prior review.
- (3) Releases or agreements executed by the sign and/or site owner should include the identification of the sign, statement of ownership, price to be paid, interest acquired, and removal rights.
- (4) It is not expected that salvage value will be a consideration in most acquisitions; however, the State's procedures may provide that the sign may

be turned over to the sign owner, site owner, contractor, or individual as all or a part of the consideration for its removal, without any project credits.

- (5) Programing and authorizations will be in accord with §750.308 of this regulation. A detailed estimate of value of each individual sign is not necessary. The project may be programed and authorized as one project.
- (e) *Sign removal.* The State's procedural statement should include provision for:
 - (1) Owner retention.
 - (2) Salvage value.
 - (3) State removal.

[39 FR 27436, July 29, 1974; 42 FR 30835, June 17, 1977, as amended at 50 FR 34093, Aug. 23, 1985]

§ 750.305 Federal participation.

- (a) Federal funds may participate in:
- (1) Payments made to a sign owner for his right, title and interest in a sign, and where applicable, his leasehold value in a sign site, and to a site owner for his right and interest in a site, which is his right to erect and maintain the existing nonconforming sign on such site.
- (2) The cost of relocating a sign to the extent of the cost to acquire the sign, less salvage value if any.
- (3) A duplicate payment for the site owner's interest of \$2,500 or less because of a bona fide error in ownership, provided the State has followed its title search procedures as set forth in its policy and procedure submission.
- (4) The cost of removal of signs, partially completed sign structures, supporting poles, abandoned signs and those which are illegal under State law within the controlled areas, provided such costs are incurred in accordance with State law. Removal may be by State personnel on a force account basis or by contract. Documentation for Federal participation in such removal projects should be in accord with the State's normal force account and contractual reimbursement procedures. The State should maintain a record of the number of signs removed. These data should be retained in project records and reported on the periodic report required under §750.308 of this regulation.

- (5) Signs materially damaged by vandals. Federal funds shall be limited to the Federal pro-rata share of the fair market value of the sign immediately before the vandalism occurred minus the estimated cost of repairing and rerecting the sign. If the State chooses, it may use its FHWA approved nominal value plan procedure to acquire these signs.
- (6) The cost of acquiring and removing completed sign structures which have been blank or painted out beyond the period of time established by the State for normal maintenance and change of message, provided the sign owner can establish that his nonconforming use was not abandoned or discontinued, and provided such costs are incurred in accordance with State law, or regulation. The evidence considered by the State as acceptable for establishing or showing that the nonconforming use has not been abandoned or voluntarily discontinued shall be set forth in the State's policy and proce-
- (7) In the event a sign was omitted in the 1966 inventory, and the State supports a determination that the sign was in existence prior to October 22, 1965, the costs are eligible for Federal participation.
- (b) Federal funds may not participate
- (1) Cost of title certificates, title insurance, title opinion or similar evidence or proof of title in connection with the acquisition of a landowner's right to erect and maintain a sign or signs when the amount of payment to the landowner for his interest is \$2,500 or less, unless required by State law. However, Federal funds may participate in the costs of securing some lesser evidence or proof of title such as searches and investigations by State highway department personnel to the extent necessary to determine ownership, affidavit of ownership by the owner, bill of sale, etc. The State's procedure for determining evidence of title should be set forth in the State's policy and procedure submission.
- (2) Payments to a sign owner where the sign was erected without permission of the property owner unless the sign owner can establish his legal right to erect and maintain the sign. How-

ever, such signs may be removed by State personnel on a force account basis or by contract with Federal participation except where the sign owner reimburses the State for removal.

(3) Acquisition costs paid for abandoned or illegal signs, potential sign sites, or signs which were built during a period of time which makes them ineligible for compensation under 23 U.S.C. 131, or for rights in sites on which signs have been abandoned or illegally erected by a sign owner.

(4) The acquisition cost of supporting poles or partially completed sign structures in nonconforming areas which do not have advertising or informative content thereon unless the owner can show to the State's satisfaction he has not abandoned the structure. When the State has determined the sign structure has not been abandoned, Federal funds will participate in the acquisition of the structure, provided the cost are incurred in accordance with State

§ 750.306 Documentation for Federal participation.

The following information concerning each sign must be available in the State's files to be eligible for Federal participation.

- (a) Payment to sign owner. (1) A photograph of the sign in place. Exceptions may be made in cases where in one transaction the State has acquired a number of a company's nominal value signs similar in size, condition and shape. In such cases, only a sample of representative photographs need be provided to document the type and condition of the signs.
- (2) Evidence showing the sign was nonconforming as of the date of taking.
- (3) Value documentation and proof of obligation of funds.
- (4) Satisfactory indication of ownership of the sign and compensable interest therein (e.g., lease or other agreement with the property owner, or an affidavit, certification, or other such evidence of ownership).
- (5) Evidence that the sign falls within one of the three categories shown in §750.302 of this regulation. The specific category should be identified.
- (6) Evidence that the right, title, or interest pertaining to the sign has

§ 750.307

passed to the State, or that the sign has been removed.

- (b) Payment to the site owner. (1) Evidence that an agreement has been reached between the State and owner.
- (2) Value documentation and proof of obligation of funds.
- (3) Satisfactory indication of ownership or compensable interest.
- (c) In those cases where Federal funds participate in 100 percent of the cost of removal, the State file shall contain the records of the relocation made prior to January 4, 1975.

[39 FR 27436, July 29, 1974, as amended at 41 FR 31198, July 27, 1976]

§ 750.307 FHWA project approval.

Authorization to proceed with acquisitions on a sign removal project shall not be issued until such time as the State has submitted to FHWA the following:

- (a) $\bar{\mathbf{A}}$ general description of the project.
- (b) The total number of signs to be acquired.
- (c) The total estimated cost of the sign removal project, including a breakdown of incidental, acquisition and removal costs.

§750.308 Reports.

Periodic reports on site acquisitions and actual sign removals shall be submitted on FHWA Form 1424 and as prescribed. ¹

[39 FR 27436, July 29, 1974, as amended at 41 FR 9321, Mar. 4, 1976]

Subpart E—Signs Exempt From Removal in Defined Areas

AUTHORITY: 23 U.S.C. 131 and 315, 49 CFR 1.48, 23 CFR 1.32.

SOURCE: 41 FR 45827, Oct. 18, 1976, unless otherwise noted.

§ 750.501 Purpose.

This subpart sets forth the procedures pursuant to which a State may, if it desires, seek an exemption from the acquisition requirements of 23 U.S.C. 131 for signs giving directional information about goods and services

in the interest of the traveling public in defined areas which would suffer substantial economic hardship if such signs were removed. This exemption may be granted pursuant to the provisions of 23 U.S.C. 131(o).

§ 750.502 Applicability.

The provisions of this subpart apply to signs adjacent to the Interstate and primary systems which are required to be controlled under 23 U.S.C. 131.

§ 750.503 Exemptions.

- (a) The Federal Highway Administration (FHWA) may approve a State's request to exempt certain nonconforming signs, displays, and devices (hereinafter called signs) within a defined area from being acquired under the provisions of 23 U.S.C. 131 upon a showing that removal would work a substantial economic hardship throughout that area. A defined area is an area with clearly established geographical boundaries defined by the State which the State can evaluate as an economic entity. Neither the States nor FHWA shall rely on individual claims of economic hardship. Exempted signs must:
- (1) Have been lawfully erected prior to May 5, 1976, and must continue to be lawfully maintained.
- (2) Continue to provide the directional information to goods and services offered at the same enterprise in the defined area in the interest of the traveling public that was provided on May 5, 1976. Repair and maintenance of these signs shall conform with the State's approved maintenance standards as required by subpart G of this part.
- (b) To obtain the exemption permitted by 23 U.S.C. 131(o), the State shall establish:
- (1) Its requirements for the directional content of signs to qualify the signs as directional signs to goods and services in the defined area.
- (2) A method of economic analysis clearly showing that the removal of signs would work a substantial economic hardship throughout the defined area.
- (c) In support of its request for exemption, the State shall submit to the FHWA:

¹Forms are available at FHWA Division Offices located in each State.

- (1) Its requirements and method (see §750.503(b)).
- (2) The limits of the defined area(s) requested for exemption, a listing of signs to be exempted, their location, and the name of the enterprise advertised on May 5, 1976.
- (3) The application of the requirements and method to the defined areas, demonstrating that the signs provide directional information to goods and services of interest to the traveling public in the defined area, and that removal would work a substantial economic hardship in the defined area(s).
- (4) A statement that signs in the defined area(s) not meeting the exemption requirements will be removed in accordance with State law.
- (5) A statement that the defined area will be reviewed and evaluated at least every three (3) years to determine if an exemption is still warranted.
- (d) The FHWA, upon receipt of a State's request for exemption, shall prior to approval:
- (1) Review the State's requirements and methods for compliance with the provisions of 23 U.S.C. 131 and this subpart.
- (2) Review the State's request and the proposed exempted area for compliance with State requirements and methods.
- (e) Nothing herein shall prohibit the State from acquiring signs in the defined area at the request of the sign
- (f) Nothing herein shall prohibit the State from imposing or maintaining stricter requirements.

Subpart F [Reserved]

Subpart G—Outdoor Advertising Control

AUTHORITY: 23 U.S.C. 131 and 315; 49 CFR 1.48.

SOURCE: 40 FR 42844, Sept. 16, 1975, unless otherwise noted.

§750.701 Purpose.

This subpart prescribes the Federal Highway Administration (FHWA) policies and requirements relating to the effective control of outdoor advertising under 23 U.S.C. 131. The purpose of

these policies and requirements is to assure that there is effective State control of outdoor advertising in areas adjacent to Interstate and Federal-aid primary highways. Nothing in this subpart shall be construed to prevent a State from establishing more stringent outdoor advertising control requirements along Interstate and Primary Systems than provided herein.

§750.702 Applicability.

The provisions of this subpart are applicable to all areas adjacent to the Federal-aid Interstate and Primary Systems, including toll sections thereof, except that within urban areas, these provisions apply only within 660 feet of the nearest edge of the right-ofway. These provisions apply regardless of whether Federal funds participated in the costs of such highways. The provisions of this subpart do not apply to the Federal-aid Secondary or Urban Highway System.

§ 750.703 Definitions.

The terms as used in this subpart are defined as follows:

- (a) Commercial and industrial zones are those districts established by the zoning authorities as being most appropriate for commerce, industry, or trade, regardless of how labeled. They are commonly categorized as commercial, industrial, business, manufacturing, highway service or highway business (when these latter are intended for highway-oriented business), retail, trade, warehouse, and similar classifications.
- (b) *Erect* means to construct, build, raise, assemble, place, affix, attach, create, paint, draw, or in any other way bring into being or establish.
- (c) Federal-aid Primary Highway means any highway on the system designated pursuant to 23 U.S.C. 103(b).
- (d) Interstate Highway means any highway on the system defined in and designated, pursuant to 23 U.S.C. 103(e).
- (e) *Illegal sign* means one which was erected or maintained in violation of State law or local law or ordinance.
- (f) Lease means an agreement, license, permit, or easement, oral or in writing, by which possession or use of land or interests therein is given for a

§ 750.704

specified purpose, and which is a valid contract under the laws of a State.

- (g) Maintain means to allow to exist.
- (h) Main-traveled way means the traveled way of a highway on which through traffic is carried. In the case of a divided highway, the traveled way of each of the separate roadways for traffic in opposite directions is a maintraveled way. It does not include such facilities as frontage roads, turning roadways, or parking areas.
- (i) Sign, display or device, hereinafter referred to as "sign," means an outdoor advertising sign, light, display, device, figure, painting, drawing, message, placard, poster, billboard, or other thing which is designed, intended, or used to advertise or inform, any part of the advertising or informative contents of which is visible from any place on the main-traveled way of the Interstate or Primary Systems, whether the same be permanent or portable installation.
- (j) State law means a State constitutional provision or statute, or an ordinance, rule or regulation, enacted or adopted by a State.
- (k) *Unzoned area* means an area where there is no zoning in effect. It does not include areas which have a rural zoning classification or land uses established by zoning variances or special exceptions.
- (l) Unzoned commercial or industrial areas are unzoned areas actually used for commercial or industrial purposes as defined in the agreements made between the Secretary, U.S. Department of Transportation (Secretary), and each State pursuant to 23 U.S.C. 131(d).
- (m) *Urban area* is as defined in 23 U.S.C. 101(a).
- (n) *Visible* means capable of being seen, wehter or not readable, without visual aid by a person of normal visual acuity.

§750.704 Statutory requirements.

(a) 23 U.S.C. 131 provides that signs adjacent to the Interstate and Federalaid Primary Systems which are visible from the main-traveled way and within 660 feet of the nearest edge of the right-of-way, and those additional signs beyond 660 feet outside of urban areas which are visible from the main-traveled way and erected with the purpose

of their message being read from such main-traveled way, shall be limited to the following:

- (1) Directional and official signs and notice which shall conform to national standards promulgated by the Secretary in subpart B, part 750, chapter I, 23 CFR, National Standards for Directional and Official Signs;
- (2) Signs advertising the sale or lease of property upon which they are located;
- (3) Signs advertising activities conducted on the property on which they are located:
- (4) Signs within 660 feet of the nearest edge of the right-of-way within areas adjacent to the Interstate and Federal-aid Primary Systems which are zoned industrial or commercial under the authority of State law;
- (5) Signs within 660 feet of the nearest edge of the right-of-way within areas adjacent to the Interstate and Federal-aid Primary Systems which are unzoned commercial or industrial areas, which areas are determined by agreement between the State and the Secretary; and
- (6) Signs lawfully in existence on October 22, 1965, which are determined to be landmark signs.
- (b) 23 U.S.C. 131(d) provides that signs in §750.704(a) (4) and (5) must comply with size, lighting, and spacing requirements, to be determined by agreement between the State and the Secretary.
- (c) 23 U.S.C. 131 does not permit signs to be located within zoned or unzoned commercial or industrial areas beyond 660 feet of the right-of-way adjacent to the Interstate or Federal-aid Primary System, outside of urban areas.
- (d) 23 U.S.C. 131 provides that signs not permitted under §750.704 of this regulation must be removed by the State.

§ 750.705 Effective control.

In order to provide effective control of outdoor advertising, the State must:

- (a) Prohibit the erection of new signs other than those which fall under \$750.704(a)(1) through (6);
- (b) Assure that signs erected under §750.704(a)(4) and (5) comply, at a minimum, with size, lighting, and spacing criteria contained in the agreement between the Secretary and the State;

- (c) Assure that signs erected under §750.704(a)(1) comply with the national standards contained in subpart B, part 750, chapter I, 23 CFR;
- (d) Remove illegal signs expeditiously;
- (e) Remove nonconforming signs with just compensation within the time period set by 23 U.S.C. 131 (subpart D, part 750, chapter I, 23 CFR, sets forth policies for the acquisition and compensation for such signs);
- (f) Assure that signs erected under \$750.704(a)(6) comply with \$750.710, Landmark Signs, if landmark signs are allowed:
- (g) Establish criteria for determining which signs have been erected with the purpose of their message being read from the main-traveled way of an Interstate or primary highway, except where State law makes such criteria unnecessary. Where a sign is erected with the purpose of its message being read from two or more highways, one or more of which is a controlled highway, the more stringent of applicable control requirements will apply;
- (h) Develop laws, regulations, and procedures to accomplish the requirements of this subpart;
- (i) Establish enforcement procedures sufficient to discover illegally erected or maintained signs shortly after such occurrence and cause their prompt removal; and
- (j) Submit regulations and enforcement procedures to FHWA for approval.

[40 FR 42844, Sept. 16, 1975; 40 FR 49777, Oct. 24, 1975]

§ 750.706 Sign control in zoned and unzoned commercial and industrial areas.

The following requirements apply to signs located in zoned and unzoned commercial and industrial areas within 660 feet of the nearest edge of the right-of-way adjacent to the Interstate and Federal-aid primary highways.

(a) The State by law or regulation shall, in conformity with its agreement with the Secretary, set criteria for size, lighting, and spacing of outdoor advertising signs located in commercial or industrial zoned or unzoned areas, as defined in the agreement, adjacent to Interstate and Federal-aid

primary highways. If the agreement between the Secretary and the State includes a grandfather clause, the criteria for size, lighting, and spacing will govern only those signs erected subsequent to the date specified in the agreement. The States may adopt more restrictive criteria than are presently contained in agreements with the Secretary.

(b) Agreement criteria which permit multiple sign structures to be considered as one sign for spacing purposes must limit multiple sign structures to signs which are physically contiguous, or connected by the same structure or cross-bracing, or located not more than 15 feet apart at their nearest point in the case of back-to-back or "V" type signs.

(c) Where the agreement and State law permits control by local zoning authorities, these controls may govern in lieu of the size, lighting, and spacing controls set forth in the agreement, subject to the following:

(1) The local zoning authority's controls must include the regulation of size, of lighting and of spacing of outdoor advertising signs, in all commercial and industrial zones.

- (2) The regulations established by local zoning authority may be either more restrictive or less restrictive than the criteria contained in the agreement, unless State law or regulations require equivalent or more restrictive local controls.
- (3) If the zoning authority has been delegated, extraterritorial, jurisdiction under State law, and exercises control of outdoor advertising in commercial and industrial zones within this extraterritorial jurisdiction, control by the zoning authority may be accepted in lieu of agreement controls in such
- (4) The State shall notify the FHWA in writing of those zoning jurisdictions wherein local control applies. It will not be necessary to furnish a copy of the zoning ordinance. The State shall periodically assure itself that the size, lighting, and spacing control provisions of zoning ordinances accepted under this section are actually being enforced by the local authorities.
- (5) Nothing contained herein shall relieve the State of the responsibility of

§ 750.707

limiting signs within controlled areas to commercial and industrial zones.

§ 750.707 Nonconforming signs.

- (a) General. The provisions of §750.707 apply to nonconforming signs which must be removed under State laws and regulations implementing 23 U.S.C. 131. These provisions also apply to nonconforming signs located in commercial and industrial areas within 660 feet of the nearest edge of the right-of-way which come under the so-called grandfather clause contained in State-Federal agreements. These provisions do not apply to conforming signs regardless of when or where they are erected.
- (b) Nonconforming signs. A nonconforming sign is a sign which was lawfully erected but does not comply with the provisions of State law or State regulations passed at a later date or later fails to comply with State law or State regulations due to changed conditions. Changed conditions include, for example, signs lawfully in existence in commercial areas which at a later date become noncommercial, or signs lawfully erected on a secondary highway later classified as a primary highway.
- (c) Grandfather clause. At the option of the State, the agreement may contain a grandfather clause under which criteria relative to size, lighting, and spacing of signs in zoned and unzoned commercial and industrial areas within 660 feet of the nearest edge of the rightof-way apply only to new signs to be erected after the date specified in the agreement. Any sign lawfully in existence in a commercial or industrial area on such date may remain even though it may not comply with the size, lighting, or spacing criteria. This clause only allows an individual sign at its particular location for the duration of its normal life subject to customary maintenance. Preexisting signs covered by a grandfather clause, which do not comply with the agreement criteria have the status of nonconforming
- (d) Maintenance and continuance. In order to maintain and continue a non-conforming sign, the following conditions apply:
- (1) The sign must have been actually in existence at the time the applicable

State law or regulations became effective as distinguished from a contemplated use such as a lease or agreement with the property owner. There are two exceptions to actual existence as follows:

- (i) Where a permit or similar specific State governmental action was granted for the construction of a sign prior to the effective date of the State law or regulations and the sign owner acted in good faith and expended sums in reliance thereon. This exception shall not apply in instances where large numbers of permits were applied for and issued to a single sign owner, obviously in anticipation of the passage of a State control law.
- (ii) Where the State outdoor advertising control law or the Federal-State agreement provides that signs in commercial and industrial areas may be erected within six (6) months after the effective date of the law or agreement provided a lease dated prior to such effective date was filed with the State and recorded within thirty (30) days following such effective date.
- (2) There must be existing property rights in the sign affected by the State law or regulations. For example, paper signs nailed to trees, abandoned signs and the like are not protected.
- (3) The sign may be sold, leased, or otherwise transferred without affecting its status, but its location may not be changed. A nonconforming sign removed as a result of a right-of-way taking or for any other reason may be relocated to a conforming area but cannot be reestablished at a new location as a nonconforming use.
- (4) The sign must have been lawful on the effective date of the State law or regulations, and must continue to be lawfully maintained.
- (5) The sign must remain substantially the same as it was on the effective date of the State law or regulations. Reasonable repair and maintenance of the sign, including a change of advertising message, is not a change which would terminate nonconforming rights. Each State shall develop its own criteria to determine when customary maintenance ceases and a substantial change has occurred which would terminate nonconforming rights.

- (6) The sign may continue as long as it is not destroyed, abandoned, or discontinued. If permitted by State law and reerected in kind, exception may be made for signs destroyed due to vandalism and other criminal or tortious acts.
- (i) Each state shall develop criteria to define destruction, abandonment and discontinuance. These criteria may provide that a sign which for a designated period of time has obsolete advertising matter or is without advertising matter or is in need of substantial repair may constitute abandonment or discontinuance. Similarly, a sign damaged in excess of a certain percentage of its replacement cost may be considered destroyed.
- (ii) Where an existing nonconforming sign ceases to display advertising matter, a reasonable period of time to replace advertising content must be established by each State. Where new content is not put on a structure within the established period, the use of the structure as a nonconforming outdoor advertising sign is terminated and shall constitute an abandonment or discontinuance. Where a State establishes a period of more than one (1) year as a reasonable period for change of message, it shall justify that period as a customary enforcement practice within the State. This established period may be waived for an involuntary discontinuance such as the closing of a highway for repair in front of the sign.
- (e) Just compensation. The States are required to pay just compensation for the removal of nonconforming lawfully existing signs in accordance with the terms of 23 U.S.C. 131 and the provisions of subpart D, part 750, chapter I, 23 CFR. The conditions which establish a right to maintain a nonconforming sign and therefore the right to compensation must pertain at the time it is acquired or removed.

§ 750.708 Acceptance of state zoning.

(a) 23 U.S.C. 131(d) provide that signs "may be erected and maintained within 660 feet of the nearest edge of the right-of-way within areas . . . which are zoned industrial or commercial under authority of State law." Section 131(d) further provides, "The States shall have full authority under their own

- zoning laws to zone areas for commercial or industrial purposes, and the actions of the States in this regard will be accepted for the purposes of this Act."
- (b) State and local zoning actions must be taken pursuant to the State's zoning enabling statute or constitutional authority and in accordance therewith. Action which is not a part of comprehensive zoning and is created primarily to permit outdoor advertising structures, is not recognized as zoning for outdoor advertising control purposes.
- (c) Where a unit of government has not zoned in accordance with statutory authority or is not authorized to zone, the definition of an unzoned commercial or industrial area in the State-Federal agreement will apply within that political subdivision or area.
- (d) A zone in which limited commercial or industrial activities are permitted as an incident to other primary land uses is not considered to be a commercial or industrial zone for outdoor advertising control purposes.

§ 750.709 On-property or on-premise advertising.

- (a) A sign which consists solely of the name of the establishment or which identifies the establishment's principal or accessory products or services offered on the property is an on-property sign.
- (b) When a sign consists principally of brand name or trade name advertising and the product or service advertised is only incidental to the principal activity, or if it brings rental income to the property owner, it shall be considered the business of outdoor advertising and not an on-property sign.
- (c) A sale or lease sign which also advertises any product or service not conducted upon and unrelated to the business or selling or leasing the land on which the sign is located is not an onproperty sign.
- (d) Signs are exempt from control under 23 U.S.C. 131 if they solely advertise the sale or lease of property on which they are located or advertise activities conducted on the property on which they are located. These signs are subject to regulation (subpart A, part 750, chapter I, 23 CFR) in those States

§750.710

which have executed a bonus agreement, 23 U.S.C. 131(j). State laws or regulations shall contain criteria for determining exemptions. These criteria may include:

- (Ĭ) A property test for determining whether a sign is located on the same property as the activity or property advertised; and
- (2) A purpose test for determining whether a sign has as its sole purpose the identification of the activity located on the property or its products or services, or the sale or lease of the property on which the sign is located.
- (3) The criteria must be sufficiently specific to curb attempts to improperly qualify outdoor advertising as "on-property" signs, such as signs on narrow strips of land contiguous to the advertised activity when the purpose is clearly to circumvent 23 U.S.C. 131.

§750.710 Landmark signs.

- (a) 23 U.S.C. 131(c) permits the existence of signs lawfully in existence on October 22, 1965, determined by the State, subject to the approval of the Secretary, to be landmark signs, including signs on farm structures or natural surfaces, of historic or artistic significance, the preservation of which is consistent with the purpose of 23 U.S.C. 131.
- (b) States electing to permit land-mark signs under 23 U.S.C. 131(c) shall submit a one-time list to the Federal Highway Administration for approval. The list should identify each sign as being in the original 1966 inventory. In the event a sign was omitted in the 1966 inventory, the State may submit other evidence to support a determination that the sign was in existence on October 22, 1965.
- (c) Reasonable maintenance, repair, and restoration of a landmark sign is permitted. Substantial change in size, lighting, or message content will terminate its exempt status.

§ 750.711 Structures which have never displayed advertising material.

Structures, including poles, which have never displayed advertising or informative content are subject to control or removal when advertising content visible from the main-traveled way is added or affixed. When this is

done, an "outdoor advertising sign" has then been erected which must comply with the State law in effect on that date.

§ 750.712 Reclassification of signs.

Any sign lawfully erected after the effective date of a State outdoor advertising control law which is reclassified from legal-conforming to nonconforming and subject to removal under revised State statutes or regulations and policy pursuant to this regulation is eligible for Federal participation in just compensation payments and other eligible costs.

§ 750.713 Bonus provisions.

23 U.S.C. 131(j) specifically provides that any State which had entered into a bonus agreement before June 30, 1965, will be entitled to remain eligible to receive bonus payments provided it continues to carry out its bonus agreement. Bonus States are not exempt from the other provisions of 23 U.S.C. 131. If a State elects to comply with both programs, it must extend controls to the Primary System, and continue to carry out its bonus agreement along the Interstate System except where 23 U.S.C. 131, as amended, imposes more stringent requirements.

PART 751—JUNKYARD CONTROL AND ACQUISITION

Sec.

751.1 Purpose.

751.3 Applicability.

751.5 Policy.

751.7 Definitions.

751.9 Effective control.

751.11 Nonconforming junkyards.

751.13 Control measures.

751.15 Just compensation.

751.17 Federal participation.

751.19 Documentation for Federal participation.

751.21 Relocation assistance.

751.23 Concurrent junkyard control and right-of-way projects.

751.25 Programming and authorization.

AUTHORITY: 23 U.S.C. 136 and 315, 42 U.S.C. 4321–4347 and 4601–4655, 23 CFR 1.32, 49 CFR 1.48, unless otherwise noted.

SOURCE: 40 FR 8551, Feb. 28, 1975, unless otherwise noted.

§751.1 Purpose.

Pursuant to 23 U.S.C. 136, this part prescribes Federal Highway Administration [FHWA] policies and procedures relating to the exercise of effective control by the States of junkyards in areas adjacent to the Interstate and Federal-aid primary systems. Nothing in this part shall be construed to prevent a State from establishing more stringent junkyard control requirements than provided herein.

[40 FR 12260, Mar. 18, 1975]

§751.3 Applicability.

The provisions of this part are applicable to all areas within 1,000 feet of the nearest edge of the right-of-way and visible from the main traveled way of all Federal-aid Primary and Interstate Systems regardless of whether Federal funds participated in the construction thereof, including toll sections of such highways. This part does not apply to the Urban System.

§ 751.5 Policy.

In carrying out the purposes of this part:

- (a) Emphasis should be placed on encouraging recycling of scrap and junk where practicable, in accordance with the National Environmental Policy Act of 1969 (42 U.S.C. 4321, et seq.);
- (b) Every effort should be made to screen nonconforming junkyards which are to continue as ongoing businesses; and
- (c) Nonconforming junkyards should be relocated only as a last resort.

§ 751.7 Definitions.

For purposes of this part, the following definitions shall apply:

(a) Junkyard. (1) A Junkyard is an establishment or place of business which is maintained, operated or used for storing, keeping, buying, or selling junk, or for the maintenance or operation of an automobile graveyard. This definition includes scrap metal processors, auto-wrecking yards, salvage vards, scrap yards, autorecycling yards, used auto parts yards and temporary storage of automobile bodies and parts awaiting disposal as a normal part of a business operation when the business will continually have like

materials located on the premises. The definition includes garbage dumps and sanitary landfills. The definition does not include litter, trash, and other debris scattered along or upon the highway, or temporary operations and outdoor storage of limited duration.

(2) An Automobile Graveyard is an establishment or place of business which is maintained, used, or operated for storing, keeping, buying, or selling wrecked, scrapped, ruined, or dismantled motor vehicles or motor vehicle parts. Ten or more such vehicles will constitute an automobile graveyard.

(3) An Illegal Junkyard is one which was established or is maintained in vio-

lation of State law.

(4) A Nonconforming Junkyard is one which was lawfully established, but which does not comply with the provisions of State law or State regulations passed at a later date or which later fails to comply with State regulations due to changed conditions. Illegally established junkyards are not nonconforming junkyards.

(b) Junk. Old or scrap metal, rope, rags, batteries, paper, trash, rubber, debris, waste, or junked, dismantled, or wrecked automobiles, or parts thereof.

- (c) Main traveled way. The traveled way of a highway on which through traffic is carried. In the case of a divided highway, the traveled way of each of the separated roadways for traffic in opposite directions is a main traveled way. It does not include such facilities as frontage roads, turning roadways, or parking areas.
- (d) Industrial zones. Those districts established by zoning authorities as being most appropriate for industry or manufacturing. A zone which simply permits certain industrial activities as an incident to the primary land use designation is not considered to be an industrial zone. The provisions of part 750, subpart G of this chapter relative to Outdoor Advertising Control shall apply insofar as industrial zones are concerned.
- (e) Unzoned industrial areas. An area where there is no zoning in effect and which is used primarily for industrial purposes as determined by the State and approved by the FHWA. An unzoned area cannot include areas which may have a rural zoning classification

§751.9

or land uses established by zoning variances or special exceptions.

[40 FR 8551, Feb. 28, 1975, as amended at 41 FR 9321, Mar. 4, 1976]

§ 751.9 Effective control.

- (a) In order to provide effective control of junkyards located within 1,000 feet of Interstate and Federal-aid primary highways, the State must:
- (1) Require such junkyards located outside of zoned and unzoned industrial areas to be screened or located so as not to be visible from the main traveled way, or be removed from sight.
- (2) Require the screening or removal of nonconforming junkyards within a reasonable time, but no later than 5 years after the date the junkyard becomes nonconforming unless Federal funds are not available in adequate amounts to participate in the cost of such screening or removal as provided in 23 U.S.C. 136(j).
- (3) Prohibit the establishment of new junkyards unless they comply with the requirements of paragraph (a)(1) of this section.
- (4) Expeditiously require junkyards which are illegally established or maintained to conform to the requirements of paragraph (a)(1) of this section
- (b) Sanitary landfills as described herein need not be screened to satisfy requirements of Title 23, U.S.C., but landscaping should be required when the fill has been completed and operations have ceased, unless the landfill area is to be used for immediate development purposes. A sanitary landfill, for the purposes of this part, is a method of disposing of refuse on land without creating a nuisance or hazards to public health or safety by utilizing the principles of engineering to confine the refuse to the smallest practical area, to reduce it to the smallest practical volume, and to cover it with a layer of earth at the conclusion of each day's operation or at such more frequent intervals as may be necessary
- (c) The State shall have laws, rules, and procedures sufficient to provide effective control, to discover illegally established or maintained junkyards shortly after such occurrence, and to cause the compliance or removal of

same promptly in accordance with State legal procedures.

§751.11 Nonconforming junkyards.

Subject to the provisions of §751.9 of this part, the following requirements for the maintenance and continuance of a nonconforming junkyard apply:

- (a) The junkyard must have been actually in existence at the time the State law or regulations became effective as distinguished from a contemplated use, except where a permit or similar specific State governmental action was granted for the establishment of a junkyard prior to the effective date of the State law or regulations, and the junkyard owner acted in good faith and expended sums in reliance thereon.
- (b) There must be existing property rights in the junkyard or junk affected by the State law or regulation. Abandoned junk and junkyards, worthless junk, and the like are not similarly protected.
- (c) If the location of a nonconforming junkyard is changed as a result of a right-of-way taking or for any other reason, it ceases to be a nonconforming junkyard, and shall be treated as a new junkyard at a new location.
- (d) The nonconforming junkyard must have been lawful on the effective date of the State law or regulations and must continue to be lawfully maintained
- (e) The nonconforming junkyard may continue as long as it is not extended, enlarged, or changed in use. Once a junkyard has been made conforming, the placement of junk so that it may be seen above or beyond a screen, or otherwise becomes visible, shall be treated the same as the establishment of a new junkyard.
- (f) The nonconforming junkyard may continue as long as it is not abandoned, destroyed, or voluntarily discontinued. Each State should develop criteria to define these terms.

§751.13 Control measures.

(a) Consistent with the goals of the National Environmental Policy Act of 1969 (42 U.S.C. 4321), recycling of junk and scrap is to be encouraged to the greatest extent practicable in the implementation of the junkyard control

program. Recycling should be considered in conjunction with other control measures. To facilitate recycling, junk or scrap should be moved to an automobile wrecker, or a scrap processor, or put to some other useful purpose.

(b) Every effort shall be made to screen where the junkyard is to continue as an ongoing business. Screening may be accomplished by use of natural objects, landscaping plantings, fences, and other appropriate means, including relocating inventory on site to utilize an existing natural screen or a screenable portion of the site.

(c) Where screening is used, it must, upon completion of the screening project, effectively screen the junkyard from the main traveled way of the highway on a year-round basis, and be compatible with the surroundings. Each State shall establish criteria governing the location, design, construction, maintenance, and materials used in fencing or screening.

(d) A junkyard should be relocated only when other control measures are not feasible. Junkyards should be relocated to a site not visible from the highway or to an industrial area, and should not be relocated to residential, commercial, or other areas where foreseeable environmental problems may develon

(e) The State may develop and use other methods of operation to carry out the purposes of this directive, subject to prior FHWA approval.

§751.15 Just compensation.

(a) Just compensation shall be paid the owner for the relocation, removal, or disposal of junkyards lawfully established under State law, which are required to be removed, relocated, or disposed of pursuant to 23 U.S.C. 136.

(b) No rights to compensation accrue until a taking or removal has occurred. The conditions which establish a right to maintain and continue a nonconforming junkyard as provided in §751.11 must pertain at the time of the taking or removal in order to establish a right to just compensation.

§751.17 Federal participation.

(a) Federal funds may participate in 75 percent of the costs of control measures incurred in carrying out the provi-

sions of this part including necessary studies for particular projects, and the employment of fee landscape architects and other qualified consultants.

- (b) Where State control standards are more stringent than Federal control requirements along Interstate and primary highways, the FHWA may approve Federal participation in the costs of applying the State standards on a statewide basis. Where State standards require control of junkyards in zoned or unzoned industrial areas, Federal funds may participate only if such action will make an effective contribution to the character of the area as a whole and the cost is reasonable. but such projects should be deferred until the work in the areas where control is required has progressed well toward completion.
- (c) Generally, only costs associated with the acquisition of minimal real property interests, such as easements or temporary rights of entry, necessary to accomplish the purposes of this part are eligible for Federal participation. The State may request, on a case-by-case basis, participation in costs of other interests beyond the minimum necessary, including fee title.
- (d) Federal funds may participate in costs to correct the inadequacies of screening in prior control projects where the inadequacy is due to higher screening standards established in this part or due to changed conditions.
- (e) Federal funds may participate in the costs of moving junk or scrap to a recycling place of business, or in the case of junk with little or no recycling potential, to a site for permanent disposal. In the latter case, reasonable land rehabilitation costs or fees connected with the use of such a disposal site are also eligible. In a case where the acquisition of a permanent disposal site by the State would be the most economical method of disposal, Federal funds may participate in the net cost (cost of acquisition less a credit after disposal) of a site obtained for this purpose.
- (f) Federal funds may participate in control measure costs involved in any

§751.19

junkyard lawfully established or maintained under State law which is reclassified from conforming to nonconforming under revised State regulations and policy pursuant to this part.

- (g) Federal funds may participate in the costs of acquisition of a dwelling in exceptional cases where such acquisition is found necessary and in the public interest, and where acquisition of the dwelling can be accomplished without resort to eminent domain.
- (h) Federal funds shall not participate in:
- (1) Costs associated with the control of illegal junkyards except for removal by State personnel on a force account basis or by contract, or in costs of controlling junkyards established after the effective date of the State's compliance law except where a conforming junkyard later becomes nonconforming due to changed conditions;
- (2) Any costs associated with the acquisition of any dwelling or its related buildings if acquired through eminent domain in connection with the junk-yard control program;
- (3) Costs of acquisition of interests or rights as a measure for prohibition or control of the establishment of future junkyards:
- (4) Costs of maintaining screening devices after they have been erected; or
- (5) Costs of screening junk which has been or will be removed as a part of a junkyard control project.

$\S\,751.19$ Documentation for Federal participation.

The following information concerning each eligible junkyard must be available in the States' files to be eligible for Federal participation in the costs thereof:

- (a) Satisfactory evidence of ownership of the junk or junkyard or both.
- (b) Value or cost documentation (including separate interests if applicable) including proof of obligation or payment of funds.
- (c) Evidence that the necessary property interests have passed to the State and that the junk has been screened, relocated, removed or disposed of in accordance with the provisions of this part.
- (d) If a dwelling has been acquired by condemnation, evidence that the costs

involved are not included in the State's claim for participation.

[40 FR 8551, Feb. 28, 1975; 40 FR 12260, Mar. 18, 1975]

§ 751.21 Relocation assistance.

Relocation assistance benefits pursuant to 49 CFR part 24 are available for:

- (a) The actual reasonable moving expenses of the junk, actual direct loss of tangible personal property and actual reasonable expenses in searching for a replacement business or, if the eligibility requirements are met, a payment in lieu of such expenses.
- (b) Relocation assistance in locating a replacement business.
- (c) Moving costs of personal property from a dwelling and relocation assistance in locating a replacement dwelling, provided the acquisition of the real property used for the business causes a person to vacate a dwelling.
- (d) Replacement housing payments if the acquisition of the dwelling is found by FHWA to be necessary for the federally assisted junkyard control project.

[40 FR 8551, Feb. 28, 1975, as amended at 50 FR 34094, Aug. 23, 1985; 54 FR 47076, Nov. 9, 1980]

§ 751.23 Concurrent junkyard control and right-of-way projects.

The State is encouraged to coordinate junkyard control and highway right-of-way projects. Expenses incurred in furtherance of concurrent projects shall be prorated between projects.

§751.25 Programming and authorization.

- (a) Junkyard control projects shall be programmed in accordance with the provisions of part 630, subpart A of this chapter. Such projects may include one or more junkyards.
- (b) Authorization to proceed with a junkyard control project may be given when the State submits a written request to FHWA which includes the following:
- (1) The zoning and validation of the legal status of each junkyard on the project;

- (2) The control measures proposed for each junkyard including, where applicable, information relative to permanent disposal sites to be acquired by the State:
- (3) The real property interest to be acquired in order to implement the control measures:
- (4) Plans or graphic displays indicating the location of the junkyard relative to the highway, the 1,000 foot control lines, property ownership boundaries, the general location of the junk or scrap material, and any buildings, structures, or improvement involved; and
- (5) Where screening is to be utilized, the type of screening, and adequately detailed plans and cross sections, or other adequate graphic displays which illustrate the relationship of the motorist, the screen, and the material to be screened at critical points of view.

[40 FR 8551, Feb. 28, 1975, as amended at 41 FR 9321, Mar. 4, 1976]

PART 752—LANDSCAPE AND **ROADSIDE DEVELOPMENT**

Sec.

752.1 Purpose.

752.2 Policy. 752.3 Definitions.

752.4

Landscape development. 752.5 Safety rest areas.

752.6 Scenic overlooks.

752.7 Information centers and systems.

752.8 Privately operated information centers and systems.

752.9 Scenic lands.

752.10 Abandoned vehicles.

752.11 Federal participation.

AUTHORITY: 23 U.S.C. 131, 315, 319; 42 U.S.C. 4321 et seq.; 49 CFR 1.48(b), unless otherwise noted.

SOURCE: 43 FR 19390, May 5, 1978, unless otherwise noted.

§ 752.1 Purpose.

The purpose of this part is to furnish guidelines and prescribe policies regarding landscaping and scenic enhancement programs, safety rest areas, and scenic overlooks under 23 U.S.C. 319: information centers and systems under 23 U.S.C. 131(i); and vending machines in safety rest areas under 23 U.S.C. 111.

[48 FR 38610, Aug. 25, 1983]

§ 752.2 Policy.

- (a) Highway esthetics is a most important consideration in the Federalaid highway program. Highways must not only blend with our natural social, and cultural environment, but also provide pleasure and satisfaction in their
- (b) The FHWA will cooperate with State and local agencies and organizations to provide opportunities for the display of original works of art within the highway rights-of-way.
- (c) The development of the roadside to include landscape development, safety rest areas, and the preservation of valuable adjacent scenic lands is a necessary component of highway development. Planning and development of the roadside should be concurrent with or closely follow that of the highway. Further, the development of travel information centers and systems is encouraged as an effective method of providing necessary information to the traveling public.

§ 752.3 Definitions.

- (a) Safety rest area. A roadside facility safely removed from the traveled way with parking and such facilities for the motorist deemed necessary for his rest, relaxation, comfort and information needs. The term is synonymous with "rest and recreation areas."
- (b) Scenic overlook. A roadside improvement for parking and other facilities to provide the motorist with a safe opportunity to stop and enjoy a view.

(c) Information centers. Facilities located at safety rest areas which provide information of interest to the traveling public.

(d) Information systems. Facilities located within the right-of-way which provide information of interest to the traveling public. An information system is not a sign, display or device otherwise permitted under 23 U.S.C. 131 or prohibited by any local, State or Federal law or regulation.

(e) Landscape project. Any action taken as part of a highway construction project or as a separate action to enhance the esthetics of a highway through the placement of plant materials consistent with a landscape design plan. Seeding undertaken for erosion control and planting vegetation

§ 752.4

for screening purposes shall not constitute a landscaping project.

[43 FR 19390, May 5, 1978, as amended at 52 FR 34638, Sept. 14, 1987]

§752.4 Landscape development.

- (a) Landscape development, which includes landscaping projects and other highway planting programs within the right-of-way of all federally funded highways or on adjoining scenic lands, shall be in general comformity with accepted concepts and principles of highway landscaping and environmental design.
- (b) Landscape development should have provisions for plant establishment periods of a duration sufficient for expected survival in the highway environment. Normal 1-year plant establishment periods may be extended to 3-year periods where survival is considered essential to their function, such as junkyard screening or urban landscaping projects.
- (c) In urban areas new and major reconstructed highways and completed Interstate and expressway sections are to be landscaped as appropriate for the adjacent existing or planned environment.
- (d) In rural areas new and major reconstructed highways should be landscaped as appropriate for the adjacent environment. Planning should include the opportunity for natural regeneration of native growth and the management of that growth.
- (e) Landscaping projects shall include the planting of native wildflower seeds or seedlings or both, unless a waiver is granted as provided in §752.11(b).

[43 FR 19390, May 5, 1978, as amended at 52 FR 34638, Sept. 14, 1987]

§ 752.5 Safety rest areas.

(a) Safety rest areas should provide facilities reasonably necessary for the comfort, convenience, relaxation, and information needs of the motorist. Caretakers' quarters may be provided in conjunction with a safety rest area at such locations where accommodations are deemed necessary. All facilities within the rest area are to provide full consideration and accommodation for the handicapped.

(b) The State may permit the placement of vending machines in existing or new safety rest areas located on the rights-of-way of the Interstate system for the purpose of dispensing such food, drink, or other articles as the State determines are appropriate and desirable, except that the dispensing by any means, of petroleum products or motor vehicle replacement parts shall not be allowed. Such vending machines shall be operated by the State.

(c) The State may operate the vending machines directly or may contract with a vendor for the installation, operation, and maintenance of the vending machines. In permitting the placement of vending machines the State shall give priority to vending machines which are operated through the State licensing agency designated pursuant to section 2(a)(5) of the Randolph-Sheppard Act, U.S.C. 107(a)(5).

(d) Access from the safety rest areas to adjacent publicly owned conservation and recreation areas may be permitted if access to these areas is only available through the rest area and if these areas or their usage does not adversely affect the facilities of the safety rest area.

- (e) The scenic quality of the site, its accessibility and adaptability, and the availability of utilities are the prime considerations in the selection of rest area sites. A statewide safety rest area system plan should be maintained. This plan should include development priorities to ensure safety rest areas will be constructed first at locations most needed by the motorist. Proposals for safety rest areas or similar facilities on Federal-aid highways in suburban or urban areas shall be special case and must be fully justified before being authorized by the FHWA Regional Administrator.
- (f) Facilities within newly constructed safety rest areas should meet the forecast needs of the design year. Expansion and modernization of older existing rest areas that do not provide adequate service should be considered.
- (g) No charge to the public may be made for goods and services at safety rest areas except for telephone and articles dispensed by vending machines.

[43 FR 19390, May 5, 1978, as amended at 48 FR 38611, Aug. 25, 1983]

§ 752.6 Scenic overlooks.

Scenic overlooks shall be located and designed as appropriate to the site and the scenic view with consideration for safety, access, and convenience of the motorist. Scenic overlooks may provide facilities equivalent to those provided in safety rest area.

§ 752.7 Information centers and systems.

- (a) The State may establish at existing or new safety rest areas information centers for the purpose of providing specific information to the motorist as to services, as to places of interest within the State and such other information as the State may consider desirable.
- (b) The State may construct and operate the facilities, may construct and lease the operation of information facilities, or may lease the construction and operation of information facilities.
- (c) Where the information center or system includes an enclosed building, the identification of the operator and all advertising must be restricted to the interior of the building. Where a facility is in the nature of a bulletin board or partial enclosure, none of the advertising, including the trade name, logo, or symbol of the operator shall be legible from the main traveled way.
- (d) Subject to FHWA approval, States may establish or permit information systems within the right-of-way of federally funded highways which provide information of specific interest to the traveling public which do not visually intrude upon the main-traveled way of the highway in a manner violating 23 U.S.C. 131 and other applicable local, State, and Federal laws, rules, and regulations

§ 752.8 Privately operated information centers and systems.

- (a) Subject to the FHWA Regional Administrator's approval of the lease or agreement, the State may permit privately operated information centers and systems which conform with the standards of this directive.
- (b) There shall be no violation of control of access, and no adverse effect on traffic in the main traveled way.

- (c) The agreement between the State and the private operator shall provide that:
- (1) The State shall have title to the information center or system upon completion of construction or termination of the lease.
- (2) Advertising must be limited to matters relating to and of interest to the traveling public.
- (3) Equal access must be provided at reasonable rates to all advertisers considered qualified by the State.
- (4) Forty percent or more of all display areas and audible communications shall be devoted free of charge to providing information to the traveling public and public service announcements.
- (5) No charge to the public may be made for goods or services except telephone and articles dispensed by vending machines.
- (6) Nondiscrimination provisions must be included in accordance with the State assurance with regard to 42 U.S.C. 2000d—2000d–5 (Civil Rights Act of 1964). The private operator may not permit advertising from advertisers who do not provide their services without regard to race, color, or national origin.
- (7) The center or system shall be adequately maintained and kept clean and sanitary.
- (8) The State may promulgate reasonable rules and regulations on the conduct of the information center or system in the interests of the public.
- (9) The State may terminate the lease or agreement for violation of its terms or for other cause.

[43 FR 19390, May 5, 1978, as amended at 48 FR 38611, Aug. 25, 1983]

§ 752.9 Scenic lands.

- (a) Acquisition of interests in and improvement of strips of land or water areas adjacent to Federal-aid highways may be made as necessary for restoration, preservation, and enhancement of scenic beauty.
- (b) Scenic strip interests may be acquired in urban or rural areas, combined in one or more projects, authorized separately whether or not there is or has been a Federal-aid project on the adjoining Federal-aid highway.

§ 752.10

(c) Approval of acquisition and development of scenic strips on completed Interstate should be conditioned on a showing that the acquisition of scenic strips was considered under the Highway Beautification Program for that particular section of Interstate.

§ 752.10 Abandoned vehicles.

- (a) Abandoned motor vehicles may be removed from the right-of-way and from private lands adjacent to Federalaid highways for the restoration, preservation, or enhancement of scenic beauty as seen from the traveled way of the highway as a landscape or roadside development project.
- (b) The State shall obtain permission or sufficient legal authority to go on private land to carry out this program. Where feasible, an agreement should be made with the owner that he will not in the future place junk, or allow junk to be placed, on his land so as to create an eyesore to the traveling public. The permission or authority and the agreement may be informal.
- (c) The collection of abandoned motor vehicles from within the right-of-way must be a development project and not a maintenance operation. Once a State completes a development project for the removal of abandoned motor vehicles from within the highway right-of-way, it is obligated to continue the removal of future abandoned motor vehicles from within the development project limits without further participation.

§752.11 Federal participation.

- (a) Federal-aid highway funds, but generally excluding Interstate construction funds, are available for landscape development; for the acquisition and development of safety rest areas, scenic overlooks, and scenic lands; for the development of information centers and systems; and for the removal of abandoned motor vehicles.
- (b) Federal-aid highway funds may participate in any landscaping project undertaken pursuant to paragraph (a) of this section provided that at least one-quarter of one percent of funds expended for such landscaping project is used to plant native wildflower seeds or seedlings or both. The Administrator may, upon the request of a State high-

way agency, grant a waiver to this requirement provided the State certifies that:

- (1) Native wildflowers or seedlings cannot be grown satisfactorily; or
- (2) There is a scarcity of available planting areas; or
- (3) The available planting areas will be used for agricultural purposes.
- (c) Subject to the requirement of paragraph (b) of this section, Federal-aid highway funds may participate in plant establishment periods in or associated with landscape development.
- (d) Notwithstanding the provisions of paragraph (b) of this section, Federal-aid highway funds may participate in the planting of flowering materials, including native wildflowers, donated by garden clubs and other organizations or individuals.
- (e) The value of donated plant materials shall not count toward the onequarter of one percent minimum expenditure required by paragraph (b) of this section.
- (f) Federal-aid funds may not be used for assemblage, printing, or distribution of information materials; for temporary or portable information facilities; or for installation, operation, or maintenance of vending machines.

[52 FR 34638, Sept. 14, 1987]

PART 771—ENVIRONMENTAL IM-PACT AND RELATED PROCE-DURES

Sec.

- 771.101 Purpose.
- 771.103 [Reserved]
- 771.105 Policy.
- 771.107 Definitions.
- 771.109 Applicability and responsibilities.
- 771.111 Early coordination, public involvement, and project development.
- 771.113 Timing of Administration activities.
- 771.115 Classes of actions. 771.117 Categorical exclusi
- 771.117 Categorical exclusions. 771.119 Environmental assessments.
- 771.121 Findings of no significant impact.
- 771.123 Draft environmental impact statements.
- 771.125 Final environmental impact statements.
- 771.127 Record of decision.
- 771.129 Re-evaluations.
- 771.130 Supplemental environmental impact statements.
- 771.131 Emergency action procedures.

771.133 Compliance with other requirements.

771.135 Section 4(f) (49 U.S.C. 303). 771.137 International actions.

AUTHORITY: 42 U.S.C. 4321 et seq.; 23 U.S.C. 109, 110, 128, 138 and 315; 49 U.S.C. 303(c), 5301(e), 5323, and 5324; 40 CFR part 1500 et seq.; 49 CFR 1.48(b) and 1.51.

SOURCE: 52 FR 32660, Aug. 28, 1987, unless otherwise noted.

§ 771.101 Purpose.

This regulation prescribes the policies and procedures of the Federal Highway Administration (FHWA) and the Urban Mass Transportation Administration (UMTA) for implementing the National Environmental Policy Act of 1969 as amended (NEPA), and the regulation of the Council on Environmental Quality (CEQ), 40 CFR parts 1500 through 1508. This regulation sets forth all FHWA, UMTA, and Department of Transportation (DOT) requirements under NEPA for the processing of highway and urban mass transportation projects. This regulation also sets forth procedures to comply with 23 U.S.C. 109(h), 128, 138, and 49 U.S.C. 303, 1602(d), 1604(h), 1604(i), 1607a, 1607a-1 and 1610.

§ 771.103 [Reserved]

§ 771.105 Policy.

It is the policy of the Administration

(a) To the fullest extent possible, all environmental investigations, reviews, and consultations be coordinated as a single process, and compliance with all applicable environmental requirements be reflected in the environmental document required by this regulation.1

(b) Alternative courses of action be evaluated and decisions be made in the best overall public interest based upon a balanced consideration of the need for safe and efficient transportation; of

¹FHWA and UMTA have supplementary guidance on the format and content of NEPA documents for their programs. This includes a list of various environmental laws, regulations, and Executive orders which may be applicable to projects. The FHWA Technical Advisory T6640.8A, October 30, 1987, and the UMTA supplementary guidance are available from the respective FHWA and UMTA headquarters and field offices as prescribed in 49 CFR part 7, Appendices D and G.

the social, economic, and environmental impacts of the proposed transportation improvement; and of national, State, and local environmental protection goals.

(c) Public involvement and a systematic interdisciplinary approach be essential parts of the development proc-

ess for proposed actions.

(d) Measures necessary to mitigate adverse impacts be incorporated into the action. Measures necessary to mitigate adverse impacts are eligible for Federal funding when the Administration determines that:

(1) The impacts for which the mitigation is proposed actually result from the Administration action; and

(2) The proposed mitigation represents a reasonable public expenditure after considering the impacts of the action and the benefits of the proposed mitigation measures. In making this determination, the Administration will consider, among other factors, the extent to which the proposed measures would assist in complying with a Federal statute, Executive Order, or Administration regulation or policy.

(e) Costs incurred by the applicant for the preparation of environmental documents requested by the Administration be eligible for Federal assist-

ance.

(f) No person, because of handicap, age, race, color, sex, or national origin, be excluded from participating in, or denied benefits of, or be subject to discrimination under any Administration program or procedural activity required by or developed pursuant to this regulation.

[52 FR 32660, Aug. 28, 1987; 53 FR 11065, Apr. 5. 19881

§ 771.107 Definitions.

The definitions contained in the CEQ regulation and in Titles 23 and 49 of the United States Code are applicable. In addition, the following definitions apply.

(a) Environmental studies. The investigations of potential environmental impacts to determine the environmental process to be followed and to assist in the preparation of the environmental document.

(b) Action. A highway or transit project proposed for FHWA or UMTA

§771.109

funding. It also includes activities such as joint and multiple use permits, changes in access control, etc., which may or may not involve a commitment of Federal funds.

- (c) Administration action. The approval by FHWA or UMTA of the applicant's request for Federal funds for construction. It also includes approval of activities such as joint and multiple use permits, changes in access control, etc., which may or may not involve a commitment of Federal funds.
- (d) Administration. FHWA or UMTA, whichever is the designated lead agency for the proposed action.
- (e) Section 4(f). Refers to 49 U.S.C. 303 and 23 U.S.C. 138.²

§ 771.109 Applicability and responsibilities.

- (a)(1) The provisions of this regulation and the CEQ regulation apply to actions where the Administration exercises sufficient control to condition the permit or project approval. Actions taken by the applicant which do not require Federal approvals, such as preparation of a regional transportation plan are not subject to this regulation.
- (2) This regulation does not apply to, or alter approvals by the Administration made prior to the effective date of this regulation.
- (3) Environmental documents accepted or prepared by the Administration after the effective date of this regulation shall be developed in accordance with this regulation.
- (b) It shall be the responsibility of the applicant, in cooperation with the Administration to implement those mitigation measures stated as commitments in the environmental documents prepared pursuant to this regulation. The FHWA will assure that this is accomplished as a part of its program management responsibilities that in-

²Section 4(f), which protected certain public lands and all historic sites, technically was repealed in 1983 when it was codified, without substantive change, as 49 U.S.C. 303. This regulation continues to refer to section 4(f) because it would create needless confusion to do otherwise; the policies section 4(f) engendered are widely referred to as "section 4(f)" matters. A provision with the same meaning is found at 23 U.S.C. 138 and applies only to FHWA actions.

clude reviews of designs, plans, specifications, and estimates (PS&E), and construction inspections. The UMTA will assure implementation of committed mitigation measures through incorporation by reference in the grant agreement, followed by reviews of designs and contruction inspections.

- (c) The Administration, in cooperation with the applicant, has the responsibility to manage the preparation of the appropriate environmental document. The role of the applicant will be determined by the Administration accordance with the CEQ regulation:
- (1) Statewide agency. If the applicant is a public agency that has statewide jurisdiction (for example, a State highway agency or a State department of transportation) or is a local unit of government acting through a statewide agency, and meets the requirements of section 102(2)(D) of NEPA, the applicant may prepare the environmental impact statement (EIS) and other environmental documents with the Administration furnishing guidance, participating in the preparation, and independently evaluating the document. All FHWA applicants qualify under this paragraph.
- (2) Joint lead agency. If the applicant is a public agency and is subject to State or local requirements comparable to NEPA, then the Administration and the applicant may prepare the EIS and other environmental documents as joint lead agencies. The applicant shall initially develop substantive portions of the environmental document, although the Administration will be responsible for its scope and content.
- (3) Cooperating agency. Local public agenices with special expertise in the proposed action may be cooperating agencies in the preparation of an environmental document. An applicant for capital assistance under the Urban Mass Transportation Act of 1964, as amended (UMT Act), is presumed to be a cooperating agency if the conditions in paragraph (c) (1) or (2) of this section do not apply. During the environmental process, the Administration will determine the scope and content of the environmental document and will

direct the applicant, acting as a cooperating agency, to develop information and prepare those portions of the document concerning which it has special expertise.

- (4) Other. In all other cases, the role of the applicant is limited to providing environmental studies and commenting on environmental documents. All private institutions or firms are limited to this role.
- (d) When entering into Federal-aid project agreements pursuant to 23 U.S.C. 110, it shall be the responsibility of the State highway agency to ensure that the project is constructed in accordance with and incorporates all committed environmental impact mitigation measures listed in approved environmental documents unless the State requests and receives written Federal Highway Administration approval to modify or delete such mitigation features.

[52 FR 32660, Aug. 28, 1987; 53 FR 11065, Apr. 5, 1988, as amended at 62 FR 6873, Feb. 14, 1997]

§ 771.111 Early coordination, public involvement, and project development.

- (a) Early coordination with appropriate agencies and the public aids in determining the type of environmental document an action requires, the scope of the document, the level of analysis, and related environmental requirements. This involves the exchange of information from the inception of a proposal for action to preparation of the environmental document. Applicants intending to apply for funds should notify the Administration at the time that a project concept is identified. When requested, the Administration will advise the applicant, insofar as possible, of the probable class of action and related environmental laws and requirements and of the need for specific studies and findings which would normally be developed concurrently with the environmental docu-
- (b) The Administration will identify the probable class of action as soon as sufficient information is available to identify the probable impacts of the action. For UMTA, this is normally no later than the review of the transpor-

tation improvement program (TIP) and for FHWA, the approval of the 105 program (23 U.S.C. 105).

- (c) When FHWA and UMTA are involved in the development of joint projects, or when FHWA or UMTA acts as a joint lead agency with another Federal agency, a mutually acceptable process will be established on a case-by-case basis.
- (d) During the early coordination process, the Administration, in cooperation with the applicant, may request other agencies having special interest or expertise to become cooperating agencies. Agencies with jurisdiction by law must be requested to become cooperating agencies.
- (e) Other States, and Federal land management entities, that may be significantly affected by the action or by any of the alternatives shall be notified early and their views solicited by the applicant in cooperation with the Administration. The Administration will prepare a written evaluation of any significant unresolved issues and furnish it to the applicant for incorporation into the environmental assessment (EA) or draft EIS.
- (f) In order to ensure meaningful evaluation of alternatives and to avoid commitments to transportation improvements before they are fully evaluated, the action evaluated in each EIS or finding of no significant impact (FONSI) shall:
- (1) Connect logical termini and be of sufficient length to address environmental matters on a broad scope;
- (2) Have independent utility or independent significance, *i.e.*, be usable and be a reasonable expenditure even if no additional transportation improvements in the area are made; and
- (3) Not restrict consideration of alternatives for other reasonably foreseeable transportation improvements.
- (g) For major transportation actions, the tiering of EISs as discussed in the CEQ regulation (40 CFR 1502.20) may be appropriate. The first tier EIS would focus on broad issues such as general location, mode choice, and areawide air quality and land use implications of the major alternatives. The second tier would address site-specific details on project impacts, costs, and mitigation measures.

§771.113

- (h) For the Federal-aid highway program:
- (1) Each State must have procedures approved by the FHWA to carry out a public involvement/public hearing program pursuant to 23 U.S.C. 128 and 40 CFR parts 1500 through 1508.
- (2) State public involvement/public hearing procedures must provide for:
- (i) Coordination of public involvement activities and public hearings with the entire NEPA process.
- (ii) Early and continuing opportunities during project development for the public to be involved in the identification of social, economic, and environmental impacts, as well as impacts associated with relocation of individuals, groups, or institutions.
- (iii) One or more public hearings or the opportunity for hearing(s) to be held by the State highway agency at a convenient time and place for any Federal-aid project which requires significant amounts of right-of-way, substantially changes the layout or functions of connecting roadways or of the facility being improved, has a substantial adverse impact on abutting property, otherwise has a significant social, economic, environmental or other effect, or for which the FHWA determines that a public hearing is in the public interest.
- (iv) Reasonable notice to the public of either a public hearing or the opportunity for a public hearing. Such notice will indicate the availability of explanatory information. The notice shall also provide information required to comply with public involvement requirements of other laws, Executive orders, and regulations.
- (v) Explanation at the public hearing of the following information, as appropriate:
- (A) The project's purpose, need, and consistency with the goals and objectives of any local urban planning,
- (B) The project's alternatives, and major design features,
- (C) The social, economic, environmental, and other impacts of the project,
- (D) The relocation assistance program and the right-of-way acquisition process.

- (E) The State highway agency's procedures for receiving both oral and written statements from the public.
- (vi) Submission to the FHWA of a transcript of each public hearing and a certification that a required hearing or hearing opportunity was offered. The transcript will be accompanied by copies of all written statements from the public, both submitted at the public hearing or during an announced period after the public hearing.
- (3) Based on the reevaluation of project environmental documents required by §771.129, the FHWA and the State highway agency will determine whether changes in the project or new information warrant additional public involvement.
- (4) Approvals or acceptances of public involvement/public hearing procedures prior to the publication date of this regulation remain valid.
- (i) Applicants for capital assistance in the UMTA program achieve public participation on proposed projects by holding public hearings and seeking input from the public through the scoping process for environmental documents. For projects requiring EISs, a public hearing will be held during the circulation period of the draft EIS. For all other projects, an opportunity for public hearings will be afforded with adequate prior notice pursuant to 49 U.S.C. 1602(d), 1604(i), 1607a(f) and 1607a-1(d), and such hearings will be held when anyone with a significant social, economic, or environmental interest in the matter requests it. Any hearing on the action must be coordinated with the NEPA process to the fullest extent possible.
- (j) Information on the UMTA environmental process may be obtained from: Director, Office of Planning Assistance, Urban Mass Transportation Administration, Washington, DC 20590. Information on the FHWA environmental process may be obtained from: Director, Office of Environmental Policy, Federal Highway Administration, Washington, DC 20590.

§ 771.113 Timing of Administration activities.

(a) The Administration in cooperation with the applicant will perform the work necessary to complete a FONSI or an EIS and comply with other related environmental laws and regulations to the maximum extent possible during the NEPA process. This work includes environmental studies, related engineering studies, agency coordination and public involvement. However, final design activities, property acquisition (with the exception of hardship and protective buying, as defined in §771.117(d)), purchase of construction materials or rolling stock, or project construction shall not proceed until the following have been completed:

- (1)(i) The action has been classified as a categorical exclusion (CE), or
 - (ii) A FONSI has been approved, or
- (iii) A final EIS has been approved and available for the prescribed period of time and a record of decision has been signed;
- (2) For actions proposed for FHWA funding, the FHWA Division Administrator has received and accepted the certifications and any required public hearing transcripts required by 23 U.S.C. 128;
- (3) For activities proposed for FHWA funding, the programming requirements of 23 CFR part 450, subpart B, and 23 CFR part 630, subpart A, have been met.
- (b) For FHWA, the completion of the requirements set forth in paragraphs (a)(1) and (2) of this section is considered acceptance of the general project location and concepts described in the environmental document unless otherwise specified by the approving official. However, such approval does not commit the Administration to approve any future grant request to fund the preferred alternative.
- (c) Letters of Intent issued under the authority of section 3(a)(4) of the UMT Act are used by UMTA to indicate an intention to obligate future funds for multi-year capital transit projects. Letters of Intent will not be issued by UMTA until the NEPA process is completed.

[52 FR 32660, Aug. 28, 1987; 53 FR 11066, Apr. 5, 1988]

§ 771.115 Classes of actions.

There are three classes of actions which prescribe the level of docu-

mentation required in the NEPA process.

- (a) Class I (EISs). Actions that significantly affect the environment require an EIS (40 CFR 1508.27). The following are examples of actions that normally required an EIS:
- (1) A new controlled access freeway.
- (2) A highway project of four or more lanes on a new location.
- (3) New construction or extension of fixed rail transit facilities (e.g., rapid rail, light rail, commuter rail, automated guideway transit).
- (4) New construction or extension of a separate roadway for buses or high occupancy vehicles not located within an existing highway facility.
- (b) Class II (CEs). Actions that do not individually or cumulative have a significant environmental effect are excluded from the requirement to prepare an EA or EIS. A specific list of CEs normally not requiring NEPA documentation is set forth in \$771.117(c). When appropriately documented, additional projects may also qualify as CEs pursuant to \$771.117(d).
- (c) Class III (EAs). Actions in which the significance of the environmental impact is not clearly estabilished. All actions that are not Class I or II are Class III. All actions in this class require the preparation of an EA to determine the appropriate environmental document required.

§771.117 Categorical exclusions.

- (a) Categorical exclusions (CEs) are actions which meet the definition contained in 40 CFR 1508.4, and, based on past experience with similar actions, do not involve significnt environ-mental impacts. They are actions which: do not induce significant impacts to planned growth or land use for the area; do not require the relocation of significant numbers of people; do not have a significant impact on any natural, cultural, recreational, historic or other resource; do not involve significant air, noise, or water quality impacts; do not have significant impacts on travel patterns; or do not otherwise, either individually or cumulatively, have any significant environmental impacts.
- (b) Any action which normally would be classified as a CE but could involve

§771.117

unusual circumstances will require the Administration, in cooperation with the applicant, to conduct appropriate environmental studies to determine if the CE classification is proper. Such unusual circumstances include:

- (1) Significant environmental impacts;
- (2) Substantial controversy on environmental grounds;
- (3) Significant impact on properties protected by section 4(f) of the DOT Act or section 106 of the National Historic Preservation Act; or
- (4) Inconsistencies with any Federal, State, or local law, requirement or administrative determination relating to the environmental aspects of the action.
- (c) The following actions meet the criteria for CEs in the CEQ regulation (section 1508.4) and §771.117(a) of this regulation and normally do not require any further NEPA approvals by the Administration:
- (1) Activities which do not involve or lead directly to construction, such as planning and technical studies; grants for training and research programs; research activities as defined in 23 U.S.C. 307; approval of a unified work program and any findings required in the planning process pursuant to 23 U.S.C. 134; approval of statewide programs under 23 CFR part 630; approval of project concepts under 23 CFR part 476; engineering to define the elements of a proposed action or alternatives so that social, economic, and environmental effects can be assessed; and Federal-aid system revisions which establish classes of highways on the Federal-aid highway system.
- (2) Approval of utility installations along or across a transportation facility.
- (3) Construction of bicycle and pedestrian lanes, paths, and facilities.
- (4) Activities included in the State's highway safety plan under 23 U.S.C. 402.
- (5) Transfer of Federal lands pursuant to 23 U.S.C. 317 when the subsequent action is not an FHWA action.
- (6) The installation of noise barriers or alterations to existing publicly owned buildings to provide for noise reduction.
 - (7) Landscaping.

- (8) Installation of fencing, signs, pavement markings, small passenger shelters, traffic signals, and railroad warning devices where no substantial land acquisition or traffic disruption will occur.
- (9) Emergency repairs under 23 U.S.C. 125.
 - (10) Acquisition of scenic easements.
- (11) Determination of payback under 23 CFR part 480 for property previously acquired with Federal-aid participation.
- (12) Improvements to existing rest areas and truck weigh stations.
 - (13) Ridesharing activities.
 - (14) Bus and rail car rehabilitation.
- (15) Alterations to facilities or vehicles in order to make them accessible for elderly and handicapped persons.
- (16) Program administration, technical assistance activities, and operating assistance to transit authorities to continue existing service or increase service to meet routine changes in demand.
- (17) The purchase of vehicles by the applicant where the use of these vehicles can be accommodated by existing facilities or by new facilities which themselves are within a CE.
- (18) Track and railbed maintenance and improvements when carried out within the existing right-of-way.
- (19) Purchase and installation of operating or maintenance equipment to be located within the transit facility and with no significant impacts off the
- (20) Promulgation of rules, regulations, and directives.
- (d) Additional actions which meet the criteria for a CE in the CEQ regulations (40 CFR 1508.4) and paragraph (a) of this section may be designated as CEs only after Administration approval. The applicant shall submit documentation which demonstrates that the specific conditions or criteria for these CEs are satisfied and that significant environmental effects will not result. Examples of such actions include but are not limited to:
- (1) Modernization of a highway by resurfacing, restoration, rehabilitation, reconstruction, adding shoulders, or adding auxiliary lanes (e.g., parking, weaving, turning, climbing).

- (2) Highway safety or traffic operations improvement projects including the installation of ramp metering control devices and lighting.
- (3) Bridge rehabilitation, reconstruction or replacement or the construction of grade separation to replace existing at-grade railroad crossings.
- (4) Transportation corridor fringe parking facilities.
- (5) Construction of new truck weigh stations or rest areas.
- (6) Approvals for disposal of excess right-of-way or for joint or limited use of right-of-way, where the proposed use does not have significant adverse impacts.
- (7) Approvals for changes in access control.
- (8) Construction of new bus storage and maintenance facilities in areas used predominantly for industrial or transportation purposes where such construction is not inconsistent with existing zoning and located on or near a street with adequate capacity to handle anticipated bus and support vehicle traffic.
- (9) Rehabilitation or reconstruction of existing rail and bus buildings and ancillary facilities where only minor amounts of additional land are required and there is not a substantial increase in the number of users.
- (10) Construction of bus transfer facilities (an open area consisting of passenger shelters, boarding areas, kiosks and related street improvements) when located in a commercial area or other high activity center in which there is adequate street capacity for projected bus traffic.
- (11) Construction of rail storage and maintenance facilities in areas used predominantly for industrial or transportation purposes where such construction is not inconsistent with existing zoning and where there is no significant noise impact on the surrounding community.
- (12) Acquisition of land for hardship or protective purposes; advance land acquisition loans under section 3(b) of the UMT Act.³ Hardship and protective

buying will be permitted only for a particular parcel or a limited number of parcels. These types of land acquisition quality for a CE only where the acquisition will not limit the evaluation of alternatives, including shifts in alignment for planned construction projects, which may be required in the NEPA process. No project development on such land may proceed until the NEPA process has been completed.

(e) Where a pattern emerges of granting CE status for a particular type of action, the Administration will initiate rulemaking proposing to add this type of action to the list of categorical exclusions in paragraph (c) or (d) of this section, as appropriate.

[52 FR 32660, Aug. 28, 1987; 53 FR 11066, Apr. 5, 1988]

§771.119 Environmental assessments.

- (a) An EA shall be prepared by the applicant in consultation with the Administration for each action that is not a CE and does not clearly require the preparation of an EIS, or where the Administration believes an EA would assist in determining the need for an EIS.
- (b) For actions that require an EA, the applicant, in consultation with the Administration, shall, at the earliest appropriate time, begin consultation with interested agencies and others to advise them of the scope of the project and to achieve the following objectives: determine which aspects of the proposed action have potential for social, economic, or environmental impact; identify alternatives and measures which might mitigate adverse environmental impacts; and identify other environmental review and consultation

³Hardship acquisition is early acquisition of property by the applicant at the property owner's request to alleviate particular hardship to the owner, in contrast to others, because of an inability to sell his property.

This is justified when the property owner can document on the basis of health, safety or financial reasons that remaining in the property poses an undue hardship compared to others.

Protective acquisition is done to prevent imminent development of a parcel which is needed for a proposed transportation corridor or site. Documentation must clearly demonstrate that development of the land would preclude future transportation use and that such development is imminent. Advance acquisition is not permitted for the sole purpose of reducing the cost of property for a proposed project.

§771.121

requirements which should be performed concurrently with the EA. The applicant shall accomplish this through an early coordination process (i.e., procedures under §771.111) or through a scoping process. Public involvement shall be summarized and the results of agency coordination shall be included in the EA.

- (c) The EA is subject to Administration approval before it is made available to the public as an Administration document. The UMTA applicants may circulate the EA prior to Administration approval provided that the document is clearly labeled as the applicant's document.
- (d) The EA need not be circulated for comment but the document must be made available for public inspection at the applicant's office and at the appropriate Administration field offices in accordance with paragraphs (e) and (f) of this section. Notice of availability of the EA, briefly describing the action and its impacts, shall be sent by the applicant to the affected units of Federal, State and local government. Notice shall also be sent to the State intergovernmental review contacts established under Executive Order 12372.
- (e) When a public hearing is held as part of the application for Federal funds, the EA shall be available at the public hearing and for a minimum of 15 days in advance of the public hearing. The notice of the public hearing in local newspapers shall announce the availability of the EA and where it may be obtained or reviewed. Comments shall be submitted in writing to the applicant or the Administration within 30 days of the availability of the EA unless the Administration determines, for good cause, that a different period is warranted. Public hearing requirements are as described in §771.111.
- (f) When a public hearing is not held, the applicant shall place a notice in a newspaper(s) similar to a public hearing notice and at a similar stage of development of the action, advising the public of the availability of the EA and where information concerning the action may be obtained. The notice shall invite comments from all interested parties. Comments shall be submitted in writing to the applicant or the Administration within 30 days of the pub-

lication of the notice unless the Administration determines, for good cause, that a different period is warranted

- (g) If no significant impacts are identified, the applicant shall furnish the administration a copy of the revised EA, as appropriate; the public hearing transcript, where applicable; copies of any comments received and responses thereto; and recommend a FONSI. The EA should also document compliance, to the extent possible, with all applicable environmental laws and Executive orders, or provide reasonable assurance that their requirements can be met.
- (h) When the Administration expects to issue a FONSI for an action described in §771.115(a), copies of the EA shall be made available for public review (including the affected units of government) for a minimum of 30 days before the Administration makes its final decision (See 40 CFR 1501.4(e)(2).) This public availability shall be announced by a notice similar to a public hearing notice.
- (i) If, at any point in the EA process, the Administration determines that the action is likely to have a significant impact on the environment, the preparation of an EIS will be required.

§ 771.121 Findings of no significant impact.

- (a) The Administration will review the EA and any public hearing comments and other comments received regarding the EA. If the Administration agrees with the applicant's recommendations pursuant to §771.119(g), it will make a separate written FONSI incorporating by reference the EA and any other appropriate environmental documents.
- (b) After a FONSI has been made by the Administration, a notice of availability of the FONSI shall be sent by the applicant to the affected units of Federal, State and local government and the document shall be available from the applicant and the Administration upon request by the public. Notice shall also be sent to the State intergovernmental review contacts established under Executive Order 12372.

(c) If another Federal agency has issued a FONSI on an action which includes an element proposed for Administration funding, the Administration will evaluate the other agency's FONSI. If the Administration determines that this element of the project and its environmental impacts have been adequately identified and assessed, and concurs in the decision to issue a FONSI, the Administration will issue its own FONSI incorporating the other agency's FONSI. If environmental issues have not been adequately identified and assessed, the Administration will require appropriate environmental studies.

§ 771.123 Draft environmental impact statements.

(a) A draft EIS shall be prepared when the Administration determines that the action is likely to cause significant impacts on the environment. When the decision has been made by the Administration to prepare an EIS, the Administration will issue a Notice of Intent (40 CFR 1508.22) for publication in the FEDERAL REGISTER. Applicants are encouraged to announce the intent to prepare an EIS by apprepriate means at the local level.

(b) After publication of the Notice of Intent, the Administration, in cooperation with the applicant, will begin a scoping process. The scoping process will be used to identify the range of alternatives and impacts and the significant issues to be addressed in the EIS and to achieve the other objectives of 40 CFR 1501.7. For FHWA, scoping is normally achieved through public and agency involvement procedures required by §771.111. For UMTA, scoping is achieved by soliciting agency and public responses to the action by letter or by holding scoping meetings. If a scoping meeting is to be held, it should be announced in the Administration's Notice of Intent and by appropriate means at the local level.

(c) The draft EIS shall be prepared by the Administration in cooperation with the applicant or, where permitted by law, by the applicant with appropriate guidance and participation by the Administration. The draft EIS shall evaluate all reasonable alternatives to the action and discuss the reasons why other alternatives, which may have been considered, were eliminated from detailed study. The draft EIS shall also summarize the studies, reviews, consultations, and coordination required by environmental laws or Executive orders to the extent appropriate at this stage in the environmental process.

(d) An applicant which is a *statewide* agency may select a consultant to assist in the preparation of an EIS in accordance with applicable contracting procedures. Where the applicant is a *joint lead* or *cooperating* agency, the applicant may select a consultant, after coordination with the Administration to assure compliance with 40 CFR 1506.5(c). The Administration will select any such consultant for *other* applicants. (See §771.109(c) for definitions of these terms.)

(e) The Administration, when satisfied that the draft EIS complies with NEPA requirements, will approve the draft EIS for circulation by signing and dating the cover sheet.

(f) A lead, joint lead, or a cooperating agency shall be responsible for printing the EIS. The initial printing of the draft EIS shall be in sufficient quantity to meet requirements for copies which can reasonably be expected from agencies, organizations, and individuals. Normally, copies will be furnished free of charge. However, with Administration concurrence, the party requesting the draft EIS may be charged a fee which is not more than the actual cost of reproducing the copy or may be directed to the nearest location where the statement may be reviewed.

(g) The draft EIS shall be circulated for comment by the applicant on behalf of the Administration. The draft EIS shall be made available to the public and transmitted to agencies for comment no later than the time the document is filed with the Environmental Protection Agency in accordance with 40 CFR 1506.9. The draft EIS shall be transmitted to:

(1) Public officials, interest groups, and members of the public known to have an interest in the proposed action or the draft EIS;

(2) Federal, State and local government agencies expected to have jurisdiction or responsibility over, or interest or expertise in, the action. Copies

§771.125

shall be provided directly to appropriate State and local agencies, and to the State intergovernmental review contacts established under Executive Order 12372; and

(3) States and Federal land management entities which may be significantly affected by the proposed action or any of the alternatives. These copies shall be accompanied by a request that such State or entity advise the Administration in writing of any disagreement with the evaluation of impacts in the statement. The Administration will furnish the comments received to the applicant along with a written assessment of any disagreements for incorporation into the final EIS.

(h) The UMTA requires a public hearing during the circulation period of all draft EISs. FHWA public hearing requirements are as described §771.111(h). Whenever a public hearing is held, the draft EIS shall be available at the public hearing and for a minimum of 15 days in advance of the public hearing. The availability of the draft EIS shall be mentioned, and public comments requested, in any public hearing notice and at any public hearing presentation. If a public hearing on an action proposed for FHWA funding is not held, a notice shall be placed in a newspaper similar to a public hearing notice advising where the draft EIS is available for review, how copies may be obtained, and where the comments should be sent.

(i) The FEDERAL REGISTER public availability notice (40 CFR 1506.10) shall establish a period of not less than 45 days for the return of comments on the draft EIS. The notice and the draft EIS transmittal letter shall identify where comments are to be sent.

(j) For UMTA funded major urban mass transportation investments, the applicant shall prepare a report identifying a locally preferred alternative at the conclusion of the Draft EIS circulation period. Approval may be given to begin preliminary engineering on the principal alternative(s) under consideration. During the course of such preliminary engineering, the applicant will refine project costs, effectiveness, and impact information with particular attention to alternative designs, operations, detailed location de-

cisions and appropriate mitigation measures. These studies will be used to prepare the final EIS or, where appropriate, a supplemental draft EIS.

§ 771.125 Final environmental impact statements.

(a)(1) After circulation of a draft EIS and consideration of comments received, a final EIS shall be prepared by the Administration in cooperation with the applicant or, where permitted by law, by the applicant with appropriate guidance and participation by the Administration. The final EIS shall identify the preferred alternative and evaluate all reasonable alternatives considered. It shall also discuss substantive comments received on the draft EIS and responses thereto, summarize public involvement, and describe the mitigation measures that are to be incorporated into the proposed action. Mitigation measures presented as commitments in the final EIS will be incorporated into the project as specified in §771.109(b). The final EIS should also document compliance, to the extent possible, with all applicable environmental laws and Executive orders, or provide reasonable assurance that their requirements can be met.

- (2) Every reasonable effort shall be made to resolve interagency disagreements on actions before processing the final EIS. If significant issues remain unresolved, the final EIS shall identify those issues and the consultations and other efforts made to resolve them.
- (b) The final EIS will be reviewed for legal sufficiency prior to Administration approval.
- (c) The Administration will indicate approval of the EIS for an action by signing and dating the cover page. Final EISs prepared for actions in the following categories will be submitted to the Administration's Headquarters for prior concurrence:
- (i) Any action for which the Administration determines that the final EIS should be reviewed at the Headquarters office. This would typically occur when the Headquarters office determines that (i) additional coordination with

other Federal, State or local governmental agencies is needed; (ii) the social, economic, or environmental impacts of the action may need to be more fully explored; (iii) the impacts of the proposed action are unusually great; (iv) major issues remain unresolved; or (v) the action involves national policy issues.

(2) Any action to which a Federal, State or local government agency has indicated opposition on environmental grounds (which has not been resolved to the written satisfaction of the objecting agency).

(3) Major urban mass transportation investments as defined by UMTA's policy on major investments (49 FR 21284;

May 18, 1984).

- (d) The signature of the UMTA approving official on the cover sheet also indicates compliance with section 14 of the UMT Act and fulfillment of the grant application requirements of sections 3(d)(1) and (2), 5(h), and 5(i) of the UMT Act.
- (e) Approval of the final EIS is not an Administration Action (as defined in §771.107(c)) and does not commit the Administration to approve any future grant request to fund the preferred alternative.
- (f) The initial printing of the final EIS shall be in sufficient quantity to meet the request for copies which can be reasonably expected from agencies, organizations, and individuals. Normally, copies will be furnished free of charge. However, with Administration concurrence, the party requesting the final EIS may be charged a fee which is not more than the actual cost of reproducing the copy or may be directed to the nearest location where the statement may be reviewed.

(g) The final EIS shall be transmitted to any persons, organizations, or agencies that made substantive comments on the draft EIS or requested a copy, no later than the time the document is filed with EPA. In the case of lengthy documents, the agency may provide alternative circulation processes in accordance with 40 CFR 1502.19. The applicant shall also publish a notice of availability in local newspapers and make the final EIS available through the mechanism established pursuant to DOT Order 4600.13 which implements

Executive Order 12372. When filed with EPA, the final EIS shall be available for public review at the applicant's offices and at appropriate Administration offices. A copy should also be made available for public review at institutions such as local government offices, libraries, and schools, as appropriate.

§ 771.127 Record of decision.

- (a) The Administration will complete and sign a record of decision (ROD) no sooner than 30 days after publication of the final EIS notice in the FEDERAL REGISTER or 90 days after publication of a notice for the draft EIS, whichever is later. The ROD will present the basis for the decision as specified in 40 CFR 1505.2, summarize any mitigation measures that will be incorporated in the project and document any required section 4(f) approval in accordance with §771.135(l). Until any required ROD has been signed, no further approvals may be given except for administrative activities taken to secure further project funding and other activities consistent with 40 CFR 1506.1.
- (b) If the Administration subsequently wishes to approve an alternative which was not identified as the preferred alternative but was fully evaluated in the final EIS, or proposes to make substantial changes to the mitigation measures or findings discussed in the ROD, a revised ROD shall be subject to review by those Administration offices which reviewed the final EIS under §771.125(c). To the extent practicable the approved revised ROD shall be provided to all persons, organizations, and agencies that received a copy of the final EIS pursuant to §771.125(g).

§ 771.129 Re-evaluations.

(a) A written evaluation of the draft EIS shall be prepared by the applicant in cooperation with the Administration if an acceptable final EIS is not submitted to the Administration within 3 years from the date of the draft EIS circulation. The purpose of this evaluation is to determine whether or not a supplement to the draft EIS or a new draft EIS is needed.

§771.130

(b) A written evaluation of the final EIS will be required before further approvals may be granted if major steps to advance the action (e.g., authority to undertake final design, authority to acquire a significant portion of the right-of-way, or approval of the plans, specifications and estimates) have not occurred within three years after the approval of the final EIS, final EIS supplement, or the last major Administration approval or grant.

(c) After approval of the EIS, FONSI, or CE designation, the applicant shall consult with the Administration prior to requesting any major approvals or grants to establish whether or not the approved environmental document or CE designation remains valid for the requested Administration action. These consultations will be documented when determined necessary by the Administration.

[52 FR 32660, Aug. 28, 1987; 53 FR 11066, Apr. 5, 1988]

§ 771.130 Supplemental environmental impact statements.

- (a) A draft EIS, final EIS, or supplemental EIS may be supplemented at any time. An EIS shall be supplemented whenever the Administration determines that:
- (1) Changes to the proposed action would result in significant environmental impacts that were not evaluated in the EIS; or
- (2) New information or circumstances relevant to environmental concerns and bearings on the proposed action or its impacts would result in significant environmental impacts not evaluated in the EIS.
- (b) However, a supplemental EIS will not be necessary where:
- (1) The changes to the proposed action, new information, or new circumstances result in a lessening of adverse environmental impacts evaluated in the EIS without causing other environmental impacts that are significant and were not evaluated in the EIS; or
- (2) The Administration decides to approve an alternative fully evaluated in an approved final EIS but not identified as the preferred alternative. In such a case, a revised ROD shall be prepared and circulated in accordance with §771.127(b).

- (c) Where the Administration is uncertain of the significance of the new impacts, the applicant will develop appropriate environmental studies or, if the Administration deems appropriate, an EA to assess the impacts of the changes, new information, or new circumstances. If, based upon the studies, the Administration determines that a supplemental EIS is not necessary, the Administration shall so indicate in the project file.
- (d) A supplement is to be developed using the same process and format (*i.e.*, draft EIS, final EIS, and ROD) as an original EIS, except that scoping is not required.
- (e) A supplemental draft EIS may be necessary for UMTA major urban mass transportation investments if there is a substantial change in the level of detail on project impacts during project planning and development. The supplement will address site-specific impacts and refined cost estimates that have been developed since the original draft EIS.
- (f) In some cases, a supplemental EIS may be required to address issues of limited scope, such as the extent of proposed mitigation or the evaluation of location or design variations for a limited portion of the overall project. Where this is the case, the preparation of a supplemental EIS shall not necessarily:
- (1) Prevent the granting of new approvals;
- (2) Require the withdrawal of previous approvals; or
- (3) Require the suspension of project activities; for any activity not directly affected by the supplement. If the changes in question are of such magnitude to require a reassessment of the entire action, or more than a limited portion of the overall action, the Administration shall suspend any activities which would have an adverse environmental impact or limit the choice of reasonable alternatives, until the supplemental EIS is completed.

§ 771.131 Emergency action procedures.

Requests for deviations from the procedures in this regulation because of emergency circumstances (40 CFR

1506.11) shall be referred to the Administration's headquarters for evaluation and decision after consultation with CEQ.

§ 771.133 Compliance with other requirements.

The final EIS or FONSI should document compliance with requirements of all applicable environmental laws. Executive orders, and other related requirements. If full compliance is not possible by the time the final EIS or FONSI is prepared, the final EIS or FONSI should reflect consultation with the appropriate agencies and provide reasonable assurance that the requirements will be met. Approval of the endocument vironmental constitutes adoption of any Administration findings and determinations that are contained therein. The FHWA approval of the appropriate NEPA document will constitute its finding of compliance with the report requirements of 23 U.S.C. 128.

§ 771.135 Section 4(f) (49 U.S.C. 303).

- (a)(l) The Administration may not approve the use of land from a significant publicly owned public park, recreation area, or wildlife and waterfowl refuge, or any significant historic site unless a determination is made that:
- (i) There is no feasible and prudent alternative to the use of land from the property; and

(ii) The action includes all possible planning to minimize harm to the property resulting from such use.

- (2) Supporting information must demonstrate that there are unique problems or unusual factors involved in the use of alternatives that avoid these properties or that the cost, social, economic, and environmental impacts, or community disruption resulting from such alternatives reach extraordinary magnitudes.
- (b) The Administration will determine the application of section 4(f). Any use of lands from a section 4(f) property shall be evaluated early in the development of the action when alternatives to the proposed action are under study.
- (c) Consideration under section 4(f) is not required when the Federal, State, or local officials having jurisdiction

over a park, recreation area or refuge determine that the entire site is not significant. In the absence of such a determination, the section 4(f) land will be presumed to be significant. The Administration will review the significance determination to assure its reasonableness.

- (d) Where Federal lands or other public land holdings (e.g., State forests) are administered under statutes permitting management for multiple uses, and, in fact, are managed for multiple uses, section 4(f) applies only to those portions of such lands which function for, or are designated in the plans of the administering agency as being for, significant park, recreation, or wildlife and waterfowl purposes. The determination as to which lands so function or are so designated, and the significance of those lands, shall be made by the officials having jurisdiction over the lands. The Administration will review this determination to assure its reasonableness. The determination of significance shall apply to the entire area of such park, recreation, or wildlife and waterfowl refuge sites.
- (e) In determining the application of section 4(f) to historic sites, the Administration, in cooperation with the applicant, will consult with the State Historic Preservation Officer (SHPO) and appropriate local officials to identify all properties on or eligible for the National Register of Historic Places (National Register). The section 4(f) requirements apply only to sites on or eligible for the National Register unless the Administration determines that the application of section 4(f) is otherwise appropriate.
- (f) The Administration may determine that section 4(f) requirements do not apply to restoration, rehabilitation, or maintenance of transportation facilities that are on or eligible for the National Register when:
- (1) Such work will not adversely affect the historic qualities of the facility that caused it to be on or eligible for the National Register, and
- (2) The SHPO and the Advisory Council on Historic Preservation (ACHP) have been consulted and have not objected to the Administration finding in paragraph (f)(1) of this section.

§771.135

- (g)(1) Section 4(f) applies to all archeological sites on or eligible for inclusion on the National Register, including those discovered during construction except as set forth in paragraph (g)(2) of this section. Where section 4(f) applies to archeological sites discovered during construction, the section 4(f) process will be expedited. In such cases, the evaluation of feasible and prudent alternatives will take account of the level of investment already made. The review process, including the consultation with other agencies, will be shortened as appropriate.
- (2) Section 4(f) does not apply to archeological sites where the Administration, after consultation with the SHPO and the ACHP, determines that the archeological resource is important chiefly because of what can be learned by data recovery and has minimal value for preservation in place. This exception applies both to situations where data recovery is undertaken or where the Administration decides, with agreement of the SHPO and, where applicable, the ACHP not to recover the resource.
- (h) Designations of park and recreation lands, wildlife and waterfowl refuges, and historic sites are sometimes made and determinations of significance changed late in the development of a proposed action. With the exception of the treatment of archeological resources in paragraph (g) of this section, the Administration may permit a project to proceed without consideration under section 4(f) if the property interest in the section 4(f) lands was acquired for transportation purposes prior to the designation or change in the determination of significance and if an adequate effort was made to identify properties protected by section 4(f) prior to acquisition.
- (i) The evaluations of alternatives to avoid the use of section 4(f) land and of possible measures to minimize harm to such lands shall be developed by the applicant in cooperation with the Administration. This information should be presented in the draft EIS, EA, or, for a project classified as a CE in a separate document. The section 4(f) evaluation shall be provided for coordination and comment to the officials hav-

ing jurisdiction over the section 4(f) property and to the Department of the Interior, and as appropriate to the Department of Agriculture and the Department of Housing and Urban Development. A minimum of 45 days shall be established by the Administration for receipt of comments. Uses of section 4(f) land covered by a programmatic section 4(f) evaluation shall be documented and coordinated as specified in the programmatic section 4(f) evaluation.

- (j) When adequate support exists for a section 4(f) determination, the discussion in the final EIS, FONSI, or separate section 4(f) evaluation shall specifically address:
- (1) The reasons why the alternatives to avoid a section 4(f) property are not feasible and prudent; and
- (2) All measures which will be taken to minimize harm to the section 4(f) property.
- (k) The final Section 4(f) evaluation will be reviewed for legal sufficiency.
- (l) For actions processed with EISs, the Administration will make the section 4(f) approval either in its approval of the final EIS or in the ROD. Where the section 4(f) approval is documented in the final EIS, the Administration will summarize the basis for its section 4(f) approval in the ROD. Actions requiring the use of section 4(f) property, and proposed to be processed with a FONSI or classified as a CE, shall not proceed until notified by the Administration of section 4(f) approval. For these actions, any required section 4(f) approval will be documented separately.
- (m) Circulation of a separate section 4(f) evaluation will be required when:
- (1) A proposed modification of the alignment or design would require the use of section 4(f) property after the CE, FONSI, draft EIS, or final EIS has been processed;
- (2) The Administration determines, after processing the CE, FONSI, draft EIS, or final EIS that section 4(f) applies to a property;
- (3) A proposed modification of the alignment, design, or measures to minimize harm (after the original section

- 4(f) approval) would result in a substantial increase in the amount of section 4(f) land used, a substantial increase in the adverse impacts to section 4(f) land, or a substantial reduction in mitigation measures; or
- (4) Another agency is the lead agency for the NEPA process, unless another DOT element is preparing the section 4(f) evaluation.
- (n) If the Administration determines under §771.135(m) or otherwise, that section 4(f) is applicable after the CE, FONSI, or final EIS has been processed, the decision to prepare and circulate a section 4(f) evaluation will not necessarily require the preparation of a new or supplemental environmental document. Where a separately circulated section 4(f) evaluation is prepared, such evaluation does not necessarily:
- (1) Prevent the granting of new approvals;
- (2) Require the withdrawal of previous approvals; or
- (3) Require the suspension of project activities; for any activity not affected by the section 4(f) evaluation.
- (o) An analysis required by section 4(f) may involve different levels of detail where the section 4(f) involvement is addressed in a tiered EIS.
- (1) When the first-tier, broad-scale EIS is prepared, the detailed information necessary to complete the section 4(f) evaluation may not be available at that stage in the development of the action. In such cases, an evaluation should be made on the potential impacts that a proposed action will have on section 4(f) land and whether those impacts could have a bearing on the decision to be made. A preliminary determination may be made at this time as to whether there are feasible and prudent locations or alternatives for the action to avoid the use of section 4(f) land. This preliminary determination shall consider all possible planning to minimize harm to the extent that the level of detail available at the first-tier EIS stage allows. It is recognized that such planning at this stage will normally be limited to ensuring that opportunities to minimize harm at subsequent stages in the development process have not been precluded by decisions made at the first-tier stage. This

- preliminary determination is then incorporated into the first-tier EIS.
- (2) A section 4(f) approval made when additional design details are available will include a determination that:
- (i) The preliminary section 4(f) determination made pursuant to paragraph (o)(1) of this section is still valid; and
- (ii) The criteria of paragraph (a) of this section have been met.
- (p) *Use.* (1) Except as set forth in paragraphs (f), (g)(2), and (h) of this section, "use" (in paragraph (a)(1) of this section) occurs:
- (i) When land is permanently incorporated into a transportation facility;
- (ii) When there is a temporary occupancy of land that is adverse in terms of the statute's preservationist purposes as determined by the criteria in paragraph (p) (7) of this section; or
- (iii) When there is a constructive use of land.
- (2) Constructive use occurs when the transportation project does not incorporate land from a section 4(f) resource, but the project's proximity impacts are so severe that the protected activities, features, or attributes that qualify a resource for protection under section 4(f) are substantially impaired. Substantial impairment occurs only when the protected activities, features, or attributes of the resource are substantially diminished.
- (3) The Administration is not required to determine that there is no constructive use. However, such a determination could be made at the discretion of the Administration.
- (4) The Administration has reviewed the following situations and determined that a constructive use occurs when:
- (i) The projected noise level increase attributable to the project substantially interferes with the use and enjoyment of a noise-sensitive facility of a resource protected by section 4(f), such as hearing the performances at an outdoor amphitheater, sleeping in the sleeping area of a campground, enjoyment of a historic site where a quiet setting is a generally recognized feature or attribute of the site's significance, or enjoyment of an urban park where serenity and quiet are significant attributes:

§771.135

(ii) The proximity of the proposed project substantially impairs esthetic features or attributes of a resource protected by section 4(f), where such features or attributes are considered important contributing elements to the value of the resource. Examples of substantial impairment to visual or esthetic qualities would be the location of a proposed transportation facility in such proximity that it obstructs or eliminates the primary views of an architecturally significant historical building, or substantially detracts from the setting of a park or historic site which derives its value in substantial part due to its setting;

(iii) The project results in a restriction on access which substantially diminishes the utility of a significant publicly owned park, recreation area, or a historic site:

(iv) The vibration impact from operation of the project substantially impairs the use of a section 4(f) resource, such as projected vibration levels from a rail transit project that are great enough to affect the structural integrity of a historic building or substantially diminish the utility of the building; or

(v) The ecological intrusion of the project substantially diminishes the value of wildlife habitat in a wildlife or waterfowl refuge adjacent to the project or substantially interferes with the access to a wildlife or waterfowl refuge, when such access is necessary for established wildlife migration or critical life cycle processes.

(5) The Administration has reviewed the following situations and determined that a constructive use does *not* occur when:

(i) Compliance with the requirements of section 106 of the National Historic Preservation Act and 36 CFR part 800 for proximity impacts of the proposed action, on a site listed on or eligible for the National Register of Historic Places, results in an agreement of "no effect" or "no adverse effect";

(ii) The projected traffic noise levels of the proposed highway project do not exceed the FHWA noise abatement critieria as contained in Table 1, 23 CFR part 772, or the projected operational noise levels of the proposed transit project do not exceed the noise

impact criteria in the UMTA guidelines:

(iii) The projected noise levels exceed the relevant threshold in paragraph (p)(5)(ii) of this section because of high existing noise, but the increase in the projected noise levels if the proposed project is constructed, when compared with the projected noise levels if the project is not built, is barely perceptible (3 dBA or less);

(iv) There are proximity impacts to a section 4(f) resource, but a governmental agency's right-of-way acquisition, an applicant's adoption of project location, or the Administration approval of a final environmental document, established the location for a proposed transportation project before the designation, establishment, or change in the significance of the resource. However, if the age of an historic site is close to, but less than, 50 years at the time of the governmental agency's acquisition, adoption, or approval, and except for its age would be eligible for the National Register, and construction would begin after the site was eligible, then the site is considered a historic site eligible for the National Register;

- (v) There are impacts to a proposed public park, recreation area, or wildlife refuge, but the proposed transportation project and the resource are concurrently planned or developed. Examples of such concurrent planning or development include, but are not limited to:
- (A) Designation or donation of property for the specific purpose of such concurrent development by the entity with jurisdiction or ownership of the property for both the potential transportation project and the section 4(f) resource, or
- (B) Designation, donation, planning or development of property by two or more governmental agencies, with jurisdiction for the potential transportation project and the section 4(f) resource, in consultation with each other:
- (vi) Overall (combined) proximity impacts caused by a proposed project do not substantially impair the activities, features, or attributes that qualify a resource for protection under section 4(f);

- (vii) Proximity impacts will be mitigated to a condition equivalent to, or better than, that which would occur under a no-build scenario;
- (viii) Change in accessibility will not substantially diminish the utilization of the section 4(f) resource; or
- (ix) Vibration levels from project construction activities are mitigated, through advance planning and monitoring of the activities, to levels that do not cause a substantial impairment of the section 4(f) resource.
- (6) When a constructive use determination is made, it will be based, to the extent it reasonably can, upon the following:
- (i) Identification of the current activities, features, or attributes of a resource qualified for protection under section 4(f) and which may be sensitive to proximity impacts:
- (ii) An analysis of the proximity impacts of the proposed project on the section 4(f) resource. If any of the proximity impacts will be mitigated, only the net impact need be considered in this analysis. The analysis should also describe and consider the impacts which could reasonably be expected if the proposed project were not implemented, since such impacts should not be attributed to the proposed project;
- (iii) Consultation, on the above identification and analysis, with the Federal, State, or local officials having jurisdiction over the park, recreation area, refuge, or historic site.
- (7) A temporary occupancy of land is so minimal that it does not constitute a use within the meaning of section 4(f) when the following conditions are satisfied:
- (i) Duration must be temporary, *i.e.*, less than the time needed for construction of the project, and there should be no change in ownership of the land;
- (ii) Scope of the work must be minor, *i.e.*, both the nature and the magnitude of the changes to the section 4(f) resource are minimal;
- (iii) There are no anticipated permanent adverse physical impacts, nor will there be interference with the activities or purposes of the resource, on either a temporary or permanent basis;
- (iv) The land being used must be fully restored, *i.e.*, the resource must be returned to a condition which is at least

as good as that which existed prior to the project; and

(v) There must be documented agreement of the appropriate Federal, State, or local officials having jurisdiction over the resource regarding the above conditions.

[52 FR 32660, Aug. 28, 1987; 53 FR 11066, Apr. 5, 1988, as amended at 56 FR 13279, Apr. 1, 1991; 57 FR 12411, Apr. 10, 1992]

§771.137 International actions.

- (a) The requirements of this part apply to:
- (1) Administration actions significantly affecting the environment of a foreign nation not participating in the action or not otherwise involved in the action.
- (2) Administration actions outside the U.S., its territories, and possessions which significantly affect natural resources of global importance designated for protection by the President or by international agreement.
- (b) If communication with a foreign government concerning environmental studies or documentation is anticipated, the Administration shall coordinate such communication with the Department of State through the Office of the Secretary of Transportation.

PART 772—PROCEDURES FOR ABATEMENT OF HIGHWAY TRAF-FIC NOISE AND CONSTRUCTION NOISE

Sec.

772.1 Purpose.

772.3 Noise standards.

772.5 Definitions.

772.7 Applicability.

772.9 Analysis of traffic noise impacts and abatement measures.

772.11 Noise abatement.

772.13 Federal participation.

772.15 Information for local officials.

772.17 Traffic noise prediction.

772.19 Construction noise.

TABLE 1 TO PART 772—NOISE ABATEMENT CRITERIA

APPENDIX A TO PART 772—NATIONAL REF-ERENCE ENERGY MEAN EMISSION LEVELS AS A FUNCTION OF SPEED

AUTHORITY: 23 U.S.C. 109(h), 109(i); 42 U.S.C. 4331, 4332; sec. 339(b), Pub. L. 104-59, 109 Stat. 568, 605; 49 CFR 1.48(b).

Source: 47 FR 29654, July 8, 1982; 47 FR 33956, Aug. 5, 1982, unless otherwise noted.

§772.1

§ 772.1 Purpose.

To provide procedures for noise studies and noise abatement measures to help protect the public health and welfare, to supply noise abatement criteria, and to establish requirements for information to be given to local officials for use in the planning and design of highways approved pursuant to title 23 U.S.C.

§ 772.3 Noise standards.

The highway traffic noise prediction requirements, noise analyses, noise abatement criteria, and requirements for informing local officials in this regulation constitute the noise standards mandated by 23 U.S.C. 109(i). All highway projects which are developed in conformance with this regulation shall be deemed to be in conformance with the Federal Highway Administration (FHWA) noise standards.

§ 772.5 Definitions.

- (a) *Design year*. The future year used to estimate the probable traffic volume for which a highway is designed. A time, 10 to 20 years, from the start of construction is usually used.
- (b) Existing noise levels. The noise, resulting from the natural and mechanical sources and human activity, considered to be usually present in a particular area.
- (c) L_{10} . The sound level that is exceeded 10 percent of the time (the 90th percentile) for the period under consideration
 - (d) $L_{10}(h)$. The hourly value of L_{10} .
- (e) *Leq*—the equivalent steady-state sound level which in a stated period of time contains the same acoustic energy as the time-varying sound level during the same time period.
 - (f) Leq(h). The hourly value of Leq.
- (g) Traffic noise impacts. Impacts which occur when the predicted traffic noise levels approach or exceed the noise abatement criteria (Table 1), or when the predicted traffic noise levels substantially exceed the existing noise levels.
- (h) *Type I projects.* A proposed Federal or Federal-aid highway project for the construction of a highway on new location or the physical alteration of an existing highway which significantly changes either the horizonal or vertical

alignment or increases the number of through-traffic lanes.

(i) *Type II projects.* A proposed Federal or Federal-aid highway project for noise abatement on an existing highway.

§ 772.7 Applicability.

- (a) *Type I projects*. This regulation applies to all Type I projects unless it is specifically indicated that a section applies only to Type II projects.
- (b) Type II projects. The development and implementation of Type II projects are not mandatory requirements of 23 U.S.C. 109(i) and are, therefore, not required by this regulation. When Type II projects are proposed for Federal-aid highway participation at the option of the highway agency, the provisions of §§ 772.9(c), 772.13, and 772.19 of this regulation shall apply.

§ 772.9 Analysis of traffic noise impacts and abatement measures.

- (a) The highway agency shall determine and analyze expected traffic noise impacts and alternative noise abatement measures to mitigate these impacts, giving weight to the benefits and cost of abatement, and to the overall social, economic and environmental effects.
- (b) The traffic noise analysis shall include the following for each alternative under detailed study:
- (1) Identification of existing activities, developed lands, and undeveloped lands for which development is planned, designed and programmed, which may be affected by noise from the highway;
 - (2) Prediction of traffic noise levels;
- (3) Determination of existing noise levels;
- (4) Determination of traffic noise impacts; and
- (5) Examination and evaluation of alternative noise abatement measures for reducing or eliminating the noise impacts.
- (c) Highway agencies proposing to use Federal-aid highway funds for Type II projects shall perform a noise analysis of sufficient scope to provide information needed to make the determination required by §772.13(a) of this chapter.

§ 772.11 Noise abatement.

- (a) In determining and abating traffic noise impacts, primary consideration is to be given to exterior areas. Abatement will usually be necessary only where frequent human use occurs and a lowered noise level would be of benefit.
- (b) In those situations where there are no exterior activities to be affected by the traffic noise, or where the exterior activities are far from or physically shielded from the roadway in a manner that prevents an impact on exterior activities, the interior criterion shall be used as the basis of determining noise impacts.
- (c) If a noise impact is identified, the abatement measures listed in §772.13(c) of this chapter must be considered.
- (d) When noise abatement measures are being considered, every reasonable effort shall be made to obtain substantial noise reductions.
- (e) Before adoption of a final environmental impact statement or finding of no significant impact, the highway agency shall identify:
- (1) Noise abatement measures which are reasonable and feasible and which are likely to be incorporated in the project, and
- (2) Noise impacts for which no apparent solution is available.
- (f) The views of the impacted residents will be a major consideration in reaching a decision on the reasonableness of abatement measures to be provided
- (g) The plans and specifications will not be approved by FHWA unless those noise abatement measures which are reasonable and feasible are incorporated into the plans and specifications to reduce or eliminate the noise impact on existing activities, developed lands, or undeveloped lands for which development is planned, designed, and programmed.

§772.13 Federal participation.

- (a) Federal funds may be used for noise abatement measures where:
- (1) A traffic noise impact has been identified.
- (2) The noise abatement measures will reduce the traffic noise impact, and
- (3) The overall noise abatement benefits are determined to outweigh the

- overall adverse social, economic, and environmental effects and the costs of the noise abatement measures.
- (b) For Type II projects, noise abatement measures will only be approved for projects that were approved before November 28, 1995, or are proposed along lands where land development or substantial construction predated the existence of any highway. The granting of a building permit, filing of a plat plan, or a similar action must have occurred prior to right-of-way acquisition or construction approval for the original highway. Noise abatement measures will not be approved at locations where such measures were previously determined not to be reasonable and feasible for a Type I project.
- (c) The noise abatement measures listed below may be incorporated in Type I and Type II projects to reduce traffic noise impacts. The costs of such measures may be included in Federalaid participating project costs with the Federal share being the same as that for the system on which the project is located, except that Interstate construction funds may only participate in Type I projects.
- (1) Traffic management measures (e.g., traffic control devices and signing for prohibition of certain vehicle types, time-use restrictions for certain vehicle types, modified speed limits, and exclusive land designations).
- (2) Alteration of horizontal and vertical alignments.
- (3) Acquisition of property rights (either in fee or lesser interest) for construction of noise barriers.
- (4) Construction of noise barriers (including landscaping for esthetic purposes) whether within or outside the highway right-of-way. Interstate construction funds may not participate in landscaping.
- (5) Acquisition of real property or interests therein (predominantly unimproved property) to serve as a buffer zone to preempt development which would be adversely impacted by traffic noise. This measure may be included in Type I projects only.
- (6) Noise insulation of public use or nonprofit institutional structures.
- (d) There may be situations where (1) severe traffic noise impacts exist or are

§ 772.15

expected, and (2) the abatement measures listed above are physically infeasible or economically unreasonable. In these instances, noise abatement measures other than those listed in §772.13(c) of this chapter may be proposed for Types I and II projects by the highway agency and approved by the Regional Federal Highway Administrator on a case-by-case basis when the conditions of §772.13(a) of this chapter have been met.

[47 FR 29654, July 8, 1982; 47 FR 33956, Aug. 5, 1982, as amended at 61 FR 45321, Aug. 29, 1996]

EFFECTIVE DATE NOTE: At 70 FR 16710, Apr. 1, 2005, \S 772.13 was amended by revising paragraphs (c) introductory text, (c)(1), (c)(4), and (d), effective May 2, 2005. For the convenience of the user, the revised text is set forth as follows:

§ 772.13 Federal participation.

* * * * *

- (c) The noise abatement measures listed below may be incorporated in Type I and Type II projects to reduce traffic noise impacts. The costs of such measures may be included in Federal-aid participating project costs with the Federal share being the same as that for the system on which the project is located.
- (1) Traffic management measures (e.g., traffic control devices and signing for prohibition of certain vehicle types, time-use restrictions for certain vehicle types, modified speed limits, and exclusive lane designations).

* * * * *

(4) Construction of noise barriers (including landscaping for aesthetic purposes) whether within or outside the highway right-of-way.

* * * * *

(d) There may be situations where severe traffic noise impacts exist or are expected, and the abatement measures listed above are physically infeasible or economically unreasonable. In these instances, noise abatement measures other than those listed in paragraph (c) of this section may be proposed for Types I and II projects by the highway agency and approved by the FHWA on a case-bycase basis when the conditions of paragraph (a) of this section have been met.

§ 772.15 Information for local officials.

In an effort to prevent future traffic noise impacts on currently undevel-

oped lands, highway agencies shall inform local officials within whose jurisdiction the highway project is located of the following:

(a) The best estimation of future noise levels (for various distances from the highway improvement) for both developed and undeveloped lands or properties in the immediate vicinity of the project,

(b) Information that may be useful to local communities to protect future land development from becoming incompatible with anticipated highway noise levels, and

(c) Eligibility for Federal-aid participation for Type II projects as described in §772.13(b) of this chapter.

§ 772.17 Traffic noise prediction.

- (a) Any traffic noise prediction method is approved for use in any noise analysis required by this regulation if it generally meets the following two conditions:
- (1) The methodology is consistent with the methodology in the FHWA Highway Traffic Noise Prediction Model (Report No. FHWA-RD-77-108).*
- (2) The prediction method uses noise emission levels obtained from one of the following:
- (i) National Reference Energy Mean Emission Levels as a Function of Speed (appendix A).

(ii) Determination of reference energy mean emission levels in Sound Procedures for Measuring Highway Noise: Final Report, DP-45-1R.*

(b) In predicting noise levels and assessing noise impacts, traffic characteristics which will yield the worst hourly traffic noise impact on a regular basis for the design year shall be used.

EFFECTIVE DATE NOTE: At 70 FR 16710, Apr. 1, 2005, § 772.17 was amended by revising paragraph (a), effective May 2, 2005. For the convenience of the user, the revised text is set forth as follows:

§ 772.17 Traffic noise prediction.

(a) Any analysis required by this subpart must use the FHWA Traffic Noise Model (FHWA TNM), which is described in "FHWA Traffic Noise Model" Report No. FHWA-PD-

^{*}These documents are available for inspection and copying as prescribed in 49 CFR part 7, appendix D.

Federal Highway Administration, DOT

96-010, including Revision No. 1, dated April 14, 2004, or any other model determined by the FHWA to be consistent with the methodology of the FHWA TNM. These publications are incorporated by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51 and are on file at the National Archives and Record Administration (NARA). For information on the availability of this material at NARA call (202) 741-6030, or go tohttp://www.archives.gov/federal_register/code_of_federal_regulations/

ibr_locations.html. These documents are available for copying and inspection at the Federal Highway Administration, 400 Seventh Street, SW., Room 3240, Washington, DC 20590, as provided in 49 CFR part 7. These documents are also available on the FHWA's Traffic Noise Model Web site at the following URL:http://www.trafficnoisemodel.org/main.html.

* * * * *

§ 772.19 Construction noise.

The following general steps are to be performed for all Types I and II projects:

(a) Identify land uses or activities which may be affected by noise from construction of the project. The identification is to be performed during the project development studies.

(b) Determine the measures which are needed in the plans and specifications to minimize or eliminate adverse construction noise impacts to the community. This determination shall include a weighing of the benefits achieved and the overall adverse social, economic and environmental effects and the costs of the abatement measures.


(c) Incorporate the needed abatement measures in the plans and specifications.

TABLE 1 TO PART 772—NOISE ABATEMENT CRITERIA [Hourly A-Weighted Sound Level—decibels (dBA)1]

Activity Category	Leq(h)	L ₁₀ (h)	Description of activity category
A	57 (Exterior)	60 (Exterior)	Lands on which serenity and quiet are of extraordinary sig- nificance and serve an important public need and where the preservation of those qualities is essential if the area is to continue to serve its intended purpose.
В	67 (Exterior)	70 (Exterior)	Picnic areas, recreation areas, playgrounds, active sports areas, parks, residences, motels, hotels, schools, churches, libraries, and hospitals.
C	72 (Exterior)	75 (Exterior)	Developed lands, properties, or activities not included in Categories A or B above.
D			Undeveloped lands.
E	52 (Interior)	55 (Interior)	Residences, motels, hotels, public meeting rooms, schools, churches, libraries, hospitals, and auditoriums.

 $^{^{1}\,\}mbox{Either}\;L_{10}(h)$ or Leq(h) (but not both) may be used on a project.

APPENDIX A TO PART 772—NATIONAL REFERENCE ENERGY MEAN EMISSION LEVELS AS A FUNCTION OF SPEED



LEGEND:

- 1. AUTOMOBILES: ALL VEHICLES WITH TWO AXLES AND FOUR WHEELS.
- 2. MEDIUM TRUCKS: ALL VEHICLES WITH TWO AXLES AND SIX WHEELS.
- 3. HEAVY TRUCKS: ALL VEHICLES WITH THREE OR MORE AXLES.

National Reference Energy Mean Emission Levels as a Function of Speed

PART 777—MITIGATION OF IM-PACTS TO WETLANDS AND NAT-URAL HABITAT

Sec

777.1 Purpose.

777.2 Definitions

777.3 Background.

777.5 Federal participation.

777.7 Evaluation of impacts.

777.9 Mitigation of impacts.

777.11 Other considerations.

AUTHORITY: 42 U.S.C. 4321 *et seq.*; 49 U.S.C. 303; 23 U.S.C. 101(a), 103, 109(h), 133(b)(1), (b)(11), and (d)(2), 138, 315; E.O. 11990; DOT Order 5660.1A; 49 CFR 1.48(b).

SOURCE: 65 FR 82924, Dec. 29, 2000, unless otherwise noted.

§777.1 Purpose.

To provide policy and procedures for the evaluation and mitigation of adverse environmental impacts to wetlands and natural habitat resulting from Federal-aid projects funded pursuant to provisions of title 23, U.S. Code. These policies and procedures shall be applied by the Federal Highway Administration (FHWA) to projects under the Federal Lands Highway Program to the extent such application is deemed appropriate by the FHWA.

§ 777.2 Definitions.

In addition to those contained in 23 U.S.C. 101(a), the following definitions shall apply as used in this part:

Biogeochemical transformations means those changes in chemical compounds and substances which naturally occur in ecosystems. Examples are the carbon, nitrogen, and phosphorus cycles in nature, in which these elements are incorporated from inorganic substances into organic matter and recycled on a continuing basis.

Compensatory mitigation means restoration, enhancement, creation, and under exceptional circumstances, preservation, of wetlands, wetland buffer areas, and other natural habitats, carried out to replace or compensate for the loss of wetlands or natural habitat area or functional capacity resulting from Federal-aid projects funded pursuant to provisions of title 23, U.S. Code. Compensatory mitigation usually occurs in advance of or concurrent

with the impacts to be mitigated, but may occur after such impacts in special circumstances.

Mitigation bank means a site where wetlands and/or other aquatic resources or natural habitats are restored, created, enhanced, or in exceptional circumstances, preserved, expressly for the purpose of providing compensatory mitigation in advance of authorized impacts to similar resources. For purposes of the Clean Water Act, Section 404 (33 U.S.C. 1344), use of a mitigation bank can only be authorized when impacts are unavoidable.

Natural habitat means a complex of natural, primarily native or indigenous vegetation, not currently subject to cultivation or artificial landscaping, a primary purpose of which is to provide habitat for wildlife, either terrestrial or aquatic. For purposes of this part, habitat has the same meaning as natural habitat. This definition excludes rights-of-way that are acquired with Federal transportation funds specifically for highway purposes.

Net gain of wetlands means a wetland resource conservation and management principle under which, over the long term, unavoidable losses of wetlands area or functional capacity due to highway projects are offset by gains at a ratio greater than 1:1, through restoration, enhancement, preservation, or creation of wetlands or associated areas critical to the protection or conservation of wetland functions. This definition specifically excludes natural habitat, as defined in this section, other than wetlands.

On-site, in-kind mitigation means compensatory mitigation which replaces wetlands or natural habitat area or functions lost as a result of a highway project with the same or like wetland or habitat type and functions adjacent or contiguous to the site of the impact.

Practicable means available and capable of being done after taking into consideration cost, existing technology, and logistics, in light of overall project purposes.

Service area of a mitigation bank means that the service area of a wetland or natural habitat mitigation bank shall be consistent with that in

§ 777.3

the Federal Guidance for the Establishment, Use and Operation of Mitigation Banks (60 FR 58605, November 28, 1995), *i.e.*, the designated area (e.g., watershed, county) wherein a bank can be expected to provide appropriate compensation for impacts to wetlands and/or other aquatic or natural habitat resources.

Wetland or habitat enhancement means activities conducted in existing wetlands or other natural habitat to achieve specific management objectives or provide conditions which previously did not exist, and which increase one or more ecosystem functions. Enhancement may involve tradeoffs between the resource structure, function, and values; a positive change in one may result in negative effects to other functions. Examples of activities which may be carried out to enhance wetlands or natural habitats include, but are not limited to, alteration of hydrologic regime, vegetation management, erosion control, fencing, integrated pest management and control, and fertilization.

Wetland or habitat establishment period means a period of time agreed to by the FHWA, State DOT, and U.S. Army Corps of Engineers, as necessary to establish wetland or natural habitat functional capacity in a compensatory mitigation project sufficient to compensate wetlands or habitat losses due to impacts of Federal-aid highway projects. The establishment period may vary depending on the specific wetland or habitat type being developed.

Wetland or habitat functional capacity means the ability of a wetland or natural habitat to perform natural functions, such as provide wildlife habitat, support biodiversity, store surface water, or perform biogeochemical transformations, as determined by scientific functional assessment. Natural functions of wetlands include, but are not limited to, those listed by the U.S. Army Corps of Engineers at 33 CFR 320.4(b)(2)(i) through (viii).

Wetland or habitat preservation means the protection of ecologically important wetlands, other aquatic resources, or other natural habitats in perpetuity through the implementation of appropriate legal and physical mechanisms. Preservation of wetlands for compensatory mitigation purposes may include protection of upland areas adjacent to wetlands as necessary to ensure protection and/or enhancement of the aquatic ecosystem.

Wetland or habitat restoration means the reestablishment of wetlands or natural habitats on a site where they formerly existed or exist in a substantially degraded state.

Wetland or wetlands means those areas that are inundated or saturated by surface or ground water at a frequency and duration to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas.

Wetlands or habitat mitigation credit means a unit of wetlands or habitat mitigation, defined either by area or a measure of functional capacity through application of scientific functional assessment. With respect to mitigation banks, this definition means the same as that in the Federal Guidance for the Establishment, Use, and Operation of Mitigation Banks.

§ 777.3 Background.

- (a) Executive Order 11990 (42 FR 26961, 3 CFR, 1977 Comp., p. 121) Protection of Wetlands, and DOT Order 5660.1A, 1 Preservation of the Nation's Wetlands, emphasize the important functions and values inherent in the Nation's wetlands. Federal agencies are directed to avoid new construction in wetlands unless the head of the agency determines that:
- (1) There is no practicable alternative to such construction, and
- (2) The proposed action includes all practicable measures to minimize harm to wetlands which may result from such use.
- (b) Sections 103 and 133 of title 23, U.S. Code, identify additional approaches for mitigation and management of impacts to wetlands and natural habitats which result from projects funded pursuant to title 23,

 $^{^{\}rm 1}DOT$ Order 5660.1A is available for inspection and copying from FHWA headquarters and field offices as prescribed at 49 CFR part $^{\rm 7}$

U.S. Code, as eligible for participation with title 23, U.S. Code, funds.

- (c) 33 CFR parts 320 through 330, Regulatory Program, U.S. Army Corps of Engineers; Section 404, Clean Water Act and 40 CFR part 230, Section 404(b)(1) Guidelines for the Specification of Disposal Sites for Dredged or Fill Material, establish requirements for the permitting of discharge of dredge or fill material in wetlands and other waters of the United States.
- (d) Federal Guidance for the Establishment, Use, and Operation of Mitigation Banks presents guidance for the use of ecological mitigation banks as compensatory mitigation in the Section 404 Regulatory Program for unavoidable impacts to wetlands and other aquatic resources.
- (e) Interagency Cooperation—Endangered Species Act of 1973, as amended (50 CFR part 402), presents regulations establishing interagency consultation procedures relative to impacts to species listed under the authority of the Act and their habitats as required by Section 7, Interagency Coordination, of the Endangered Species Act of 1973 (16 U.S.C. 1536).

§777.5 Federal participation.

(a) Those measures which the FHWA and a State DOT find appropriate and necessary to mitigate adverse environmental impacts to wetlands and natural habitats are eligible for Federal participation where the impacts are the result of projects funded pursuant to title 23, U.S. Čode. The justification for the cost of proposed mitigation measures should be considered in the same context as any other public expenditure; that is, the proposed mitigation represents a reasonable public expenditure when weighed against other social, economic, and environmental values, and the benefit realized is commensurate with the proposed expenditure. Mitigation measures shall give like consideration to traffic needs, safety, durability, and economy of maintenance of the highway.

(b) It is FHWA policy to permit, consistent with the limits set forth in this part, the expenditure of title 23, U.S. Code, funds for activities required for the planning, design, construction, monitoring, and establishment of wet-

lands and natural habitat mitigation projects, and acquisition of land or interests therein.

§ 777.7 Evaluation of impacts.

- (a) The reasonableness of the public expenditure and extent of Federal participation with title 23, U.S. Code, funds shall be directly related to:
- (1) The importance of the impacted wetlands and natural habitats;
- (2) The extent of highway impacts on the wetlands and natural habitats, as determined through an appropriate, interdisciplinary, impact assessment; and
- (3) Actions necessary to comply with the Clean Water Act, Section 404, the Endangered Species Act of 1973, and other relevant Federal statutes.
- (b) Evaluation of the importance of the impacted wetlands and natural habitats shall consider:
- (1) Wetland and natural habitat functional capacity;
- (2) Relative importance of these functions to the total wetland or natural habitat resource of the area;
- (3) Other factors such as uniqueness, esthetics, or cultural values; and
- (4) Input from the appropriate resource management agencies through interagency coordination.
- (c) A determination of the highway impact should focus on both the short-and long-term affects of the project on wetland or natural habitat functional capacity, consistent with 40 CFR part 1500, 40 CFR 1502.16, 33 CFR 320.4, and the FHWA's environmental compliance regulations, found at 23 CFR part 771.

§ 777.9 Mitigation of impacts.

- (a) Actions eligible for Federal funding. There are a number of actions that can be taken to minimize the impact of highway projects on wetlands or natural habitats. The following actions qualify for Federal-aid highway funding:
- (1) Avoidance and minimization of impacts to wetlands or natural habitats through realignment and special design, construction features, or other measures.
- (2) Compensatory mitigation alternatives, either inside or outside of the right-of-way. This includes, but is not limited to, such measures as on-site

§ 777.11

mitigation, when that alternative is determined to be the preferred approach by the appropriate regulatory agency; improvement of existing degraded or historic wetlands or natural habitats through restoration or enhancement on or off site; creation of new wetlands; and under exceptional circumstances, preservation of existing wetlands or natural habitats on or off site. Restoration of wetlands is generally preferable to enhancement or creation of new wetlands.

- (3) Improvements to existing wetlands or natural habitats. Such activities may include, but are not limited to, construction or modification of water level control structures or ditches, establishment of natural vegetation, re-contouring of a site, installation or removal of irrigation, drainage, or other water distribution systems, integrated pest management, installation of fencing, monitoring, and other measures to protect, enhance, or restore the wetland or natural habitat character of a site.
- (4) Mitigation banks. In accordance with all applicable Federal law (including regulations), with respect to participation in compensatory mitigation related to a project funded under title 23, U.S. Code, that has an impact on wetlands or natural habitat occurring within the service area of a mitigation bank, preference shall be given, to the maximum extent practicable, to the use of the mitigation bank, if the bank contains sufficient available credits to offset the impact and the bank is approved in accordance with the Federal Guidance for the Establishment, Use, and Operation of Mitigation Banks, or other agreement between appropriate agencies.
- (b) Mitigation banking alternatives eligible for participation with Federalaid funds including such measures as the following:
- (1) Mitigation banks in which mitigation credits are purchased by State DOTs to mitigate impacts to wetlands or natural habitats due to projects funded under title 23, U.S. Code, including privately owned banks or those established with private funds to mitigate wetland or natural habitat losses.
- (2) Single purpose banks established by and for the use of a State DOT with

Federal-aid participation; or multipurpose publicly owned banks, established with public, non-title 23 Federal highway funds, in which credits may be purchased by highway agencies using title 23 highway funds on a per-credit basis.

- (c) Contributions to statewide and regional efforts to conserve, restore, enhance and create wetlands or natural habitats. Federal-aid funds may participate in the development of statewide and regional wetlands conservation plans, including any efforts and plans authorized pursuant to the Water Resources Development Act of 1990 (Pub. L. 101-640, 104 Stat. 4604). Contributions to these efforts may occur in advance of project construction only if such efforts are consistent with all applicable requirements of Federal law and regulations and State transportation planning processes.
- (d) Mitigation or restoration of historic impacts to wetlands and natural habitats caused by past highway projects funded pursuant to title 23, U.S. Code, even if there is no current federally funded highway project in the immediate vicinity. These impacts must be related to transportation projects funded under the authority of title 23, U.S. Code.

§ 777.11 Other considerations.

- (a) The development of measures proposed to mitigate impacts to wetlands or natural habitats shall include consultation with appropriate State and Federal agencies.
- (b) Federal-aid funds shall not participate in the replacement of wetlands or natural habitats absent sufficient assurances, such as, but not limited to, deed restrictions, fee ownership, permanent easement, or performance bond, that the area will be maintained as a wetland or natural habitat.
- (c) The acquisition of proprietary interests in replacement wetlands or natural habitats as a mitigation measure may be in fee simple, by easement, or by other appropriate legally recognized instrument, such as a banking instrument legally approved by the appropriate regulatory agency. The acquisition of mitigation credits in wetland or natural habitat mitigation banks shall

be accomplished through a legally recognized instrument, such as permanent easement, deed restriction, or legally approved mitigation banking instrument, which provides for the protection and permanent continuation of the wetland or natural habitat nature of the mitigation.

(d) A State DOT may acquire privately owned lands in cooperation with another public agency or third party. Such an arrangement may accomplish greater benefits than would otherwise be accomplished by the individual

agency acting alone.

(e) A State DOT may transfer the title to, or enter into an agreement with, an appropriate public natural resource management agency to manage lands acquired outside the right-of-way without requiring a credit to Federal funds. Any such transfer of title or agreement shall require the continued use of the lands for the purpose for which they were acquired. In the event the purpose is no longer served, the lands and interests therein shall immediately revert to the State DOT for proper disposition.

- (f) The reasonable costs of acquiring lands or interests therein to provide replacement lands with equivalent wetlands or natural habitat area or functional capacity associated with these areas are eligible for Federal participation.
- (g) The objective in mitigating impacts to wetlands in the Federal-aid highway program is to implement the policy of a net gain of wetlands on a program wide basis.
- (h) Certain activities to ensure the viability of compensatory mitigation wetlands or natural habitats during the period of establishment are eligible for Federal-aid participation. These include, but are not limited to, such activities as repair or adjustment of water control structures, pest control, irrigation, fencing modifications, replacement of plantings, and mitigation site monitoring. The establishment period should be specifically determined by the mitigation agreement among the mitigation planners prior to beginning any compensatory mitigation activities.

SUBCHAPTER I—PUBLIC TRANSPORTATION

PART 810—MASS TRANSIT AND SPECIAL USE HIGHWAY PROJECTS

Subpart A—General

Sec.

810.2 Purpose.

810.4 Definitions.

810.6 Prerequisites for projects authorized by 23 U.S.C. 137, 142, or 149.

810.8 Coordination.

Subpart B—Highway Public Transportation Projects and Special Use Highway Facilities

810.100 Purpose.

810.102 Eligible projects.

810.104 Applicability of other provisions.

 $810.106\,$ Approval of fringe and transportation corridor parking facilities.

810.108 Designation of existing facilities.

Subpart C—Making Highway Rights-of-Way Available for Mass Transit Projects

810.200 Purpose.

810.202 Applicability.

810.204 Application by mass transit authority.

810.206 Review by the State Highway Agency.

810.208 Action by the Federal Highway Administrator.

810.210 Authorization for use and occupancy by mass transit.

810.212 Use to be without charge.

Subpart D—Federal-Aid Urban System Nonhighway Public Mass Transit Projects

810.300 Purpose.

810.302 Eligible projects.

810.304 Submission of projects.

810.306 Reservation of funds.

810.308 Approval of urban system nonhighway public mass transit projects.

810.310 Applicability of other provisions.

AUTHORITY: 23 U.S.C. 137, 142, 149 and 315; sec. 4 of Pub. L. 97–134, 95 Stat. 1699; secs. 118, 120, and 163 of Pub. L. 97–424, 96 Stat. 2097; 49 CFR 1.48(b) and 1.51(f).

SOURCE: 50 FR 33917, Aug. 22, 1985, unless otherwise noted.

Subpart A—General

§810.2 Purpose.

The purpose of this regulation is to implement sections 137, 142, and 149 of title 23, U.S.C.

§810.4 Definitions.

(a) Except as otherwise provided terms defined in 23 U.S.C. 101(a) are used in this subpart as so defined.

(b) The following terms, where used in the regulations in this subpart have

the following meanings:

- (1) Exclusive or preferential high occupancy vehicle, truck, or emergency vehicle lanes-one or more lanes of a highway facility or an entire highway facility where high occupancy vehicles, trucks or emergency vehicles or any combination thereof, are given, at all times or at any regularly scheduled times, a priority or preference over some or all other vehicles moving in the general stream of mixed highway traffic. Carpool lane(s)—is any high occupancy vehicle lane which allows use by carpools.
- (2) Fringe and transportation corridor parking facilities—those facilities which are intended to be used for the temporary storage of vehicles and which are located and designed so as to facilitate the safe and convenient transfer of persons traveling in such vehicles to and from high occupancy vehicles and/or public mass transportation systems including rail. The term parking facilities includes but is not limited to access roads, buildings, structures, equipment, improvements and interests in land.
- (3) High occupancy vehicle—a bus or other motorized passenger vehicle such as a carpool or vanpool vehicle used for ridesharing purposes and occupied by a specified minimum number of persons.
- (4) Highway traffic control devices—traffic control devices as defined by the currently approved "Manual on Uniform Traffic Control Devices for Streets and Highways."

 $^{^{1}\}mbox{The MUTCD}$ is incorporated by reference at 23 CFR part 655, subpart F.

- (5) Metropolitan Planning Organization—that organization designated as being responsible, together with the State, for carrying out the provisions of 23 U.S.C. 134, as required by 23 U.S.C. 104(f)(3), and capable of meeting the requirements of sections 3(e)(1), 5(1), 8 (a) and (c) and 9(e)(3)(G) of the Urban Mass Transportation Act of 1964, as amended, 49 U.S.C. 1602(e)(1), 1604(1), 1607 (a) and (c) and 1607a(e)(3)(G). This organization shall be the forum for cooperative transportation decisionmaking.
- (6) Nonhighway public mass transit project-a project to develop or improve public mass transit facilities or equipment. A project need not be physically located or operated on a route designated as part of the Federal-aid urban system, but must be included in and related to a program for the development or improvement of an urban public mass transit system which includes the purchase and rehabilitation of passenger buses and rolling stock for fixed rail facilities, and the purchase, construction, reconstruction or improvement of fixed rail passenger operating facilities. Such projects may also include the construction, reconstruction or rehabilitation of passenger loading and unloading facilities for either bus or rail passengers.
- (7) Passenger loading areas and facilities (including shelters)—areas and facilities located at or near passenger loading points for safety, protection, comfort, or convenience of high occupancy vehicle passengers. The term areas and facilities includes but is not limited to access roads, buildings, structures, equipment, improvements, and interest in land.
- (8) Responsible local officials—(i) In areas under 50,000 population, the principal elected officials of general purpose local governments; or (ii) In urbanized areas, the principal elected officials of general purpose local governments acting through the Metropolitan Planning Organization.

[50 FR 33917, Aug. 22, 1985, as amended at 51 FR 16834, May 7, 1986]

§810.6 Prerequisites for projects authorized by 23 U.S.C. 137, 142, or 149.

(a) Projects in an urbanized area must be based on a continuing com-

- prehensive transportation planning process, carried on in accordance with 23 U.S.C. 134 as prescribed in 23 CFR part 450, subpart A and included in the transportation improvement program required by 23 CFR part 450, subpart B.
- (b) Except as otherwise provided by 23 CFR 450.202, projects under this subpart located outside the urbanized area boundaries should be coordinated with the appropriate local officials of the urbanized area as necessary to insure compatibility with the area's urban transportation plan.
- (c) All proposed projects must be included in a program of projects approved pursuant to 23 CFR part 630, subpart A (Federal-Aid Program Approval and Authorization).

§810.8 Coordination.

The Federal Highway Administrator and the Urban Mass Transportation Administrator shall coordinate with each other on any projects involving public mass transit to facilitate project selection, approval and completion.

Subpart B—Highway Public Transportation Projects and Special Use Highway Facilities

§810.100 Purpose.

The purpose of the regulations in this subpart is to implement 23 U.S.C. 137, 142(a)(1), 142(b), and 149, which authorize various highway public mass transportation improvements and special use highway facilities as Federal-aid highway projects.

§810.102 Eligible projects.

Under this subpart the Federal Highway Administrator may approve on any Federal-aid system projects which facilitate the use of high occupancy vehicles and public mass transportation systems so as to increase the traffic capacity of the Federal-aid system for the movement of persons. Eligible projects include:

(a) Construction of exclusive or preferential high occupancy vehicle, truck, or emergency vehicle lanes, except the

§810.104

construction of exclusive or preferential lanes limited to use by emergency vehicles can be approved only on the Federal-aid Interstate System;

- (b) Highway traffic control devices;(c) Passenger loading areas and fa-
- cilities (including shelters) that are on or serve a Federal-aid system; and
- (d) Construction or designation of fringe and transportation corridor parking facilities. For parking facilities located in the central business district the Federal-aid project must be limited to space reserved exclusively for the parking of high occupancy vehicles used for carpools or vanpools.

§810.104 Applicability of other provisions.

- (a) Projects authorized under §810.102 shall be deemed to be highway projects for all purposes of title 23 U.S.C., and shall be subject to all regulations of title 23 CFR.
- (b) Projects approved under this subpart on the Federal-aid Interstate System for exclusive or preferential high occupancy vehicle, truck, and emergency vehicle lanes are excepted from the minimum four-lane requirement of 23 U.S.C. 109(b).
- (c) Exclusive or preferential lanes on the Interstate System, including approaches and directly related facilities, can be constructed with Interstate construction funds only if they were approved in the 1981 Interstate Cost Estimate
- (d) The Federal proportional share of a project approved under this subpart shall be as provided in 23 U.S.C. 120 for the class of funds involved. The Federal share for Interstate substitution projects is 85 percent except for signalization projects which may be 100 percent as provided by 23 U.S.C. 120(d). The provisions of section 120(d) title 23 U.S.C. may also be applied to regularly funded projects under §810.102 of this subpart as follows:
 - (1) Signalization projects.
- (2) Passenger loading area and facilities which principally serve carpools and vanpools.
- (3) Fringe and transportation corridor parking facilities or portions thereof which are reserved exclusively for use by carpool and vanpool passengers and vehicles.

(e) As required by section 163 of the Surface Transportation Assistance Act of 1982, approval of Federal-aid highway funding for a physical construction or resurfacing project having a carpool lane(s) within the project limits may not be granted unless the project allows the use of the carpool lane(s) by motorcycles or it is certified by the State that such use will create a safety hazard. This requirement does not apply to high occupancy vehicle lanes which exclude carpools or to carpool lanes constructed by the State without the use of Federal-aid Highway funds. The issue of the extent of utilization of these facilities including those constructed prior to January 6, 1982 with Federal-aid Highway funds is a matter for individual determination by the State Highway Agency.

§810.106 Approval of fringe and transportation corridor parking facilities.

- (a) In approving fringe and transportation corridor parking facilities, the Federal Highway Administrator:
- (1) Shall make a determination that the proposed parking facility will benefit the Federal-aid systems by improving its traffic capacity for the movement of persons;
- (2) May approve acquisition of land proximate to the right-of-way of a Federal-aid highway;
- (3) May approve construction of publicly-owned parking facilities on land within the right-of-way of any Federalaid highway, including the use of the airspace above and below the established gradeline of the highway pavement, and on land, acquired with or without Federal-aid funds which is not within the right-of-way of any Federalaid highway but which was acquired in accordance with the Uniform Relocation Assistance and Land Acquisition Policies Act of 1970 (84 Stat. 1894, 42 U.S.C. 4601 et seq.);
- (4) May permit the charging of fees for the use of the facility, except that the rate of the fee shall not be in excess of that required for maintenance and operation and the cost of providing shuttle service to and from the facility (including compensation to any person for operating such facility and for providing such shuttle service);

- (5) Shall determine that the State, or the political subdivision thereof, where the project is to be located, or any agency or instrumentality of such State or political subdivision, has the authority and capability of constructing, maintaining, and operating the facility.
- (6) Shall receive assurance from the State that the facility will remain in public ownershp as long as the facility is needed and that any change in ownership shall have prior FHWA approval;
- (7) Shall enter into an agreement with the State, political subdivision, agency, or instrumentality governing the financing, maintenance, and operation of the parking facility; and

(8) Shall approve design standards for constructing the facility as developed in cooperation with the State highway agency.

- (b) A State political subdivision, agency, or instrumentality thereof may contract with any person to operate any parking facility constructed under this section.
- (c) In authorizing projects involving fringe and transportation corridor parking facilities, the class of Federalaid funds (primary, secondary, or urban system) used for projects under this subpart may be either funds designated for the Federal-aid system on which the facility is located or the Federalaid system substantially benefited. For Interstate funds to be used for such eligible projects the Federal-aid Interstate system must be the system which substantially benefits. The benefiting system is that system which would have otherwise carried the high occupancy vehicle or rail passengers to their destination. Interstate construction funds may be used only where the parking facility was approved in the 1981 Interstate Cost Estimate and is constructed in conjunction with a high occupancy vehicle lane approved in the 1981 Interstate Cost Estimate.

§810.108 Designation of existing facili-

(a) In accordance with the provisions of 23 CFR 810.102, the Federal Highway Administrator may approve on any Federal-aid system the work necessary to designate existing parking facilities (such as at shopping centers or other

public or private locations) for fringe and transportation corridor parking.

- (1) Eligible activities include the acquisition of or the initial and renewal costs for leasing existing parking space, signing of and modifications to existing facilities, trail blazer signs, and passenger loading areas and facilities.
- (2) The approval criteria in 23 CFR 810.106 (a)(1), (4), (5), (7) and (8) apply to these parking facilities.
- (b) In accordance with the provisions of 23 CFR 810.102, the Federal Highway Administrator may approve on any Federal-aid system the work necessary to designate existing highway lanes as high occupancy vehicle lanes.
- (1) Eligible activities include preliminary engineering, signing, pavement marking, traffic control devices, minor physical modifications and initial inspection or monitoring of use.
- (2) Such improvements may be approved on any public road if they facilitate more efficient use of any Federal-aid highway.
- (c) Interstate construction funds may be used only where the proposed projects were approved in the 1981 Interstate Cost Estimate.

Subpart C—Making Highway Rights-of-Way Available for Mass Transit Projects

§ 810.200 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 142(g), which permits the Federal Highway Administrator to authorize a State to make available to a publicly-owned mass transit authority existing highway rights-of-way for rail or other non-highway public mass transit facilities.

§810.202 Applicability.

- (a) The provisions of this subpart are applicable to the rights-of-way of all Federal-aid highways in which Federal-aid highway funds have participated or will participate in any part of the cost of the highway.
- (b) The provisions of this subpart do not preclude acquisition of rights-of-way for use involving mass transit facilities under the provisions of subparts B and D of this part. Rights-of-way made available under this subpart

§810.204

may be used in combination with rights-of-way acquired under subparts B and D of this part.

§810.204 Application by mass transit authority.

A publicly-owned mass transit authority desiring to utilize land existing within the publicly acquired right-ofway of any Federal-aid highway for a rail or other nonhighway public mass transit facility may submit an application therefor to the State highway agency.

§810.206 Review by the State Highway Agency.

The State highway agency, after reviewing the application, may request the Federal Highway Administrator to authorize the State to make available to the publicly-owned mass transit authority the land needed for the proposed facility. A request shall be accompanied by evidence that utilization of the land for the proposed purposes will not impair future highway improvements or the safety of highway users.

§810.208 Action by the Federal Highway Administrator.

The Federal Highway Administrator may authorize the State to make available to the publicly-owned mass transit authority the land needed for the proposed facility, if it is determined that:

- (a) The evidence submitted by the State highway agency under §810.206 is satisfactory;
- (b) The public interest will be served thereby; and
- (c) The proposed action in urbanized areas is based on a continuing, comprehensive transportation planning process carried on in accordance with 23 U.S.C. 134 as described under 23 CFR part 450, subpart A.

§810.210 Authorization for use and occupancy by mass transit.

(a) Upon being authorized by the Federal Highway Administrator, the State shall enter into a written agreement with the publicly-owned mass transit authority relating to the use and occupancy of highway right-of-way subject to the following conditions:

- (1) That any significant revision in the design, construction, or use of the facility for which the land was made available shall receive prior review and approval by the State highway agency.
- (2) The use of the lands made available to the publicly-owned mass transit authority shall not be transferred to another party without the prior approval of the State highway agency.
- (3) That, if the publicly-owned mass transit authority fails within a reasonable or agreed time to use the land for the purpose for which it was made available, or if it abandons the land or the facility developed, such use shall terminate. Any abandoned facility developed or under development by the publicly-owned mass transit authority which was financed all or in part with Federal funds shall be disposed of in a manner prescribed by OMB Circular A-102, Attachment N. The land shall revert to the State for its original intended highway purpose.
- (b) A copy of the use and occupancy agreement and any modification under paragraphs (a) (1), (2), and (3) of this section shall be forwarded to the Federal Highway Administrator.

§810.212 Use to be without charge.

The use and occupancy of the lands made available by the State to the publicly-owned transit authority shall be without charge. Costs incidental to making the lands available for mass transit shall be borne by the publicly-owned mass transit authority.

Subpart D—Federal-Aid Urban System Nonhighway Public Mass Transit Projects

§810.300 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 142(a)(2), which allows the Urban Mass Transportation Administrator, by delegation of the Secretary, to approve nonhighway public mass transit projects as Federal-aid urban system projects.

§810.302 Eligible projects.

(a) Eligible projects are those defined as nonhighway public mass transit projects in §810.4 of this part subject to

the limitations in paragraph (b) of this section.

(b) All projects under this subpart for the construction, reconstruction, or improvement of fixed rail facilities shall be located within the urban boundaries established under 23 U.S.C. 101(a).

§810.304 Submission of projects.

(a) An application for an urban system nonhighway public mass transit project shall be developed by a public body as defined under the UMTA Discretionary Capital Assistance Program and shall be prepared in accordance with procedures for the same Discretionary Capital Assistance program.

tionary Capital Assistance program.
(b) The application shall be submitted concurrently to the State highway agency and to the UMTA Administrator. The State highway agency, if it concurs, shall submit a request to the FHWA Administrator for a reservation of apportioned Federal-aid urban system funds. The State shall include in its submission advice that such reservation of funds will not impair its ability to comply with the provisions of section 105(d) of Pub. L. 97-424 (if a State certifies it does not need forty percent of its Federal-aid urban system funds for 4R work, and the Secretary accepts such certification, the State may spend that unneeded amount for other eligible FAUS purpose, including nonhighway public mass transit projects).

§810.306 Reservation of funds.

(a) The FHWA Administrator shall review the State request, determine whether sufficient Federal-aid urban system funds are available, and notify the State highway agency and the UMTA Administrator of the reservation of funds.

(b) The apportioned funds reserved for the proposed project under paragraph (a) of this section shall remain available for obligation unless the FHWA Administrator is notified that the application has been disapproved by the UMTA Administrator, or unless the responsible local officials in whose jurisdiction the project is to be located and the State highway agency jointly request the withdrawal of the project application.

§810.308 Approval of urban system nonhighway public mass transit projects.

(a) An urban system public mass transit project may be approved by the UMTA Administrator when it is determined that:

(1) The application and project are in accordance with the current UMTA procedures relating to discretionary capital assistance grants; and

(2) Notification has been received from the FHWA Administrator that sufficient apportioned Federal-aid urban system funds are available to finance the Federal share of the cost of the proposed project.

(b) Approval of the plans, specifications, and estimates of a nonhighway public mass transit project shall be deemed to occur on the date the UMTA Administrator approves the project application. This approval which is subject to the availability of obligation authority at the time of approval, will obligate the United States to pay its proportional share of the cost of the project.

(c) Upon approval of an urban system nonhighway public mass transit project, the UMTA Administrator will execute a grant contract covering implementation of the project.

§810.310 Applicability of other provisions.

The Federal proportional share of the cost of an urban system nonhighway public mass transit project approved under this subpart shall be equal to the Federal share which would have been paid if the project were a highway project as determined under 23 U.S.C. 120(a).

SUBCHAPTER J—HIGHWAY SAFETY

PART 924—HIGHWAY SAFETY IMPROVEMENT PROGRAM

Sec.

924.1 Purpose.

924.3 Definitions.

924.5 Policy.

924.7 Program structure.

924.9 Planning.

924.11 Implementation.

924.13 Evaluation.

924.15 Reporting.

AUTHORITY: 23 U.S.C. 105(f), 152, 315, and 402; sec. 203 of the Highway Safety Act of 1973, as amended; 49 CFR 1.48(b).

SOURCE: 44 FR 11544, Mar. 1, 1979, unless otherwise noted.

§924.1 Purpose.

The purpose of this regulation is to set forth policy for the development and implementation of a comprehensive highway safety improvement program in each State.

§ 924.3 Definitions.

(a) The term *highway*, as used in this regulation, includes in addition to those items listed in 23 U.S.C. 101(a), those facilities specifically provided for the accommodation and protection of pedestrians and bicyclists.

(b) The term *State*, as used in this regulation, means any one of the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands except that, for the purpose of implementing section 203 of the Highway Safety Act of 1973, as amended, *State* means any one of the 50 States, the District of Columbia, and Puerto Rico.

§ 924.5 Policy.

Each State shall develop and implement, on a continuing basis, a highway safety improvement program which has the overall objective of reducing the number and severity of accidents and decreasing the potential for accidents on all highways.

$\S 924.7$ Program structure.

The highway safety improvement program in each State shall consist of

components for planning, implementation, and evaluation of safety programs and projects. These components shall be comprised of processes developed by the States and approved by the Federal Highway Administration (FHWA). Where appropriate, the processes shall be developed cooperatively with officials of the various units of local governments. The processes may incorporate a range of alternate procedures appropriate for the administration of an effective highway safety improvement program on individual highway systems, portions of highway systems and in local political subdivisions, but combined shall cover all public roads in the State.

[48 FR 44066, Sept. 26, 1983]

§924.9 Planning.

- (a) The planning component of the highway safety improvement program shall incorporate:
- (1) A process for collecting and maintaining a record of accident, traffic, and highway data, including, for railroad-highway grade crossings, the characteristics of both highway and train traffic;
- (2) A process for analyzing available data to identify highway locations, sections and elements determined to be hazardous on the basis of accident experience or accident potential;
- (3) A process for conducting engineering studies of hazardous locations, sections, and elements to develop highway safety improvement projects as defined in 23 U.S.C. 101(a); and
- (4) A process for establishing priorities for implementing highway safety improvement, projects, considering:
- (i) The potential reduction in the number and/or severity of accidents,
- (ii) The cost of the projects and the resources available,
- (iii) The relative hazard of public railroad-highway grade crossings based on a hazard index formula,
- (iv) Onsite inspection of public grade crossings,
- (v) The potential danger to large numbers of people at public grade crossings used on a regular basis by

passenger trains, school buses, transit buses, pedestrians, bicyclists, or by trains and/or motor vehicles carrying hazardous materials, and

- (vi) Other criteria as appropriate in each State.
- (b) In planning a program of safety improvement projects at railroad-highway grade crossings, special emphasis shall be given to the legislative requirement that all public crossings be provided with standard signing.
- (c) The planning component of the highway safety improvement program may be financed with funds made available through 23 U.S.C. 402, 307(c), and, where applicable, 104(f).

§ 924.11 Implementation.

- (a) The implementation component of the highway safety improvement program in each State shall include a process for scheduling and implementing safety improvement projects in accordance with (1) the procedures set forth in 23 CFR part 630, subpart A (Federal-Aid Program Approval and Project Authorization) and (2) the priorities developed in accordance with \$924.9. The States are encouraged to utilize the timesaving procedures incorporated in FHWA directives for the minor type of work normal to highway safety improvement projects.
- (b) Funds apportioned under 23 U.S.C. 152, Hazard Elimination Program, are to be used to implement highway safety improvement projects on any public road other than Interstate.
- (c) Funds apportioned under section 203(b) of the Highway Safety Act of 1973, as amended, Rail-Highway Crossings, are to be used to implement railroad-highway grade crossing safety projects on any public road. At least 50 percent of the funds apportioned under section 203(b) must be made available for the installation of grade crossing protective devices. The railroad share, if any, of the cost of grade crossing improvements shall be determined in accordance with 23 CFR part 646, subpart B (Railroad-Highway Projects).
- (d) Highway safety improvement projects may be implemented on the Federal-aid system with funds apportioned under 23 U.S.C. 104(b), and with funds apportioned under section 104(b)(1) of the Federal-Aid Highway

- Act of 1978 and section 103(a) of the Highway Improvement Act of 1982, if excess to Interstate System needs.
- (e) Funds apportioned under 23 U.S.C. 219, Safer Off-System Roads, may be used to implement highway safety improvement projects on public roads which are not on a Federal-aid system.
- (f) Major safety defects on bridges, including related approach improvements, may be corrected as part of a bridge rehabilitation project on any public road with funds apportioned under 23 U.S.C. 144, if such project is considered eligible under 23 CFR part 650, subpart D (Special Bridge Replacement Program).
- (g) Award of contracts for highway safety improvement programs shall be in accordance with 23 CFR part 635.

[48 FR 44066, Sept. 26, 1983]

§924.13 Evaluation.

- (a) The evaluation component of the highway safety improvement progam in each State shall include a process for determining the effect that highway safety improvement projects have in reducing the number and severity of accidents and potential accidents, including:
- (1) The cost of, and the safety benefits derived from the various means and methods used to mitigate or eliminate hazards.
- (2) A record of accident experience before and after the implementation of a highway safety improvement, project, and
- (3) A comparison of accident numbers, rates, and severity observed after the implementation of a highway safety improvement project with the accident numbers, rates, and severity expected if the improvement had not been made.
- (b) The findings resulting from the evaluation process shall be incorporated as basic source data in the planning process outlined in §924.9(a).
- (c) The evaluation component may be financed with funds made available through 23 U.S.C. 402, 307(c), and, where applicable, 104(f). In addition, when highway safety improvement projects are undertaken with funds apportioned under 23 U.S.C. 152 or section 203 of the

§ 924.15

Highway Safety Act of 1973, as amended, these funds may also be used to evaluate the improvements.

§924.15 Reporting.

(a) Each State shall submit to the FHWA Division Administrator no later than August 31 of each year a report (OMB Number 04-R2450) covering the State's highway safety improvement program during the previous July 1 through June 30 period. In its annual

report, the State shall report on the progress made in implementing the hazard elimination program and the grade crossing improvement program, and shall evaluate the effectiveness of completed highway safety improvement projects in these programs.

(b) The preparation of the State's annual report may be financed with funds made available through 23 U.S.C. 402, 307(c), and, where applicable, 104(f).

SUBCHAPTER K—INTELLIGENT TRANSPORTATION SYSTEMS

PART 940—INTELLIGENT TRANSPORTATION SYSTEM ARCHITECTURE AND STANDARDS

Sec

940.1 Purpose.

940.3 Definitions.

940.5 Policy.

940.7 Applicability. 940.9 Regional ITS architecture.

940.11 Project implementation.

940.13 Project administration.

AUTHORITY: 23 U.S.C. 101, 106, 109, 133, 315, and 508; sec 5206(e), Public Law 105-178, 112 Stat. 457 (23 U.S.C. 502 note); and 49 CFR 1.48.

SOURCE: 66 FR 1453, Jan. 8, 2001, unless otherwise noted.

§940.1 Purpose.

This regulation provides policies and procedures for implementing section 5206(e) of the Transportation Equity Act for the 21st Century (TEA-21), Public Law 105-178, 112 Stat. 457, pertaining to conformance with the National Intelligent Transportation Systems Architecture and Standards.

§ 940.3 Definitions.

Intelligent Transportation System (ITS) means electronics, communications, or information processing used singly or in combination to improve the efficiency or safety of a surface transportation system.

ITS project means any project that in whole or in part funds the acquisition of technologies or systems of technologies that provide or significantly contribute to the provision of one or more ITS user services as defined in the National ITS Architecture.

Major ITS project means any ITS project that implements part of a regional ITS initiative that is multi-jurisdictional, multi-modal, or otherwise affects regional integration of ITS systems.

National ITS Architecture (also "national architecture") means a common framework for ITS interoperability. The National ITS Architecture comprises the logical architecture and physical architecture which satisfy a defined set of user services. The National ITS Architecture is maintained

by the United States Department of Transportation (DOT) and is available on the DOT web site at http:// www.its.dot.gov.

Project level ITS architecture is a framework that identifies the institutional agreement and technical integration necessary to interface a major ITS project with other ITS projects and systems.

Region is the geographical area that identifies the boundaries of the regional ITS architecture and is defined by and based on the needs of the participating agencies and other stakeholders. In metropolitan areas, a region should be no less than the boundaries of the metropolitan planning

Regional ITS architecture means a regional framework for ensuring institutional agreement and technical integration for the implementation of ITS projects or groups of projects.

Systems engineering is a structured process for arriving at a final design of a system. The final design is selected from a number of alternatives that would accomplish the same objectives and considers the total life-cycle of the project including not only the technical merits of potential solutions but also the costs and relative value of alternatives.

§ 940.5 Policy.

ITS projects shall conform to the National ITS Architecture and standards in accordance with the requirements contained in this part. Conformance with the National ITS Architecture is interpreted to mean the use of the National ITS Architecture to develop a regional ITS architecture, and the sub-sequent adherence of all ITS projects to that regional ITS architecture. Development of the regional ITS architecture should be consistent with the transportation planning process for Statewide and Metropolitan Transportation Planning.

§940.7 Applicability.

(a) All ITS projects that are funded in whole or in part with the highway

§ 940.9

trust fund, including those on the National Highway System (NHS) and on non-NHS facilities, are subject to these provisions.

- (b) The Secretary may authorize exceptions for:
- (1) Projects designed to achieve specific research objectives outlined in the National ITS Program Plan under section 5205 of the TEA-21, or the Surface Transportation Research and Development Strategic Plan developed under 23 U.S.C. 508; or
- (2) The upgrade or expansion of an ITS system in existence on the date of enactment of the TEA-21, if the Secretary determines that the upgrade or expansion:
- (i) Would not adversely affect the goals or purposes of Subtitle C (Intelligent Transportation Systems Act of 1998) of the TEA-21;
- (ii) Is carried out before the end of the useful life of such system; and
- (iii) Is cost-effective as compared to alternatives that would meet the conformity requirement of this rule.
- (c) These provisions do not apply to funds used for operations and maintenance of an ITS system in existence on June 9, 1998.

§ 940.9 Regional ITS architecture.

- (a) A regional ITS architecture shall be developed to guide the development of ITS projects and programs and be consistent with ITS strategies and projects contained in applicable transportation plans. The National ITS Architecture shall be used as a resource in the development of the regional ITS architecture. The regional ITS architecture shall be on a scale commensurate with the scope of ITS investment in the region. Provision should be made to include participation from the following agencies, as appropriate, in the development of the regional ITS architecture: Highway agencies; public safety agencies (e.g., police, fire, emergency/medical); transit operators; Federal lands agencies; State motor carrier agencies; and other operating agencies necessary to fully address regional ITS integration.
- (b) Any region that is currently implementing ITS projects shall have a regional ITS architecture by April 8, 2005

- (c) All other regions not currently implementing ITS projects shall have a regional ITS architecture within four years of the first ITS project for that region advancing to final design.
- (d) The regional ITS architecture shall include, at a minimum, the following:
 - (1) A description of the region;
- (2) Identification of participating agencies and other stakeholders;
- (3) An operational concept that identifies the roles and responsibilities of participating agencies and stakeholders in the operation and implementation of the systems included in the regional ITS architecture;
- (4) Any agreements (existing or new) required for operations, including at a minimum those affecting ITS project interoperability, utilization of ITS related standards, and the operation of the projects identified in the regional ITS architecture;
 - (5) System functional requirements;
- (6) Interface requirements and information exchanges with planned and existing systems and subsystems (for example, subsystems and architecture flows as defined in the National ITS Architecture);
- (7) Identification of ITS standards supporting regional and national interoperability; and
- (8) The sequence of projects required for implementation.
- (e) Existing regional ITS architectures that meet all of the requirements of paragraph (d) of this section shall be considered to satisfy the requirements of paragraph (a) of this section.
- (f) The agencies and other stakeholders participating in the development of the regional ITS architecture shall develop and implement procedures and responsibilities for maintaining it, as needs evolve within the region.

[$66\ FR\ 1453$, Jan. 8, 2001, as amended at $66\ FR\ 19856$, Apr. 18, 2001]

§940.11 Project implementation.

- (a) All ITS projects funded with highway trust funds shall be based on a systems engineering analysis.
- (b) The analysis should be on a scale commensurate with the project scope.
- (c) The systems engineering analysis shall include, at a minimum:

- (1) Identification of portions of the regional ITS architecture being implemented (or if a regional ITS architecture does not exist, the applicable portions of the National ITS Architecture):
- (2) Identification of participating agencies roles and responsibilities;
 - (3) Requirements definitions;
- (4) Analysis of alternative system configurations and technology options to meet requirements;
 - (5) Procurement options;
- (6) Identification of applicable ITS standards and testing procedures; and
- (7) Procedures and resources necessary for operations and management of the system.
- (d) Upon completion of the regional ITS architecture required in §§940.9(b) or 940.9(c), the final design of all ITS projects funded with highway trust funds shall accommodate the interface requirements and information exchanges as specified in the regional ITS architecture. If the final design of the ITS project is inconsistent with the regional ITS architecture, then the regional ITS architecture shall be updated as provided in the process defined in §940.9(f) to reflect the changes.
- (e) Prior to the completion of the regional ITS architecture, any major ITS project funded with highway trust funds that advances to final design shall have a project level ITS architecture that is coordinated with the development of the regional ITS architecture. The final design of the major ITS project shall accommodate the interface requirements and information exchanges as specified in this project level ITS architecture. If the project final design is inconsistent with the

project level ITS architecture, then the project level ITS architecture shall be updated to reflect the changes. The project level ITS architecture is based on the results of the systems engineering analysis, and includes the following:

- (1) A description of the scope of the ITS project;
- (2) An operational concept that identifies the roles and responsibilities of participating agencies and stakeholders in the operation and implementation of the ITS project;
- (3) Functional requirements of the ITS project;
- (4) Interface requirements and information exchanges between the ITS project and other planned and existing systems and subsystems; and
- (5) Identification of applicable ITS standards.
- (f) All ITS projects funded with highway trust funds shall use applicable ITS standards and interoperability tests that have been officially adopted through rulemaking by the DOT.
- (g) Any ITS project that has advanced to final design by April 8, 2001 is exempt from the requirements of paragraphs (d) through (f) of this section.

[66 FR 1453, Jan. 8, 2001, as amended at 66 FR 19856, Apr. 18, 2001]

§940.13 Project administration.

- (a) Prior to authorization of highway trust funds for construction or implementation of ITS projects, compliance with §940.11 shall be demonstrated.
- (b) Compliance with this part will be monitored under Federal-aid oversight procedures as provided under 23 U.S.C. 106 and 133.

SUBCHAPTER L—FEDERAL LANDS HIGHWAYS

PART 970—NATIONAL PARK SERVICE MANAGEMENT SYSTEMS

Subpart A—Definitions

970.100 Purpose.

970.102 Applicability.

970.104 Definitions.

Subpart B—National Park Service **Management Systems**

970.200 Purpose.

970.202 Applicability.

Management systems requirements.

970.206 Funds for establishment, development, and implementation of the systems.

970.208 Federal lands pavement management system (PMS)

970.210 Federal lands bridge management system (BMS).

970.212 Federal lands safety management system (SMS).

970.214 Federal lands congestion management system (CMS).

AUTHORITY: 23 U.S.C. 204 and 315; 42 U.S.C. 7410 et seq.; 49 CFR 1.48.

SOURCE: 69 FR 9473, Feb. 27, 2004, unless otherwise noted.

Subpart A—Definitions

§ 970.100 Purpose.

The purpose of this subpart is to provide definitions for terms used in this part.

§ 970.102 Applicability.

The definitions in this subpart are applicable to this part, except as otherwise provided.

§ 970.104 Definitions.

Alternative transportation systems means modes of transportation other than private vehicles, including methods to improve system performance such as transportation demand management, congestion management, and intelligent transportation systems. These mechanisms help reduce the use of private vehicles and thus improve overall efficiency of transportation systems and facilities.

Elements means the components of a bridge important from a structural, user, or cost standpoint. Examples are decks, joints, bearings, girders, abutments, and piers.

Federal lands bridge management system (BMS) means a systematic process used by the Forest Service (FS), the Fish and Wildlife Service (FWS) and the National Park Service (NPS) for collecting and analyzing bridge data to make forecasts and recommendations, and provides the means by which bridge maintenance, rehabilitation, and replacement programs and policies may be efficiently and effectively considered.

Federal lands congestion management system (CMS) means a systematic process used by the NPS, the FWS and the FS for managing congestion that provides information on transportation system performance, and alternative strategies for alleviating congestion and enhancing the mobility of persons and goods to levels that meet Federal, State and local needs.

Federal Lands Highway Program (FLHP) means a federally funded program established in 23 U.S.C. 204 to address transportation needs of Federal and Indian lands.

Federal lands pavement management system (PMS) means a systematic process used by the NPS, the FWS and the FS that provides information for use in implementing cost-effective pavement reconstruction, rehabilitation, and preventive maintenance programs and policies, and that results in pavement designed to accommodate current and forecasted traffic in a safe, durable, and cost-effective manner.

Federal lands safety management system (SMS) means a systematic process used by the NPS, the FWS and the FS with the goal of reducing the number and severity of traffic accidents by ensuring that all opportunities to improve roadway safety are identified, considered, implemented, and evaluated, as appropriate, during all phases of highway planning, design, construction, operation and maintenance, by providing information for selecting and implementing effective highway safety strategies and projects.

Highway safety means the reduction of traffic accidents on public roads, including reductions in deaths, injuries, and property damage.

Intelligent transportation system (ITS) means electronics, communications, or information processing used singly or in combination to improve the efficiency and safety of a surface transportation system.

Life-cycle cost analysis means an evaluation of costs incurred over the life of a project allowing a comparative analysis between or among various alternatives. Life-cycle cost analysis promotes consideration of total cost, including maintenance and operation expenditures. Comprehensive life-cycle cost analysis includes all economic variables essential to the evaluation, including user costs such as delay, safety costs associated with maintenance and rehabilitation projects, agency capital costs, and life-cycle maintenance costs.

Metropolitan planning area means the geographic area in which the metropolitan transportation planning process required by 23 U.S.C. 134 and 49 U.S.C. 5303-5306 must be carried out.

Metropolitan planning organization (MPO) means the forum for cooperative transportation decision-making for the metropolitan planning area pursuant to 23 U.S.C. 134 and 49 U.S.C. 5303.

National Park Service transportation plan means an official NPS multimodal transportation plan that is developed through the NPS transportation planning process pursuant to 23 U.S.C. 204.

Operations means those activities associated with managing, controlling, and regulating highway and pedestrian traffic.

Park road means a public road, including a bridge built primarily for pedestrian use, but with capacity for use by emergency vehicles, that is located within, or provides access to, an area in the National Park System with title and maintenance responsibilities vested in the United States.

Park Road Program transportation improvement program (PRPTIP) means a staged, multi-year, multimodal program of NPS transportation projects in a State area. The PRPTIP is consistent with the NPS transportation plan and

developed through the NPS planning processes pursuant to 23 U.S.C. 204.

Park roads and parkways program means a program that is authorized in 23 U.S.C. 204 with funds allocated to the NPS by the Federal Highway Administration (FHWA) for each fiscal year as provided in 23 U.S.C. 202(c) and 23 U.S.C. 204.

Parkway means a parkway authorized by Act of Congress on lands to which title is vested in the United States.

Secretary means the Secretary of Transportation.

Serviceability means the degree to which a bridge provides satisfactory service from the point of view of its

State means any one of the fifty States, the District of Columbia, or Puerto Rico.

Transportation facilities means roads, streets, bridges, parking areas, transit vehicles, and other related transportation infrastructure.

Transportation Management Area (TMA) means an urbanized area with a population over 200,000 (as determined by the latest decennial census) or other area when TMA designation is requested by the Governor and the MPO (or affected local officials), and officially designated by the Administrators of the FHWA and the Federal Transit Administration (FTA). The TMA designation applies to the entire metropolitan planning area(s).

Subpart B—National Park Service Management Systems

§ 970.200 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 204, which requires the Secretary and the Secretary of each appropriate Federal land management agency, to the extent appropriate, to develop by rule safety, bridge, pavement, and congestion management systems for roads funded under the FLHP. These management systems serve to guide the National Park Service (NPS) in developing transportation plans and making resource allocation decisions for the PRPTIP.

§ 970.202

§ 970.202 Applicability.

The provisions in this subpart are applicable to the NPS and the Federal Highway Administration (FHWA) that are responsible for satisfying these requirements for management systems pursuant to 23 U.S.C. 204.

§ 970.204 Management systems requirements.

- (a) The NPS shall develop, establish and implement the management systems as described in this subpart. The NPS may tailor all management systems to meet the NPS goals, policies, and needs using professional engineering and planning judgment to determine the required nature and extent of systems coverage consistent with the intent and requirements of this rule. The management systems also shall be developed so they assist in meeting the goals and measures that were jointly developed by the FHWA and the NPS in response to the Government Performance and Results Act of 1993 (Pub. L. 103-62, 107 Stat. 285).
- (b) The NPS and the FHWA shall develop an implementation plan for each of the management systems. These plans will include, but are not limited to, the following: Overall goals and policies concerning the management systems, each agency's responsibilities for developing and implementing the management systems, implementation schedule, data sources, and cost estimate. The FHWA will provide the NPS ongoing technical engineering support for the development, implementation, and maintenance of the management systems.
- (c) The NPS shall develop and implement procedures for the development, establishment, implementation and operation of management systems. The procedures shall include:
- (1) A process for ensuring the outputs of the management systems are considered in the development of NPS transportation plans and PRPTIPs and in making project selection decisions under 23 U.S.C. 204;
- (2) A process for the analysis and coordination of all management system outputs to systematically operate, maintain, and upgrade existing transportation assets cost-effectively;

- (3) A description of each management system;
- (4) A process to operate and maintain the management systems and their associated databases; and
- (5) A process for data collection, processing, analysis and updating for each management system.
- (d) All management systems will use databases with a geographical reference system that can be used to geolocate all database information.
- (e) Existing data sources may be used by the NPS to the maximum extent possible to meet the management system requirements.
- (f) The NPS shall develop an appropriate means to evaluate the effectiveness of the management systems in enhancing transportation investment decision-making and improving the overall efficiency of the affected transportation systems and facilities. This evaluation is to be conducted periodically, preferably as part of the NPS planning process.
- (g) The management systems shall be operated so investment decisions based on management system outputs can be considered at the national, regional, and park levels.

§ 970.206 Funds for establishment, development, and implementation of the systems.

The Park Roads and Parkways program funds may be used for development, establishment, and implementation of the management systems. These funds are to be administered in accordance with the procedures and requirements applicable to the funds.

§ 970.208 Federal lands pavement management system (PMS).

In addition to the requirements provided in §970.204, the PMS must meet the following requirements:

- (a) The NPS shall have PMS coverage of all paved park roads, parkways, parking areas and other associated facilities, as appropriate, that are funded under the FLHP.
- (b) The PMS may be utilized at various levels of technical complexity depending on the nature of the transportation network. These different levels may depend on mileage, functional

classes, volumes, loading, usage, surface type, or other criteria the NPS deems appropriate.

- (c) The PMS shall be designed to fit the NPS goals, policies, criteria, and needs using the following components, at a minimum, as a basic framework for a PMS:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the PMS. The minimum PMS database shall include:
- (i) An inventory of the physical pavement features including the number of lanes, length, width, surface type, functional classification, and shoulder information:
- (ii) A history of project dates and types of construction, reconstruction, rehabilitation, and preventive maintenance. If some of the inventory or historic data is difficult to establish, it may be collected when preservation or reconstruction work is performed;
- (iii) Condition data that includes roughness, distress, rutting, and surface friction (as appropriate);
- (iv) Traffic information including volumes and vehicle classification (as appropriate); and
- (v) Data for estimating the costs of actions.
- (2) A system for applying network level analytical procedures that are capable of analyzing data for all park roads, parkways and other appropriate associated facilities in the inventory or any subset. The minimum analyses shall include:
- (i) A pavement condition analysis that includes roughness, distress, rutting, and surface friction (as appropriate);
- (ii) A pavement performance analysis that includes present and predicted performance and an estimate of the remaining service life (performance and remaining service life to be developed with time); and
 - (iii) An investment analysis that:
- (A) Identifies alternative strategies to improve pavement conditions;
- (B) Estimates costs of any pavement improvement strategy;
- (C) Determines maintenance, repair, and rehabilitation strategies for pave-

ments using life-cycle cost analysis or a comparable procedure;

(D) Provides for short and long term budget forecasting; and

- (E) Recommends optimal allocation of limited funds by developing a prioritized list of candidate projects over a predefined planning horizon (both short and long term).
- (d) For any park roads, parkways and other appropriate associated facilities in the inventory or subset thereof, PMS reporting requirements shall include, but are not limited to, percentage of roads in good, fair, and poor condition.

 $[69\ FR\ 9473,\ Feb.\ 27,\ 2004;\ 69\ FR\ 16793,\ Mar.\ 31,\ 2004]$

§ 970.210 Federal lands bridge management system (BMS).

In addition to the requirements provided in §970.204, the BMS must meet the following requirements:

- (a) The NPS shall have a BMS for the bridges which are under the NPS jurisdiction, funded under the FLHP, and required to be inventoried and inspected as prescribed by 23 U.S.C. 144.
- (b) The BMS shall be designed to fit the NPS goals, policies, criteria, and needs using, as a minimum, the following components:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the BMS. The minimum BMS database shall include:
- (i) Data described by the inventory section of the National Bridge Inspection Standards (23 CFR part 650, subpart C);
- (ii) Data characterizing the severity and extent of deterioration of bridge elements;
- (iii) Data for estimating the cost of improvement actions;
- (iv) Traffic information including volumes and other pertinent information: and
- (v) A history of conditions and actions taken on each bridge, excluding minor or incidental maintenance.
- (2) A system for applying network level analytical procedures that are capable of analyzing data for all bridges in the inventory or any subset. The minimum analyses shall include:

§ 970.212

- (i) A prediction of performance and estimate of the remaining service life of structural and other key elements of each bridge, both with and without intervening actions; and
- (ii) A recommendation for optimal allocation of limited funds through development of a prioritized list of candidate projects over predefined short and long term planning horizons.
- (c) The BMS may include the capability to perform an investment analysis as appropriate, considering size of structure, traffic volume, and structural condition. The investment analysis may:
- (1) Identify alternative strategies to improve bridge condition, safety and serviceability;
- (2) Estimate the costs of any strategies ranging from maintenance of individual elements to full bridge replacement:
- (3) Determine maintenance, repair, and rehabilitation strategies for bridge elements using life cycle cost analysis or a comparable procedure;
- (4) Provide short and long term budget forecasting; and
- (5) Evaluate the cultural and historical values of the structure.
- (d) For any bridge in the inventory or subset thereof, BMS reporting requirements shall include, but are not limited to, percentage of non-deficient bridges.

§ 970.212 Federal lands safety management system (SMS).

In addition to the requirements provided in §970.204, the SMS must meet the following requirements:

- (a) The NPS shall have an SMS for all transportation systems serving NPS facilities, as appropriate, funded under the FLHP.
- (b) The NPS shall use the SMS to ensure that safety is considered and implemented, as appropriate, in all phases of transportation system planning, design, construction, maintenance, and operations.
- (c) The SMS shall be designed to fit the NPS goals, policies, criteria, and needs and shall contain the following components: (1) An ongoing program for the collection, maintenance and reporting of a data base that includes:

- (i) Accident records with details for analysis such as accident type, using standard reporting descriptions (e.g., right-angle, rear-end, head-on, pedestrian-related), location, description of event, severity, weather and cause;
- (ii) An inventory of safety appurtenances such as signs, delineators, and guardrails (including terminals);
- (iii) Traffic information including volume, speed, and vehicle classification, as appropriate.
- (iv) Accident rates by customary criteria such as location, roadway classification, and vehicle miles of travel.
- (2) Development, establishment, and implementation of procedures for:
- (i) Routinely maintaining and upgrading safety appurtenances including highway-rail crossing warning devices, signs, highway elements, and operational features, where appropriate;
- (ii) Identifying and investigating hazardous or potentially hazardous transportation elements and systems, transit vehicles and facilities, roadway locations and features;
- (iii) Establishing countermeasures and setting priorities to address identified needs.
- (3) A process for communication, coordination, and cooperation among the organizations responsible for the roadway, human, and vehicle safety elements:
- (d) While the SMS applies to appropriate transportation systems serving NPS facilities funded under the FLHP, the extent of system requirements (e.g., data collection, analyses, and standards) for low volume roads may be tailored to be consistent with the functional classification of the road and number and types of transit and other vehicles operated by the NPS.

§ 970.214 Federal lands congestion management system (CMS).

- (a) For purposes of this section, congestion means the level at which transportation system performance is no longer acceptable due to traffic interference. For portions of the NPS transportation system outside the boundaries of TMAs, the NPS shall:
- (1) Develop criteria to determine when a CMS is to be implemented for a specific transportation system; and

- (2) Have CMS coverage for all transportation systems serving NPS facilities that meet minimum CMS needs criteria, as appropriate, funded through the FLHP.
- (b) The NPS shall consider the results of the CMS when selecting congestion mitigation strategies that are the most time efficient and cost effective and that add value (protection/rejuvenation of resources, improved visitor experience) to the park and adjacent communities.
- (c) In addition to the requirements provided in §970.204, the CMS must meet the following requirements:
- (1) For those NPS transportation systems that require a CMS, in both metropolitan and non-metropolitan areas, consideration shall be given to strategies that promote alternative transportation systems, reduce private automobile travel, and best integrate private automobile travel with other transportation modes.
- (2) For portions of the NPS transportation system within transportation management areas (TMAs), the NPS transportation planning process shall include a CMS that meets the requirements of this section. By agreement between the TMA and the NPS, the TMA's CMS coverage may include the transportation systems serving NPS facilities, as appropriate. Through this agreement(s), the NPS may meet the requirements of this section.
- (3) If congestion exists at a NPS facility within the boundaries of a TMA, and the TMA's CMS does not provide coverage of the portions of the NPS transportation facilities experiencing congestion, the NPS shall develop a separate CMS to cover those facilities. Approaches may include the use of alternate mode studies and implementation plans as components of the CMS.
 - (4) A CMS will:
- (i) Identify and document measures for congestion (e.g., level of service);
 - (ii) Identify the causes of congestion;
- (iii) Include processes for evaluating the cost and effectiveness of alternative strategies;
- (iv) Identify the anticipated benefits of appropriate alternative traditional and nontraditional congestion management strategies;

- (v) Determine methods to monitor and evaluate the performance of the multi-modal transportation system; and
- (vi) Appropriately consider strategies, or combinations of strategies for each area, such as:
- (A) Transportation demand management measures:
- (B) Traffic operational improvements:
- (C) Public transportation improvements:
 - (D) ITS technologies; and
 - (E) Additional system capacity.

PART 971—FOREST SERVICE MANAGEMENT SYSTEMS

Subpart A—Definitions

Sec.

971.100 Purpose.

971.102 Applicability.

971.104 Definitions.

Subpart B—Forest Highway Program Management Systems

971.200 Purpose

971.202 Applicability.

971.204 Management systems requirements.

971.206 Funds for establishment, development, and implementation of the systems.

971.208 Federal lands pavement management system (PMS).

971.210 Federal lands bridge management system (BMS).

971.212 Federal lands safety management system (SMS).

971.214 Federal lands congestion management system (CMS).

AUTHORITY: 23 U.S.C. 204, 315; 42 U.S.C. 7410 et seg.; 49 CFR 1.48.

SOURCE: 69 FR 9480, Feb. 27, 2004, unless otherwise noted.

Subpart A—Definitions

§ 971.100 Purpose.

The purpose of this subpart is to provide definitions for terms used in this part.

§ 971.102 Applicability.

The definitions in this subpart are applicable to this part, except as otherwise provided.

§ 971.104 Definitions.

Alternative transportation systems means modes of transportation other than private vehicles, including methods to improve system performance such as transportation demand management, congestion management, and intelligent transportation systems. These mechanisms help reduce the use of private vehicles and thus, improve overall efficiency of transportation systems and facilities.

Elements mean the components of a bridge that are important from a structural, user, or cost standpoint. Examples are decks, joints, bearings, girders, abutments, and piers.

Federal lands bridge management system (BMS) means a systematic process used by the Forest Service (FS), the Fish and Wildlife Service (FWS), and the National Park Service (NPS) for collecting and analyzing bridge data to make forecasts and recommendations, and that provides the means by which bridge maintenance, rehabilitation, and replacement programs and policies may be efficiently and effectively considered.

Federal lands congestion management system (CMS) means a systematic process used by the FS, FWS, and NPS for managing congestion that provides information on transportation system performance, and alternative strategies for alleviating congestion and enhancing the mobility of persons and goods to levels that meet Federal, State, and local needs.

Federal Lands Highway Program (FLHP) means a federally funded program established in 23 U.S.C. 204 to address transportation needs of Federal and Indian lands.

Federal lands pavement management system (PMS) means a systematic process used by the FS, FWS, and NPS that provides information for use in implementing cost-effective pavement reconstruction, rehabilitation, and preventive maintenance programs and policies, and that results in pavement designed to accommodate current and forecasted traffic in a safe, durable, and cost-effective manner.

Federal lands safety management system (SMS) means a systematic process used by the FS, FWS, and NPS with the goal of reducing the number and se-

verity of traffic accidents by ensuring that all opportunities to improve roadway safety are identified, considered, implemented, and evaluated as appropriate, during all phases of highway planning, design, construction, operation and maintenance, by providing information for selecting and implementing effective highway safety strategies and projects.

Forest highway (FH) means a forest road under the jurisdiction of, and maintained by, a public authority and open to public travel.

Forest Highway Program means the public lands highway funds allocated each fiscal year, as is provided in 23 U.S.C. 202, for projects that provide access to and within the National Forest system, as described in 23 U.S.C. 202(b) and 23 U.S.C. 204.

Forest Highway Program transportation improvement program (FHTIP) means a staged, multiyear, multimodal program of transportation projects in a State area consistent with the FH transportation plan and developed through the tri-party FH planning processes pursuant to 23 U.S.C. 204, and 23 CFR 660 subpart A.

Forest Service transportation plan means the official FH multimodal, transportation plan that is developed through the tri-party FH transportation planning process pursuant to 23 U.S.C. 204.

Highway safety means the reduction of traffic accidents on public roads, including reductions in deaths, injuries, and property damage.

Intelligent transportation system (ITS) means electronics, communications, or information processing, used singly or in combination, to improve the efficiency and safety of a surface transportation system.

Life-cycle cost analysis means an evaluation of costs incurred over the life of a project allowing a comparative analysis between or among various alternatives. Life-cycle cost analysis promotes consideration of total cost, including maintenance and operation expenditures. Comprehensive life-cycle cost analysis includes all economic variables essential to the evaluation including user costs such as delay, safety costs associated with maintenance and rehabilitation projects,

Federal Highway Administration, DOT

agency capital costs, and life-cycle maintenance costs.

Metropolitan planning area means the geographic area in which the metropolitan transportation planning process, required by 23 U.S.C. 134 and 49 U.S.C. 5303-5306, must be carried out.

Metropolitan planning organization (MPO) means the forum for cooperative transportation decision-making for the metropolitan planning area pursuant to 23 U.S.C. 134 and 49 U.S.C. 5303.

National Forest System means all the lands and waters reported by the FS as being part of the National Forest System, including those generally known as National Forests and National Grasslands.

Operations means those activities associated with managing, controlling, and regulating highway traffic.

Secretary means the Secretary of Transportation.

Serviceability means the degree to which a bridge provides satisfactory service from the point of view of its users.

State means any one of the 50 States, the District of Columbia, or Puerto Rico.

Transportation facilities mean roads, streets, bridges, parking areas, transit vehicles, and other related transportation infrastructure.

Transportation Management Area (TMA) means an urbanized area with a population over 200,000 (as determined by the latest decennial census) or other area when TMA designation is requested by the Governor and the MPO (or affected local officials). It also must be officially designated by the Administrators of the Federal Highway Administration (FHWA) and the Federal Transit Administration (FTA). The TMA designation applies to the entire metropolitan planning area(s).

Tri-party means the joint, cooperative, shared partnership among the Federal Lands Highway Division (FLHD), State Department of Transportation (State DOT), and the FS to carry out the FH program.

Subpart B—Forest Highway Program Management Systems

§ 971.200 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 204, which requires the Secretary and the Secretary of each appropriate Federal land management agency, to the extent appropriate, to develop by rule safety, bridge, pavement, and congestion management systems for roads funded under the FLHP.

§ 971.202 Applicability.

The provisions in this subpart are applicable to the FS, the Federal Highway Administration, and the State DOTs that are responsible for satisfying these requirements for management systems pursuant to 23 U.S.C. 204.

§ 971.204 Management systems requirements.

- (a) The tri-party partnership shall develop, establish, and implement the management systems as described in this subpart. If the State has established a management system for FH that fulfills the requirements in 23 U.S.C. 303, that management system, to the extent applicable, can be used to meet the requirements of this subpart consistent with 23 CFR 660.105(b). The management systems may be tailored to meet the FH program goals, policies, and needs using professional engineering and planning judgment to determine the nature and extent of systems coverage consistent with the intent and requirements of this rule.
- (b) The tri-party partnership shall develop and implement procedures for the acceptance of the existing, or the development, establishment, implementation, and operation of new management systems. The procedures shall include:
- (1) A process for ensuring the output of the management systems is considered in the development of the FH program transportation plans and transportation improvement programs, and in making project selection decisions under 23 U.S.C. 204;
- (2) A process for the analyses and coordination of all management systems outputs to systematically operate,

§ 971.206

maintain, and upgrade existing transportation assets cost-effectively;

- (3) A description of each management system;
- (4) A process to operate and maintain the management systems and their associated databases; and
- (5) A process for data collection, processing, analysis, and updating for each management system.
- (c) All management systems will use databases with a common or coordinated reference system, that can be used to geolocate all database information, to ensure that data across management systems are comparable.
- (d) Existing data sources may be used by the tri-party partnership to meet the management system requirements.
- (e) The tri-party partnership shall develop an appropriate means to evaluate the effectiveness of the management systems in enhancing transportation investment decision-making and improving the overall efficiency of the affected transportation systems and facilities. This evaluation is to be conducted periodically, preferably as part of the FS planning process.
- (f) The management systems shall be operated so investment decisions based on management system outputs can be accomplished at the State level.

§ 971.206 Funds for establishment, development, and implementation of the systems.

The FH program funds may be used for development, establishment, and implementation of the management systems. These funds are to be administered in accordance with the procedures and requirements applicable to the funds.

§ 971.208 Federal lands pavement management system (PMS).

In addition to the requirements provided in §971.204, the PMS must meet the following requirements:

(a) The tri-party partnership shall have PMS coverage of all FHs and other associated facilities, as appropriate, funded under the FLHP.

- (b) The PMS may be based on the concepts described in the AASHTO's "Pavement Management Guide."
- (c) The PMS may be utilized at various levels of technical complexity depending on the nature of the transportation network. These different levels may depend on mileage, functional classes, volumes, loading, usage, surface type, or other criteria the triparty partnership deems appropriate.
- (d) The PMS shall be designed to fit the FH program goals, policies, criteria, and needs using the following components, at a minimum, as a basic framework for a PMS:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the PMS. The minimum PMS database shall include:
- (i) An inventory of the physical pavement features including the number of lanes, length, width, surface type, functional classification, and shoulder information;
- (ii) A history of project dates and types of construction, reconstruction, rehabilitation, and preventive maintenance. If some of the inventory or historic data is difficult to establish, it may be collected when preservation or reconstruction work is performed;
- (iii) A condition survey that includes ride, distress, rutting, and surface friction (as appropriate);
- (iv) Traffic information including volumes and vehicle classification (as appropriate); and
- (v) Data for estimating the costs of actions.
- (2) A system for applying network level analytical procedures that are capable of analyzing data for all FHs and other appropriate associated facilities in the inventory or any subset. The minimum analyses shall include:

^{1&#}x27;'Pavement Management Guide," AASHTO, 2001, is available for inspection as prescribed at 49 CFR part 7. It is also available from the American Association of State Highway and Transportation Officials (AASHTO), Publication Order Dept., P.O. Box 96716, Washington, DC 20090-6716 or online at http://www.transportation.org/publications/bookstore.nsf.

- (i) A pavement condition analysis that includes ride, distress, rutting, and surface friction (as appropriate);
- (ii) A pavement performance analysis that includes present and predicted performance and an estimate of the remaining service life. Performance and remaining service life may be developed with time; and
 - (iii) An investment analysis that:
- (A) Identifies alternative strategies to improve pavement conditions;
- (B) Estimates costs of any pavement improvement strategy;
- (C) Determines maintenance, repair, and rehabilitation strategies for pavements using life cycle cost analysis or a comparable procedure;

(D) Provides for short and long term budget forecasting; and

- (E) Recommends optimal allocation of limited funds by developing a prioritized list of candidate projects over a predefined planning horizon (both short and long term).
- (e) For any FHs and other appropriate associated facilities in the inventory or subset thereof, PMS reporting requirements shall include, but are not limited to, percentage of roads in good, fair, and poor condition.

§ 971.210 Federal lands bridge management system (BMS).

In addition to the requirements provided in §971.204, the BMS must meet the following requirements:

- (a) The tri-party partnership shall have a BMS for the FH bridges funded under the FLHP and required to be inventoried and inspected under 23 CFR 650, subpart C, National Bridge Inspection Standards (NBIS).
- (b) The BMS may be based on the concepts described in the AASHTO's "Guidelines for Bridge Management Systems." ²
- (c) The BMS shall be designed to fit the FH program goals, policies, criteria, and needs using the following

components, as a minimum, as a basic framework for a BMS:

- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the BMS. The minimum BMS database shall include:
- (i) The inventory data required by the NBIS (23 CFR 650, subpart C);
- (ii) Data characterizing the severity and extent of deterioration of bridge elements;
- (iii) Data for estimating the cost of improvement actions;
- (iv) Traffic information including volumes and vehicle classification (as appropriate); and
- (v) A history of conditions and actions taken on each bridge, excluding minor or incidental maintenance.
- (2) A system for applying network level analytical procedures at the State or local area level, as appropriate, and capable of analyzing data for all bridges in the inventory or any subset. The minimum analyses shall include:
- (i) A prediction of performance and estimate of the remaining service life of structural and other key elements of each bridge, both with and without intervening actions; and
- (ii) A recommendation for optimal allocation of limited funds through development of a prioritized list of candidate projects over predefined short and long-term planning horizons.
- (d) The BMS may include the capability to perform an investment analysis, as appropriate, considering size of structure, traffic volume, and structural condition. The investment analysis may:
- (1) Identify alternative strategies to improve bridge condition, safety, and serviceability;
- (2) Estimate the costs of any strategies ranging from maintenance of individual elements to full bridge replacement;
- (3) Determine maintenance, repair, and rehabilitation strategies for bridge elements using life cycle cost analysis or a comparable procedure; and
- (4) Provide short and long-term budget forecasting.

² "Guidelines for Bridge Management Systems," AASHTO, 1993, is available for inspection as prescribed at 49 CFR part 7. It is also available from the American Association of State Highway and Transportation Officials (AASHTO), Publication Order Dept., P.O. Box 96716, Washington, DC 20090-6716 or online at http://www.transportation.org/publications/bookstore.nsf.

§ 971.212

(e) For any bridge in the inventory or subset thereof, BMS reporting requirements shall include, but are not limited to, percentage of non-deficient bridges.

§ 971.212 Federal lands safety management system (SMS).

In addition to the requirements provided in §971.204, the SMS must meet the following requirements:

- (a) The tri-party partnership shall have an SMS for transportation systems providing access to and within National Forests and Grasslands, and funded under the FLHP.
- (b) The SMS may be based on the guidance in "Safety Management Systems: Good Practices for Development and Implementation."³
- (c) The tri-party partnership shall utilize SMS to ensure that safety is considered and implemented, as appropriate, in all phases of transportation system planning, design, construction, maintenance, and operations.
- (d) The SMS may be utilized at various levels of complexity depending on the nature of the facility and/or network involved.
- (e) The SMS shall be designed to fit the FH program goals, policies, criteria, and needs and shall contain the following components:
- (1) An ongoing program for the collection, maintenance, and reporting of a database that includes:
- (i) Accident records with detail for analysis such as accident type using standard reporting descriptions (e.g., right-angle, rear-end, head-on, pedestrian-related, etc.), location, description of event, severity, weather, and cause:
- (ii) An inventory of safety appurtenances such as signs, delineators, and guardrails (including terminals);
- (iii) Traffic information including volume and vehicle classification (as appropriate); and
- 3"Safety Management Systems: Good Practices for Development and Implementation," FHWA and NHTSA, May 1996, may be obtained at the FHWA, Office of Safety, Room 3407, 400 Seventh St., SW., Washington, DC 20590, or electronically at http://safety.fhwa.dot.gov/media/documents.htm. It is available for inspection and copying as prescribed at 49 CFR part 7.

- (iv) Accident rates by customary criteria such as location, roadway classification, and vehicle miles of travel.
- (2) Development, establishment, and implementation of procedures for:
- (i) Where appropriate, routine maintenance and upgrading of safety appurtenances including highway rail crossing safety devices, signs, highway elements, and operational features,
- (ii) Identifying, investigating, and analyzing hazardous or potentially hazardous transportation system safety problems, roadway locations, and features:
- (iii) Establishing countermeasures and setting priorities to correct the identified hazards and potential hazards.
- (3) Identification of focal points for all contacts at State, regional, tribal, and local levels to coordinate, develop, establish, and implement the SMS among the agencies.
- (f) While the SMS applies to appropriate transportation systems providing access to and within National Forests and Grasslands funded under the FLHP, the extent of system requirements (e.g., data collection, analyses, and standards) for low volume roads may be tailored to be consistent with the functional classification of the roads. However, adequate requirements should be included for each roadway to provide for effective inclusion of safety decisions in the administration of the FH program.

§ 971.214 Federal lands congestion management system (CMS).

- (a) For purposes of this section, congestion means the level at which transportation system performance is no longer acceptable due to traffic interference. For portions of the FH network outside the boundaries of TMAs, the tri-party partnership shall:
- (1) Develop criteria to determine when a CMS is to be implemented for a specific FH; and
- (2) Have CMS coverage for the transportation systems providing access to and within National Forests, as appropriate, that meet minimum CMS criteria.
- (b) The tri-party partnership shall consider the results of the CMS when

selecting the implementation of strategies that provide the most efficient and effective use of existing and future transportation facilities.

- (c) In addition to the requirements provided in §971.204, the CMS must meet the following requirements:
- (1) For those FH transportation systems that require a CMS, in both metropolitan and non-metropolitan areas, consideration shall be given to strategies that reduce private automobile travel and improve existing transportation efficiency. Approaches may include the use of alternative mode studies and implementation plans as components of the CMS.
 - (2) A CMS will:
- (i) Identify and document measures for congestion (e.g., level of service);
 - (ii) Identify the causes of congestion;
- (iii) Include processes for evaluating the cost and effectiveness of alternative strategies to manage congestion:
- (iv) Identify the anticipated benefits of appropriate alternative traditional and nontraditional congestion management strategies;
- (v) Determine methods to monitor and evaluate the performance of the multi-modal transportation system; and
- (vi) Appropriately consider the following example categories of strategies, or combinations of strategies for each area:
- (A) Transportation demand management measures;
- (B) Traffic operational improvements;
- (C) Public transportation improvements;
 - (D) ITS technologies; and
 - (E) Additional system capacity.

PART 972—FISH AND WILDLIFE SERVICE MANAGEMENT SYSTEMS

Subpart A—Definitions

Sec.

972.100 Purpose.

972.102 Applicability.

972.104 Definitions.

Subpart B—Fish and Wildlife Service Management Systems

972.200 Purpose.

972.202 Applicability.

- 972.204 Management systems requirements.
- 972.206 Funds for establishment, development, and implementation of the systems.
- 972.208 Federal lands pavement management system (PMS).
- 972.210 Federal lands bridge management system (BMS).
- 972.212 Federal lands safety management system (SMS).
- 972.214 Federal lands congestion management system (CMS).

AUTHORITY: 23 U.S.C. 204, 315; 42 U.S.C. 7410 $et\ seq.$; 49 CFR 1.48.

SOURCE: 69 FR 9487, Feb. 27, 2004, unless otherwise noted.

Subpart A—Definitions

§ 972.100 Purpose.

The purpose of this subpart is to provide definitions for terms used in this part.

§ 972.102 Applicability.

The definitions in this subpart are applicable to this part, except as otherwise provided.

§ 972.104 Definitions.

Alternative transportation systems means modes of transportation other than private vehicles, including methods to improve system performance such as transportation demand management, congestion management, and intelligent transportation systems. These mechanisms help reduce the use of private vehicles and thus improve overall efficiency of transportation systems and facilities.

Elements mean the components of a bridge important from a structural, user, or cost standpoint. Examples are decks, joints, bearings, girders, abutments, and piers.

Federal lands bridge management system (BMS) means a systematic process used by the Forest Service (FS), the Fish and Wildlife Service (FWS) and the National Park Service (NPS) for analyzing bridge data to make forecasts and recommendations, and provides the means by which bridge maintenance, rehabilitation, and replacement programs and policies may be effectively considered.

Federal lands congestion management system (CMS) means a systematic process used by the FS, FWS and NPS for managing congestion that provides information on transportation system performance and alternative strategies for alleviating congestion and enhancing the mobility of persons and goods to levels that meet Federal, State and local needs.

Federal Lands Highway Program (FLHP) means a federally funded program established in 23 U.S.C. 204 to address transportation needs of Federal and Indian lands.

Federal lands pavement management system (PMS) means a systematic process used by the FS, FWS and NPS that provides information for use in implementing cost-effective pavement reconstruction, rehabilitation, and preventive maintenance programs and policies and that results in pavement designed to accommodate current and forecasted traffic in a safe, durable, and cost-effective manner.

Federal lands safety management system (SMS) means a systematic process used by the FS, FWS and NPS with the goal of reducing the number and severity of traffic accidents by ensuring that all opportunities to improve roadway safety are identified, considered, implemented and evaluated as appropriate, during all phases of highway planning, design, construction, operation and maintenance, by providing information for selecting and implementing effective highway safety strategies and projects.

Fish and Wildlife Service transportation plan means the official Fish and Wildlife Service-wide multimodal transportation plan that is developed through the Fish and Wildlife Service transportation planning process pursuant to 23 U.S.C. 204.

Highway safety means the reduction of traffic accidents, and deaths, injuries, and property damage resulting therefrom, on public roads.

Intelligent transportation system (ITS) means electronics, communications, or information processing used singly or in combination to improve the efficiency and safety of a surface transportation system.

Life-cycle cost analysis means an evaluation of costs incurred over the life of a project allowing a comparative analysis between or among various alternatives. Life-cycle cost analysis pro-

motes consideration of total cost, to include maintenance and operation expenditures. Comprehensive life-cycle costs analysis includes all economic variables essential to the evaluation: User costs such as delay and safety costs associated with maintenance and rehabilitation projects, agency capital cost, and life-cycle maintenance costs.

Metropolitan planning area means the geographic area in which the metropolitan transportation planning process required by 23 U.S.C. 134 and 49 U.S.C. 5303-5306 must be carried out.

Metropolitan planning organization (MPO) means the forum for cooperative transportation decision-making for the metropolitan planning area pursuant to 23 U.S.C. 134 and 49 U.S.C. 5303.

National Wildlife Refuge System (Refuge System) means all the lands and waters reported by the FWS as being part of the National Wildlife Refuge System in the annual "Report of Lands Under Control of the U.S. FWS." Included in the Refuge System are those lands that are generally known as refuges, waterfowl production areas, wetland management districts, and coordination areas.

Operations means those activities associated with managing, controlling, and regulating highway traffic.

Refuge road means a public road that provides access to or is located within a unit of the National Wildlife Refuge System and for which title and maintenance responsibilities are vested in the United States Government.

Refuge Roads Program means the funds allocated each fiscal year, as described in 23 U.S.C. 202(e) and 23 U.S.C. 204(k).

Refuge Roads transportation improvement program (RRTIP) means a staged, multiyear, multimodal program of transportation projects for the Refuge Roads Program consistent with the Fish and Wildlife Service transportation plan and planning processes pursuant to 23 U.S.C. 204(a) and (k).

Secretary means the Secretary of Transportation.

^{1&}quot;Report of Lands under Control of the U.S. FWS," U.S. FWS. (published annually on September 30). A free copy is available from the U.S. FWS, Division of Realty, 4401 N. Fairfax Drive, Suite 622, Arlington, VA 22203; telephone: (703) 358–1713.

State means any one of the fifty States, the District of Columbia, or Puerto Rico.

Transportation facilities means roads, streets, bridges, parking areas, transit vehicles, and other related transportation infrastructure.

Transportation Management Area (TMA) means an urbanized area with a population over 200,000 (as determined by the latest decennial census) or other area when TMA designation is requested by the Governor and the MPO (or affected local officials), and officially designated by the Administrators of the Federal Highway Administration and the Federal Transit Administration. The TMA designation applies to the entire metropolitan planning area(s).

Subpart B—Fish and Wildlife Service Management Systems

§ 972.200 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 204 which requires the Secretary and the Secretary of each appropriate Federal land management agency, to the extent appropriate, to develop by rule safety, bridge, pavement, and congestion management systems for roads funded under the FLHP.

§ 972.202 Applicability.

The provisions in this subpart are applicable to the Fish and Wildlife Service (FWS) and the Federal Highway Administration (FHWA) that are responsible for satisfying these requirements for management systems pursuant to 23 U.S.C. 204.

§ 972.204 Management systems re quirements.

(a) The FWS shall develop, establish and implement the management systems as described in this subpart. The FWS may tailor the management systems to meet the FWS goals, policies, and needs using professional engineering and planning judgment to determine the required nature and extent of systems coverage consistent with the intent and requirements of this rule.

(b) The FWS and the FHWA shall develop an implementation plan for each of the management systems. These

plans will include, but are not limited to, the following: Overall goals and policies concerning the management systems, each agency's responsibilities for developing and implementing the management systems, implementation schedule, data sources, and cost estimate. The FHWA will provide the FWS ongoing technical engineering support for the development, implementation, and maintenance of the management systems.

- (c) The FWS shall develop and implement procedures for the development, establishment, implementation and operation of management systems. The procedures shall include:
- (1) A process for ensuring the results of any of the management systems are considered in the development of FWS transportation plans and transportation improvement programs and in making project selection decisions under 23 U.S.C. 204;
- (2) A process for the analyses and coordination of all management system outputs to systematically operate, maintain, and upgrade existing transportation assets cost-effectively;
- (3) A description of each management system;
- (4) A process to operate and maintain the management systems and their associated databases; and
- (5) A process for data collection, processing, analysis and updating for each management system.
- (d) All management systems will use databases with a geographical reference system that can be used to geolocate all database information.
- (e) Existing data sources may be used by the FWS to the maximum extent possible to meet the management system requirements.
- (f) The FWS shall develop an appropriate means to evaluate the effectiveness of the management systems in enhancing transportation decision-making and improving the overall efficiency of the affected federally owned transportation systems and facilities. This evaluation is to be conducted periodically, preferably as part of the comprehensive resource conservation planning process.
- (g) The management systems shall be operated so investment decisions based

§ 972.206

on management system outputs can be accomplished at the regional level.

§ 972.206 Funds for establishment, development, and implementation of the systems.

The Refuge Roads program funds may be used for development, establishment, and implementation of the management systems. These funds are to be administered in accordance with the procedures and requirements applicable to the funds.

§ 972.208 Federal lands pavement management system (PMS).

In addition to the requirements provided in §972.204, the PMS must meet the following requirements:

- (a) The FWS shall, at a minimum, have PMS coverage of all paved refuge roads and other associated facilities, as appropriate, funded under the FLHP.
- (b) The PMS may be based on the concepts described in the AASHTO's "Pavement Management Guide."²
- (c) The PMS may be utilized at various levels of technical complexity depending on the nature of the pavement network. These different levels may depend on mileages, functional classes, volumes, loadings, usage, surface type, or other criteria the FWS deems appropriate.
- (d) The PMS shall be designed to fit the FWS goals, policies, criteria, and needs using the following components, at a minimum, as a basic framework for a PMS:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the PMS. The minimum PMS database shall include:
- (i) An inventory of the physical pavement features including the number of lanes, length, width, surface type, functional classification, and shoulder information;
- ² "Pavement Management Guide," AASHTO, 2001, is available for inspection as prescribed at 49 CFR part 7. It is also available from the American Association of State Highway and Transportation Officials (AASHTO), Publication Order Dept., P.O. Box 96716, Washington, DC 20090-6716 or online at http://www.transportation.org/publications/bookstore.nsf.

- (ii) A history of project dates and types of construction, reconstruction, rehabilitation, and preventive maintenance. If some of the inventory or historic data are difficult to establish, it may be collected when preservation or reconstruction work is performed;
- (iii) A condition survey that includes ride, distress, rutting, and surface friction (as appropriate);
- (iv) Traffic information including volumes and vehicle classification (as appropriate); and
- (v) Data for estimating the costs of actions.
- (2) A system for applying network level analytical procedures that are capable of analyzing data for all FWS managed transportation facilities in the inventory or any subset. The minimum analyses shall include:
- (i) A pavement condition analysis that includes ride, distress, rutting, and surface friction (as appropriate);
- (ii) A pavement performance analysis that includes present and predicted performance and an estimate of the remaining service life (performance and remaining service life to be developed with time); and
 - (iii) An investment analysis that:
- (A) Identifies alternative strategies to improve pavement conditions;
- (B) Estimates costs of any pavement improvement strategy;
- (C) Determines maintenance, repair, and rehabilitation strategies for pavements using life-cycle cost analysis or a comparable procedure;
- (D) Provides short and long term budget forecasting; and
- (E) Recommends optimal allocation of limited funds by developing a prioritized list of candidate projects over a predefined planning horizon (both short and long term).
- (e) For any FWS managed transportation facilities in the inventory or subset thereof, PMS reporting requirements shall include, but are not limited to, percentage of roads in good, fair, and poor condition.

§ 972.210 Federal lands bridge management system (BMS).

In addition to the requirements provided in §972.204, the BMS must meet the following requirements:

- (a) The FWS shall have a BMS for bridges which are under the FWS jurisdiction, funded under the FLHP, and required to be inventoried and inspected under 23 CFR 650, subpart C, National Bridge Inspection Standards (NBIS).
- (b) The BMS shall be designed to fit the FWS goals, policies, criteria, and needs using the following components, as a minimum, as a basic framework for a BMS:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the BMS. The minimum BMS database shall include:
- (i) The inventory data required by the NBIS (23 CFR 650, subpart C);
- (ii) Data characterizing the severity and extent of deterioration of bridge elements;
- (iii) Data for estimating the cost of improvement actions;
- (iv) Traffic information including volumes and vehicle classification (as appropriate); and
- (v) A history of conditions and actions taken on each bridge, excluding minor or incidental maintenance.
- (2) Analytical procedures that are capable of analyzing data for all bridges in the inventory or any subset. These procedures include, as appropriate, such factors as bridge condition, recommended repairs/replacement and estimated costs, prediction of the estimated remaining life of the bridge, development of a prioritized list of candidate projects over a specified planning horizon, and budget forecasting.
- (c) For any bridge in the inventory or subset thereof, BMS reporting requirements shall include, but are not limited to, percentage of non-deficient bridges.

§ 972.212 Federal lands safety management system (SMS).

In addition to the requirements provided in §972.204, the SMS must meet the following requirements:

- (a) The FWS shall have an SMS for all transportation facilities serving the Refuge System, as appropriate, funded under the FLHP.
- (b) The FWS SMS may be based on the guidance in "Safety Management

- Systems: Good Practices for Development and Implementation.''3
- (c) The FWS shall utilize the SMS to ensure that safety is considered and implemented as appropriate in all phases of transportation system planning, design, construction, maintenance, and operations.
- (d) The SMS may be utilized at various levels of complexity depending on the nature of the transportation facility involved.
- (e) The SMS shall be designed to fit the FWS goals, policies, criteria, and needs using, as a minimum, the following components as a basic framework for a SMS:
- (1) An ongoing program for the collection, maintenance and reporting of a database that includes:
- (i) Accident records with sufficient detail for analysis such as accident type using standard reporting descriptions (e.g., right-angle, rear-end, headon, pedestrian-related, etc.), location, description of event, severity, weather and cause;
- (ii) An inventory of safety appurtenances such as signs, delineators, and guardrails (including terminals);
- (iii) Traffic information including volumes and vehicle classification (as appropriate); and
- (iv) Accident rates by customary criteria such as location, roadway classification, and vehicle miles of travel.
- (2) Development, establishment and implementation of procedures for:
- (i) Routinely maintaining and upgrading safety appurtenances including highway-rail crossing warning devices, signs, highway elements, and operational features where appropriate; and
- (ii) Identifying and investigating hazardous or potentially hazardous transportation system safety problems, roadway locations and features, then establishing countermeasures and setting priorities to correct the identified hazards and potential hazards.

³ "Safety Management Systems: Good Practices for Development and Implementation," FHWA and NHTSA, May 1996, may be obtained at the FHWA, Office of Safety, Room 3407, 400 Seventh St., SW., Washington, DC 20590, or electronically at http://safety.fhwa.dot.gov/media/documents.htm. It is available for inspection and copying as prescribed at 49 CFR part 7.

§ 972.214

(3) A process for communication, coordination, and cooperation among the organizations responsible for the roadway, human, and vehicle safety elements; and

(4) Development and implementation of public information and education activities on safety needs, programs, and countermeasures which affect safety on the FWS transportation systems.

(f) While the SMS applies to appropriate transportation facilities serving the Refuge System funded under the FLHP, the extent of system requirements (e.g., data collection, analyses, and standards) for low volume roads may be tailored to be consistent with the functional classification of the roads. However, sufficient detail should be included for each functional classification to provide adequate information for use in making safety decisions in the RR program.

§ 972.214 Federal lands congestion management system (CMS).

(a) For purposes of this section, congestion means the level at which transportation system performance is no longer acceptable due to traffic interference. For those FWS transportation systems that require a CMS, in both metropolitan and non-metropolitan areas, consideration shall be given to strategies that reduce private automobile travel and improve existing transportation system efficiency. Approaches may include the use of alternate mode studies and implementation plans as components of the CMS. The FWS shall consider the results of the CMS when selecting the implementation of strategies that provide the most efficient and effective use of existing and future transportation facilities, and alleviate congestion.

(b) In addition to the requirements provided in §972.204, the CMS must meet the following requirements:

(1) For portions of the FWS transportation system within TMAs, the FWS transportation planning process shall include a CMS that meets the requirements of this section. By agreement between the TMA and the FWS, the TMA's CMS coverage may include the transportation facilities serving the Refuge System, as appropriate. Through this agreement(s), the FWS

may meet the requirements of this section

- (2) If congestion exists at a FWS facility within the boundaries of a TMA, and the TMA's CMS does not provide coverage of the portions of the FWS transportation facilities experiencing congestion, the FWS shall develop a separate CMS to cover those facilities.
- (3) For portions of the FWS transportation system outside the boundaries of TMAs, the FWS shall:
- (i) Develop criteria to determine when a CMS is to be implemented for a specific transportation system; and
- (ii) Have CMS coverage for all transportation facilities serving the Refuge System, as appropriate, funded through the FLHP that meet minimum CMS needs criteria.
 - (4) A CMS will:
- (i) Identify and document measures for congestion (e.g., level of service);
 - (ii) Identify the causes of congestion;
- (iii) Include processes for evaluating the cost and effectiveness of alternative strategies to manage congestion;
- (iv) Identify the anticipated benefits of appropriate alternative traditional and nontraditional congestion management strategies;
- (v) Determine methods to monitor and evaluate the performance of the multi-modal transportation system;
- (vi) Appropriately consider the following example categories of strategies, or combinations of strategies for each area:
- (A) Transportation demand management measures;
- (B) Traffic operational improvements;
- (C) Public transportation improvements:
 - (D) ITS technologies;
- (E) Additional system capacity; and
- (vii) Provide information supporting the implementation of actions.

PART 973—MANAGEMENT SYSTEMS PERTAINING TO THE BUREAU OF INDIAN AFFAIRS AND THE IN-DIAN RESERVATION ROADS PRO-GRAM

Subpart A—Definitions

Sec.

973.100 Purpose.

973.102 Applicability.

973.104 Definitions.

Subpart B—Bureau of Indian Affairs Management Systems

973.200 Purpose.

973.202 Applicability.

973.204 Management systems requirements.

973.206 Funds for establishment, development, and implementation of the systems.

973.208 Indian lands pavement management system (PMS).

973.210 Indian lands bridge management system (BMS).

973.212 Indian lands safety management system (SMS).

973.214 Indian lands congestion management system (CMS).

AUTHORITY: 23 U.S.C. 204, 315, 42 U.S.C. 7410 et seg.; 49 CFR 1.48.

SOURCE: 69 FR 9499, Feb. 27, 2004, unless otherwise noted.

Subpart A—Definitions

§ 973.100 Purpose.

The purpose of this subpart is to provide definitions for terms used in this part.

§ 973.102 Applicability.

The definitions in this subpart are applicable to this part, except as otherwise provided.

$\S 973.104$ Definitions.

Alternative transportation systems means modes of transportation other than private vehicles, including methods to improve system performance such as transportation demand management, congestion management, and intelligent transportation systems. These mechanisms help reduce the use of private vehicles and thus improve overall efficiency of transportation systems and facilities.

Elements means the components of a bridge important from a structural,

user, or cost standpoint. Examples are decks, joints, bearings, girders, abutments, and piers.

Federal Lands Highway Program (FLHP) means a federally funded program established in 23 U.S.C. 204 to address transportation needs of Federal and Indian lands.

Indian lands bridge management system (BMS) means a systematic process used by the Bureau of Indian Affairs (BIA) or Indian Tribal Governments (ITGs) for analyzing bridge data to make forecasts and recommendations, and provides the means by which bridge maintenance, rehabilitation, and replacement programs and policies may be efficiently considered.

Indian lands congestion management system (CMS) means a systematic process used by the BIA or ITGs for managing congestion that provides information on transportation system performance and alternative strategies for alleviating congestion and enhancing the mobility of persons and goods to levels that meet Federal, State and local needs.

Indian lands pavement management system (PMS) means a systematic process used by the BIA or ITGs that provides information for use in implementing cost-effective pavement reconstruction, rehabilitation, and preventive maintenance programs and policies, and that results in pavement designed to accommodate current and forecasted traffic in a safe, durable, and cost-effective manner.

Indian lands safety management system (SMS) means a systematic process used by the BIA or ITGs with the goal of reducing the number and severity of traffic accidents by ensuring that all opportunities to improve roadway safety are identified, considered, implemented and evaluated, as appropriate, during all phases of highway planning, design, construction, operation and maintenance by providing information for selecting and implementing effective highway safety strategies and projects.

Indian reservation road (IRR) means a public road that is located within or provides access to an Indian reservation or Indian trust land or restricted Indian land that is not subject to fee title alienation without the approval of the Federal government, or Indian and

§ 973.200

Alaska Native villages, groups, or communities in which Indians and Alaskan Natives reside, whom the Secretary of the Interior has determined are eligible for services generally available to Indians under Federal laws specifically applicable to Indians.

Indian Reservation Roads (IRR) Program means a part of the FLHP established in 23 U.S.C. 204 to address the transportation needs of federally recognized ITGs.

Indian Reservation Roads transportation improvement program (IRRTIP) means a multi-year, financially constrained list by year, State, and tribe of IRR-funded projects selected by ITGs that are programmed for construction in the next 3 to 5 years.

Indian Reservation Roads transportation plan means a document setting out a tribe's long-range transportation priorities and needs. The IRR transportation plan, which can be developed by either the tribe or the BIA on behalf of that tribe, is developed through the IRR transportation planning process pursuant to 23 U.S.C. 204 and 25 CFR part 170.

Indian Tribal Government (ITG) means a duly formed governing body of an Indian or Alaska Native Tribe, Band, Nation, Pueblo, Village, or Community that the Secretary of the Interior acknowledges to exist as an Indian tribe pursuant to the Federally Recognized Indian Tribe List Act of 1994, 25 U.S.C. 479a

Indian tribe (tribe) means any Indian tribe, nation, band, pueblo, rancheria, colony, or community, including any Alaska Native Village, or regional or village corporation as defined or established under the Alaska Native Claims Settlement Act which is federally recognized by the U.S. government for special programs and services provided by the Secretary of the Interior to Indians because of their status as Indians

Intelligent transportation system (ITS) means electronics, communications, or information processing used singly or in combination to improve the efficiency and safety of a surface transportation system.

Life-cycle cost analysis means an evaluation of costs incurred over the life of a project allowing a comparative analysis between or among various alternatives. Life-cycle cost analysis promotes consideration of total cost, to include maintenance and operation expenditures. Comprehensive life-cycle cost analysis includes all economic variables essential to the evaluation: Safety costs associated with maintenance and rehabilitation projects, agency capital cost, and life-cycle maintenance costs.

Operations means those activities associated with managing, controlling, and regulating highway traffic.

Secretary means the Secretary of Transportation.

Serviceability means the degree to which a bridge provides satisfactory service from the point of view of its

State means any one of the fifty States, the District of Columbia, or Puerto Rico.

Transportation facilities means roads, streets, bridges, parking areas, transit vehicles, and other related transportation infrastructure.

Subpart B—Bureau of Indian Affairs Management Systems

§ 973.200 Purpose.

The purpose of this subpart is to implement 23 U.S.C. 204 which requires the Secretary and the Secretary of each appropriate Federal land management agency to the extent appropriate, to develop by rule safety, bridge, pavement, and congestion management systems for roads funded under the FLHP.

§ 973.202 Applicability.

The provisions in this subpart are applicable to the Bureau of Indian Affairs (BIA), the Federal Highway Administration (FHWA), and the Indian Tribal Governments (ITGs) that are responsible for satisfying these requirements for management systems pursuant to 23 U.S.C. 204.

§ 973.204 Management systems requirements.

(a) The BIA, in consultation with the tribes, shall develop, establish and implement nationwide pavement, bridge, and safety management systems for federally and tribally owned IRRs. The

BIA may tailor the nationwide management systems to meet the agency's goals, policies, and needs, after considering the input from the tribes, and using professional engineering and planning judgment to determine the required nature and extent of systems coverage consistent with the intent and requirements of this rule.

- (b) The BIA and the FHWA, in consultation with the tribes, shall develop an implementation plan for each of the nationwide management systems. These plans will include, but are not limited to, the following: Overall goals and policies concerning the nationwide management systems, each agency's responsibilities for developing and implementing the nationwide management systems, implementation schedule, data sources, including the need to accommodate State and local data, and cost estimate.
- (c) Indian tribes may develop, establish, and implement tribal management systems under a self-determination contract or self-governance annual funding agreement. The tribe may tailor the management systems to meet its goals, policies, and needs, using professional engineering and planning judgment to determine the required nature and extent of systems coverage consistent with the intent and requirements of this rule.
- (d) The BIA, in consultation with the tribes, shall develop criteria for cases in which tribal management systems are not appropriate.
- (e) The BIA, in consultation with the tribes, or the tribes under a self-determination contract or self-governance annual funding agreement, may incorporate data provided by States and local governments into the nationwide or tribal management systems, as appropriate, for State and locally owned IRRs.
- (f) The BIA, in consultation with the tribes, shall develop and implement procedures for the development, establishment, implementation and operation of nationwide management systems. If a tribe develops tribal management systems, the tribe shall develop and implement procedures for the development, establishment, implementation and operation of tribal manage-

ment systems. The procedures shall include:

- (1) A description of each management system;
- (2) A process to operate and maintain the management systems and their associated databases;
- (3) A process for data collection, processing, analysis and updating for each management system;
- (4) A process for ensuring the results of the management systems are considered in the development of IRR transportation plans and transportation improvement programs and in making project selection decisions under 23 U.S.C. 204; and
- (5) A process for the analysis and coordination of all management systems outputs to systematically operate, maintain, and upgrade existing transportation assets cost-effectively;
- (g) All management systems shall use databases with a common or coordinated reference system that can be used to geolocate all database information
- (h) Existing data sources may be used by the BIA and the tribes to the maximum extent possible to meet the management system requirements.
- (i) A nationwide congestion management system is not required. The BIA and the FHWA, in consultation with the tribes, shall develop criteria for determining when congestion management systems are required for BIA or tribal transportation facilities providing access to and within the Indian reservations. Either the tribes or the BIA, in consultation with the tribes, shall develop, establish and implement congestion management systems for the transportation facilities that meet the criteria.
- (j) The BIA shall develop an appropriate means to evaluate the effectiveness of the nationwide management systems in enhancing transportation investment decisions and improving the overall efficiency of the affected transportation systems and facilities. This evaluation is to be conducted periodically, preferably as part of the BIA planning process to assist the FHWA in evaluating the efficiency and effectiveness of the management systems as a component of the IRR program, and

§ 973.206

may include consultation with the tribes, as appropriate.

(k) The management systems shall be operated so investment decisions based on management system outputs can be accomplished at the BIA region and tribal level and can be utilized throughout the transportation planning process.

§ 973.206 Funds for establishment, development, and implementation of the systems.

The IRR program management funds may be used to accomplish nationwide management system activities. For tribal management system activities, the IRR two percent tribal transportation planning or construction funds may be used. (Refer to 23 U.S.C. 204(b) and 204(j)). These funds are to be administered in accordance with the procedures and requirements applicable to the funds.

§ 973.208 Indian lands pavement management system (PMS).

In addition to the requirements provided in §973.204, the PMS must meet the following requirements:

- (a) The BIA shall have PMS coverage for all federally and tribally owned, paved IRRs included in the IRR inventory.
- (b) Where a tribe collects data for the tribe's PMS, the tribe shall provide the data to the BIA to be used in the nationwide PMS.
- (c) The nationwide and tribal PMSs may be based on the concepts described in the AASHTO's "Pavement Management Guide." ¹
- (d) The nationwide and tribal PMSs may be utilized at various levels of technical complexity depending on the nature of the pavement network. These different levels may depend on mileage, functional classes, volumes, loading, usage, surface type, or other criteria the BIA and ITGs deem appropriate.
- 1''Pavement Management Guide,'' AASHTO, 2001, is available for inspection as prescribed at 49 CFR part 7. It is also available from the American Association of State Highway and Transportation Officials (AASHTO), Publication Order Dept., P.O. Box 96716, Washington, DC 20090-6716 or online at http://www.transportation.org/publications/bookstore.nsf.

- (e) A PMS shall be designed to fit the BIA's or tribes' goals, policies, criteria, and needs using the following components, at a minimum, as a basic framework for a PMS:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the PMS. The minimum PMS database shall include:
- (i) An inventory of the physical pavement features including the number of lanes, length, width, surface type, functional classification, and shoulder information:
- (ii) A history of project dates and types of construction, reconstruction, rehabilitation, and preventive maintenance. If some of the inventory or historic data is difficult to establish, it may be collected when preservation or reconstruction work is performed;
- (iii) A condition survey that includes ride, distress, rutting, and surface friction (as appropriate);
- (iv) Traffic information including volumes and vehicle classification (as appropriate); and
- (v) Data for estimating the costs of actions.
- (2) A system for applying network level analytical procedures that are capable of analyzing data for all federally and tribally owned IRR in the inventory or any subset. The minimum analyses shall include:
- (i) A pavement condition analysis that includes ride, distress, rutting, and surface friction (as appropriate);
- (ii) A pavement performance analysis that includes present and predicted performance and an estimate of the remaining service life (performance and remaining service life to be developed with time); and
 - (iii) An investment analysis that:
- (A) Identifies alternative strategies to improve pavement conditions;
- (B) Estimates costs of any pavement improvement strategy;
- (C) Determines maintenance, repair, and rehabilitation strategies for pavements using life cycle cost analysis or a comparable procedure;
- (D) Performs short and long term budget forecasting; and
- (E) Recommends optimal allocation of limited funds by developing a

prioritized list of candidate projects over a predefined planning horizon (both short and long term).

(f) For any roads in the inventory or subset thereof, PMS reporting requirements shall include, but are not limited to, percentage of roads in good, fair, and poor condition.

§ 973.210 Indian lands bridge management system (BMS).

In addition to the requirements provided in §973.204, the BMS must meet the following requirements:

- (a) The BIA shall have a nationwide BMS for the federally and tribally owned IRR bridges that are funded under the FLHP and required to be inventoried and inspected under 23 CFR 650, subpart C, National Bridge Inspection Standards (NBIS).
- (b) Where a tribe collects data for the tribe's BMS, the tribe shall provide the data to the BIA to be used in the nationwide BMS.
- (c) The nationwide and tribal BMSs may be based on the concepts described in the AASHTO's "Guidelines for Bridge Management Systems." ²
- (d) A BMS shall be designed to fit the BIA's or tribe's goals, policies, criteria, and needs using the following components, as a minimum, as a basic framework for a BMS:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the BMS. The minimum BMS database shall include:
- (i) The inventory data described by the NBIS (23 CFR part 650, subpart C);
- (ii) Data characterizing the severity and extent of deterioration of bridge components;
- (iii) Data for estimating the cost of improvement actions;
- (iv) Traffic information including volumes and vehicle classification (as appropriate); and
- 2''Guidelines for Bridge Management Systems,'' AASHTO, 1993, is available for inspection as prescribed at 49 CFR part 7. It is also available from the American Association of State Highway and Transportation Officials (AASHTO), Publication Order Dept., P.O. Box 96716, Washington, DC 20090-6716 or online at http://www.transportation.org/publications/bookstore.nsf.

- (v) A history of conditions and actions taken on each bridge, excluding minor or incidental maintenance.
- (2) A systematic procedure for applying network level analytical procedures that are capable of analyzing data for all bridges in the inventory or any subset. The minimum analyses shall include:
- (i) A prediction of performance and estimate of the remaining service life of structural and other key elements of each bridge, both with and without intervening actions; and
- (ii) A recommendation for optimal allocation of limited funds by developing a prioritized list of candidate projects over a predefined planning horizon (both short and long term).
- (e) The BMS may include the capability to perform an investment analysis (as appropriate, considering size of structure, traffic volume, and structural condition). The investment analysis may include the ability to:
- (1) Identify alternative strategies to improve bridge condition, safety and serviceability;
- (2) Estimate the costs of any strategies ranging from maintenance of individual elements to full bridge replacement:
- (3) Determine maintenance, repair, and rehabilitation strategies for bridge elements using life cycle cost analysis or a comparable procedure; and
- (4) Perform short and long term budget forecasting.
- (f) For any bridge in the inventory or subset thereof, BMS reporting requirements shall include, but are not limited to, percentage of non-deficient bridges.

§ 973.212 Indian lands safety management system (SMS).

In addition to the requirements provided in §973.204, the SMS must meet the following requirements:

- (a) The BIA shall have a nationwide SMS for all federally and tribally owned IRR and public transit facilities included in the IRR inventory.
- (b) Where a tribe collects data for the tribe's SMS, the tribe shall provide the data to the BIA to be used in the nationwide SMS.
- (c) The nationwide and tribal SMS may be based on the guidance in

§ 973.214

- "Safety Management Systems: Good Practices for Development and Implementation" ³
- (d) The BIA and ITGs shall utilize the SMSs to ensure that safety is considered and implemented as appropriate in all phases of transportation system planning, design, construction, maintenance, and operations.
- (e) The nationwide and tribal SMSs may be utilized at various levels of complexity depending on the nature of the IRR facility involved.
- (f) An SMS shall be designed to fit the BIA's or ITG's goals, policies, criteria, and needs using, as a minimum, the following components as a basic framework for an SMS:
- (1) A database and an ongoing program for the collection and maintenance of the inventory, inspection, cost, and supplemental data needed to support the SMS. The minimum SMS database shall include:
 - (i) Accident records;
- (ii) An inventory of safety hardware including signs, guardrails, and lighting appurtenances (including terminals); and
- (iii) Traffic information including volume and vehicle classification (as appropriate).
- (2) Development, establishment and implementation of procedures for:
- (i) Routinely maintaining and upgrading safety appurtenances including highway-rail crossing warning devices, signs, highway elements, and operational features where appropriate;
- (ii) Routinely maintaining and upgrading safety features of transit facilities;
- (iii) Identifying and investigating hazardous or potentially hazardous transportation system safety problems, roadway locations and features; and
- (iv) Establishing countermeasures and setting priorities to correct the identified hazards and potential hazards.
- 3"Safety Management Systems: Good Practices for Development and Implementation," FHWA and NHTSA, May 1996, may be obtained at the FHWA, Office of Safety, Room 3407, 400 Seventh St., SW., Washington, DC 20590, or electronically at http://safety.fhwa.dot.gov/media/documents.htm. It is available for inspection and copying as prescribed at 49 CFR part 7.

- (3) A process for communication, coordination, and cooperation among the organizations responsible for the roadway, human, and vehicle safety elements:
- (4) Development and implementation of public information and education activities on safety needs, programs, and countermeasures which affect safety on the BIA's and ITG's transportation systems; and
- (5) Identification of skills, resources and training needs to implement safety programs for highway and transit facilities and the development of a program to carry out necessary training.
- (g) While the SMS applies to all federally and tribally owned IRRs in the IRR inventory, the extent of system requirements (e.g., data collection, analyses, and standards) for low volume roads may be tailored to be consistent with the functional classification of the roads. However, adequate requirements should be included for each BIA functional classification to provide for effective inclusion of safety decisions in the administration of transportation by the BIA and ITGs.
- (h) For any transportation facilities in the IRR inventory or subset thereof, SMS reporting requirements shall include, but are not limited to, the following:
- (1) Accident types such as rightangle, rear-end, left turn, head-on, sideswipe, pedestrian-related, run-offroad, fixed object, and parked vehicle;
- (2) Accident severity per year measured as number of accidents with fatalities, injuries, and property damage only; and
- (3) Accident rates measured as number of accidents (fatalities, injuries, and property damage only) per 100 million vehicle miles of travel, number of accidents (fatalities, injuries, and property damage only) per 1000 vehicles, or number of accidents (fatalities, injuries, and property damage only) per mile.

§ 973.214 Indian lands congestion management system (CMS).

(a) For purposes of this section, congestion means the level at which transportation system performance is no longer acceptable due to traffic interference. The BIA and the FHWA, in

consultation with the tribes, shall develop criteria to determine when a CMS is to be implemented for a specific federally or tribally owned IRR transportation system that is experiencing congestion. Either the tribe or the BIA, in consultation with the tribe, shall consider the results of the CMS in the development of the IRR transportation plan and the IRRTIP, when selecting strategies for implementation that provide the most efficient and effective use of existing and future transportation facilities to alleviate congestion and enhance mobility.

- (b) In addition to the requirements provided in §973.204, the CMS must meet the following requirements:
- (1) For those BIA or tribal transportation systems that require a CMS, consideration shall be given to strategies that reduce private automobile travel and improve existing transportation system efficiency. Approaches may include the use of alternate mode studies and implementation plans as components of the CMS.

- (2) A CMS will:
- (i) Identify and document measures for congestion (e.g., level of service);
- (ii) Identify the causes of congestion; (iii) Include processes for evaluating the cost and effectiveness of alternative strategies;
- (iv) Identify the anticipated benefits of appropriate alternative traditional and nontraditional congestion management strategies;
- (v) Determine methods to monitor and evaluate the performance of the multi-modal transportation system; and
- (vi) Appropriately consider the following example categories of strategies, or combinations of strategies for each area:
- (A) Transportation demand management measures;
- (B) Traffic operational improvements;
- (C) Public transportation improvements;
- (D) ITS technologies; and
- (E) Additional system capacity.